1170

1170
CLIFTON
1931- 1940
78 02 10

Section **A** for the entry of D
AIR MINISTRY. INFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST 1931 .

Kept at Clifton
in the County of Bedford
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Le

THE MORNING MEASU S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	0·03	Tr	0·10	0·02	0·21	–	–	–	–	–	–	1
2	0·04	0·10	–	0·27	–	–	0·005	0·01	0·39	–	0·005	0·02	2
3	0·01	0·01	–	0·11	0·34	–	–	0·13	0·60	–	0·07	0·12	3
4	–	0·03	–	0·04	–	–	0·10	0·25	0·13	–	0·14	–	4
5	–	–	–	0·07	0·06	0·41	0·08	0·01	0·06	–	–	0·46	5
6	–	0·08	Tr Snow	0·04	–	0·21	–	–	–	0·21	0·55	0·01	6
7	–	Tr	–	Tr	–	0·005	0·20	0·36	–	0·07	0·05	0·03	7
8	0·04	0·05	0·07	Tr	–	0·06	–	1·58	–	0·01	0·01	0·005	8
9	–	0·07	0·005	0·02	–	0·19	0·005	0·01	–	–	0·17	0·005	9
10	0·01	0·07	Tr	–	–	0·03	0·11	0·31	–	–	0·25	–	10
11	0·15	0·15	–	–	–	0·02	–	–	0·05	–	0·03	Tr	11
12	–	0·02	–	0·01	–	–	–	0·01	0·26	–	0·005	–	12
13	Tr Snow	Tr	–	–	–	–	0·12	0·08	–	–	–	–	13
14	0·05	0·09	0·005	–	0·06	0·01	1·30	0·46	–	–	0·02	Tr	14
15	0·03	0·04	–	0·29	0·07	–	0·19	0·29	–	–	Tr	0·03	15
16	Tr	0·06	–	0·09	0·25	0·01	–	0·06	0·03	–	–	–	16
17	0·01	0·12	–	0·21	0·34	–	0·13	0·16	0·16	–	–	–	17
18	0·01	0·10	–	0·23	0·005	0·05	–	0·26	–	–	0·45	–	18
19	0·04	0·005	–	0·43	–	0·25	0·18	0·01	0·14	–	0·01	–	19
20	0·005	0·005	–	0·06	–	–	0·14	0·26	–	0·04	–	–	20
21	0·01	Tr	–	0·01	0·66		–	0·02	0·005	–	–	–	21
22	0·11	–	–	Tr	Tr	–	–	–	0·04	–	0·005	–	22
23	0·16	0·04	Tr	0·005	0·28	0·18	–	–	0·01	–	0·17	0·04	23
24	0·005	Tr	Tr	0·14	0·10	0·01	0·03	–	0·01	–	–	–	24
25	0·06	–	–	0·35	0·01	–	0·73	–	–	0·005	0·13	0·005	25
26	Tr	0·005	–	0·25	0·01	–	0·62	–	–	–	0·17	–	26
27	0·09	0·46	–	0·01	0·04	–	0·24	–	–	0·005	0·15	–	27
28	0·11	0·12	–	Tr	0·01	–	–	–	–	0·02	0·02	0·07	28
29	0·10		–	0·16	0·005	–	0·10	–	–	0·31	0·01	0·01	29
30	0·07	✕	–	–	0·005	–	–	0·03	–	–	–	–	30
31	0·07	✕	–	✕	–	✕	–	0·005	✕	–	✕	0·01	31
TOTAL	1·18	1·6~~55~~ 6	0·08	2·84~~5~~	2·2~~85~~ 7	1·64~~5~~	4·28	4·3~~05~~ 1	2·08~~5~~	0·57	2·3~~15~~ 2	0·81~~5~~	YEAR'S TOTAL 24·09
*Days with ·01 in. or more.	~~16~~ 20	20 ~~14~~	~~None~~ 2	~~14~~ 20	~~14~~ 16	~~5~~ 13	~~1~~ 16	~~1~~ 20	~~3~~ 12	~~2~~7	~~7~~ 19	~~6~~ 11	~~49~~ 176
*Days with ·04 in. or more.	13	14	1	16	10	8	14	12	9	4	~~9~~ 10	4	11~~4~~ 5

40-9999

(Signed) W. Inskip

[P.T.O.

*See Instruction 2 (*f*) on other side.

1170

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Clifton

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 137 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	0·03	Tr	0·10	0·02	0·21	–	–	–	–	–	–	1
2	0·04	0·10	–	0·27	–	–	0·005	0·01	0·39	–	0·005	0·02	2
3	0·01	0·01	–	0·11	0·34	–	–	0·13	0·80	–	0·07	0·12	3
4	–	0·03	–	0·04	–	–	0·10	0·25	0·13	–	0·14	–	4
5	–	–	–	0·07	0·06	0·41	0·08	0·01	0·06	–	–	0·46	5
6	–	0·08	Tr Snow	0·04	–	0·21	–	–	–	0·21	0·55	0·01	6
7	–	Tr	–	Tr	–	0·005	0·20	0·36	–	0·07	0·05	0·03	7
8	0·04	0·05	0·07	Tr	–	0·06	–	1·58	–	0·01	0·01	0·005	8
9	–	0·07	0·005	0·02	–	0·19	0·005	0·01	–	–	0·17	0·005	9
10	0·01	0·07	Tr	–	–	0·03	0·11	0·31	–	–	0·25	–	10
11	0·15	0·15	–	–	–	0·02	–	–	0·05	–	0·03	Tr	11
12	–	0·02	–	0·01	–	–	–	0·01	0·26	–	0·005	–	12
13	Tr Snow	Tr	–	–	–	–	0·12	0·08	–	–	–	–	13
14	0·05	0·09	0·005	–	0·06	0·01	1·30	0·46	–	–	0·02	Tr	14
15	0·03	0·04	–	0·29	0·07	–	0·19	0·29	–	–	Tr	0·03	15
16	Tr	0·06	–	0·09	0·25	0·01	–	0·06	0·03	–	–	–	16
17	0·01	0·12	–	0·21	0·34	–	0·13	0·16	0·16	–	–	–	17
18	0·01	0·10	–	0·23	0·005	0·05	–	0·26	–	–	0·45	–	18
19	0·04	0·005	–	0·43	–	0·25	0·18	0·01	0·14	–	0·01	–	19
20	0·005	0·005	–	0·06	–	–	0·14	0·26	–	0·04	–	–	20
21	0·01	Tr	–	0·01	0·66	–	–	0·02	0·005	–	–	–	21
22	0·11	–	–	Tr	Tr	–	–	–	0·04	–	0·005	–	22
23	0·16	0·04	Tr	0·025	0·28	0·18	–	–	0·01	–	0·17	0·04	23
24	0·005	Tr	Tr	0·14	0·10	0·01	0·03	–	0·01	–	–	–	24
25	0·06	–	–	0·35	0·01	–	0·73	–	–	0·005	0·03	0·005	25
26	Tr	0·005	–	0·25	0·01	–	0·62	–	–	–	0·17	–	26
27	0·09	0·46	–	0·01	0·04	–	0·24	–	–	0·005	0·15	–	27
28	0·11	0·12	–	Tr	0·01	–	–	–	–	0·02	0·02	0·07	28
29	0·10		–	0·16	0·005	–	0·10	–	–	0·21	0·01	0·01	29
30	0·07	×	–	–	0·005	–	–	0·03	–	–	–	–	30
31	0·07	×	–	×	–	×	–	0·005	×	–	×	0·01	31
TOTAL	1·18	6 1·655	0·08	2·895	7 2·265	1·645	4·28	1 4·305	2·085	0·57	2 2·315	0·815	YEAR'S TOTAL 24·09
*Days with ·01 in. or more.	~~16~~ 20	20 ~~4~~	~~None~~ 2	~~4~~ 20	~~4~~ 16	~~5~~ 13	~~1~~ 16	~~4~~ 20	~~3~~ 12	~~2~~ 7	~~4~~ 19	~~8~~ 11	~~49~~ 176
*Days with ·04 in. or more.	13	14	1	16	10	8	14	12	9	4	~~9~~ 10	4	11~~4~~ 5

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. Snelshife

[P.T.O.

1170

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1172~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Clifton

in the County of Bedford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 137 ft.

~~do No~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·02	–	·06	·51	·03	·05	·09	·08	·45	·01	·02	1
2	Tr	–	–	·17	·08	–	–	·01	·21	·13	·02	·13	2
3	–	–	–	·15	·19	–	–	Tr	·04	·01	–	–	3
4	·01	Tr	–	·01	Tr	·01	–	–	–	–	·26	–	4
5	·13	–	·01	–	·01	·01	·13	–	·07	–	–	·02	5
6	·25	–	·02	·01	·05	–	–	–	·13	–	–	–	6
7	·01	–	·14	·03	Tr	–	Tr	–	·01	·01	–	–	7
8	–	–	·03	·03	–	–	–	–	·20	·07	–	·02	8
9	·02	·01	·01	·02	·47	–	–	–	–	·04	–	–	9
10	·17	·02	·02	·14	·07	–	–	–	·07	·01	·01	–	10
11	·01	·01	Tr	·15	·07	·27	·08	·22	Tr	·07	·04	–	11
12	·03	Tr	–	·02	·09	Tr	–	·04	·01	·29	·03	–	12
13	·02	·01	–	·10	·01	–	·18	–	·02	Tr	·06	·01	13
14	·18	Tr	–	·09	·01	–	·01	·01	–	·08	·01	·01	14
15	Tr	·01	–	·03	·04	Tr	·11	·01	–	·11	–	·01	15
16	·11	Tr	Tr	·25	·35	–	·01	–	–	–	–	–	16
17	·01	–	·01	Tr	–	–	·07	–	–	·09	Tr	–	17
18	Tr	–	–	–	Tr	–	Tr	–	·56	–	·01	–	18
19	Tr	·01	–	–	–	–	–	Tr	·01	·13	·01	–	19
20	–	Tr	–	·05	·01	–	·16	1·07	Tr	·45	·05	–	20
21	·01	Tr	·07	·25	·54	–	Tr	·85	–	·36	–	·02	21
22	·01	–	·26	·01	·08	–	·17	–	·32	·05	·23	–	22
23	Tr	·06	·01	–	·02	–	–	–	·06	·50	·04	·04	23
24	–	·01	–	·05	·01	–	·66	–	·03	·05	·24	–	24
25	·01	·02	–	Tr	·01	–	·43	–	·10	·30	·04	·01	25
26	Tr	·01	·03	·32	·12	–	·09	–	·02	·01	Tr	–	26
27	–	–	·29	·05	·56	Tr	·05	–	–	·02	·15	–	27
28	–	–	·27	·04	·33	Tr	·18	–	–	·09	·01	·01	28
29	01	–	·12	·03	·27	·01	·01	·11	·02	·20	·02	Tr.	29
30	Tr	×	·10	–	Tr	·21	–	·18	·05	·07	·11	·19	30
31	–	×	·25	×	–	×	Tr	·01	×	–	×	·02	31
TOTAL	1·03	·19	1·64	2·06	3·90	·54	2·39	2·60	2·01	3·59	1·35	·51	YEAR'S TOTAL 21·81
*Days with ·01 in. or more.	17 ~~11~~	11 ~~10~~	16 ~~8~~	23 ~~9~~	23 ~~7~~	6 ~~4~~	16 ~~3~~	11 ~~4~~	19 ~~7~~	24 ~~5~~	19 ~~9~~	13 ~~10~~	~~87~~ 198
*Days with .04 in. or more.	6	1	8	14	16	2	13	7	12	19	10	3	111

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. A. Inskip

P.T.O.

1170

Section A **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No. ~~1170~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Dup

Kept at Clifton

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 137 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	·14	·10	·01	·02	-	-	-	Trace	-	·05	-		1
2	·11	-	·13	-	·04	-	-	-	-	-	-	-		2
3	Trace	·14	·06	-	-	-	-	-	-	-	-	-		3
4	·05	Trace	·07	-	·10	-	-	-	-	-	-	-		4
5	·02	Trace	·06	-	·27	-	-	-	-	-	Trace	-		5
6	-	·04	·16	Trace	·44	-	-	-	-	·02	·11	-		6
7	·03	·09	·01	-	·05	-	-	-	-	·05	·01	·02		7
8	·07	-	·13	-	·16	-	·02	-	-	·01	-	-		8
9	-	-	Trace	Trace	-	-	·13	-	-	·01	·20	-		9
10	·01	-	-	-	-	·07	·47	Trace	-	·11	·08	-		10
11	·10	-	Trace	-	-	·07	·03	·14	-	-	·01	·01		11
12	Trace	-	-	·02	-	·09	-	-	·33	Trace	Trace	·01		12
13	·01	-	-	-	·11	·33	·22	-	·02	·01	·16	-		13
14	·01	-	-	-	-	Trace	Trace	Trace	-	·28	·42	·02		14
15	·21	·04	·01	-	-	-	·79	·04	-	·02	·11	-		15
16	·14	-	·49	-	·01	·12	·02	-	Trace	·05	·01	-		16
17	·02	Trace	·26	-	-	·25	-	·04	·04	-	·01	-		17
18	·01	·07	·01	Trace	-	·11	-	-	-	-	·01	-		18
19	-	·03	·24	Trace	-	·03	-	-	·27	-	·01	·02		19
20	-	·01	Trace	·09	-	·08	-	-	·03	-	·01	-		20
21	Trace	·01	-	Trace	Trace	·09	-	·08	·31	·01	Trace	Trace		21
22	-	Trace	-	-	-	·03	-	·53	-	·09	·02	-		22
23	-	-	-	·12	-	Trace	-	-	·65	·01	·01	-		23
24	-	·14	-	·10	·08	·11	-	-	·20	Trace	·08	-		24
25	-	·28	-	·35	·02	·01	-	-	·03	·01	·01	·08		25
26	-	·32	-	·01	·01	·15	-	-	·16	·12	·01	·10		26
27	-	Trace	-	-	·41	-	Trace	-	·07	·09	-	·01		27
28	-	Trace	-	Trace	·02	-	-	-	·01	·41	Trace	·01		28
29	·08		-	·24	Trace	-	·01	-	-	·10	-	Trace		29
30	·17	✕	·02	-	-	-	·05	-	Trace	·01	-	·10		30
31	·04	✕	·08	✕	-	✕	-	·12	✕	·07	✕	Trace		31
TOTAL	1·17	1·31	1·83	·94	1·74	1·54	1·74	·95	2·12	1·48	1·33	·38	Year's Total 16·53	
*Days with ·01 in. or more.	17 ~~7~~	12 ~~3~~	15 ~~4~~	8 ~~8~~	14 5	14 ~~8~~	9 ~~4~~	6	12 ~~4~~	19 ~~8~~	19 ~~11~~	10 ~~7~~	155 ~~160~~	
*Days with ·04 in. or more.	10	9	11	5	9	11	5	6	8	10	8	3	95	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) W. A. Inship

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1170

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Clifton

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 137 ft.

Days al

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	-	-	-	-	-	-	·18	·01	-	-	·26		1
2	·04	Trace	·06	-	Trace	-	-	Trace	·42	·09	-	·10		2
3	·01	·08	-	·17	-	-	-	-	-	·18	·01	Trace		3
4	·07	·02	·02	Trace	-	-	-	-	-	·31	·08	·16		4
5	-	-	·08	Trace	Trace	Trace	-	·01	-	-	·04	·10		5
6	·01	·01	·08	·02	·36	·10	-	·02	-	·14	-	·32		6
7	·02	Trace	-	-	-	·05	-	·08	-	·04	-	·08		7
8	-	-	-	-	·11	·02	-	·05	·03	·01	·08	·02		8
9	·01	-	·01	Trace	-	-	-	·01	-	-	·46	·22		9
10	Trace	-	·04	·07	-	-	-	·08	-	Trace	·60	·01		10
11	·13	-	·31	·01	-	-	Trace	·11	-	-	·03	·04		11
12	·01	-	·05	-	-	-	·01	·10	-	-	·01	·04		12
13	·20	-	·01	·01	-	-	·81	·09	-	Trace	·02	·26		13
14	·02	-	·23	-	·01	-	-	-	-	·07	·19	·14		14
15	·01	-	·07	-	·04	-	-	-	·42	·01	·08	·04		15
16	·09	·02	·09	-	·05	-	-	-	-	·11	·01	·01		16
17	·04	Trace	Trace	·01	Trace	-	-	Trace	-	·07	·01	·11		17
18	·06	-	Trace	·15	-	-	·19	-	-	Trace	-	·05		18
19	Trace	-	·07	·05	-	·02	-	-	·08	·01	-	·05		19
20	-	-	·14	·01	-	·01	·01	-	·02	-	-	Trace		20
21	-	-	·02	·04	-	·12	-	·01	-	·03	-	·01		21
22	-	Trace	Trace	-	-	-	Trace	·12	·18	-	·01	Trace		22
23	-	Trace	-	·17	-	·11	·01	-	Trace	-	Trace	·03		23
24	Trace	·04	·09	·20	-	·05	·18	-	·12	Trace	Trace	-		24
25	·11	·03	-	·08	-	·04	-	-	·01	·01	-	·16		25
26	·01	Trace	·02	·22	-	·01	·01	-	·01	Trace	-	·08		26
27	Trace	·26 Snow	-	Trace	-	·11	-	-	-	·04	-	·25		27
28	-		-	·26	-	·03	Trace	·79	-	Trace	·07	·40		28
29	-		-	-	-	-	·20	·03	·13	-	·03	Trace		29
30	·07	✕	-	Trace	-	-	Trace	-	·01	·01	-	·06		30
31	·03	✕	-	✕	-	✕	-	·01	✕	·32	✕	·09	Year's Total	31
TOTAL	1·04	·46	1·39	1·47	·57	·67	1·42	1·69	1·44	1·45	1·73	3·09	16·42	
*Days with ·01 in. or more.	19 ~~9~~	7 ~~4~~	17 ~~5~~	15 ~~5~~	5 ~~1~~	12 ~~5~~	8 ~~4~~	15 ~~6~~	12 ~~6~~	16 ~~6~~	16 ~~8~~	26 ~~5~~	~~64~~	168
*Days with ·04 in. or more.	10	4	12	10	4	7	4	9	6	10	8	21	105	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. Gosship

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1170

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Clifton

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 137 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24	Trace	·01	·01	–	·09	·10	–	·02	·08	·21	·06		1
2	Trace	–	·04	·02	–	·02	–	·01	Trace	·08	·03	–		2
3	–	·33	–	·08	–	–	–	–	·36	·45	·09	–		3
4	–	Trace	·06	·11	–	·01	–	–	·25	·08	·01	Trace		4
5	–	·63	·01	·14	–	·10	·02	–	·10	·01	·03	–		5
6	Trace	·01	–	·15	–	·26	–	–	–	–	–	·02		6
7	·09	Trace	–	·38	–	·01	–	–	–	·03	1·02	·11		7
8	–	–	–	·24	–	Trace	–	–	–	·21	·05	·09		8
9	–	Trace	–	·15	Trace	·48	–	–	–	·65	·05	·03		9
10	–	Trace	–	·07	–	Trace	–	–	–	–	·01	·03		10
11	·17	–	–	–	–	·02	·01	–	–	·09	·18	·01		11
12	–	·04	–	–	–	·12	–	·05	–	–	·10	–		12
13	·10	·09	–	·15	·19	·05	–	–	–	–	·01	–		13
14	–	Trace	–	–	·16	·05	–	–	–	Trace	·13	·05		14
15	Trace	·10	–	·31	·02	·09	–	–	·09	–	·18	·11		15
16	–	·06	·03	·02	Trace	·16	–	–	·09	·03	·39	·14		16
17	–	–	–	·02	–	·12	·01	–	·03	–	·52	–		17
18	–	–	–	·37	·10	·06	·09	–	·23	·06	–	–		18
19	·02	–	–	·02	·47	·15	·03	–	·05	Trace	·12	–		19
20	·04	·04	–	·12	·33	·08	·04	–	–	–	·01	–		20
21	·01	·07	·01	Trace	–	–	–	–	·08	·01	·11	–		21
22	·01	Trace	·03	–	–	–	–	·04	·37	–	–	–		22
23	·01	·01	·09	Trace	–	–	–	·38	·01	Trace	Trace	·04		23
24	·07	·24	·02	Trace	–	–	–	Trace	·48	–	–	·17		24
25	·14	·10	Trace	·12	–	·35	–	·01	–	–	Trace	·04		25
26	·11	·04	–	Trace	–	·03	–	·19	·12	Trace	Trace	·24		26
27	·02	·15	–	Trace	·08	·01	–	Trace	·22	–	·12	·22		27
28	·01	·01	–	–	Trace	–	–	–	·15	·05	·01	·03		28
29	·01	Trace	–	–	–	–	–	–	·52	–	·02	·16		29
30	·07	×	–	·25	·06	–	–	·72	·01	·03	·21	·14		30
31	Trace	×	–	×	–	×	–	·02	×	·54	×	·07		31
TOTAL	1·12	1·92	·30	2·73	1·41	2·26	·30	1·42	3·18	2·40	3·61	1·76	Year's Total 22·41	
* Days with ·01 in. or more.	16	15	9	19	8	20	7	8	18	15	23	19	177	
* Days with .04 in. or more.	9	12	3	14	7	14	3	5	14	10	15	14	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) W. Inskip

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1170

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at CLIFTON BURY

in the County of BEDFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 137 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·27	·09	·36	-	Trace	·13	·01	Trace	-	·03	·06		1
2	·01	·01	·01	·02	-	·33	·74	·04	-	-	·15	·20		2
3	Trace	Trace	Trace	Trace	Trace	·10	Trace	·01	·01	-	·16	·01		3
4	-	-	·10	-	-	·18	-	-	·33	·01	·04	·09		4
5	·06	·01	·02	-	-	-	·01	·01	·15	-	·01	·08		5
6	·13	-	Trace	-	·01	·13	·01	·15	·03	·01	·03	-		6
7	·15	-	·03	Trace	-	·02	·08	·01	·04	·03	·01	·02		7
8	·11	-	·03	-	Trace	-	-	-	-	Trace	·24	·18		8
9	·21	-	·08	-	·02	·01	·77	-	·04	·02	·02	·01		9
10	·01	-	·01	Trace	·01	-	·21	·01	·01	-	·01	Trace		10
11	-	-	Trace	·13	-	-	·31	·06	-	Trace	·36	-		11
12	-	-	-	·15	-	·45	·35	-	·14	·01	·36	·17		12
13	-	-	-	·33	-	·54	·01	-	-	·05	·09	·10		13
14	-	·11	-	·03	-	·04	·74	-	·01	·01	Trace	·18		14
15	-	·05	-	·01	-	·01	·35	-	·33	-	Trace	·07		15
16	·33	·05	-	-	-	-	Trace	-	-	-	·42	·01		16
17	·01	·36	-	-	Trace	-	-	-	-	·02	·10	·05		17
18	-	·06	-	-	-	·27	·08	-	-	·03	-	·02		18
19	·16	·04	·01	·03	-	·22	-	·03	-	·02	-	-		19
20	·01	·07	·01	·23	-	-	·01	-	·56	-	-	-		20
21	-	-	-	·14	·07	1·16	·03	-	·36	-	-	-		21
22	·06	·37	·03	·02	·27	·04	·17	-	-	-	-	·09		22
23	-	Trace	·04	·09	·01	-	·01	-	-	·04	Trace	-		23
24	·15	·11	-	Trace	Trace	-	·52	-	·07	·20	-	-		24
25	·04	Trace	·18	·13	-	·22	·11	-	·25	·02	·07	·06		25
26	-	·09	·18	·02	Trace	·01	Trace	-	·04	·03	-	·01		26
27	·03	-	·01	·02	Trace	-	·02	-	·21	·15	-	-		27
28	·44	·02	·02	-	-	·30	·06	-	·01	-	-	·07		28
29	·25	·20	·02	-	-	·07	·07	-	-	·04	·19	·01		29
30	·03		-	-	·15	·32	·08	-	Trace	·30	·01	-		30
31	·50		·17		·02		·14	-		·51		·09		31
													Year's Total	
TOTAL	2·81	1·82	1·04	1·71	·56	4·42	5·01	·33	2·59	1·50	2·30	1·58	25·67	✓
* Days with .01 in. or more.	20 ~~8~~	15 ~~3~~	18 ~~11~~	15 ~~7~~	8 ~~5~~	19 ~~4~~	24 ~~7~~	9 ~~6~~	17 ~~5~~	18 ~~11~~	18 ~~7~~	21 ~~7~~	~~79~~	✓ 202
* Days with .04 in. or more.	14	12	7	8	3	15	17	3	12	7	11	14	123	✓✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W. Inskip

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1170

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

8

Air

Day

Kept at Clifton

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 137 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	Trace	·03	·01	–	–	–	–	·01	–	·57	·33		1
2	Trace	·04	·01	·35	–	–	–	–	·01	–	–	·16		2
3	Trace	·09	·08	·01	–	–	–	–	–	–	–	·12		3
4	·05	·33	·01	Trace	Trace	–	–	–	–	Trace	–	Snow		4
5	·09	·01	·16	–	–	–	·02	–	–	–	·01	·66		5
6	·02	–	Snow	·01	·11	–	·11	–	–	Trace	·03	–		6
7	–	·48	·49	·08	·06	–	Trace	–	·01	–	–	–		7
8	–	·03	–	–	·01	·05	–	–	–	–	·24	·08		8
9	–	·01	–	·20	·40	–	·07	Trace	·13	–	–	·26		9
10	·02	·01	·41	·13	·03	·35	·06	–	–	–	·01	·23		10
11	Trace	–	·19	–	·56	·01	Trace	–	–	·01	–	·09		11
12	·08	·31	·03	–	·28	·23	–	·14	·15	Trace	–	·07		12
13	·12	·03	·25	·02	·01	·44	–	·22	·10	–	–	·40		13
14	·02	·01	·50	·13	–	·03	–	·70	Trace	–	–	–		14
15	·06	·03	–	·10	–	–	1·36	–	·06	–	–	·04		15
16	·14	·13	·28	·50	–	Trace	–	·05	·22	–	–	·05		16
17	·24	·01	·16	·33	–	·01	–	–	·56	–	·09	–		17
18	·34	·11	·02	·01	·09	–	–	–	·04	–	·39	–		18
19	·10	·06	·01	·03	·01	·21	Trace	–	·46	–	·05	–		19
20	·17	Trace	Trace	·43	·62	·16	–	Trace	·17	–	·01	–		20
21	·11	·33	·11	·06	·01	–	·09	·04	–	–	·01	·06		21
22	·27	·02	Trace	–	·01	·03	·07	–	–	·32	·16	·01		22
23	·18	–	·10	–	·69	–	·20	–	–	·63	–	Trace		23
24	·20	·24	–	–	·01	–	–	–	·10	·12	–	–		24
25	·04	·30	Trace	–	·59	–	–	–	·02	·26	–	·01		25
26	Trace	·21	·09	–	·19	–	–	Trace	–	·11	–	Trace		26
27	·01	Snow	·03	·13	–	–	–	–	Trace	·76	–	–		27
28	Trace	·28	–	·03	–	Trace	–	–	–	·08	–	·04		28
29	·07		–	–	–	·01	Trace	–	–	·04	·06	·05		29
30	·23	✕	–	–	–	Trace	–	–	–	·01	·11	·01		30
31	·23	✕	–	✕	–	✕	Trace	–	✕	·05	✕	·04		31
													Year's Total	
TOTAL	2·94	3·07	2·96	2·56	3·68	1·53	1·98	1·15	2·04	2·39	1·74	2·71	28·75	
* Days with .01 in. or more.	23 ~~4~~	23 ~~9~~	20 ~~1~~	18 ~~7~~	17 ~~7~~	11 ~~5~~	8 ~~1~~	5	14 ~~4~~	11 ~~2~~	13 ~~5~~	20 ~~3~~	183 ~~54~~	
* Days with .04 in. or more.	19	13 ~~14~~	13	11	10	6	7	5	10	9	8	17	128 ~~129~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. Inship

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1170

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Clifton
in the County of Bedford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 137 ft.

813852/27

Accs Days

Dec 20-28 adjusted for snow

letter written 12/6/39 GB

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	–	–	–	·01	·20	·05	–	Trace	·01	–	·04		1
2	·23	–	–	·01	·02	·08	·33	–	–	·21	–	·01		2
3	·01	–	–	–	·12	–	·01	–	·04	·42	·01	–		3
4	·09	–	–	Trace	–	·02	–	–	–	·27	Trace	·08		4
5	·01	–	–	Trace	–	–	·26	·01	·02	·06	·01	–		5
6	·02	–	–	–	–	–	·01	·03	·32	·07	Trace	–		6
7	·04	–	–	–	–	–	·09	·05	·02	·27	–	·01		7
8	·12	–	–	–	–	·04	·69	·38	·02	·14	–	–		8
9	·08	Trace	·01	–	–	Trace	·03	·08	–	Trace	–	·41		9
10	–	·06	·01	–	–	·02	·05	·57	–	–	–	·02		10
11	·42	–	–	–	–	–	–	–	–	–	·08	Trace		11
12	·10	·08	–	–	·01	–	·04	·51	–	·28	·01	·01		12
13	Trace	·04	–	–	–	–	–	·01	–	·01	·03	·03		13
14	·15	·02	–	–	·03	–	Trace	–	·08	–	–	–		14
15	·05	·01	–	–	–	–	·09	–	–	·05	–	·10		15
16	·17	–	–	–	·01	–	·06	Trace	–	·02	·06	·22		16
17	–	·09	–	–	·31	–	·09	–	·01	·05	–	–		17
18	·02	–	–	Trace	·14	–	–	·01	·04	–	·25	–		18
19	–	–	–	Trace	Trace	–	–	·01	·06	–	·12	–		19
20	–	–	–	–	–	–	–	–	·01	–	·30	Snow ✓		20
21	–	–	–	–	–	–	–	·13	·02	–	–	✓		21
22	–	–	–	–	–	–	–	·03	–	–	·13	✓		22
23	–	–	–	·01	–	–	–	–	Trace	–	·03			23
24	–	–	·07	–	·02	–	–	–	·24	–	·04	(1·60)		24
25	·08	·02	·08	–	·03	–	·01	·27	·01	·06	·41	✓		25
26	·05	·11	·08	–	–	–	–	·01	·07	·20	–	✓		26
27	·08	·02	–	–	·38	·18	·16	·01	·52	·06	·39			27
28	·21	·02	–	–	·89	·05	Trace	·60	·05	–	·03	✓ ~~·90~~		28
29	·45	✕	–	·01	·18	–	Trace	·01	–	–	·04	·16		29
30	·01	✕	–	·04	·02	·01	–	–	·06	·02	·09	–		30
31	·14	✕	–	✕	·08	✕	–	–	✕	·15	✕	·29		31
TOTAL	2·54	·47	·25	·07	2·25	·60	1·97	2·72	1·59	2·35	2·03	(2·98) ~~2·28~~	Year's Total ~~19·12~~	19·82
* Days with .01 in. or more.	6	5	2	3	8	3	4	9	7	4	6	18 ~~5~~	62	
* Days with .04 in. or more.	16	5	3	1	7	5	11	8	10	14	11	12 ~~8~~	99	

np low GB 23/3/39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. Inskip

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1170

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

exp low 1938

+ 813853/27 Days

Kept at Clifton

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 137 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	-	·01	·30	·26	-	·18	Trace	·23	-	Trace	Trace		1
2	·06	-	-	·01	·01	-	·01	·25	·30	-	·01	-		2
3	SNOW	-	-	·07	-	-	-	·56	-	·01	·16	·23		3
4	·50	-	·16	·42	-	-	·02	·28	-	·16	·05	·04		4
5	-	-	-	·75	·04	-	·01	·81	-	·06	·16	·21		5
6	·43	-	-	·02	-	-	·10	·09	-	-	·03	·02		6
7	-	·03	-	-	-	-	·01	·18	-	-	·07	·05		7
8	-	·02	·12	-	-	-	·05	·13	-	·14	·07	·24		8
9	·01	·03	-	-	-	-	-	·04	-	·32	·08	·12		9
10	·18	-	-	-	-	·40	-	·21	·01	-	·01	·01		10
11	-	-	·24	-	·01	·05	-	-	·05	·13	-	·01		11
12	-	·06	-	-	·01	·16	-	-	·05	·01	-	-		12
13	-	-	·01	Trace	-	·03	·01	-	·04	·64	-	-		13
14	·29	-	·01	-	·51	-	·02	-	·03	·14	·15	-		14
15	·16	-	-	-	·60	·24	·14	-	·13	·60	·02	-		15
16	·17	-	·08	·04	·06	·24	Trace	-	·01	·12	·29	-		16
17	·12	·01	·02	·08	·04	Trace	·03	Trace	-	·01	·02	-		17
18	·07	Trace	·03	-	-	·08	·14	-	·01	·10	·40	-		18
19	·16	-	·01	-	-	·02	·21	-	-	·10	-	·02		19
20	·08	-	·01	-	-	·02	·08	1·33	-	-	-	·02		20
21	·05	·02	·32	-	-	·34	1·10	·07	·12	-	-	-		21
22	·07	·18	·09	-	-	·02	·04	-	·07	-	·05	-		22
23	·05	-	-	·06	-	·01	·06	-	-	·17	·58	-		23
24	SNOW	-	·01	·02	-	Trace	Trace	-	Trace	·03	-	-		24
25	SNOW	·09	·18	·02	-	-	·01	·45	-	-	·29	·02		25
26	1·25	Trace	·02	·18	-	-	-	·02	-	·18	·61	·06		26
27	·01	·01	·14	·03	-	-	·02	-	·01	·15	·06	·08		27
28	·02	·25	·11	-	-	-	·01	·01	-	·15	·12	-		28
29	-		·01	·60	-	-	·30	1·08	-	·36	·01	-		29
30	-	✕	-	·90	-	·06	-	-	-	·01	·02	Trace		30
31	-	✕	-	✕	-	✕	·02	-	✕	-	✕	-		31
TOTAL	3·72	·70	1·58	3·50	1·54	1·67	2·57	5·31	1·06	3·59	3·26	1·13	Year's Total 29·83	Np
* Days with .01 in. or more.	22	10	19 ~~10~~	15	9	13	22 ~~11~~	15	13	21	22	14	195 ~~68~~	(5)*
* Days with .04 in. or more.	18 ~~6~~	4	9	10	6	8	11	13	8	16	15	8	126 ~~124~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. Inskip

[P.T.O.

SHEFFORD (CLIFTON) ~~BURY~~ COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1170

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Clifton

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 137 ft.

up 1939

813852/27

Jan & Feb adjusted for snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	4	-	-	-	-	-	-	-	-	·10	-		1
2	-	4	-	·07	-	-	·02	-	-	·05	1·01	-		2
3	-	(·54)	-	·19	-	-	-	-	-	·11	·58	·04		3
4	-	4	-	·16	-	-	·10	-	-	·15	1·04	·03		4
5	-	✓ ~~1·54~~	-	-	-	-	·10	-	-	·02	·34	·05		5
6	·20	·13	-	-	·08	-	·20	-	-	·07	·21	·01		6
7	·33	·13	-	·01	·14	-	·17	-	·01	-	-	-		7
8	Trace	Trace	-	-	-	-	Trace	-	Trace	·07	Trace	·23		8
9	-	-	Trace	Trace	-	·49	Trace	·01	·02	·02	·06	·11		9
10	-	-	Trace	-	-	-	·40	Trace	-	·20	·21	·16		10
11	-	-	-	·03	-	·01	·01	-	-	-	·58	·12		11
12	-	·05	·03	-	-	-	·02	-	·05	-	·08	-		12
13	-	·02	4 Snow	-	-	-	·04	Trace	·08	-	·93	-		13
14	-	-	4 (1·25)	·11	·06	-	-	Trace	·03	·02	-	·19		14
15	Trace	-	·06	-	·02	·01	·16	-	·01	-	·13	·01		15
16	·10	·09	·18	-	-	·01	·47	-	·10	·65	·50	·01		16
17	-	Trace	·59	·01	-	-	·02	-	-	-	·47	-		17
18	·01	·38	·20	·32	-	-	·13	·04	-	·08	·01	·08		18
19	-	-	·07	·08	-	-	·06	-	·13	·01	·10	·05		19
20	-	·01	·01	·01	-	-	·09	·01	-	·02	·01	-		20
21	·06	·01	·01	-	·06	-	·12	·01	-	·04	·54	-		21
22	-	·01	·03	-	·21	·34	-	-	·10	·01	·01	-		22
23	-	·21	·01	·07	·22	·12	-	·01	-	-	·12	·03		23
24	-	-	·01	·05	-	Trace	·17	-	-	-	·01	·01		24
25	-	-	·24	-	Trace	-	·60	-	-	-	-	-		25
26	4 Snow	·04	·08	Trace	·09	·02	·56	-	-	·01	-	-		26
27	4	·11	-	·06	·10	-	·11	·05	-	·01	·03	·01		27
28	4	·08	-	·01	·06	-	-	Trace	Trace	-	-	Trace		28
29	(1·30)	·02	·03	-	·40	Trace	-	-	-	-	-	·18		29
30	4	✕	-	·14	-	-	-	-	-	·10	-	·06		30
31	✓	✕	-	✕	-	✕	-	-	✕	·44	✕	-		31
TOTAL	2·00 ~~·70~~	1·53 ~~2·83~~	2·80	1·32	1·44	1·00	3·55	·13	·53	2·08	7·07	1·38	Year's Total 24·83	Print WH
* Days with .01 in. or more.	10 ~~4~~	19 ~~5~~	16 ~~7~~	15	11	~~7~~	20 ~~4~~	6 ~~4~~	9 ~~4~~	19 ~~8~~	22 ~~5~~	18 ~~7~~	~~55~~	172
* Days with .04 in. or more.	8 ~~4~~	13 ~~7~~	9	10	10	3	16	2	5	11	17	11	~~107~~	115

† Spare column, no entries required.

* See Instruction 3 (f) on other side. W. INSKIP ESQ. (Signed) W. Inskip

[P.T.O.

W W

1171

1171
SHEFFORD
CLIFTON RD
1931 - 1940

Section **A** for the entry c

AIR MINISTR

RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGIS 193/.

Kept at Clifton

in the County of Bed

20586/29
1171.
400

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

Y80210

THE MORNING MEAS US DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·07	·02	·10	·03	·08	·01	–	·08	–	~~·02~~ ·01	–	1
2	·08	·10	–	·35	·02	–	–	·02	·51	–	~~·01~~ –	·02	2
3	·02	·01	–	·13	·44	–	–	·27	1·04	–	~~·08~~	·15	3
4	–	·05	–	·06	–	–	·17	·31	·12	–	~~·08~~ ·15	–	4
5	–	–	–	·09	·05	·46	·05	·02	·04	–	~~·45~~ ·02	·54	5
6	–	·13	–	·04	–	·25	–	–	–	·24	~~·02~~ ·62	·01	6
7	–	·02	–	–	–	·01	·10	{·57	–	·08	~~·62~~ ·07	·03	7
8	·04	·05	·08	–	–	·16	–	1·18}	–	·01	·02	–	8
9	–	·09	–	·04	–	·17	–	·05	–	–	·20	–	9
10	·04	·11	·01	–	–	·05	·11	·48	–	–	·21	–	10
11	·19	·20	–	–	–	·02	–	–	·08	·01	·03	–	11
12	–	·03	–	·02	–	–	–	·03	·30	–	–	–	12
13	–	–	–	–	–	–	·12	·13	–	–	–	–	13
14	·05	·11	–	–	·08	–	1·61	·52	–	–	·02	–	14
15	·03	·05	–	·31	·06	–	·26	·39	–	·01	–	·04	15
16	–	·08	–	·14	·28	·01	–	·09	·19	–	–	–	16
17	–	·16	–	·28	·43	–	·16	·20	·05	–	–	–	17
18	·04	·15	–	·23	–	·06	–	·31	–	–	·56	·01	18
19	·04	–	–	·55	–	·19	·12	·02	·15	–	·02	·01	19
20	·02	·01	–	·03	–	–	·25	·28	·01	·04	–	–	20
21	·01	–	–	–	·84	–	–	·04	·01	–	·01	–	21
22	·12	–	–	–	·01	–	–	–	·05	·01	·01	–	22
23	·19	·04	–	–	·32	·22	–	–	·01	–	·20	·04	23
24	–	–	–	·15	·13	·02	·03	–	·02	–	·01	–	24
25	·07	–	–	·43	·03	–	·92	–	–	–	·04	·01	25
26	–	·01	–	·30	–	–	·72	–	–	–	·19	–	26
27	·11	·57	–	·03	·06	–	·31	–	–	~~–~~ ·01	·17	–	27
28	·12	·20	–	–	–	–	–	–	–	~~·01~~ ·02	·03	·05	28
29	·10	✕	–	·27	·01	–	·11	–	–	~~·02~~ ·25	·02	·01	29
30	·06	✕	–	–	–	–	·01	·05	–	~~·25~~ –	–	–	30
31	·14	✕	–	✕	–	✕	–	~~5·04~~	✕	– ·02	✕	·01	31
TOTAL	1·48	2·24	0·11	3·55	2·79	1·70	5·06	~~5·04~~ 4·96	2·66	~~·68~~ ·70	2·69	·96	YEAR'S TOTAL 28.90 ~~[illegible]~~
*Days with ·01 in. or more.	20	21	3	19	15	13	17	19	15	~~6~~ 7	~~22~~	13	188 ~~[illegible]~~
*Days with ·04 in. or more.	15	16	1	16	10	9	14	15	11	4	11	5	127

40-9999

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

1171

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Clifton Road, Shefford

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 126 ft.

File Ref. 920586/29
Station No. 1171.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·07	·02	·10	·03	·08	·01	–	·08	–	~~·02~~ ·01	–	1
2	·08	·10	–	·35	·02	–	–	·02	·51	–	~~·01~~ –	·02	2
3	·02	·01	–	·13	·44	–	–	·27	1·04	–	·08	·15	3
4	–	·05	–	·06	–	–	·17	·31	·12	–	~~·08~~ ·15	–	4
5	–	–	–	·09	·05	·46	·05	·02	·04	–	~~·45~~ ·02	·54	5
6	–	·13	–	·04	–	·25	–	–	–	·24	~~·02~~ ·62	·01	6
7	–	·02	–	–	–	·01	·10	·57	–	·08	~~·62~~ ·07	·03	7
8	·04	·05	·08	–	–	·16	–	1·18	–	·01	·02	–	8
9	–	·09	–	·04	–	·17	–	·05	–	–	·20	–	9
10	·04	·11	·01	–	–	·05	·11	·48	–	–	·21	–	10
11	·19	·20	–	–	–	·02	–	–	·08	·01	·03	–	11
12	–	·03	–	·02	–	–	–	·03	·30	–	–	–	12
13	–	–	–	–	–	–	·12	·13	–	–	–	–	13
14	·05	·11	–	–	·08	–	1·61	·52	–	–	·02	–	14
15	·03	·05	–	·31	·06	–	·26	·39	–	·01	–	·04	15
16	–	·08	–	·14	·28	·01	–	·09	·19	–	–	–	16
17	–	·16	–	·28	·43	–	·16	·20	·05	–	–	–	17
18	·04	·15	–	·23	–	·06	–	·31	–	–	·56	·01	18
19	·04	–	–	·55	–	·19	·12	·02	·15	–	·02	·01	19
20	·02	·01	–	·03	–	–	·25	·28	·01	·04	–	–	20
21	·01	–	–	–	·84	–	–	·04	·01	–	·01	–	21
22	·12	–	–	–	·01	–	–	–	·05	·01	·01	–	22
23	·19	·04	–	–	·32	·22	–	–	·01	–	·20	·04	23
24	–	–	–	·15	·13	·02	·03	–	·02	–	·01	–	24
25	·07	–	–	·43	·03	–	·92	–	–	–	·04	·01	25
26	–	·01	–	·30	–	–	·72	–	–	–	·19	–	26
27	·11	·57	–	·03	·06	–	·31	–	–	·01	·17	–	27
28	·12	·20	–	–	–	–	–	–	–	~~·01~~ ·02	·03	·05	28
29	·10	×	–	·27	·01	–	·11	–	–	~~·02~~ ·25	·02	·01	29
30	·06	×	–	–	–	–	·01	·05	–	~~·25~~ –	–	–	30
31	·14	×	–	×	–	×	–	~~5·01~~	×	·02	×	·01	31
TOTAL	1·48	2·24	0·11	3·55	2·79	1·70	5·06	~~5·01~~ 4·96	2·66	~~·68~~ ·70	2·69	·96	YEAR'S TOTAL 28.90 ~~28·90~~
*Days with ·01 in. or more.	20	21	3	19	15	13	17	19	15	~~6~~ 11	~~22~~	13 ~~8~~	188 ~~168~~
*Days with ·04 in. or more.	15	16	1	16	10	9	14	15	11	4	11	5	127

40-9999

(Signed) Geo F. Allsritt

[P.T.O.

*See Instruction 2 (f) on other side.

1171

Section **A** **for the entry of Daily Observations.** COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Clifton Road, Shefford.

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 126 ft.

Station No. 1171.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·05	·03	–	·05	·62	·03	·07	·13	·07	·59	–	·03	1
2	0·01	–	–	·20	·14	–	–	·01	·29	·13	·02	·10	2
3	–	–	–	·15	·22	–	–	–	·02	–	–	–	3
4	·02	–	–	·01	·01	–	–	–	–	–	·33	·01	4
5	0·17	–	·01	–	·03	·01	·13	–	·07	–	·01	·01	5
6	0·32	–	·02	·01	·03	–	–	–	·15	–	–	–	6
7	·01	–	0·12	·03	–	–	–	–	–	·01	–	·02	7
8	–	–	·03	·05	–	–	–	–	·26	·08	–	·01	8
9	·03	·03	–	·03	·49	–	–	–	·01	·03	–	–	9
10	0·17	·01	·02	·16	·08	–	–	–	·06	–	·01	–	10
11	·01	–	–	·17	·06	·44	·07	·33	·01	·08	·06	–	11
12	·03	–	–	·01	·11	–	·01	·04	·02	·35	·03	·01	12
13	·02	·02	–	·10	·01	–	·36	–	·03	–	·07	·01	13
14	0·20	–	–	·13	–	–	·02	–	–	·06	·01	–	14
15	·01	·02	–	·03	·19	–	·15	·01	–	·12	–	–	15
16	0·15	–	–	·30	·54	–	–	–	–	–	–	–	16
17	·01	·01	–	–	–	–	·02	–	–	·11	–	–	17
18	–	–	–	–	–	–	–	–	·73	·01	–	–	18
19	–	·01	–	–	–	–	–	–	·01	·13	–	–	19
20	–	–	–	·04	·02	–	·15	– ~~2·10~~	–	·55	·05	·01	20
21	·02	–	·06	·23	·69	–	–	2·10 ~~·97~~	–	·43	·01	–	21
22	–	–	0·34	·01	·07	–	·21	·97	·42	·07	·23	–	22
23	–	·07	0·12	–	–	–	–	–	·06	·59	·07	·04	23
24	–	·01	–	·04	·01	–	·85	–	·05	·06	·29	–	24
25	–	·02	–	–	–	–	·34	–	·05	·35	·05	·02	25
26	–	–	·02	·38	·23	–	·10	–	·02	·01	–	–	26
27	–	–	0·38	·06	·63	–	·03	·01	–	·03	·15	–	27
28	–	–	0·37	·07	·34	–	·21	–	–	·11	·01	–	28
29	·04	–	0·14	·03	·18	·02	·01	·15	·03	·27	·01	–	29
30	·01	×	·09	–	·06	·16	–	·24	·03	·05	·10	·20	30
31	–	×	0·26	×	·01	×	–	·01	×	·01	×	·02	31
TOTAL	1·25	0·23	1·98	2·29	4·77	·66	2·73	4·00	2·39	4·23 ~~4·[illegible]~~	1·51	0·49	YEAR'S TOTAL 26·~~[illegible]~~ 53
*Days with ·01 in. or more.	18	10	14	23	23	5	16	11	20	24	18	13	195
*Days with ·04 in. or more.	6	1	9	15	16	2	11	7	11	~~14~~ 18	10	3	10~~8~~ 9

40-9999

(Signed) Mrs R. Alldritt

[P.T.O.

*See Instruction 2 (*f*) on other side.

VK2 1171

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** ~~1174~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Clifton Road Shefford

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 126 ft.

Station No. 1171.

File No. 920586/29.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·18	·11	–	–	–	–	–	–	–	·05	–	1
2	·16	·01	·14	–	·02	–	–	–	–	–	–	–	2
3	–	·17	·09	–	·03	–	–	–	–	–	–	–	3
4	·05	·01	·08	–	·24	–	–	–	–	–	·01	–	4
5	·01	·01	·06	–	·16	–	–	–	–	–	–	–	5
6	·01	·04	·15	–	·57	–	–	–	–	·03	·06	·01	6
7	·04	·10	–	–	·03	–	–	–	–	·04	–	·02	7
8	·06	–	·13	–	·13	–	·03	–	–	·03	–	–	8
9	–	–	–	–	·04	–	·13	–	–	–	·24	–	9
10	·02	·03	–	–	–	·08	·55	–	–	·17	·09	–	10
11	·12	·03	·01	–	–	·08	·05	·17	–	·01	·01	–	11
12	·01	·01	·01	–	·01	·11	·04	–	·39	–	·01	–	12
13	·01	·01	–	–	·12	·06	·25	–	·01	–	·17	–	13
14	·01	–	–	–	·01	·01	–	·01	–	·32	·50	·02	14
15	·26	–	·02	–	–	–	1·16	·07	–	·02	·19	–	15
16	·09	–	·60	–	·01	·12	·02	–	–	·05	·01	–	16
17	·02	–	·36	–	–	·24	–	–	·04	–	–	–	17
18	·01	·10	·01	–	–	·12	–	–	–	–	·01	–	18
19	–	·04	·21	–	–	·06	–	–	·25	–	·01	–	19
20	–	·01	·01	·14	–	·09	–	–	–	–	·02	–	20
21	–	–	·01	–	·01	·02	–	·11	·38	·01	–	–	21
22	–	–	–	–	–	–	–	·62	–	·12	·03	–	22
23	–	–	–	·14	–	–	–	–	·40	·01	–	–	23
24	–	·33	–	·12	·07	·23	–	–	·27	–	·10	–	24
25	–	·31	–	·39	·08	·01	–	–	·03	–	·02	·07	25
26	–	·33	·01	·01	·04	·12	–	–	·18	·07	–	·11	26
27	–	·01	·01	–	·49	–	–	–	·05	·10	–	·01	27
28	·01	·01	–	–	·02	–	–	–	·01	·49	–	·02	28
29	·06	×	–	·25	–	–	·01	–	–	·10	–	–	29
30	·18	×	·02	–	–	–	·05	–	–	–	–	·12	30
31	~~·16~~ ·06	×	·09	×	–	×	–	·14	×	·09	×	–	31
TOTAL	1·30	1·74	2·13	1·05	2·08	1·35	2·29	1·12	2·31	1·66	1·53	·38	YEAR'S TOTAL 18·94 ✓
*Days with ·01 in. or more.	20 ✓	19 ✓	20 ✓	6 ✓	18 ✓	14 ✓	10 ✓	6 ✓	11 ✓	16 ✓	17 ✓	8 ✓	165 ✓
*Days with .04 in. or more.	11 ✓	9 ✓	11 ✓	5 ✓	10 ✓	11 ✓	7 ✓	5 ✓	8 ✓	10 ✓	8 ✓	3 ✓	98 ✓

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R. Alldritt

P.T.O.

✓ W ✓ Ch.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1171

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Clifton Road

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 126 ft.

400

File number 9205-86/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·12	–	–	–	–	–	–	·23	·03	–	·01	·28		1
2	·04	–	·07	–	–	–	–	–	·51	·08	–	·10		2
3	–	·11	–	·07	–	–	–	–	–	·25	–	–		3
4	·06	·03	·02	–	–	–	–	–	–	·50	·08	·17		4
5	·01	·02	·07	–	–	–	–	·01	–	·02	·04	·10		5
6	–	–	·07	·02	·45	·10	–	·03	–	·10	–	·36		6
7	·02	–	–	–	–	·05	–	·07	–	·03	–	·07		7
8	–	–	–	–	·12	·01	–	·05	·03	–	·08	·01		8
9	·02	–	·01	–	–	–	–	·01	–	–	·61	·25		9
10	–	·01	·04	·08	–	–	–	·06	–	–	·64	·01		10
11	·15	·02	·33	·02	–	–	·01	·12	–	–	·04	·05		11
12	–		·05	–	–	–	–	·10	–	–	–	·06		12
13	·28	–	–	–	–	–	·92	·14	–	–	·03	·31		13
14	·01	–	·29	–	·01	–	–	–	–	·07	·23	·17		14
15	·01	–	·06	–	·03	–	–	–	·91	–	·09	·05		15
16	·11	·02	·08	–	·02	–	–	–	–	·11	·01	·01		16
17	·07	–	–	–	–	–	–	–	·02	·07	·01	·10		17
18	·05	–	–	·13	–	–	·27	–	·01	–	·01	·04		18
19	–	–	·07	·09	–	·02	–	–	·05	–	·01	·04		19
20	–	–	·15	–	–	–	·01	–	–	–	–	–		20
21	–	–	·03	·04	–	·09	–	–	–	·08	–	–		21
22	–	–	·01	–	–	–	–	·09	·21	–	–	–		22
23	–	–	–	·19	–	·14	·01	–	–	–	–	·03		23
24	–	·04	·09	·16	–	·03	·37	–	·13	–	–	–		24
25	·05	·06	–	·06	–	·05	–	–	–	·03	–	·18		25
26	·07	–	·05	·16	–	–	·02	–	–	–	–	·10		26
27	–	·24	–	–	–	·14		–	–	·02	–	·31		27
28	–	·18	–	·29	–	·02	–	·90	–	–	·06	·47		28
29	–	✗	–	–	–	–	·10	·04	·20	–	·05	–		29
30	·07	✗	–	–	–	–	·01	–	·01	–	–	·05		30
31	·02	✗	–	✗	–	✗	–	–	✗	·40	✗	·09		31
TOTAL	1·16	·73	1·49	1·31	·63	·65	1·72	1·85	2·11	1·76	2·00	3·41	Year's Total 18·82	
*Days with ·01 in. or more.	17	10	17	12	5	10	9	13	11	13	16	25	159	8
*Days with .04 in. or more.	11	5	13	10	2	6	4	10	6	9	10	21	107	

40-9999

† Spare column, no entries required

*See Instruction 2 (*f*) on other side.

(*Signed*) R. Alldritt

[P.T.O.

COPY FOR OFFICIAL USE. √√√ GRJ

Section **A** for the entry of Daily Observations. Station No. 1171

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Clifton Road Shefford

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 126 ft.

File number 920586/29

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·29	-	-	·01	-	·11	·10	-	·01	·08	·33	·03		1
2	·01	-	-	-	-	·02	-	-	-	·12	·03	-		2
3	-	·46	·04	-	-	-	-	-	·36	·44	·10	-		3
4	-	-	·01	·12	-	·03	-	-	·29	·08	·01	·01		4
5	-	·84	·06	·13	-	·07	-	-	·11	-	·02	-		5
6	·01	-	·01	·18	-	·30	-	-	-	-	·02	·01		6
7	·11	-	-	·42	-	-	-	-	-	·03	1·34	·11		7
8	-	-	-	·15	-	-	-	-	-	·25	·09	·07		8
9	-	-	-	·16	-	·53	-	-	-	·79	·06	·04		9
10	-	-	-	·07	-	-	-	-	-	-	·01	·05		10
11	·22	-	-	-	-	·02	·05	-	-	·10	·20	-		11
12	-	·02	-	-	-	·21	-	·06	-	-	·10	-		12
13	·10	·09	-	·20	·23	·07	-	-	-	-	-	-		13
14	-	-	-	-	·20	·10	-	-	-	-	·17	·04		14
15	-	·11	-	·33	·02	·03	-	-	·09	-	·24	·16		15
16	-	·10	·03	·03	-	·15	-	-	·09	·04	·44	·14		16
17	-	-	-	-	-	·13	·01	-	·02	-	·65	·01		17
18	-	-	-	·42	·13	·06	·06	-	·29	·07	-	-		18
19	·01	-	-	·02	·51	·15	·03	-	·07	-	·16	·01		19
20	·04	·03	-	·08	·41	·08	·08	-	·01	-	·01	-		20
21	·02	·05	·01	-	-	-	-	-	·10	·01	·13	-		21
22	-	-	·03	-	-	-	-	·22	·51	-	-	-		22
23	-	·02	·09	-	-	-	-	·34	·01	·01	-	·04		23
24	·07	·29	·01	-	-	-	-	-	·58	-	-	·21		24
25	·18	·09	-	·23	-	·35	-	-	-	-	·01	·03		25
26	·15	·05	-	-	-	·02	-	·18	·12	·02	-	·28		26
27	·03	·18	-	-	·07	-	-	-	·26	-	·14	·28		27
28	-	-	-	-	-	-	-	-	·28	·01	-	·03		28
29	-	×	-	-	-	-	-	-	·65	-	·02	·12		29
30	·07	×	-	·26	·09	-	-	·82	-	·03	·28	·18		30
31	-	×	-	×	-	×	-	·02	×	·73	×	·07		31
TOTAL	1·31	2·36	·29	2·81	1·66	2·43	·33	1·64	3·55	2·81	4·56	1·92	Year's Total. [illegible]	25·97
* Days with .01 in. or more.	14	13	9	16	8	18	6	6	18	16	23	21	168	168
* Days with .04 in. or more.	9	10	3	13	7	13	4	5	14	10	15	14	117	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1171

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Clifton Rd. Shefford

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 126 ft.

File number 920586/29

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·32	·13	·41	–	–	·19	·01	–	–	·02	·07		1
2	–	·01	·02	·02	–	·26	·81	·04	–	–	·16	·20		2
3	–	–	–	–	–	·07	–	–	·04	–	·21	·01		3
4	–	–	·10	–	–	·11	–	–	·38	·01	·04	·10		4
5	·07	–	·02	–	–	–	·01	·01	·10	–	·01	·05		5
6	·11	–	–	–	·02	·16	·01	·14	·04	·01	·03	–		6
7	·23	–	·03	–	–	–	·08	–	·04	·03	–	·04		7
8	·12	–	·05	–	–	–	–	–	–	–	·28	·23		8
9	·27	–	·08	–	·02	–	·93	–	·05	–	·01	·01		9
10	·01	–	–	–	–	–	·17	·03	·01	–	–	–		10
11	–	–	–	·13	–	–	·28	·05	–	–	·40	–		11
12	–	–	–	·23	–	·56	·40	–	·15	–	·32	·18		12
13	–	–	–	·52	–	·66	–	–	–	·04	·08	·12		13
14	–	·11	–	·09	–	·05	1·06	–	–	–	–	·25		14
15	–	·04	–	–	–	·01	·21	–	·48	–	–	·07		15
16	·39	·06	–	–	–	–	–	–	–	–	·53	·01		16
17	·05	·43	–	–	–	·01	–	–	–	·01	·10	·05		17
18	–	·08	–	–	–	·26	·07	–	–	·02	–	·02		18
19	·21	·03	·01	·03	–	·11	–	·03	–	·02	–	–		19
20	·02	·10	·01	·23	–	–	·02	–	·92	–	–	–		20
21	–	·01	–	·17	·07	1·38	·05	–	·29	–	–	–		21
22	·07	·[illegible]9	·04	·02	·34	·06	·21	–	·01	–	·01	·11		22
23	–	–	·06	·11	–	–	·01	–	–	·03	·01	–	–	23
24	·18	·13	–	–	–	–	·45	–	·06	·24	–	·01		24
25	·04	–	·20	·14	–	·32	·16	–	·33	·01	·05	·05		25
26	–	·10	·21	·02	–	–	–	–	·01	·03	–	–		26
27	·02	–	–	·01	–	–	·03	–	·21	·21	–	–		27
28	·55	·03	·02	–	–	·29	·10	–	·02	–	–	·08		28
29	·35	·26	·02	–	–	·06	·04	–	–	·05	·22	·01		29
30	·03	×	–	–	·15	·50	·09	–	–	·41	–	–		30
31	·62	×	·18	×	–	×	·13	–	×	·74	×	·08		31
TOTAL	3·44	2·20	1·18	2·0[illegible]	·60	4·87	5·51	0·31	3·14	1·86	2·48	1·75	Year's Total. 29·40	
* Days with .01 in. or more.	19	15	16	14	5	17	23	7	17	~~14~~ 15	17	21	186	
* Days with .04 in. or more.	15	11	9	8	3	15	18	3	13	6	11	15	127	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) R. Alldritt

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1171

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Clifton Rd Shefford

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

„ Ground „ Sea Level 126 ft.

File number 920586/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	–	·02	–	–	–	–	–	·01	–	·68	·40		1
2	–	·05	–	·40	–	–	–	–	–	–	·01	~~·40~~ ·09		2
3	–	·09	·17	·01	–	–	–	–	–	–	–	·17		3
4	·06	·40	–	–	–	–	–	·01	–	–	–	·76		4
5	·09	·03	·21	–	–	–	·01	–	–	–	–	·06		5
6	·03	–	1·04	·03	·11	–	·13	–	–	·01	·04	–		6
7	–	·64	·06	·05	·06	–	–	–	–	–	–	–		7
8	·01	·03	–	–	·04	·02	–	–	–	–	·33	·06		8
9	–	–	–	·22	·40	–	·05	–	·14	–	–	·35		9
10	·02	·01	·51	·01	·03	·36	·04	–	–	–	–	·23		10
11	–	–	·18	–	·80	–	–	–	–	–	–	·11		11
12	·09	·36	·02	–	·31	·48	–	·55	·16	–	–	·07		12
13	·13	·05	·29	–	–	·36	–	·16	·09	–	–	·48		13
14	·01	–	·66	·15	–	·03	–	·43	–	–	–	·02		14
15	·06	·02	–	·07	–	·01	1·43	–	·08	–	–	·07		15
16	·16	·14	·26	·59	–	–	–	·04	·65	–	–	·08		16
17	·29	–	·11	·34	–	–	–	–	·43	–	·10	–		17
18	·41	·11	·01	·01	·19	–	–	–	·18	–	·52	–		18
19	·08	·06	–	·03	·01	·25	–	–	·49	·01	·06	–		19
20	·20	–	–	·49	·68	·02	–	·01	·21	·01	·03	·01		20
21	·12	·38	·14	·05	·01	–	·07	·08	–	–	–	·02		21
22	·31	·03	–	–	·01	·04	·07	–	–	·31	·18	·01		22
23	·21	–	·14	–	·73	–	·22	–	–	·70	·01	–		23
24	·25	·29	·02	–	–	–	–	–	·13	·13	–	–		24
25	·03	·32	–	–	·86	–	–	–	·03	·25	·01	·01		25
26	–	·24	·08	–	·25	–	–	–	–	·11	–	–		26
27	·01	·27	·02	·14	–	–	–	–	·01	·93	–	–		27
28	–	·08	–	·02	–	–	–	–	–	·09	–	·04		28
29	·10		–	–	–	–	–	–	–	·04	·04	·05		29
30	·26	✕	–	–	–	–	–	–	–	·02	·15	·01		30
31	·26	✕	–	✕	–	✕	–	–	✕	·08	✕	·05		31
TOTAL	3·34	3·60	3·94	2·61	4·49	1·57	2·02	1·28	2·61	2·69	2·16	3·15	Year's Total 33·46	✓ ✓
* Days with .01 in. or more.	24	20	18	16	15	9	8	7	13	13	13	22	178	✓ ✓
* Days with .04 in. or more.	18	15	13	10	11	5	7	5	10	9	9	16	128	✓ ✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) R. Alldrelt

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 1171

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Clifton Rd Shefford

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 126 ft.

File number 920586/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	–	–	–	–	·24	–	–	–	–	–	·03		1
2	·22	–	–	·01	·02	·06	·37	–	–	·27	–	·01		2
3	·01	–	–	–	FIL	–	·01	–	·04	·56	–	–		3
4	·08	–	–	–	–	·02	–	–	–	·29	–	·09		4
5	·01	–	–	–	–	–	·32	–	·01	·07	–	–		5
6	·01	–	–	–	–	–	·01	·02	·36	·07	–	–		6
7	·02	–	–	–	–	–	·21	~~·02~~ ·06	·04	·30	–	–		7
8	·13	–	–	–	–	·01	·89	·34	–	·14	–	–		8
9	·09	–	–	–	–	–	·02	·52	–	–	–	·52		9
10	–	·04	·01	–	–	·03	·05	·59	–	–	–	·02		10
11	·49	–	–	–	–	–	–	–	–	–	·08	–		11
12	·10	·10	–	–	–	–	·05	·61	–	·34	–	·01		12
13	–	·06	–	–	–	–	–	·01	–	–	·03	·03		13
14	·17	·03	–	–	·02	–	·03	·01	·06	–	·01	·02		14
15	·05	·01	–	–	–	–	·07	–	–	·06	–	+		15
16	·21	·02	–	–	–	–	·05	–	–	·01	·05	·34 +		16
17	–	·09	–	–	·20	–	·16	–	–	·05	–	–		17
18	·01	–	–	·01	·16	–	–	–	·05	–	·32	–		18
19	–	–	–	–	–	–	–	–	·02	–	·10	–		19
20	–	–	–	–	–	–	–	–	·01	–	·37	·05		20
21	–	–	–	–	–	–	–	·05	·02	–	–	·92		21
22	–	–	–	–	–	–	–	·02	–	–	·16	·31		22
23	–	–	–	·01	–	–	–	–	·06	–	·04	–		23
24	–	·01	·08	–	·02	–	–	–	·28	·01	·04	–		24
25	·09	·02	·10	–	·01	–	·01	·32	·02	·06	·46	·10		25
26	·05	·12	·08	–	–	–	–	·06	·08	·22	·01	·17		26
27	·08	·03	–	–	·52	·22	·21	–	·58	·06	·46	–		27
28	·27	·02	–	–	·87	·06	–	·67	·03	–	·07	·02		28
29	·52		–	·01	·24	–	–	·01	·01	–	·05	·20		29
30	–	✕	–	·03	·08	–	–	–	·07	·02	·11	·03		30
31	·19	✕	–	✕	·11	✕	–	–	✕	·16	✕	·31		31
TOTAL	2·75	·55	·27	·07 ✓	2·36	·64	2·46	3·29	1·74	2·69	2·36	3·18	Year's Total 22·36	✓
* Days with .01 in. or more.	21	12	4	5	12	7	15	14	17	17	16	19 ~~18~~	15~~8~~9	✓
* Days with .04 in. or more.	16	5	3	–	8	4	10	9	10	14	13	11 ~~10~~	10~~2~~3	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. Alldritt

[P.T.O.

9 ins to 10 ins snow on 21st Dec.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1171

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Clifton Road Shefford

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 126 ft.

File number 920586/29

? annual total high

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	–	–	·36	·29	–	·29	–	·15	–	–	–		1
2	·04	–	–	–	–	–	–	·36	·36	–	·03	–		2
3	·46	–	–	·06	–	–	–	·63	–	·02	·28	·40		3
4	·06	–	·15	·44	–	–	–	·23	–	·26	–	·04		4
5	–	–	–	1·09	·04	–	–	1·50	–	·07	·22	·37		5
6	·47	–	–	·02	–	–	·08	·06	–	–	·03	·02		6
7	·06	·02	–	–	–	–	·02	·18	–	–	·09	·09		7
8	–	·02	·15	–	–	–	–	·19	–	·38	·12	·39		8
9	·01	·03	–	–	–	–	–	·03	–	·32	·09	·12		9
10	·20	–	–	–	–	·42	–	·21	–	–	–	–		10
11	–	–	·27	–	–	·06	–	–	·03	·02	–	·01		11
12	–	·07	–	–	–	·15	–	–	·08	–	–	–		12
13	–	–	–	–	–	·03	–	–	·04	1·05	–	–		13
14	·34	–	–	·02	·55	–	·01	–	·03	·12	·24	–		14
15	·16	–	–	–	·68	·37	·05	–	·09	·80	·08	–		15
16	·17	–	·07	·03	·08	·16	–	–	–	·23	·37	–		16
17	·11	–	·02	·08	·07	–	·03	–	–	·02	·03	–		17
18	·06	–	·04	–	–	·06	·11	–	·01	·22	·59	–		18
19	·18	–	–	–	–	–	·30	–	–	·11	–	·01		19
20	·08	–	–	–	–	–	·12	1·60	–	–	–	·02		20
21	·06	–	·38	–	–	·39	·81	·06	·08	–	·01	·02		21
22	·07	·17	·09	–	–	·02	·02	–	·07	–	·07	·01		22
23	·05	–	–	·04	–	–	·11	–	–	·25	·88	·02		23
24	·16	–	·01	·01	–	–	·01	–	–	·05	·02	=		24
25	·84	·07	·21	·01	–	–	·01	·84	–	·01	·44	·02		25
26	·28	–	·02	·11	–	–	–	·01	–	·28	·88	·11		26
27	·01	–	·15	–	–	–	·01	–	–	·16	·14	–		27
28	·01	·24	·09	–	–	–	–	–	–	·34	·16	·09		28
29	–		·01	·74	–	–	·36	·79	–	·41	·01	·01		29
30	–	✕	–	1·05	–	·02	–	–	–	·01	·02	·02		30
31	–	✕	–	✕	–	✕	·01	–	✕	–	✕	·01		31
TOTAL	3·92	·62	1·66	4·06	1·71	1·68	2·35	6·72	·94	5·13	4·80	1·78	Year's Total 35·37	Ap high
* Days with .01 in. or more.	23	7	14	14	6	10	17	14	10	21	22	19	177	✓ wet
* Days with .04 in. or more.	20	4	10	9	6	7	9	12	7	16	15	8	123	✓

† Spare column, no entries required.

(*Signed*) R Alldritt

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1171

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Clifton Rd Shefford

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 126 ft.

Jan 16th & 26th adj. for snow

File number 920586/29

up height 1939

letter and I-II-'41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·05	–	–	–	–	–	–	–	–	·11	–		1
2	–	·10	–	·21	–	–	·01	–	–	·13	1·55	–		2
3	–	·12	–	·17	–	–	–	–	–	·09	1·43	·02		3
4	–	·08	–	·22	–	–	·12	–	–	·20	1·04	·05		4
5	–	–	–	–	–	–	·14	–	–	·02	·48	·07		5
6	·19	·20	–	–	·10	–	·31	–	–	·09	·30	–		6
7	·48	·19	–	·01	·21	–	·11	–	·01	–	·03	–		7
8	–	–	–	–	–	–	–	–	–	·11	·02	·32		8
9	–	–	–	–	–	·42	–	–	·01	–	·04	·14		9
10	–	–	–	–	–	–	·62	–	–	·26	·30	·19		10
11	–	–	–	·05	–	–	·02	–	–	–	·92	·19		11
12	–	·08	·03	–	–	–	·02	–	·04	–	·11	–		12
13	–	·03	1·74	–	–	–	·08	–	·12	–	1·45	–		13
14	–	–	·12	·16	·07	–	–	–	·03	·02	·02	·23		14
15	–	–	·07	–	·03	·01	·19	–	·02	–	·15	–		15
16	(·09) ~~·49~~	·11	·52	–	–	–	·78	–	·11	1·25	·78	–		16
17	–	–	·59	–	–	–	·02	–	–	·02	·72	·01		17
18	·02	·53	·27	·49	–	–	·21	·04	–	·09	–	·09		18
19	–	·23	·09	·10	–	–	·02	–	·15	·03	·15	·06		19
20	–	·02	·01	·02	–	–	·10	·01	–	·04	–	–		20
21	·08	–	·01	–	·11	–	·16	–	–	·04	·65	–		21
22	·06	–	·02	–	·30	·56	–	–	·10	·01	·02	–		22
23	–	·29	·01	·09	·29	·11	–	–	–	–	·15	·03		23
24	–	–	–	·05	–	–	·24	–	–	–	·01	–		24
25	–	–	·36	–	–	–	·76	–	–	–	–	·01		25
26	·77 ~~1·14~~	·06	·08	–	·12	·06	·64	–	–	–	–	–		26
27	·49	·11	–	·29	·08	–	·26	·05	–	·02	·01	–		27
28	·28	·09	–	·01	·10	–	–	–	–	–	–	–		28
29	–	·02	·03	–	·41	–	–	–	–	–	·01	·27		29
30	·08	✕	–	·31	–		–	–	–	·14	–	·05		30
31	·03	✕	–	✕	–	✕	–	–	✕	·60	✕	–		31
TOTAL	2·57 ~~3·07~~	2·31	3·95	2·18	1·82	1·16	4·81	·10	·59	3·16	10·45	1·73	Year's Total 34·83 ~~35·33~~	
* Days with .01 in. or more.	11	17	15	14	11	5	20	3	9	18	24	15	162	
* Days with .04 in. or more.	9	14	9	11	10	4	15	2	5	12	17	11	119	

up height

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. Alldritt

[P.T.O.

1172

1172

STANFORD

1931 - 1940

480209

FORM 1090. **B** Monthly Summary

*** **The following register of monthly totals &c., is NOT required if daily or weekl values are given on the other side.**

n and also the space for

register should be sent:—

Biggleswade

in Summer

ce 2 mils Direction from gauge W

ce $1\frac{1}{4}$ Direction from gauge S

RAINFALL IN 1931

At Stanford

In the County of Bedford

Rain Gauge
Diameter of Funnel 5 i
Height of Top above Ground 2 *ft* *in.*
Height of Ground above Sea Level *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·17				
FEB.	1·66				
MAR.	·07				
APRIL	2·73				
MAY	2·19				
JUNE	1·68				
JULY	3·52				
AUG.	4·27				
SEPT.	2·10				
OCT.	·64				
NOV.	2·25				
DEC.	·81				
Total	23·09				

Signature H Inskip

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge	Wall			
Heights of objects	9 ft			
Distances ..	15 ft			
Directions from gauge ..	S			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st: it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Monthly Summary

1172

**** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Stanford

In the County of Bedford

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 2 *ft* *in.*
- *Height of Ground above Sea Level* *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·17				
FEB.	1·66				
MAR.	·07				
APRIL	2·73				
MAY	2·19				
JUNE	1·68				
JULY	3·52				
AUG.	4·27				
SEPT.	2·10				
OCT.	·64				
NOV.	2·25				
DEC.	·81				
Total	23·09				

Signature H Inskip

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Herbert Inskip
Stanford Biggleswade

Hour of observation by the clock—in Winter in Summer

Nearest Railway Station Shefford Distance 2 mile Direction from gauge W

Nearest Parish Church at Clifton Distance 1¼ Direction from gauge S

Nature of objects nearest to gauge	Wall			
Heights of objects	9 ft			
Distances ..	15 ft			
Directions from gauge ..	S			

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st: it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1172

FORM 1090. **B** Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Stanford

In the County of Bedford

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 2 *ft.* 6 *in.*

Height of Ground above Sea Level 80-100 *ft.* ?

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·00				
FEB.	·15				
MAR.	1·54				
APRIL	1·86				
MAY	3·80				
JUNE	·59				
JULY	2·13				
AUG.	2·75				
SEPT.	2·01				
OCT.	3·46				
NOV.	1·24				
DEC.	·43				
Total	20·96				

Signature H. Inskip

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

H. Inskip

Stanford. Biggleswade Beds.

Hour of observation by the clock—in Winter 9 a.m in Summer

Nearest Railway Station 2 miles Distance 2 miles Direction from gauge

Nearest Parish Church at Southill Distance 2 miles Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
4 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following* 9 *a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

1172

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1933

At Stanford

In the County of Bedford

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground ...... ft. ...... in.
Height of Ground above Sea Level ...... ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·05				
FEB.	1·20				
MAR.	1·74				
APRIL	·98				
MAY	1·96				
JUNE	1·48				
JULY	1·61				
AUG.	1·08				
SEPT.	2·20				
OCT.	1·43				
NOV.	1·29				
DEC.	·37				
Total	16·39				

Signature C. F. Inskip

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
C. F. Inskip
Stanford Biggleswade

Hour of observation by the clock—in Winter 9 a.m. in Summer ......

Nearest Railway Station Shefford Distance 2 m. Direction from gauge W

Nearest Parish Church at Clifton Distance 1¼ m. Direction from gauge S

Nature of objects nearest to gauge	Wall			
Heights of objects	9 ft			
Distances ..	15 ft			
Directions from gauge ..	S			

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "**tr**" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

D

1172

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Stanford

In the County of Bedford

Rain Gauge:
Diameter of Funnel 5 in.
Height of Top above Ground 2 *ft.* .... *in.*
Height of Ground above Sea Level .... *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	·96				
FEB.	·49				
MAR.	1·26				
APRIL	·97				
MAY	·52				
JUNE	·62				
JULY	1·34				
AUG.	1·62				
SEPT.	1·62				
OCT.	1·49				
NOV.	1·74				
DEC.	3·04				
Total	15·67 ✓				

Signature H. Inskip

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
H. Inskip
Stanford, Biggleswade

Hour of observation by the clock—in Winter 9 a.m in Summer 9 a.m

Nearest Railway Station Shefford Distance 2 Direction from gauge W

Nearest Parish Church at Southill Distance 1¼ miles Direction from gauge N

Nature of objects nearest to gauge	Wall			
Heights of objects	10 ft			
Distances ..	15 ft			
Directions from gauge ..	S.			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

1172

1172

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1935

At Stanford

In the County of Bedford

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 2 ft ... *in.*
- *Height of Ground above Sea Level* 80 *ft.* 90

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·96				
FEB.	1·89				
MAR.	·26				
APRIL	2·61				
MAY	1·07				
JUNE	2·19				
JULY	·18				
AUG.	1·38				
SEPT.	3·08				
OCT.	2·33				
NOV.	3·75				
DEC.	1·62				
Total	21·32				

Signature H Inskip

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

H Inskip
Stanford Biggleswade

Hour of observation by the clock—in Winter 9 a m in Summer 9 a m

Nearest Railway Station Shefford Distance 2 mile Direction from gauge SW

Nearest Parish Church at Clifton Distance 1¼ Direction from gauge S

Nature of objects nearest to gauge	Wall			
Height of objects	9 ft			
Distances ..	15 ft			
Directions from gauge ..	S			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\} \cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1172

1172

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At Stanford

In the County of Bedford

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 2 *ft.* 6 *in.*
- *Height of Ground above Sea Level* 81 – 100 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·73				
FEB.	1·88				
MAR.	·91				
APRIL	1·62				
MAY	·55				
JUNE	4·09				
JULY	4·78				
AUG.	·28				
SEPT.	2·68				
OCT.	1·35				
NOV.	2·26				
DEC.	1·59				
TOTAL	24·72 ✓				

Signature C Herbert Inskip

*See Instruction 2 *(f)* below.

~~C~~ Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

C Herbert Inskip
Stanford Biggleswade

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Shefford Distance 2 m Direction from gauge SW

Nearest Parish Church at Clifton Distance 1¼ m Direction from gauge S

Nature of objects nearest to gauge				
Height of objects				
Distances ...	as	before		
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move.................................. Distance.............. Direction...........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
– 2 JAN 1937

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Stanford

In the County of Bedford

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground ......ft. ......in.

Height of Ground above Sea Level ......ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·96				
FEB.	3·02				
MAR.	3·04				
APRIL	2·36				
MAY	3·81				
JUNE	1·56				
JULY	1·94				
AUG.	1·28				
SEPT.	2·31				
OCT.	2·37				
NOV.	1·85				
DEC.	2·60				
TOTAL	29·10				

M.O. 7
- 3 JAN. 1938

Signature C H Inskip

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

C H Inskip
Stanford Biggleswade

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Shefford Distance 2½ miles Direction from gauge SW

Nearest Parish Church at Clifton Distance 1¼ miles Direction from gauge S E

Nature of objects nearest to gauge	Wall			
Height of objects	9 ft			
Distances ...	15 ft			
Directions from gauge ...	S			

If gauge has been moved during the year state –

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005 : this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

see note re 10 cc.

1172

FORM 1090.

B Monthly Summary.

. **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1938.

At Stanford & Clifton

In the County of Bedford

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 6 *in.*
- *Height of Ground above Sea Level* 80 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·54				
FEB.	·42				
MAR.	·21				
APRIL	·04				
MAY	2·24				
JUNE	·60				
JULY	1·54				
AUG.	2·54				
SEPT.	1·43				
OCT.	2·28				
NOV.	2·03				
DEC.	2·61				
TOTAL	18·48 ✓				

Signature C H Luckip

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Clifton Bury
Shefford Beds

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Shefford Distance 2 miles Direction from gauge S W

Nearest Parish Church at Clifton Distance 200 yds Direction from gauge S

Nature of objects nearest to gauge				
Height of objects	No	obstructions		
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move Sept 29th 1938 Distance 1¼ miles Direction S E

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

The Dec rainfall includes at least a foot of snow. Most of it was caught in the gauge and melted, but possibly not quite all snow W.O.F.

M.O. 7
4 JAN 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005 ; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

1172

FORM 1090.

B Monthly Summary.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1939

At Clifton

In the County of Bedford

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 6 *in.*
Height of Ground above Sea Level ..... *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·53				
FEB.	·58				
MAR.	1·41				
APRIL	3·40				
MAY	1·40				
JUNE	1·49				
JULY	2·39				
AUG.	5·28				
SEPT.	·92				
OCT.	2·91				
NOV.	3·00				
DEC.	·98				
TOTAL	27·29 ✓				

Signature C H Inskip

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
C H Inskip
Clifton Bury Shefford

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Shefford Distance 2 mile Direction from gauge W

Nearest Parish Church at Clifton Distance 100 yds. Direction from gauge W

Nature of objects nearest to gauge	Shrubs			
Height of objects	20 ft			
Distances ...	10 yds			
Directions from gauge ...	W			

If gauge has been moved during the year state—

Date of move No Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
- 5 JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005 ; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

C Particulars of Station.

1172

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~3~~40

At Clifton (STANFORD)

In the County of Bedford

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 2 *ft.* *in.*
Height of Ground above Sea Level 80? *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·93				
FEB.	1·45				
MAR.	2·60				
APRIL	1·23				
MAY	1·33				
JUNE	1·10				
JULY	3·33				
AUG.	·11				
SEPT.	·45				
OCT.	1·86				
NOV.	7·01				
DEC.	1·19				
TOTAL	23·59				

Signature C H Inskip

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
C H Inskip
Clifton Bury Shefford

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station 2 miles Distance .... Direction from gauge W

Nearest Parish Church at 100 yards Distance .... Direction from gauge S.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

The rainfall for Nov was the heaviest for 33 years (1907) when I first began to take records. The previous highest were Aug 1912 6·41 in May 1924 6·26 in

M. O. 3a.
7 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m. Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

1174

1174

Biggleswade

Water Board P.S.

1931 – 1940.

~~7808~~ 0210 78

176325

Section **A** for the entry
AIR MINIST

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REG 1931.

Kept at Biggleswade ton.

in the County of B

Diameter of Funnel of Gauge

Height of top of Gauge above G

,, Ground ,, S

THE MORNING MEASUREME VIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02	– ~~·005~~	·10	·03	·01			·70				1
2		·08		·29					·37			·02	2
3	·02	·02		·10	·31			·05	·82		·03	·10	3
4		·05		·02			·03	·33	·13		·12		4
5				·08	·09	·38	·10	·03	·09		·01	·48	5
6		·10		·03		·20				·18	·55		6
7						·01		·38		·10	·04	·03	7
8	·03	·06	·07			·06		·69			·01	·01 ~~·005~~	8
9		·06	·01	·02		·21	·01		·01		·16	·01	9
10	·01	·06				·04	·07	·21			·35	– ~~·005~~	10
11	·72	·13				·01			·05	·01	·02		11
12		·01		·01 ~~·005~~				·01	·29				12
13							·13	·10					13
14	·02	·11			·03	·01 ~~·005~~	1·18	·43					14
15	·04	·04	·01	·47	·05		·27	·28				·04	15
16		·09		·08	·20	– ~~·005~~		·05	·04				16
17		·07		·19	·32		·11	·23	·13				17
18	·03	·11		·20		·04		·28			·46		18
19	·06	·01 ~~·005~~		·23		·01	·45	·02	·14		– ~~·005~~		19
20		·01		·02			·08	·38		·03			20
21	·04				·71			·07	~~·005~~				21
22	·11			·03					·04				22
23	·15	– ~~·005~~			·33	·03					·14	·04	23
24				·16	·10	– ~~·005~~	·03		·02				24
25	·06			·33	·02		·86				·03		25
26				·22	·01		·56				·14		26
27	·06	·48			·02		·05				·16		27
28	·10	·09		– ~~·005~~	– ~~·005~~				·01			·10	28
29	·05	×		·43	·01		·10			·03	·01	– ~~·005~~	29
30	·06	×			·01			·02		·20			30
31	·08	×		×		×			×		×		31
TOTAL	1·64	1·609	·094	3·010	2·24	1·01	4·03	3·56	2·84	·55	2·23	·83	YEAR'S TOTAL 23·660
*Days with ·01 in. or more.	17	~~18~~ 19	3 4	~~18~~ 19	15	~~11~~ 13	15	17	14	6	16 ~~15~~	9 ~~8~~	164 ~~157~~
*Days with ·04 in. or more.	12	13	1	13	8	6	12	13	11	3	9	5	106

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. A. Staniforth

[P.T.O.

1174

Section **A** for the entry

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Biggleswade Water Board Pumping Station.

in the County of Bedfordshire

176325

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 6" in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02	— ~~·005~~	·10	·03	·01			·70				1
2		·08		·29					·37			·02	2
3	·02	·02		·10	·31			·05	·82		·03	·10	3
4		·05		·02			·03	·33	·13		·12		4
5				·08	·09	·38	·10	·03	·09		·01	·48	5
6		·10		·03		·20				·18	·55		6
7						·01		·38		·10	·04	·03	7
8	·03	·06	·07			·06		·69			·01	·01 ~~·005~~	8
9		·06	·01	·02		·21	·01		·01		·16	·01	9
10	·01	·06				·04	·07	·21			·35	— ~~·005~~	10
11	·72	·13				·01			·05	·01	·02		11
12		·01		·01 ~~·005~~				·01	·29				12
13							·13	·10					13
14	·02	·11			·03	·01 ~~·005~~	1·18	·43					14
15	·04	·04	·01	·47	·05		·27	·28				·04	15
16		·09		·08	·20	— ~~·005~~		·05	·04				16
17		·07		·19	·32		·11	·23	·13				17
18	·03	·11		·20		·04		·28			·46		18
19	·06	·01 ~~·005~~		·23		·01	·45	·02	·14		— ~~·005~~		19
20		·01		·02			·08	·38		·03			20
21	·04				·71			·07	~~·005~~				21
22	·11			·03					·04				22
23	·15	— ~~·005~~			·33	·03					·14	·04	23
24				·16	·10	— ~~·005~~	·03		·02				24
25	·06			·33	·02		·86				·03		25
26				·22	·01		·56				·14		26
27	·06	·48			·02		·05				·16		27
28	·10	·09		— ~~·005~~	— ~~·005~~				·01			·10	28
29	·05	×		·43	·01		·10			·03	·01	— ~~·005~~	29
30	·06	×			·01			·02		·20			30
31	·08	×		×		×			×		×		31
TOTAL	1·64	1·609	·094	3·010	2·24	1·01	4·03	3·56	2·84	·55	2·23	·83	YEAR'S TOTAL 23·660
*Days with ·01 in. or more.	17	~~18~~ 19	24	~~18~~ 19	15	~~11~~ 13	15	17	14	6	16 ~~15~~	9 ~~8~~	164 ~~157~~
*Days with ·04 in. or more.	12	13	1	13	8	6	12	13	11	3	9	5	106

40-9999

(Signed) G. A. Staniforth

[P.T.O.

*See Instruction 2 (*f*) on other side.

File No 824623/28 1174

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1174

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Biggleswade Pumping Station

in the County of Bedfordshire

176325

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·02		·05	·40	·03		·86	·08	·45		·02	1
2	·01 ~~·005~~			·17	·11			·01 ~~·005~~	·17	·05		·10	2
3				·32	·16				·02				3
4	·02			·01									4
5	·13	·01 ~~·005~~			·06	·01 ~~·005~~	·13		·07				5
6	·22		·04	·02	·03				·11				6
7			·16	·06					·01 ~~·005~~	·01 ~~·005~~			7
8	— ~~·005~~		·01	·04					·12	·08		·01	8
9				·03	·40					·05			9
10	·15			·11	·08	— ~~·005~~			·05	— × ~~·005~~	·01		10
11		·01		·13	·07	·07	·01	·50		·02	·05		11
12	·03		·02		·09			·03	— ~~·005~~	·25	·04		12
13	·01	·01		·09	·01		·09		·01	— ~~·005~~	·03	·01	13
14	·20			·07	— ~~·005~~					·11	·01		14
15				·02	·01		·06	— ~~·005~~		·09		·01 ~~·005~~	15
16	·15	— ~~·005~~		·20	·25				— ~~·005~~				16
17										·06			17
18							·02		·51		·01		18
19		— ~~·005~~							·01 ~~·005~~	·11			19
20				·03	·01		·09	·45		·43	·04		20
21	·01 ~~·005~~		·07	·23	·56			·88		·36			21
22			·30		·07		·10		·25	·06	·21		22
23		·05			·02				·04	·52	·01	·04 ~~·01~~	23
24				·02			·57		·02	·08	·26		24
25		·01			·10		·33		·04	·27	·04		25
26			·01	·32	·15 5		·12		·02				26
27			·24	·05	·67		·02			·03	·12		27
28			·19	·01	·34	·02	·17			·11		— ~~·005~~	28
29			·10	·05	·48	·01		·25	·01	·18	— ~~·005~~		29
30	— ~~·005~~	×	·08		·04	·27		·17		·09	·10	·21	30
31		×	·21	×		×	— ~~·005~~		×	·01× ~~·005~~	×	·02	31
TOTAL	·960	·11	1·43	2·03	4·155	·410	1·71	3·150	1·540	3·420	·93	·420	YEAR'S TOTAL 20·240
*Days with ·01 in. or more.	9	5	12	21	22	5	12	7	15	20	13	7	161 ~~145~~
*Days with ·04 in. or more.	5	1	9	14	17	2	9	6	10	18	8	2	101

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J A Stanforth

P.T.O.

File No 824623/28 1174

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** Station No. 1174

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Biggleswade Water Works

in the County of Bedfordshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft 6" in.

,, Ground ,, Sea Level ft.

176325

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·14	·13								·08			1
2	·13		·13		·02									2
3		·12	·04		·02									3
4	·03	·01 ~~·005~~	·10		·06									4
5	·01		·04		·27									5
6		·04	·10		·62					·02	·07	·01		6
7	·04	·09			·08					·06	— ~~·000~~			7
8	·06	— ~~·005~~	·12		·03		·04							8
9					·06		·08				·20			9
10						·08	·36			·11	·03			10
11	·09	·03			·05	·11	·02	·13			·01 ~~·005~~	·01		11
12	·01 ~~·005~~					·06			·31					12
13	·02			·04	·04	·15	·23		·03		·16			13
14										·25	·42	·02		14
15	·20		·01			·12	·85	·03		·02	·12			15
3 16	·09		·48		·01	·06				·01	·02		3	16
17	·02		·24			·10					·01			17
18		·11							·05		— ~~·000~~			18
19		·06	·26			·01			·25					19
20				·06		·13			·02		·03			20
21		·005				·08			·29					21
22						·11		·08	— ~~·000~~	·11	·03			22
23				·12		·01		·61	·67					23
24		·12		·12	·11	·12			·21		·07			24
25		·26		·35	·03	·02			·04		·01	·09		25
26		·34		·02		·09			·24	·06		·08		26
27					·96				·08	·11		·01		27
28					·04					·40		·01		28
29	— ~~·005~~	~~X~~		·25						·11		·01		29
30	·21	X	·05				·03					·10		30
31	·03	X	·09	X		X		·10	X	·05	X			31
TOTAL	1·026	1·325	1·79	·96	2·40	1·25	1·61	·95	2·19	1·31	1·26	·34	Year's Total 16·415	3
*Days with ·01 in. or more.	13	10	13	7	15	15	7	5	11	12	13	9	130	
*Days with .04 in. or more.	8	9	12	6	10	12	5	4	9	9	7	3	94	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) S A Staniforth

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1174

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

176325

Kept at Biggleswade Waterworks

in the County of Bedfordshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in	in.	in.	in.	in	in.	in.	in.		
1	·08											·28		1
2	·04		·06						·38	·08		·12		2
3	− ~~·005~~	·09		·11						·45		·01 ~~·005~~		3
4	·06	·02	·03							·21	·08	·14		4
5			·10	− ~~·005~~							·03	·09		5
6	·01 ~~·005~~		·09		·35	·11		·01		·11		·30		6
7	·02			·03		·05		·07		·03		·05		7
8					·05	− ~~·005~~		·05	·03	~~·005~~	·07	·02		8
9	~~·005~~		− ~~·005~~					·04			·40	·27		9
10			·01	·03				·07			·57	·01		10
11	·11		·23				− ~~·005~~	·06			·02	·04		11
12			·04				·01 ~~·005~~	·10			·01 ~~·005~~	·03		12
13	·14		·02				1·11	·12		·01	·02	·19		13
14	·01		·23		·03					·03	·18	·10		14
15			·03		·03				·10	·01 ~~·005~~	·09	·03		15
16	·04				·03					·04	− ~~·005~~			16
17	·04									·06	~~·005~~	·08		17
18	·06			·20			·10		·05			·04		18
19			·04	·01					·07	~~·005~~		·03		19
20			·15	·01 ~~·005~~					·04					20
21			·01	·03		·09		− ~~·005~~		·04				21
22							− ~~·005~~	·12	·18					22
23				·14		·11	·02					·02		23
24		·02	·07	·07		·10	·21		·15					24
25	·07	·03		·02		·02						·15		25
26	·01 ~~·005~~	− ~~·005~~	·05	·17		·01			− ~~·005~~			·07		26
27	·03	·16		·07		·11				·03	·01	·26		27
28		·10		·02		·09		·80			·06	·34		28
29		×		·11			·38	·01	·14			− ~~·005~~		29
30	·08	×										·04		30
31	·02	×		×		×	·18		×	·29	×	·06		31
TOTAL	·82	·42~~5~~	1·16~~5~~	1·02	·49	·69~~5~~	2·01~~5~~	1·45~~5~~	1·14~~5~~	1·43~~5~~	1·57~~5~~	2·77	Year's Total. 15·010	
* Days with .01 in. or more.	14	6	15	13	5	9	6	11	9	12	12	24	136	
* Days with .04 in. or more.	10	3	10	7	2	7	5	9	8	8	7	18	94	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) G A Staniforth

[P.T.O.

File No. 824623/29.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1174

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

176325

Kept at Biggleswade Waterworks

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ~~0·07"~~

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	—	.01	.02	—	.08	.08	—	—	.11	.15	.03		1
2	.01	—	.22	.03	—	.01	—	—	.02	.08	.02	—		2
3	—	.28	.14	.08	—	—	—	—	.01	.43	.10	—		3
4	—	.01	—	.17	—	—	—	—	.29	.07	—	—		4
5	—	.52	.07	.08	—	.14	.02	—	.23	.01	.01	—		5
6	.02	.01	.01	.13	—	.20	—	—	.09	—	—	—		6
7	.09	—		.35	—	—	—	—	—	—	1.02	.10		7
8	.01	—		.12		—	—	—	—	.21	.05	.13		8
9	—	—		.12	—	.50	—	—	—	.52	.04	.04		9
10	.01	.01	—	.04	—	—	—	—	—	.05	.03	.02		10
11	.13	—	—	—	—	.02	.13	—	—	—	.17	—		11
12	—	.02	—	—	—	.19	—	06	—	—	.13	—		12
13	.17	.11		.13	.18	.03	—	—	—	—	—	—		13
14	—	—	—	.01	.22	.03	—	—	—	—	.11	—		14
15	—	.10	—	.27	.01	.09	—	—	.09	—	.18	.04		15
16	—	.05	.02	.01	—	.13	—	—	.10	.02	.52	.11		16
17	—	—	—	.02	—	.11	.03	—	.12	—	.59	.15		17
18	—	—	—	.36	.06	.04	.05	—	.21	.03	—	—		18
19	—	—	—	.01	.33	.09	.03	—	.08	—	.10	—		19
20	.03	.03	—	.08	.21	.07	.02	—	.01	.01	.01	—		20
21	.01	.07	.01	—	—	—	—	—	.02	.01	.11	—		21
22	—	—	—	—	—	—	—	.04	.26	—	—	—		22
23	.02	.01	.07	—	—	—	—	35	—	—	—	—		23
24	.06	.21	.01	—	—	—	—	—	.49	—	—	.15		24
25	.12	.08	—	.16		.36	—	—	—	—	—	.03		25
26	.30	.03	—	—	—	.01	—	.22	.12	.01	—	.21		26
27	.03	.16	—	—	.04	—	—	—	.17	—	.11	.16		27
28	.30	.03	—	—	—	—	—	—	.13	.03	—	.02		28
29	—	×	—	—	—	—	—	—	.59	—	—	—		29
30	—	×	—	.22	.04	—	—	.69	—	.02	.18	.07		30
31	—	×	—	×	—	×	—	.01	×	.37	×	.13		31
TOTAL	1.34	1.73	.56	2.41	1.09	2.10	.36	1.37	3.03	1.98	3.63	1.39	Year's Total. 20.99	
* Days with .01 in. or more.	16	17	9	20	8	17	7	6	8	16	19	15	158	
* Days with .04 in. or more.	7	9	14	13	7	12	3	5	14	8	15	11	108	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G A Stainforth

P.T.O.

FILE No B24623/28

COPY FOR ~~OFFICIAL~~ USE

Section **A** for the entry of Daily Observations

Station No. 1174

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

~~Days~~
~~Totals~~
176325

Kept at Biggleswade Waterworks

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·26	·10	·36	—	—	·06	—	—	—	·03	·06		1
2	·07	·01	·01	·01	—	·15	·76	·07	—	—	·15	·26		2
3	—	—	—	—	—	·24	—	—	·02	—	·17	·02		3
4	·01	—	·07	—	—	·08	—	—	·38	·01	·03	·08		4
5	·05	·01	·01	—	—	—	·01	·01	·20	—	·01	·05		5
6	·07	—	—	—	—	·12	—	·11	·03	·01	·02	—		6
7	·14	—	·03	—	—	·05	·10	·01	·03	·03	—	·01		7
8	·09	—	·03	—	—	—	—	—	—	—	·20	·19		8
9	·18	—	·03	—	·03	·02	·85	—	·03	·02	·03	·01		9
10	·01	—	·01	—	—	—	·28	·03	·04	·03	·01	—		10
11	—	—	—	·05	—		·17	·05	—	—	·43	—		11
12	—	—	—	·14	—	·35	·39	—	·16	·01	·33	—		12
13	—	—	—	·08	—	·60	—	—	—	·03	·40	·17		13
14	—	·09	—	·01	—	·04	·71	—	·03	—	—	·09		14
15	—	·03	—	·01	—	·02	·33	—	·20	—	—	·17		15
16	·33	—	—	—	—	—	—	—	—	—	·47	·08		16
17	·05	·35	—	—	—	—	—	—	—	·01	·17	·04		17
18	—	·01	—	·03	—	·23	·07	—	—	·04	—	—		18
19	·15	·06	—	—	—	·24	—	·04	—	·03	—	—		19
20	—	·08	·01	·12	—	— ~~1·15~~	·01	—	·62	—	—	—		20
21	—	—	—	·25	·02	1·15	·03	—	·35	—	·01	—		21
22	·06	·36	·03	·01	·24	·03	·19	—	—	—	·02	·11		22
23	—	·01	—	—	·02	—	·01	—	—	·03	—	·01		23
24	·15	·10	—	·08	—	~~·29~~	·51	—	·03	·19	—	—		24
25	·04	·01	·15	·09	—	·29	·07	—	·20	·01	·14	·01		25
26	—	·08	·13	·10	—	·01	—	—	·03	·03	·01	—		26
27	·01	—	·01	·12	—	~~·44~~	·01	—	·21	·08	—	—		27
28	·38	·01	—	—	—	·44	·04	—	·02	—	—	·07		28
29	·14	·20	·03	—	—	·07	·03	—	—	·04	·18	·01		29
30	·03	✕	—	—	·21	·24	·08	—	—	·25	·02	—		30
31	·45	✕	·15	✕	·03	✕	·12	—	✕	·56	✕	·06		31
TOTAL	2·58	1·67	·80	1·46	·55	4·37	4·83	·32	2·58	1·41	2·83	1·50	Year's Total 24·90	✓
* Days with .01 in. or more.	20	16	15	15	6	19	22	7	17	18	20	19	194	✓
* Days with .04 in. or more.	16	9	5	10	2	15	16	4	9	6	10	13	115	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) S A Staniforth

[P.T.O.

COPY FOR OFFICIAL USE File No 824623/28

Section **A** **for the entry of Daily Observations** **Station No.** 1174

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

176325

Kept at Biggleswade Waterworks

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .01

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	-	.01	.01	-	-	.03	-	.01	-	.63	.25		1
2	.01	.03	.01	.36	-	-	-	-	-	-	.01	.11		2
3	-	.07	.10	-	-	-	-	-	-	-	-	.08		3
4	.05	.29	-	-	-	-	-	.70	-	-	-	.53		4
5	.08	.03	.16	-	-	-	.02	-	-	-	-	.30		5
6	.03	-	-	.01	-	-	.12	-	-	.01	.03	.01		6
7	-	.47	.15	.09	.08	-	-	-	.01	-	-	-		7
8	-	.04	.49	-	.10	.06	-	-	-	-	.21	.05		8
9	-	-	-	.22	-	-	.21	-	.11	.01	-	.24		9
10	.03	.01	-	.06	.34	.42	.02	-	-	-	.01	.20		10
11	-	-	.40	-	.49	.14	-	.01	-	-	-	.10		11
12	.04	.37	.21	-	.28	.47	.01	.13	.21	-	-	.06		12
13	.14	.02	.02	.01	-	-	-	.57	.08	-	-	.35		13
14	.03	.01	.20	.11	-	.05	-	.56	-	-	-	-		14
15	.07	.02	.45	.10	-	-	1.12	-	.07	-	-	.04		15
16	.07	.11	.28	.41	-	-	-	.06	.16	-	-	.04		16
17	.23	-	.08	.29	-	.04	-	-	.68	-	.10	-		17
18	.32	.11	.01	.01	.10	-	-	-	.03	-	.39	-		18
19	.08	.08	.02	.03	.01	.21	-	-	.53	-	.06	-		19
20	.17	-	.02	.39	.62	.04	.01	-	.03	-	-	.01		20
21	.09	.31	.14	.04	.01	-	.10	.04	-	-	-	.02		21
22	.25	-	-	-	.01	.03	.03	-	-	.34	.15	.01		22
23	.18	.02	.08	-	.49	-	.21	-	-	.64	-	-		23
24	.27	-	-	-	-	-	-	-	.10	.09	-	-		24
25	.04	.21	-	-	.63	-	-	-	.02	.19	-	.03		25
26	.01	.24	.06	-	.15	-	-	-	-	.08	-	.01		26
27	-	.15	.01	.13	-	-	-	-	-	.58	.01	-		27
28	-	.20	-	.02	-	-	-	-	-	.08	-	.04		28
29	.07	×	-	-	-	-	-	-	-	.04	.03	.02		29
30	.19	×	-	-	-	-	-	-	-	-	.12	-		30
31	.22	×	-	×	-	×	-	-	×	.04	×	.04		31
TOTAL	2.82	2.79	2.90	2.29	3.31	1.46	1.88	2.07	2.04	2.10	1.75	2.54	Year's Total 27.95	✓
* Days with .01 in. or more.	24	20	20	17	13	9	11	7	13	11	12	22	179	✓
* Days with .04 in. or more.	19	13	13	11	10	8	5	6	8	9	7	15	124	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J A Staniforth [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1174

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

176325

Kept at Biggleswade Waterworks

in the County of Bedfordshire

File No.824623/28

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .04

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.15				.08			.01	.04	.01	.03		1
2	.16			.03	.01	.06	.10			.14		.02		2
3					.19		.01		.09	.39	.01			3
4	.07					.01				.26		.06		4
5							.14		.02	.07				5
6	.02			.01			.02	.01	.33	.05		.01		6
7	.05						.07	.06	.03	.22		.01		7
8	.12					.15	.57	.16	.04	.13				8
9								.03		.01		.37		9
10	.05	.01				.06	.03	.37				.03		10
11	.40										.10	.01		11
12	.07	.06					.03	.26		.30		.01		12
13		.02									.03	.03		13
14	.11	.01			.05			.01	.05					14
15	.04						.03			.04	.06	.10		15
16	.15	.01					.09			.02				16
17		.06					.06			.04		.26		17
18	.01				.36				.03		.26			18
19					.24			.01	.04		.11	.04		19
20		.01							.01		.24	.51		20
21					.01			.30	.02			.26		21
22								.01			.13			22
23				.03							.02			23
24			.07	.01	.02				.30		.04			24
25	.08	.02	.10		.04		.01	.12	.01	.05	.41	.10		25
26	.03	.10	.09					.01	.06	.18		.14		26
27	.08	.02	.01		.21	.18	.14		.55	.09	.38			27
28	.19	.01				.03		.53	.03		.03	.02		28
29	.42	X		.01	.65			.01			.03	.15		29
30		✕		.04	.20	.02			.05	.03	.07	.04		30
31		✕		✕	.05	✕			✕	.12	✕	.28		31
TOTAL	2.06	.48	.27	.13	2.03	.59	1.30	1.89	1.67	2.18	1.93	2.48	Year's Total 17.01	
* Days with .01 in. or more.	18	12	4	6	12	8	13	14	17	18	16	21	159	
* Days with .04 in. or more.	14	4	3	1	9	5	7	7	9	15	10	12	96	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) T. A. Staniforth

Engineer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1174

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

176325

Kept at Biggleswade Waterworks
in the County of Bedfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level .... ft.

File No. 824623/28.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04			·24	·22		·16		·32					1
2	·04						·01	·27	·30		·01			2
3	·32			·06				·39		·01	·20	·23		3
4	·05		·15	·49	·05		·01	·19		·12	·03	·02		4
5				·62				·67		·02	·14	·12		5
6	·34	·01		·02			·09	·09			·01	·01		6
7	·06	·02					·01	·08			·07	·08		7
8		·02	·11					·08		·12	·03	·19		8
9	·01						·03	·04			·06	·11		9
10	·16					·34		·24	·01	·27				10
11		·01	·22		·01	·02				·02				11
12					·01	·25			·01	~~·60~~		·01		12
13			·01			·02	·02		·05	·60				13
14	·24		·01		·47	·01	·01		·04	·12	·16			14
15	·15			·01	·57	·21	·14		·01	·57	·02			15
16	·12		·07	·05	·06	·20	·01		·14	·15	·28			16
17	·09	·01		·11	·04		·04				·03			17
18	·06		·03			·10	·09		·01	·09	·42			18
19	·18		·01			·05	·17			·23				19
20	·10					·06	·18	·63				·01		20
21	·05		·33			·20	1·14	·07		·01		·02		21
22	·02	·10	·06			·01	·03		·11		·05			22
23	·02			·05		·01	·04		·09	·08	·53	·01		23
24	·04		·01	·03			·01			·01				24
25	1·00	·06	·12				·01	1·90			·24	·01		25
26	·19		·01	·12						·21	·55			26
27	·01		·11	·06			·03	·01	·01	·14	·09			27
28	·01	·23	·10	·01				·01		·14	·10	·11		28
29		X		·44			·20	·96		·30				29
30		X		·72		·04					·06			30
31		X		X		X	·02	·01	X		X			31
TOTAL	3·30	·46	1·35	3·03	1·43	1·52	2·45	5·64	1·10	3·21	3·08	·93	Year's Total 27·50	
* Days with .01 in. or more.	23	8	15	15	8	14	22	16	12	19	20	13	185	
* Days with .04 in. or more.	18	3	9	11	6	9	10	13	7	14	14	6	120	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Y.A. Stanforth

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1174.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

176325

File No. 824623/28.

Kept at Biggleswade Waterworks

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·05									·08			1
2		·09		·08			~~·005~~			·05	·90			2
3		·11		·15						·09	·60			3
4		·08		·10			·08			·13	1·00	·04		4
5		·01					·08			·02	·31	·04		5
6	·10	·14			·08		·34			·04	·22	·01		6
7	·32	·11			·10		·23					~~·005~~		7
8										·06		·32		8
9			·03			·37			·08		·05	·11		9
10							·58	~~·005~~		·14	·20	·15		10
11				·02		·19					·51	·07		11
12		·06	·01				·02		·05		·08			12
13		·05	·83				·01	·02	·04		·79			13
14			·41	·16					·01	·01 ~~·005~~		·16		14
15	·01		·03		·08		·09		~~·005~~	~~·005~~	·12			15
16	·05	·10	·12			~~·005~~	·39		·06	·46	·50			16
17		·05	·56				·03			~~·005~~	·32			17
18	·01	·41	·18	·39			·36	·05		·09	·02	·05		18
19		·12	·04	·08			·06		·16		·09	·03		19
20		·03	·01	~~·005~~			·10	·03		·10				20
21		·01			·03		·05			·07	·33			21
22	·04		·04		·13	·30			·15	·01				22
23		·20		·04	·14	·08		·02			·08	·03		23
24				·08			·30							24
25			·14				·73							25
26	·88	·02	·10		·10	·01	·45							26
27	·40	·07		·16	·06		·09			·02	·02			27
28	·19	·09			·08									28
29		~~·005~~	·02		·30			·02				·14		29
30	·04	✕		·10						·11		·05		30
31	·01	✕		✕		✕			✕	·29	✕			31
TOTAL	2·05	1·805	2·52	1·365	1·10	·955	3·995	·145	·555	1·695	6·22	1·205	Year's Total 23·61	
* Days with .01 in. or more.	11	20	14	12	10	6	19	6	8	18	19	14	157	
* Days with .04 in. or more.	8	15	9	10	9	4	14	1	6	12	17	10	115.	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Y A Staniforth

P.T.O.

Section **A** for the entry of
AIR MINISTRY

COPY FOR OFFICIAL USE.
INFALL ORGANIZATION.

1173

FORM 1090.

REGIST .931.

1173
BEDFORD
SOUTHILL SCHOOL
1931 - 1933

78 0210

Kept at Southill S

in the County of Bedford

322/30

Diameter of Funnel of Gauge

1173.

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU S DAY.

An observer who does not conform to t of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·02	·2	—	·02	·12	—	—	·01	—	—	—	1
2	·01	·3	·02	·10	·01	·01	·01	—	·09	—	—	·01	2
3	·02	·01	—	·25	·35	—	—	·06	·51	—	·11	·11	3
4	·01	(Snow) ·04	—	·05	—	—	·16	·35	·30	—	·13	—	4
5	·07	—	—	·23	·05	·44	·06	·01	·67	—	—	·41	5
6	—	(Snow) ·05	—	·10	—	·24	—	—	—	·21	·03	—	6
7	—	·06	—	·05	—	—	·04	·45	—	·12	·5	·03	7
8	·27	·08	(Snow) ·06	—	—	·11	—	1·01	—	·01	·01	—	8
9	·01	·03	(Snow) ·02	·15	—	·35	·05	·30	—	·01	·17	—	9
10	·03	·15	(Snow) ·02	·05	—	·05	—	—	—	·01	·12	—	10
11	·01	·13	—	—	—	·01	·04	—	—	(Fog) ·01	·17	—	11
12	·01	·03	—	—	—	—	·01	·04	·21	—	—	—	12
13	·05	—	—	·02	—	—	·06	·57	—	·01	—	—	13
14	·11	·15	—	—	·08	·01	1·27	·45	—	·01	·01	—	14
15	·03	·05	—	·31	·07	—	·18	·37	—	—	·02	·04	15
16	—	(Snow) ·07	—	·11	·35	·02	—	·05	·03	—	·01	—	16
17	·03	·14	—	·22	·40	·04	·05	·07	·14	—	—	—	17
18	·03	·09	—	·10	·03	·08	·02	·11	—	·01	·46	—	18
19	·07	·01	—	·37	—	·05	·22	·30	·12	—	·01	—	19
20	—	·05	—	·10	—	—	·18	·34	—	·04	—	—	20
21	·03	—	—	·01	·69	—	·01	·01	·01	—	(Fog) ·02	—	21
22	·1	—	—	·03	·01	·02	—	·03	·05	—	—	—	22
23	—	—	·01	·02	·31	·11	—	—	·01	—	·21	—	23
24	—	—	·01	·13	—	·02	—	—	·03	—	—	—	24
25	—	—	—	·40	—	—	·71	—	—	—	·06	—	25
26	·1	—	—	·24	·01	—	·54	—	—	—	·15	—	26
27	·1	·04	—	·01	—	—	·04	—	·01	—	·16	·03	27
28	·12	(snow) ·41	—	—	—	—	—	—	·01	·01	(Fog) ·01	—	28
29	·1	×	—	·22	—	—	·11	—	—	·22	·01	—	29
30	—	×	—	—	—	—	—	—	·01	·01	—	·01	30
31	·01	×		×	·08	×	—	—	×	·01	×	—	31
TOTAL	1·37	1·92	·34	3·27	2·46	1·67	3·76	4·52	2·21	·69	2·37	·64	YEAR'S TOTAL 25·22
*Days with ·01 in. or more.	23	20	7	23	14	16	19	17	16	14	20	7	196
*Days with ·04 in. or more.	11	15	2	19	9	10	15	15	8	4	11	3	122

40-9999

(Signed) R. Perkins

P.T.O.

*See Instruction 2 (*f*) on other side.

1173

Section **A** for the entry of ~~Daily Observations.~~ **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Southill School

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9" in.

,, Ground ,, Sea Level 145 ft.

File Ref - 4322/30

Station no - 1173.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·02	·2	—	·02	·12	—	—	·01	—	—	—	1
2	·01	·3	·02	·10	·01	·01	·01	—	·09	—	—	·01	2
3	·02	·01	—	·25	·35	—	—	·06	·51	—	·11	·11	3
4	·01	(Snow) ·04	—	·05	—	—	·16	·35	·30	—	·13	—	4
5	·07	—	—	·23	·05	·44	·06	·01	·67	—	—	·41	5
6	—	(Snow) ·05	—	·10	—	·24	—	—	—	·21	·03	—	6
7	—	·06	—	·05	—	—	·04	·45	—	·12	·5	·03	7
8	·27	·08	(Snow) ·06	—	—	·11	—	1·01	—	·01	·01	—	8
9	·01	·03	(Snow) ·02	·15	—	·35	·05	·30	—	·01	·17	—	9
10	·03	·15	(Snow) ·02	·05	—	·05	—	—	—	·01	·12	—	10
11	·01	·13	—	—	—	·01	·04	—	—	(Fog) ·01	·17	—	11
12	·01	·03	—	—	—	—	·01	·04	·21	—	—	—	12
13	·05	—	—	·02	—	—	·06	·57	—	·01	—	—	13
14	·11	·15	—	—	·08	·01	1·27	·45	—	·01	·01	—	14
15	·03	·05	—	·31	·07	—	·18	·37	—	—	·02	·04	15
16	—	(Snow) ·07	—	·11	·35	·02	—	·05	·03	—	·01	—	16
17	·03	·14	—	·22	·40	·04	·05	·07	·14	—	—	—	17
18	·03	·09	—	·10	·03	·08	·02	·11	—	·01	·46	—	18
19	·07	·01	—	·37	—	·05	·22	·30	·12	—	·01	—	19
20	—	·05	—	·10	—	—	·18	·34	—	·04	—	—	20
21	·03	—	—	·01	·69	—	·01	·01	·01	—	(Fog) ·02	—	21
22	·1	—	—	·03	·01	·02	—	·03	·05	—	—	—	22
23	—	—	·01	·02	·31	·11	—	—	·01	—	·21	—	23
24	—	—	·01	·13	—	·02	—	—	·03	—	—	—	24
25	—	—	—	·40	—	—	·71	—	—	—	·06	—	25
26	·1	—	—	·24	·01	—	·54	—	—	—	·15	—	26
27	·1	·04	—	·01	—	—	·04	—	·01	—	·16	·03	27
28	·12	(snow) ·41	—	—	—	—	—	—	·01	·01	(Fog) ·01	—	28
29	·1	×	—	·22	—	—	·11	—	—	·22	·01	—	29
30	—	×	—	—	—	—	—	—	·01	·01	—	·01	30
31	·01	×		×	·08	×	—	—	×	·01	×	—	31
TOTAL	1·37	1·92	·34	3·27	2·46	1·67	3·76	4·52	2·21	·69	2·37	·64	YEAR'S TOTAL 25·22
*Days with ·01 in. or more.	23	20	7	23	14	16	19	17	16	14	20	7	196
*Days with ·04 in. or more.	11	15	2	19	9	10	15	15	8	4	11	3	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R. Perkins

P.T.O.

1173

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Southill School

in the County of Bedfordshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground — ft. 9" in.

,, Ground ,, Sea Level 145 ft.

File Ref. 4322/30.

Station no. 1173.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·04	—	·06	·25	·04	·04	·57	—	·41	·11	·03	1
2	·01	—	—	·34	·05	—	—	—	—	·11	·05	·15	2
3	·19	—	—	·44	·17	—	—	—	·27	·01	·01	—	3
4	·02	—	—	·32	—	—	—	—	—	—	·21	—	4
5	·14	—	—	—	·03	—	·15	—	—	—	·01	—	5
6	·32	—	—	—	·02	—	—	—	·08	—	—	—	6
7	·01	—	·17	·08	—	—	·01	—	·13	·01	—	·01	7
8	—	·01	·03	·05	·01	—	—	—	·22	·07	—	—	8
9	·07	(Snow) ·01	—	·03	·40	—	—	—	—	·03	—	—	9
10	·04	—	·02	·12	·03	—	—	—	·08	·01	·01	·01	10
11	—	(Snow) ·01	—	·16	·08	·46	·15	—	·01	·08	·05	—	11
12	·04	—	—	·01	·10	—	—	·27	·01	·27	·05	·01	12
13	·01	—	—	·09	·01	—	·13	—	·02	·02	·05	·01	13
14	·22	—	—	·13	·01	—	·02	—	—	·10	·02	—	14
15	—	·02	—	·02	·06	—	·04	—	—	·07	—	·01	15
16	·01	—	—	·20	·52	—	—	—	—	·02	·01	—	16
17	—	—	—	·06	·01	—	·07	—	—	·09	—	—	17
18	·14	—	—	—	—	—	—	—	·60	—	·02	—	18
19	—	—	—	—	—	—	—	—	·03	·17	·05	—	19
20	·01	—	—	·09	·08	—	·25	·91	—	·40	·06	·01	20
21	·01	·01	·07	·16	·64	—	—	2·08	—	·39	·01	—	21
22	—	—	·31	—	·10	—	·11	—	·45	·06	·26	·01	22
23	—	·07	·01	—	·01	—	·02	—	·07	·63	·05	—	23
24	—	—	—	·01	·01	—	·63	—	·11	·14	·24	—	24
25	—	·03	·03	·01	·01	—	·23	—	·09	·27	·05	·08	25
26	—	—	·02	·39	·15	—	·17	—	·03	·03	—	·05	26
27	—	—	·38	·06	·66	·01	·02	—	—	·03	·16	—	27
28	—	—	·37	·06	·30	—	·21	—	—	·10	—	·03	28
29	—	—	·12	·03	·35	·02	—	·13	·02	·24	·03	·01	29
30	—	×	·06	·13	·24	·15	—	—	·06	·09	·12	·01	30
31	—	×	·02	×	—	×	—	—	×	·06	×	·21	31
TOTAL	1·24"	·20"	1·61"	3·05"	4·36"	·68"	2·25"	3·96"	2·28"	3·88	1·63"	·64"	YEAR'S TOTAL 25·78"
*Days with ·01 in. or more.	15	8	13	24	26	5	16	5	17	27	22	15	193
*Days with ·04 in. or more.	8	2	7	18	17	3	12	5	11	19	4	120	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) B. Perkins

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1173~~ 1173

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Auth checked.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Southill School

in the County of Bedfordshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground – ft 9" in.

,, Ground ,, Sea Level 145' ft.

File Ref. 4322/30.

Station no. 1173.

See Mar & April

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·17	·14	·01	—								1
2	·01	—	·15	—	·02	—							2
3	·01	·03	·14	—	·05								3
4	·05	·07	·06	—	·08								4
5	·09	·01	·11	—	·23								5
6	—	·03	·09	—	·13								6
7	·09	·09	—	—	·75								7
8	·03	—	·14	—	·11								8
9	·11	—	—	—	·5								9
10	·01	·03	—	—	—								10
11	·12	·04	—	—	·05								11
12	·01	—	—	—	·04								12
13	·03	—	—	—	·01								13
14	·01	—	—	—	·05								14
15	(Snow) ·26	—	·08	—	·02								15
16	(Snow) ·13	—	·63	—	·03								16
17	(Snow) ·06	·01	·71	·01	—								17
18	—	(Snow) ·06	·30	—	—								18
19	·01	(Snow) ·09	·16	—	—								19
20	—	·02	·01	·08	—								20
21	—	·01	—	·10	—								21
22	—	—	—	·04	—								22
23	—	—	—	·06	—								23
24	—	(Snow) ·09	—	·04	·01								24
25	—	(Snow) ·03	—	·37									25
26	—	s ·04	—	·04	·03								26
27	—	·01	—	—	·91								27
28	—	·01	—	—	—								28
29	·05	X	—	—	—								29
30	·20	X	·05	—	—								30
31	·05	X	—	X	—	X			X		X		31
TOTAL	1·35	·84	2·77	0·75 ~~·020~~	3·02 ~~4~~								YEAR'S TOTAL
*Days with ·01 in. or more.	20	18	14	9	17								
*Days with .04 in. or more.	11	8	13	7	11								

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. P. Duff

P.T.O.

1174/7

BIGGLESWADE

1934 - 1937

7802 10

0868/35

Section **A** for the entry of Da

AIR MINISTRY.- FALL ORGANIZATION.

Station No. 1174/7

FORM 1090.

REGIST 1934.

111/Beds/3

Kept at BIGGLESWADE ICKWELL BURY 34 received 14/2/34

in the County of BEDFORD

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

ord. print

5/3/35.

THE MORNING MEASUREMENT IS CREDIT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	82° —	·255	·01	·02	·005	·28		1
2	—	—	·04	—	—	—	78° —	—	·55	·07	—	·11		2
3	·145	·075	—	·13	—	—	76° —	—	—	·18	—	—		3
4	·05	·04	·025	—	—	—	83° —	—	·015	·205	·08	·16		4
5	—	·07	·075	—	—	—	84° —	·02	—	—	·05	·175		5
6	—	—	·08	·02	·39	·09	86° —	·015	—	·08	—	·36		6
7	·03	—	—	—	—	·06	88° —	·09	79° —	·03	—	·07		7
8	—	—	—	—	·08	·02	90° —	·05	·05	·005	·07	·005		8
9	—	—	·02	—	—	—	86° —	·05	—	—	·46	·165		9
10	—	—	·05	·10	—	—	88° —	·02	—	—	·33	(MIST) ·01		10
11	·14	—	·27	·02	(Th: 94°) —	—	90° ·015	·065	—	—	·03	·08		11
12	—	·005	·08	—	(Th: 81°) —	—	87° —	·09	—	—	(FOG) ·005	·025		12
13	·175	·005	—	·04	—	—	77° ·91	·05	80° —	·01	·015	·305		13
14	—	—	·15	—	·03	—	70° —	—	80° —	·04	·22	·175		14
15	·015	—	·01	—	·02	(Th. 82°) —	70° —	—	·32	·005	·04	·035		15
16	·09	(FOG) ·01	·08	—	·055	(Th: 84°) —	70° —	—	—	·09	·10	—		16
17	·03	—	—	—	·015	(Th: 87°) —	84° —	·01	·02	·055	—	·08		17
18	·025	—	·01	·12	—	(Th: 86°) —	75° ·165	—	·015	—	·02	·04		18
19	—	—	·04	·04	—	·11	74° —	—	·04	—	—	·02		19
20	—	—	·10	·01	—	—	78° ·01	—	·035	—	—	—		20
21	—	—	·02	·04	—	·11	78° —	·05	—	·08	(FOG) ·005	(FOG) ·01		21
22	—	—	—	—	—	—	80° —	·065	·17	—	(FOG) ·005	—		22
23	—	—	·07	·14	·01	·09	80° —	—	—	—	—	·055		23
24	—	·035	—	·02	—	·04	71° ·09	·01	·22	—	—	—		24
25	·09	·05	—	·03	—	·03	78° —	—	·005	·01	—	·22		25
26	·02	—	—	·105	—	·02	78° ·02	—	·01	·04	—	·05		26
27	—	(SNOW) ·195	—	—	—	·14	74° —	—	—	—	—	·325		27
28	—	(SNOW) ·05	—	·10	—	·12	70° —	·84	—	—	·075	·37		28
29	—	X	—	—	—	—	72° ·195	·07	·13	—	·035	—		29
30	·04	X	—	—	—	(Th: 76°) —	81° ·005	—	—	—	—	·035		30
31	·045	X	—	X	—	X	79° ·025	—	X	·315	X	·08		31 Print ✓
TOTAL	·87 ·895	·53 ·535	1·12 1·120	·91 ·915	·60 ·60	·83 ·83	1·43 1·435	1·75 1·75	1·59 1·59	1·23 1·235	1·55 1·545	3·24 3·24	Year's Total. 15·69	
* Days with .01 in. or more.	13	8	16	14	7	11	8	16	13	14	13	24	157	
* Days with .04 in. or more.	8	6	11	9	3	8	4	11	7	10	9	18	104	

OK. print

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) George L Deuchar. X REV. G. L. DEUCHAR X

[P.T.O.

0868/35

Section **A** for the entry of Da~~ily Observations.~~ **Station No.** 1174/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

III/Beds/3

Kept at BIGGLESWADE (ICKWELL BURY)

in the County of BEDFORD

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2½ in.

,, Ground ,, Sea Level 125 ft.

back years 1930-34 received 14/2/34

very good record. print

5/3/35.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	82° —	·255	·01	·02	·005	·28		1
2	—	—	·04	—	—	—	78° —	—	·55	·07	—	·11		2
3	·145	·075	—	·13	—	—	76° —	—	—	·18	—	—		3
4	·05	·04	·025	—	—	—	83° —	—	·015	·205	·08	·16		4
5	—	·07	·075	—	—	—	84° —	·02	—	—	·05	·175		5
6	—	—	·08	·02	·39	·09	86° —	·015	—	·08	—	·36		6
7	·03	—	—	—	—	·06	88° —	·09	79° —	·03	—	·07		7
8	—	—	—	—	·08	·02	90° —	·05	·05	·005	·07	·005		8
9	—	—	·02	—	—	—	86° —	·05	—	—	·46	·165		9
10	—	—	·05	·10	[illegible] —	—	88° —	·02	—	—	·33	(MIST) ·01		10
11	·14	—	·27	·02	(Th: 90°) —	—	90° ·015	·065	—	—	·03	·08		11
12	—	·005	·08	—	(Th: 81°) —	—	87° —	·09	—	—	(FOG) ·005	·025		12
13	·175	·005	—	·04	—	—	77° ·91	·05	80° —	·01	·015	·305		13
14	—	—	·15	—	·03	—	70° —	—	80° —	·04	·22	·175		14
15	·015	—	·01	—	·02	(Th. 82°) —	70° —	—	·32	·005	·04	·035		15
16	·09	(FOG) ·01	·08	—	·055	(Th: 84°) —	70° —	—	—	·09	·10	—		16
17	·03	—	—	—	·015	(Th 87°) —	84° —	·01	·02	·055	—	·08		17
18	·025	—	·01	·12	—	(Th: 86°) —	75° ·165	—	·015	—	·02	·04		18
19	—	—	·04	·04	—	·11	74° —	—	·04	—	—	·02		19
20	—	—	·10	·01	—	—	78° ·01	—	·035	—	—	—		20
21	—	—	·02	·04	—	·11	78° —	·05	—	·08	(FOG) ·005	(FOG) ·01		21
22	—	—	—	—	—	—	80° —	·065	·17	—	(FOG) ·005	—		22
23	—	—	·07	·14	·01	·09	80° —	—	—	—	—	·055		23
24	—	·035	—	·02	—	·04	71° ·09	·01	·22	—	—	—		24
25	·09	·05	—	·03	—	·03	78° —	—	·005	·01	—	·22		25
26	·02	—	—	·105	—	·02	78° ·02	—	·01	·04	—	·05		26
27	—	(SNOW) ·195	—	—	—	·14	74° —	—	—	—	—	·325		27
28	—	(SNOW) ·05	—	·10	—	·12	70° —	·84	—	—	·075	·37		28
29	—	✕	—	—	—	—	72° ·195	·07	·13	—	·035	—		29
30	·04	✕	—	—	—	(Th: 76°) —	81° ·005	—	—	—	—	·035		30
31	·045	✕	—	✕	—	✕	79° ·025	—	✕	·315	✕	·08		31
TOTAL	·89 ·895	·53 ·535	1·12 1·120	·91 ·915	·60 ·60	·83 ·83	1·43 1·435	1·75 1·75	1·59 1·59	1·23 1·235	1·55 1·545	3·24 3·24	Year's Total. 15·69	
* Days with .01 in. or more.	13	8	16	14	7	11	8	16	13	14	13	24	157	
* Days with .04 in. or more.	8	6	11	9	3	8	4	11	7	10	9	18	104	

Print ✓

OK print

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) George L Deuchar. XREV. G L DEUCHAR X

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1174/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ICKWELL BURY

in the County of BEDFORD

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2½ in.

,, Ground ,, Sea Level 125 ft.

~~Total~~

cf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	—	—	·01	—	·05	·06	—	·03	·14	·21	·01		1
2	—	—	·02	·01	—	·01	—	tr.	—	·11	·01	tr.		2
3	—	·26	·04	·05	—	tr.	—	·01	·07	·37	·10	—		3
4	—	—	—	·14	—	·03	—	—	·26	·05	tr.	—		4
5	—	·655	·08	·10	—	·21	·02	—	·06	·15	·04	·01		5
6	·01	—	tr.	·18	—	·16	—	—	—	—	·02	tr.		6
7	·09	—	—	·36	—	tr.	—	—	—	·04	·94	·10		7
8	—	—	—	·18	—	—	—	—	—	·17	·04	·08		8
9	—	—	—	·14	—	·40	—	—	—	·58	·05	·01		9
10	·015	·015	—	·12	—	tr.	—	—	—	—	tr.	·04		10
11	·13	—	tr.	—	tr.	·03	·02	—	—	tr.	·20	tr.		11
12	—	·02	—	—	—	·10	—	·08	—	—	·08	—		12
13	·08	·17	—	·18	·17	·08	—	—	—	—	·01	·01		13
14	—	—	—	tr.	·29	·01	—	—	·27	—	·11	·04		14
15	—	·075	tr	·33	·01	·04	—	—	·08	—	·20	·11		15
16	—	·025	·06	·06	—	·06	—	—	·05	·02	·35	·11		16
17	—	—	—	tr.	—	·11	tr.	—	·01	—	·48	—		17
18	—	—	—	·38	·13	·03	·06	—	·21	·03	—	—		18
19	·02	—	—	·07	·23	·09	·04	—	·10	tr.	·22	—		19
20	·03	·11	—	·09	·15	·08	·07	—	tr.	—	·01	—		20
21	—	·08	·04	·01	—	tr.	—	—	·08	tr.	·09	—		21
22	·01	—	·04	·02	—	—	—	·49	·51	tr.	—	—		22
23	·015	·01	·07	—	—	—	—	—	·01	—	·02	tr.		23
24	·065	·24	·01	—	—	—	—	·04	·66	—	tr.	·18		24
25	·12	·07	—	·10	—	·29	—	·01	—	—	—	·03		25
26	(SNOW) ·07	·015	—	—	—	—	—	·33	·11	·01	—	·19		26
27	(SNOW) ·02 E.8	·13	—	—	·03	—	—	—	·10	tr.	·11	·28		27
28	—	·09	—	—	·01	—	—	—	·33	·03	·01	·04		28
29	·01	×	—	—	—	—	—	—	·41	—	·01	·09		29
30	·05	×	—	·36	·02	—	—	·71	—	·01	·14	·11		30
31	—	×	—	×	—	×	—	·08	×	·76	×	·06		31
TOTAL	·95 ·945	1·965	·36	2·89	1·04	1·78	·27	1·75	3·35	2·47	3·45	1·50	Year's Total. 21·77	
* Days with .01 in. or more.	16.	15.	8.	20.	9.	17.	6.	8.	18.	14.	23.	18.	172	
* Days with .04 in. or more.	8.	10.	6.	16.	5.	12.	4.	6.	15.	9.	16.	13.	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

310838/35

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1174/7.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

To calc.

Nov. 10 & 11th corrd. by observer see f. enc. 8.A.

Kept at ICKWELL-BURY
in the County of BEDFORD
Diameter of Funnel of Gauge ....as before....in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

Sorry I have lost the form on which I had noted these details. They are the same as last year.
George L. Buchar.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·37	·08	·36	—	·02	·09	·01	—	tr.	·02	·04		1
2	tr.	·01	·08	·01	—	·38	·62	·04	—	—	·17	·27		2
3	—	tr.	tr.	—	tr.	·10	—	tr.	·11	—	·17	·01		3
4	—	—	·08	tr.	—	·02	—	·01	·51	·01	·03	·07		4
5	·08	·01	·01	—	—	—	·01	·01	·09	tr.	—	·03		5
6	·08	—	—	—	tr.	·15	tr.	·15	·04	·01	·01	—		6
7	·18	—	·04	—	—	tr.	·10	tr.	·01	·01	tr.	·03		7
8	·12	—	·08	—	—	—	—	—	tr.	tr.	·26	·17		8
9	·40	—	·05	—	·01	·03	·85	—	·04	—	·01	·01		9
10	·02	—	—	tr.	tr.	tr.	·14	·03	·05	tr.	tr.	—		10
11	—	—	—	·09	—	—	·16	·03	—	—	·35	tr.		11
12	—	—	—	·18	tr.	·52	·44	tr.	·12	·01	·20	·14		12
13	—	—	—	·01	—	·54	tr.	tr.	—	·05	·04	·08		13
14	—	·11	—	·03	—	·02	·92	—	·02	·01	tr.	·20		14
15	—	·04	—	tr.	—	·06	·09	—	·40	—	—	·07		15
16	·21	·06	—	—	—	—	tr.	—	tr.	—	·48	·03		16
17	—	·23	—	—	tr.	—	tr.	—	—	·01	·10	·08		17
18	—	·06	—	—	—	·19	·07	—	—	·04	·01	·01		18
19	·19	·02	·01	·06	—	·08	—	·06	—	·02	—	tr.		19
20	—	·06	·02	·22	tr.	tr.	·02	—	1·28	—	—	—		20
21	—	—	—	·10	·05	1·03	·07	—	·10	—	—	—		21
22	·07	·46	·02	·02	·40	·03	·15	—	tr.	—	·02	·12		22
23	—	tr.	·01	·12	·01	—	·06	—	tr.	·03	—	·01		23
24	·12	·10	—	—	tr.	—	·22	—	·03	·24	—	—		24
25	·03	tr.	·14	·09	—	·26	·01	—	·23	·02	·03	·04		25
26	tr.	·06	·18	·11	—	tr.	·06	—	·01	·03	tr.	tr.		26
27	·03	—	—	tr.	—	—	·04	tr.	·18	·08	tr.	—		27
28	·56	·02	·04	—	—	·35	·04	—	·02	—	tr.	·07		28
29	·21	·14	·02	—	·26	·06	·06	—	—	·04	·18	·02		29
30	·05	✕	—	—	—	·52	·08	—	—	·24	·01	tr.		30
31	·48	✕	·12	✕	tr.	✕	·08	—	✕	·45	✕	·06		31
TOTAL	2·90	1·75	·98	1·40	·73	4·36	4·38	·34	3·24	1·30	2·09	1·56	Year's Total 25·03	✓
* Days with .01 in. or more.	17	15	16	13	5	18	23	8	17	17	17 ~~18~~ ✓	21	187	✓
* Days with .04 in. or more.	14	11	10	9	3	12	20	3	12	7	9 ✓	13	123	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) George L. Buchar.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1174/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at ICKWELL BURY

in the County of BEDFORD

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2½ in.

,, Ground ,, Sea Level 125 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	tr.	tr.	tr.	—	—	tr.	—						1
2	tr	·03	·01	·35	—	—	tr.	—						2
3	—	·19	·11	(FOG) tr.	—	tr.	—	—						3
4	·06	·43	tr.	(FOG) tr.	tr	—	—	tr.						4
5	·08	·01	·16	—	—	—	·01	tr.						5
6	·01	—	(SNOW) ·61	·04	·11	—	·09	—						6
7	—	·56	·03	·06	·05	—	—	—						7
8	·01	·03	—	—	·04	·03	—	—						8
9	—	—	—	·21	·36	tr	·41	tr.						9
10	—	·01	·40	·01	·02	·32	·01	—						10
11	—	tr.	·14	tr.	·64	·25	tr.	·01						11
12	·05	·36	·01	tr.	·24	·39	tr.	·51						12
13	·12	·04	·18	·02	tr.	·26	—	·18						13
14	·02	·03	·37	·10	—	·04	—	·67						14
15	·06	·04	tr.	·10	—	tr.	·99	—						15
16	·11	·11	·11	·28	—	tr.	—	·04						16
17	·18	tr	·12	·20	—	·01	—	—						17
18	·26	·10	·02	·01	·05	—	—	—						18
19	·07	·06	·01	·05	·01	·24	tr.	—						19
20	·06	tr.	·03	·46	·61	·10	—	tr.						20
21	·08	·29	·10	·05	tr.	—	·10	—						21
22	·08	·01	—	—	·01	·05	·06	—						22
23	·15	—	(SNOW) ·08	—	·45	—	·13	—						23
24	·11	·33	·01	—	tr.	—	tr.	—						24
25	·03	·26	tr.	—	·94	—	tr.	—						25
26	—	·29	(SNOW) ·07	(DEW) tr.	·20	—	—	—						26
27	·01	(SNOW) ·23	·01	·13	—	—	—	—						27
28	(SNOW) tr.	·07	tr.	tr.	—	—	tr.	—						28
29	(SNOW) ·05	×	—	—	—	tr.	—	—						29
30	·22	×	—	(FOG) tr.	—	tr.	tr.							30
31	·13	×	(FOG) tr.	×	—	×	—		×		×			31
TOTAL	2·06	3·48	2·58	2·07	3·73	1·69	1·80	1·41					Year's Total	
* Days with .01 in. or more.	23.	21.	20.	15.	14.	10.	8.	3						
* Days with .04 in. or more.	18.	15.	12.	12.	11.	8.	6.	4						

40-9999.

* See Instruction 2 (f) on other side.

† Spare column/no entries required.

(*Signed*) .... [P.T.O.

Section **A** for the entry of Dai
AIR MINISTRY.—

1176.

COPY FOR OFFICIAL USE.
INFALL ORGANIZATION.

FORM 1090.

REGISTE

193 1.

1176
BEDFORD
THE LODGE
1931- 1933
780210

Kept at The Lodge, S
in the County of Bedf
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASUREM **S DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		5	1	11	2				11				1
2	11			28			3		50	1		4	2
3	3			13	38			3	70		9	18	3
4		14		4			20	52	14		13		4
5				5		44	4		7			35	5
6		12		3		22				18	49		6
7						1		36		3	3	3	7
8	5	7	7			16		148					8
9		10		6		48		2	7		19	2	9
10	3					4	1	29			11		10
11	20	20							6		31		11
12					2			2	22				12
13	3		2				4	20					13
14	3	10			3	3	81	40					14
15	5	8		51	7		34	24				7	15
16		13		10	26	1		2	7				16
17		5		21	40	4	13	2	11	7			17
18	5	15		18	1	5		31			48		18
19	4			47		13	27	6	7				19
20		3		10			9	32					20
21	4			1	83			4					21
22	10			1					7		2		22
23	14	4			29	3					16	5	23
24				13	12	3	3		4				24
25	5			39	2		92				9		25
26				18			47				14		26
27	10	54			1		10				23		27
28	14	10		4	1					3		6	28
29	5			8	1		14			17			29
30	10	×			1		4	4					30
31	7	×		×		×			×		×		31
TOTAL	141	190	10	311	249	167	366	437	223	49	247	80	YEAR'S TOTAL 2470
*Days with ·01 in. or more.	19 ~~4~~	15 ~~1~~	3 ~~2~~	20 ~~3~~	16 ~~9~~	13 ~~5~~	16 ~~3~~	17 ~~5~~	13	6 ~~3~~	13 ~~2~~	8 ~~2~~	159 ~~39~~
*Days with ·04 in. or more.	15	14	1	17	7	8	13	12	13	3	11	6	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R Pettifer

P.T.O.

1176.

Section **A** for the entry of Da

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Lodge, Sandy,

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

" Ground " Sea Level ...... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		5	1	11	2				11				1
2	11			28			3		50	1		4	2
3	3			13	38			3	70		9	18	3
4		14		4			20	52	14		13		4
5				5		44	4		7			35	5
6		12		3		22				18	49		6
7						1		36		3	3	3	7
8	5	7	7			16		148					8
9		10		6		48		2	7		19	2	9
10	3					4	1	29			11		10
11	20	20							6		31		11
12					2			2	22				12
13	3		2				4	20					13
14	3	10			3	3	81	40					14
15	5	8		51	7		34	24				7	15
16		13		10	26	1		2	7				16
17		5		21	40	4	13	2	11	7			17
18	5	15		18	1	5		31			48		18
19	4			47		13	27	6	7				19
20		3		10			9	32					20
21	4			1	83			4					21
22	10			1					7		2		22
23	14	4			29	3					16	5	23
24				13	12	3	3		4				24
25	5			39	2		92				9		25
26				18			47				14		26
27	10	54			1		10				23		27
28	14	10		4	1					3		6	28
29	5			8	1		14			17			29
30	10	×			1		4	4					30
31	7	×		×		×			×		×		31
TOTAL	141	190	10	311	249	167	366	437	223	49	247	80	YEAR'S TOTAL 2470
*Days with ·01 in. or more.	19 ~~4~~	15 ~~1~~	3 ~~2~~	20 ~~3~~	16 ~~9~~	13 ~~5~~	16 ~~3~~	17 ~~5~~	13	6 ~~3~~	13 ~~2~~	8 ~~2~~	159 ~~39~~
*Days with ·04 in. or more.	15	14	1	17	7	8	13	12	13	3	11	6	120

40-9999

(Signed) R Pettifer

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1176

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Lodge, Sandy,

in the County of Bedfordshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	7	5		8	36		6	47	10	48	1	5	1
2				18	6				16	4	3	15	2
3	1			27	27				3				3
4				3							24		4
5	12				6		12		8				5
6	35		8	3	6				12			4	6
7			18	10					1	2			7
8			4	5					28	7			8
9	1				41								9
10	5	3	3	12	10				7	4	3		10
11		2		14	9	34	1	35	2	7	3		11
12	4			1	9			4		21	4		12
13	5			10			15			1	3	2	13
14	21			8			3			8			14
15		4		5			13			12			15
16	23			25	33								16
17							4						17
18									62				18
19										17			19
20				6	2		23	74		34	10		20
21		1	7	18	60			96		28		2	21
22			31	1	11		19		30	4	22		22
23		6							7	39	7		23
24				4	3		63		1	4	34	4	24
25		3			16		25		5	31	6		25
26		1	2	36	19		12		11				26
27			20	10	73		23				13		27
28			29	4	36	1	19			10			28
29			10	4	44	2		15	1	31	2	2	29
30		×	6		19	23		16	3	15	10	14	30
31		×	15	×		×		5	×		×	3	31
													YEAR'S TOTAL
TOTAL	1·14	·25	1·53	2·32	4·66	·60	2·38	2·92	2·07	3·27	1·45	·51	23·10
*Days with ·01 in. or more.	10	8	12	22	20	4	14	8	17	20	15	9	159
*Days with .04 in. or more.	8	3	10	18	18	2	12	8	11	18	9	5	122

40-9999

*See Instruction 2 (*f*) on other side, (*Signed*) .... P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1176

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at THE LODGE, SANDY,

in the County of BEDFORDSHIRE,

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level ...... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08		·19								·15			1
2	·09	·07	·18		·03									2
3	-	·20	·11		·03									3
4	·07		·11		·13									4
5	·03		·07		·26									5
6	-	·05	·04		·51					·02				6
7	·06	·08			·14					·06				7
8	·02		·12	·01	·04		·02			·02				8
9	-				·04		·10			·01	·26			9
10	-	·05				·10	·46			·18	·03			10
11	·09				·13	·14	·22	·25						11
12				·30		·09			·30					12
13					·06	·10	·10		·04		·21			13
14					·03					·20	·51			14
15	·30		·02							·02	·39			15
16	·16		·69		·05	·07	·33	·04	·02	·02	·03			16
17	·03		·22			·14			·04		·02			17
18		·09				·10								18
19		·07	·15			·06			·15					19
20				·12		·73		·02	·06					20
21		·04				·04		·15	·42		·01			21
22						·18		·64		·11	·05			22
23				·10					·76					23
24		·25		·14	·19	·36			·26		·09			24
25		·20		·34	·04	·05			·05		·02	·12		25
26		·24		·03	·02	·09			·09	·07		·09		26
27					·15				·04	·11				27
28					·03					·40		·04		28
29	·06			·15						·10				29
30	·16	×	·05				·04					·11		30
31	·03	×	·11	×		×		·12	×		×			31
TOTAL	1·18	1·34	2·06	1·19	1·88	2·25	1·27	1·22	2·23	1·32	1·77	·36	Year's Total 18·07	
*Days with ·01 in. or more.	13	11	13	8	17	14	7	6	12	13	12	4	130	
*Days with ·04 in. or more.	9	11	12	6	12	14	6	5	11	8	7	4	105	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ......

[P.T.O.

1175

105

Section **A** **for the entry of Dai**
AIR MINISTRY.—
FORM 1⁹⁰.

FOR OFFICIAL USE.
AINFALL ORGANIZATION.

REGISTE 1931.

1175
CARDINGTON
1931 - 32

780210

Kept at Cardington
in the County of Bedford

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASURE S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3									·53				3
4								·80					4
5						·44						·27	5
6										·20			6
7													7
8			·04										8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18											·40		18
19													19
20													20
21					·67								21
22													22
23													23
24													24
25				·56			·67						25
26													26
27		·52											27
28													28
29													29
30		×											30
31	·15	×		×		×			×		×		31
TOTAL	1·22	1·69	0·08	2·76	2·72	1·40	2·98	3·24	1·78	0·45	2·00	0·57	YEAR'S TOTAL 20·89
*Days with ·01 in. or more.	20	16	4	20	18	14	17	15	13	7	15	9	168
*Days with ·04 in. or more.	11	11	1	14	10	10	12	12	9	2	12	3	107
40-9999	31·1	42·8	2·0	70·1	69·1	35·5	75·8	82·2	45·3	11·5	50·8	14·4	530·6

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

1175

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1190.

REGISTER OF RAINFALL IN 1931.

105

Kept at Cardington

in the County of Bedford

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft. 10 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3									·53				3
4								·80					4
5						·44						·27	5
6										20			6
7													7
8			·04										8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18											·40		18
19													19
20													20
21					·67								21
22													22
23													23
24													24
25				·56			·67						25
26													26
27		·52											27
28													28
29													29
30		×											30
31	·15	×		×		×			×		×		31
TOTAL	1·22	1·69	0·08	2·76	2·72	1·40	2·98	3·24	1·78	0·45	2·00	0·57	YEAR'S TOTAL 20·89
*Days with ·01 in. or more.	20	16	4	20	18	14	17	15	13	7	15	9	168
*Days with ·04 in. or more.	11	11	1	14	10	10	12	12	9	2	12	3	107
40-9999	31·1	42·8	2·0	70·1	69·1	35·5	75·8	82·2	45·3	11·5	50·8	14·4	530·6

*See Instruction 2 (*f*) on other side.

(*Signed*)..........

[P.T.O.

N & L. Cu. B.

Section **A** for the entry of

AIR MINISTRY

Station No. 1176/5

RAINFALL ORGANIZATION

FORM 1090.

REGIS N 1934.

111/Beds/3

1176/5

POTTON S. W.

1934– 1940

780210

C 1934

Kept at Potton Sc

in the County of Be

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea L

THE MORNING MEASURE … THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.11							0.21			0.01	0.35		1
2			0.08						0.45	0.10		0.15		2
3		0.11		0.12						0.24				3
4	0.09		0.04							0.34	0.09	0.14		4
5			0.18							0.01	0.08	0.18		5
6			0.10	0.02	0.39	0.11						0.36		6
7						0.31		0.08		0.11				7
8					0.10			0.05	0.03	0.08		0.06		8
9	0.04							0.10			0.45	0.18		9
10			0.03	0.07							0.22	0.06		10
11	0.13		0.27				0.05	0.11				0.05		11
12			0.05				0.05	0.47				0.18		12
13	0.14	0.03					0.65	0.04				0.14		13
14			0.26							0.09				14
15					0.03				0.06		0.34	0.01		15
16	0.10	0.01	0.08						0.06	0.11	0.01			16
17	0.02				0.04					0.06		0.15		17
18				0.12		0.10	0.07					0.03		18
19			0.03	0.04					0.05					19
20			0.14	0.06		0.10			0.05					20
21							0.03	0.05		0.07				21
22							0.02	0.10	0.22			0.01		22
23				0.13	0.07	0.11	0.14	0.04				0.07		23
24		0.04	0.08			0.13			0.24					24
25	0.08											0.18		25
26		0.02		0.17		0.02						0.10		26
27	0.06	0.29		0.04		0.15				0.07		0.26		27
28		0.08		0.19		0.37		0.84				0.34		28
29							0.17	0.07	0.13		0.13			29
30	0.10	×										0.04		30
31	0.03	×		×		×			×	0.35	×	0.06		31
TOTAL	0.90	0.58	1.34	0.96	0.63	1.40	1.18	2.16	1.29	1.58	1.33	3.10	Year's Total. 16.45	✓
* Days with .01 in. or more.	11 ~~2~~	7 ~~3~~	12 ~~2~~	10 ~~1~~	5 ~~1~~	9 ~~1~~	8 ~~2~~	12 ~~1~~	9 ~~1~~	12 ~~1~~	8 ~~2~~	22 ~~3~~	126	✓
* Days with .04 in. or more.	9	4	10	9	4	8	6	12	8	11	6	19	106	✓

V.G. second print

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) × C. R. Robinson ESQ ×

[P.T.O.

Nrd. ~~[illegible]~~

OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 1176/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

111/Beds/3

C 1934

Kept at Potton Sewage Works

in the County of Bedford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 118. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.11							0.21			0.01	0.35		1
2			0.08						0.45	0.10		0.15		2
3		0.11		0.12						0.24				3
4	0.09		0.04							0.34	0.09	0.14		4
5			0.18							0.01	0.08	0.18		5
6			0.10	0.02	0.39	0.11						0.36		6
7						0.31		0.08		0.11				7
8					0.10			0.05	0.03	0.08		0.06		8
9	0.04							0.10			0.45	0.18		9
10			0.03	0.07							0.22	0.06		10
11	0.13		0.27				0.05	0.11				0.05		11
12			0.05				0.05	0.47				0.18		12
13	0.14	0.03					0.65	0.04				0.14		13
14			0.26							0.09				14
15					0.03				0.06		0.34	0.01		15
16	0.10	0.01	0.08						0.06	0.11	0.01			16
17	0.02				0.04					0.06		0.15		17
18				0.12		0.10	0.07					0.03		18
19			0.03	0.04					0.05					19
20			0.14	0.06		0.10			0.05					20
21							0.03	0.05		0.07				21
22							0.02	0.10	0.22			0.01		22
23				0.13	0.07	0.11	0.14	0.04				0.07		23
24		0.04	0.08			0.13			0.24					24
25	0.08											0.18		25
26		0.02		0.17		0.02						0.10		26
27	0.06	0.29		0.04		0.15				0.07		0.26		27
28		0.08		0.19		0.37		0.84				0.34		28
29							0.17	0.07	0.13		0.13			29
30	0.10	X										0.04		30
31	0.03	X		X		X			X	0.35	X	0.06		31
TOTAL	0.90	0.58	1.34	0.96	0.63	1.40	1.18	2.16	1.29	1.58	1.33	3.10	Year's Total. 16.45 ✓	
* Days with .01 in. or more.	11 ~~2~~	7 ~~2~~	12 ~~2~~	10 ~~1~~	5 ~~1~~	9 ~~1~~	8 ~~2~~	12 ~~1~~	9 ~~1~~	12 ~~1~~	8 ~~2~~	22 ~~3~~	126 ~~[illegible]~~ ✓	
* Days with .04 in. or more.	9	4	10	9	4	8	6	12	8	11	6	19	106 ✓	

V.G. record print

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) X C. H. Robinson ESQ X

[P.T.O.

Section **A** **for the entry of Daily Observations.** COPY FOR OFFICIAL USE. WWJB **Station No.** 1176/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Potton Sewage Works.

in the County of Bedfordshire.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 118 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.34	-	-	-	-	0.05	0.06	-	0.01	0.12	0.33	-		1
2	-	-	-	-	-	0.04	-	-	-	0.07	-	-		2
3	0.01	0.21	0.09	0.08	-	-	-	-	0.09	0.45	0.11	-		3
4	-	-	-	0.17	-	-	-	-	0.35	0.06	-	-		4
5	-	0.55	0.09	0.09	-	0.19	0.06	-	0.08	0.05	-	-		5
6	0.02	-	-	0.17	-	0.17	-	-	-	-	0.02	-		6
7	0.16	-	-	0.36	-	-	-	-	-	0.05	1.07	0.11		7
8	-	-	-	0.19	-	-	-	-	-	0.16	0.04	0.22		8
9	-	-	-	0.11	-	0.38	-	-	-	0.56	0.03	0.05		9
10	-	0.02	-	0.12	-	-	-	-	-	-	0.05	0.03		10
11	0.13	-	-	-	-	-	0.05	-	-	0.01	0.18	-		11
12	-	0.01	-	-	-	0.15	-	0.03	-	-	0.13	-		12
13	0.09	0.15	-	0.13	0.18	0.06	-	-	-	-	-	-		13
14	-	0.02	-	0.11	0.23	0.04	-	-	0.29	-	0.20	-		14
15	-	-	-	0.29	0.02	0.07	-	-	0.11	-	0.14	0.12		15
16	-	-	0.02	0.03	-	0.08	-	-	0.05	-	0.40	0.19		16
17	-	-	-	-	-	0.10	-	-	-	-	0.56	-		17
18	-	-	-	0.36	-	0.03	0.35	-	0.23	-	-	-		18
19	-	0.10	-	0.04	0.27	0.15	0.07	-	0.10	0.05	0.19	-		19
20	0.04	-	-	-	0.22	0.13	0.02	-	-	-	-	-		20
21	-	0.06	0.04	-	-	-	-	-	0.06	-	0.13	-		21
22	-	-	0.03	0.12	-	-	-	0.25	0.40	-	-	-		22
23	-	-	0.08	-	-	-	-	0.17	-	-	-	-		23
24	0.07	0.18	-	-	-	-	-	0.01	0.86	-	-	0.18		24
25	0.12	0.13	-	0.13	-	0.43	-	-	-	-	-	0.06		25
26	0.25	-	-	-	-	0.02	-	0.28	0.12	-	-	0.15		26
27	0.01	0.16	-	-	0.09	-	-	-	0.15	0.04	0.14	0.21		27
28	-	-	-	-	-	-	-	-	0.19	-	-	-		28
29	-	-	-	-	-	-	-	-	0.51	-	0.03	0.09		29
30	0.09	×	-	0.16	-	-	-	0.65	0.01	0.02	0.22	0.08		30
31	-	×	-	×	-	×	-	-	×	0.60	×	0.09		31
TOTAL	1.33 ✓	5 1.~~6~~9	0.35 ✓	6 2.6~~8~~	1.01 ✓	2.09 ✓	0.61 ✓	39 1.~~47~~	3.61 ✓	2.24 ✓	3.97 ✓	1.58 ✓	Year's Total. 4 22.~~6~~3	
* Days with .01 in. or more.	12 ✓	11 ✓	6 ✓	~~18~~ 17	6 ✓	16 ✓	6 ✓	6 ✓	17 ✓	13 ✓	18 ✓	13 ✓	1 14~~2~~	
* Days with .04 in. or more.	9 ✓	8 ✓	4 ✓	16 ✓	5 ✓	14 ✓	5 ✓	4 ✓	15 ✓	11 ✓	15 ✓	12 ✓	118 ✓	

40-9999

† Spare column, no entries required

(*Signed*) C. M. Robinson

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1176/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Potton Sewage works

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 118 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·40	·09	·24			·11				·03	·08		1
2				·02		·29	·70				·14	·23		2
3						·03					·20			3
4			·08			·02			·42		·03	·06		4
5								·05	·08					5
6	·11					·14		·12	·04					6
7	·19		·05				·17			·04				7
8	·10		·04								·26	·25		8
9	·19					·04	·99		·04					9
10	·13						·26	·05						10
11				·09			·22	·09			·36			11
12				·13		·43	·42		·11		·22	·27		12
13				·15	·03	·44					·06			13
14		·10		·05		·05	·65			·06		·20		14
15		·08					·38		·28			·08		15
16	·25	·05									·69			16
17		·21									·20	·09		17
18						·23	·09			·11				18
19	·15	·07		·05		·13		·05						19
20	·01	·06		·22			·03		·66					20
21	1·27			·11	·03	1·99 ✓			·29					21
22	·08	·42			·29	·02	·19							22
23				·09	·02		·03		·06					23
24	·14	·13					·18			·29				24
25	·05		·11	·14		·29	·08		·26					25
26		·08	·12	·06					·03	·06	·06			26
27				·08			·05		·21	·13				27
28	·42		·03			·57	·07					·28		28
29	·20	·18				·07	·07			·06	·20			29
30	·06	✕			·30	·24	·09		·02	·20				30
31	·71	✕	·10	✕		✕	·10		✕	·49	✕	·07		31
TOTAL	2·93	1·78	·62	1·43	·67	4·98	4·88	·36	2·50	1·44	2·45	1·61	Year's Total 25·65 ✓	
* Days with .01 in. or more.	17	11	8	13	5	16	20	5	13	9	12	10	139	
* Days with .04 in. or more.	16	11	7	12	2	13	18	5	11	9	10	10	124	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) C. M. Robinson [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1176/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Potton Sewage Works

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 118 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16										·75	·44		1
2				·38								·08		2
3		·09	·11									·12		3
4	·05	·51						·12				·70		4
5	·08		·17									·07		5
6			·77		·10		·12							6
7		·40	·04	·09					·07					7
8		·07			·06	·06					·38			8
9				·24	·39		·35		·10			·26		9
10			·42	·02	·03	·36	·05					·19		10
11			·24		·42	·02		·52				·10		11
12	·08	·35			·23	·28		·47	·21			·05		12
13	·14	·03	·33			·34		·59	·19			·30		13
14		·03	·41	·06				·79						14
15	·06	·05		·16		·12	·88		·07					15
16	·13	·09	·18	·24					·21			·08		16
17	·16		·16	·28					·52					17
18	·28	·08	·03	·02	·11				·34		·45			18
19	·08	·07	·02		·03	·23			·81		·09			19
20	·10		·04	·54	·52				·03					20
21	·09	·31	·16				·15					·06		21
22	·37	·02				·07	·03			·32	·20			22
23	·18		·13		·56					·57				23
24	·27	·34					·17		·08	·08				24
25	·04	·26			·74					·17				25
26		·23	·04		·28					·07				26
27		·25		·16						·71				27
28		·03								·08				28
29	·05									·05				29
30	·20	✕								·05	·25	·16		30
31	·20	✕		✕		✕			✕		✕	·05		31
TOTAL	2·72	3·21	3·28	2·19	3·47	1·48	1·75	2·49	2·63	2·10	2·12	2·66	Year's Total 30·10	
* Days with .01 in. or more.	~~19~~	~~18~~	~~16~~	~~11~~	~~12~~	~~8~~	~~7~~	~~5~~	~~11~~	~~9~~	~~6~~	~~14~~	~~136~~	
* Days with .04 in. or more.	19	14	14	9	10	7	7	5	10	9	6	14	124	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. Robinson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1176/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Potton Sewage Works

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" Ground " Sea Level 118 ft.

Days

w.J.7.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·03										1
2	·25			·03	·05	·09	·09			·19				2
3					·13					·42				3
4	·08						·10	·03		·24				4
5										·08				5
6								·40	·21	·07				6
7	·06						·06		·04	·34				7
8	·09						·23	·02		·14				8
9	·08					·03		·12				·46		9
10								·56				·03		10
11	·45										·11			11
12	·07							1·53		·31				12
13		·13						·12						13
14	·14	·02			·06				·07					14
15	·04									·07		·12		15
16	·12						·22					·26		16
17					·14		·10			·04				17
18					·33						·25			18
19											·10			19
20											·29			20
21								·08				1·42		21
22						·11					·16	·28		22
23				·04										23
24			·08						·32		·05			24
25	·21	·09	·07					·05		·05	·40	·12		25
26		·10	·12						·07	·20		·20		26
27	·08				·17	·19	·21	·57	·49	·07	·30			27
28	·09	·03			·58	·07			·03					28
29	·42			·01	·21						·09	·22		29
30		✕		·03		·02			·08		·03	·20		30
31	·14	✕		✕	·08	✕			✕	·15	✕	·29		31 d
TOTAL	2·32	·37	·27	·11	1·75	·51	1·01	3·48	1·31	2·37	1·78	3·60	Year's Total 18·88	✓
* Days with .01 in. or more.	~~15~~	~~5~~	~~3~~	~~4~~	~~9~~	~~6~~	~~7~~	~~10~~	~~8~~	~~14~~	~~10~~	~~11~~	~~102~~	
* Days with .04 in. or more.	15	3	3	1	9	4	7	8	7	14	9	10	99	✓

† Spare column, no entries required.

(Signed) A.K. Robinson

P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1176/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Potton Sewage Works

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 118 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05			·20	·18		·23		·23					1
2	·05							·36	·17		·03			2
3	·35			·09				·41			·17	·26		3
4			·14	·34				·15		·11	·11	·02		4
5				·66	·04			1·09		·04	·24	·16		5
6	·39						·10	·08						6
7	·14	·02						·05			·06	·10		7
8		·03	·09					·09		·15	·05	·30		8
9		·04					·03	·04	·02	·43	·04	·14		9
10	·21					·36		·11						10
11			·25							·04				11
12									·07					12
13						·24	·02		·04	·68				13
14	·25			·04	·42	·07			·03	·13	·16			14
15	·09		·06		·48	·23	·17		·13	·52				15
16	·17		·13	·02	·06	·21				·16	·31			16
17	·09		·05	·11			·70							17
18	·06					·19	·12			·14	·51			18
19	·23					·08	·10			·15				19
20	·10					·05	·37	·10						20
21	·07		·29			·35	·31	·04	·12					21
22	·05	·10	·06			·02			·08					22
23							·10			·10	·52			23
24	·14		·06	·12			·07							24
25	·54	·08	·20				·02	·48			·20	·05		25
26	·23		·02	·20						·20	·40	·04		26
27			·13							·26	·08			27
28		·23	·09	·06						·17	·13	·04		28
29				·58			·25	·32		·40				29
30		✕		·83		·11					·02			30
31		✕		✕		✕	·11		✕		✕			31
TOTAL	3·21	·50	1·57	3·25	1·18	1·91	2·70	3·32	·89	3·68	3·03	1·11	Year's Total 26·35	✓
* Days with .01 in. or more.	–	2	1	1	–	1	3	–	2	–	2	1	13	"d"
* Days with .04 in. or more.	18	4	12	11	5	10	12	13	7	16	14	8	130	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) E. A. Robinson

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1176/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Potton Sewage Works

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 118 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·06			1
2				·07						·04	·80			2
3		·15		·14						·10	·53	·06		3
4		·28		·11			·02			·17	1·56			4
5							·43			·02	·26	·09		5
6	·17	·20			·05		·23			·11	·24			6
7	·30	·10			·05		·02							7
8										·03		·23		8
9						·20			·06		·04	·11		9
10							·59	·05		·11	·24	·28		10
11		·11		·03		·18	·04				·65	·07		11
12			·07						·05		·04			12
13			1·05	·04			·02				·99			13
14			·16	·11								·19		14
15					·03	·02	·08				·11			15
16	·05	·06	·21				·44		·09	·55	·54			16
17			·52								·33			17
18		·48	·15	·49			·36	·07		·05				18
19		·14	·08	·07					·40		10	10		19
20		·02												20
21	·06						·22			·07	·47			21
22			·04		·11	·22			·11					22
23		·24		·06	·22	·07						·03		23
24				·11										24
25			·12				·54							25
26	·79	·05	·10	·07	·12		·43							26
27	·28	·07			·09		·04							27
28	·07	·07			·08									28
29			·03									·18		29
30		✕		·08	·08					·16				30
31		✕		✕		✕			✕	·38	✕			31
TOTAL	1·72	1·97	2·53	1·38	·83	·69	3·46	·12	·71	1·79	6·96	1·34	Year's Total 23·50	
* Days with .01 in. or more.	7	13	~~11~~ 12	12	~~9~~ 11	5	15	2	~~5~~ 7	14	19	12	~~116~~	127
* Days with .04 in. or more.	7	12	10	11	8	4	11	2	5	10	16	9	105	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. McRobinson

[P.T.O.

120

Section **A** for the entry of D

AIR MINISTRY.-

FORM 1090.

REGISTE

1177

SANDY MOGERHANGER PK.

1931- 40

780210

31 .

FOR OFFICIAL USE.

FALL ORGANIZATION.

Kept at Sandy, Mogerha

in the County of Bedfords

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR DAY.

An observer who does not conform to th *the following*
year in the space on the right of this

Please read the Notes and Instruc

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·12	·02		·04		·11		·01		1
2	·11			32					·57			·15	2
3	·05			09	·38				·74		05		3
4		·05		05			·28	·03	·17		·17	·25	4
5				·06		·44	·04	·59	·06			·04	5
6		·13		03		·09				·20	·40	·03	6
7		·02						·84		·02	·02	·04	7
8	·06	·05	·08			·10		·43			·05		8
9		·16	02	·07		·27		·05			·30	·04	9
10		·04						·21			·13	·01	10
11		·12							·02		10		11
12		·04			·02		·20		·30		04		12
13	·04			03			·20						13
14	·05	·12			03		·36				01		14
15		·10		·48	07		·19	·54				·06	15
16		·12		·10	·26	·07	·05		·18				16
17	·04	13		20	·44	·05	·13		·03	·04			17
18		·10		·16	·01	06	·04	·04			·48		18
19	13			45		·13	·36	·25	·08				19
20		·02		·10			·10	·47		01			20
21	·04			·01	·77								21
22	·14		·05	·01					·05		·04		22
23	·12	03			·25						·13	·05	23
24				12	·12				·03				24
25	·08			52	·04		·74						25
26				15			·52				·08		26
27	·09	·56			·02						·35		27
28				03						·02		·05	28
29	·07			·08	·09					·29	·03	·07	29
30	·10	×									·01		30
31	·16	×		×		×			×		×	·05	31
TOTAL	1·28	1·79	·15	3·18	2·52	1·21	3.75	3.45	2.34	·58	2·40	·84	YEAR'S TOTAL 23·49
*Days with ·01 in. or more.	15	16	3	21	14	8	14	10	12	6	18	12	149
*Days with ·04 in. or more.	15	13	2	16	9	8	14	9	9	3	13	10	121

40-9999 M

*See Instruction 2 (*f*) on other side

(Signed) Dr. C. G. Welch

[P.T.O.

120

Section A for the entry of D

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Sandy, Moggerhanger Park

in the County of Bedfordshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·12	·02		·04		·11		·01		1
2	·11			32					·57			·15	2
3	·05			09	38				·74		·05		3
4		·05		05			·28	·03	·17		·17	25	4
5				06		·44	·04	·59	·06			04	5
6		·13		03		·09				·20	·40	·03	6
7		·02						·84		·02	·02	·04	7
8	·06	·05	·08			10		·43			05		8
9		16	02	·07		·27		·05			·30	·04	9
10		·04						·21			·13	·01	10
11		12							·02		10		11
12		·04			·02		·20		·30		04		12
13	·04			03			·20						13
14	·05	·12			03		·86				01		14
15		·10		48	07		·19	·54				·06	15
16		·12		10	26	·07	·05		·18				16
17	·04	13		20	44	·05	·13		·03	·04			17
18		·10		·16	·01	06	·04	·04			·48		18
19	13			45		·13	·36	·25	·08				19
20		02		10			·10	·47		·01			20
21	·04			·01	·77								21
22	·14		05	01					.05		·04		22
23	·12	03			·25						·13	·05	23
24				·12	·12				·03				24
25	·08			·52	·04		·74						25
26				·15			·52				·08		26
27	·09	·56			·02						·35		27
28				03						·02		·05	28
29	·07			·08	·09					·29	·03	·07	29
30	·10	✕									·01		30
31	·16	✕		✕		✕			✕		✕	·05	31
													YEAR'S TOTAL
TOTAL	1·28	1·79	·15	3·18	2·52	1·21	3.75	3.45	2.34	·58	2·40	·84	23·49
*Days with ·01 in. or more.	15	16	3	21	14	8	14	10	12	6	18	12	149
*Days with ·04 in. or more.	15	13	2	16	9	8	14	9	9	8	13	10	121

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) Dr C. G. Welch

[P.T.O.

737337/26 Corrd. for monthly cards. 1177

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Mogerhanger Park Sanatorium

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 150 ft. approximately

dafp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·12	·02		·04		·11		·01		1
2	·11			·32					57			·15	2
3	·05			·09	·38				·74		·05		3
4		·05		·05			·28	·03	17		·17	·25	4
5				·06		·44	·04	·59	·06			·04	5
6		·13		·03		·09				·20	·40	·03	6
7		·02						·84		·02	·02	·04	7
8	·06	·05	·08			·10		·43			·05		8
9		·16	·02	·07		·27		·05			·30	·04	9
10		·04						·21			·13	·01	10
11		·12							·02		·10		11
12		·04			·02		·20		·30		·04		12
13	·04			·03			·20						13
14	·05	·12			·03		·86				·01		14
15		·10		·48	·07		·19	·54				·06	15
16		·12		·10	·26	·07	·05		·18				16
17	·04	·13		·20	·44	·05	·13		·03	·04			17
18		·10		·16	·01	·06	·04	·04			·48		18
19	·13			·45		·13	·36	·25	·08				19
20		·02		·10			·10	·47		·01			20
21	·04			·01	·77								21
22	·14		·05	·01					·05		·04		22
23	·12	·03			·25						·13	·05	23
24				·12	·12				·03				24
25	·08			·52	·04		·74						25
26				·15			·52				·08		26
27	·09	·56			·02						·35		27
28				·03						·02		·05	28
29	·07			·08	·09					·29	·03	·07	29
30	·10	×									·01		30
31	·16	×		×		×			×		×	·05	31
TOTAL	1·28	1·79	0·15	3·18	2·52	1·21	3·75	3·45	~~0·69~~ 2·34	0·58	2·40	·84	23·49 YEAR'S TOTAL ~~21·84~~
*Days with ·01 in. or more.	15 X	16 X	3 X	21 X	14 X	8 X	14 X	10 X	~~7~~ X 12	6 X	18 X	12 X	149 ~~28~~
*Days with ·04 in. or more.	15	13	2	16	9	8	14	9	~~4~~ 9	3	13	10	~~116~~ 121

40-9999 M

*See Instruction 2 (f) on other side.

13 JAN. 1932

(Signed) C. Cr...

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Mogerhanger Park Sanatorium
in the County of Bedfordshire
Diameter of Funnel of Gauge 5·0 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level ? ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·01		·08	·36		·06	·55	·08	·47	·01	·03	1
2				·23	·06			·10	·14	·04	·04	·16	2
3				·15	·27				·02				3
4											·21		4
5	·10			·03	·06		·15		·05				5
6	·27		·09		·06				·12			·02	6
7			·20	·10					·03				7
8			·03	·05					·24	·10			8
9	·02	·03			·31						·02		9
10	·04	·04		·14					·07		·02		10
11				·14	·14	·34	·10		·02	·11			11
12	·07			·15	·09			·85					12
13	·06			·02								·05	13
14	·25			·11			·02			·16			14
15				·08	·08		·14			·25			15
16	·18			·33	·41		·02			·04			16
17													17
18									·68		·05		18
19							·14				·01	·02	19
20				·04	·13			1·95		·18	·08		20
21	·04			·18	·65			1·51		·31		·04	21
22			·15	·01	·10		·34		·27		·19		22
23		·08	·25						·04	·39	·05		23
24				·02	·03		·85		·01	·09	·29		24
25		·04		·02	·16		·15		·02	·28	·02		25
26				·31	·19		·24		·10				26
27			·19	·10	·50		·35			·02	·12		27
28			·31	·02	·43	·01	·16			·12			28
29	·01		·11	·01	·20	·02		·12	·01	·28	·02	·02	29
30		×			·48	·13		·10	·03	·10	·07	·19	30 d
31		×	·19	×	–	×		·06	×	–	×	·05	31
TOTAL	1·07	0·20	1·52	2·32	4·71	0·50	2·72	5·24	1·93	2·94	1·20	0·58	YEAR'S TOTAL 24·93
*Days with ·01 in. or more.	11 ~~3~~	5 ~~2~~	9	22	20	4 ~~2~~	12	8	17	16	15	9	149
*Days with ·04 in. or more.	8	3	8	15	19	2	11	8	10	15	9	5	113

40-9999 M
*See Instruction 2 (*f*) on other side,

10 JAN. 1933

(*Signed*) Walsh

P.T.O.

~~File no. 4272/35/…/26~~ 1177

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—[illegible]TISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Mogerhanger Park Sanatorium
in the County of Bedfordshire

Diameter of Funnel of Gauge 5·0 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level ? ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·13	·12	-	-	-	-	-	-	-	-	-	-	1
2	·11	-	·20	-	·03	-	-	-	-	-	-	-		2
3	-	·12	·14	-	·02	-	-	-	-	-	-	-		3
4	·05	-	·04	-	·25	-	-	-	-	-	·09	-		4
5	·02	-	·08	-	·10	-	-	-	-	-	-	-		5
6	-	·05	·11	-	·50	-	-	-	-	-	·05	-		6
7	·04	·02	-	-	·05	-	-	-	-	·05	·03	-		7
8	·02	·05	·13	-	·01	-	·02	-	-	·02	-	-		8
9	-	·01	-	-	-	-	·14	-	-	·03	·17	-		9
10	-	·07	-	-	·09	·08	·42	-	-	·12	·18	-		10
11	·10	-	-	-	·02	-	-	·25	-	-	-	-		11
12	-	-	-	·05	·02	·15	·10	-	·30	-	-	·04		12
13	·04	-	-	-	·07	·08	·15	-	-	·05	-	-		13
14	-	-	-	-	·01	-	-	-	-	·10	·61	·03		14
15	·36	-	·02	-	-	-	·16	·07	-	-	·20	-		15
16	·08	-	·62	-	-	·09	·02	-	-	-	-	-		16
17	·04	-	·35	-	-	·11	-	-	-	·05	-	-		17
18	-	-	·02	-	-	·02	-	-	·03	-	·02	-		18
19	-	·07	·24	·02	-	·07	-	-	·12	-	-	-		19
20	-	·05	-	·07	-	·62	-	·02	-	-	-	·03		20
21	-	·02	-	-	-	-	-	·15	·33	-	-	-		21
22	-	·04	-	-	·10	·52	-	·68	·03	·10	·10	-		22
23	-	-	-	·09	-	-	-	-	·50	-	·02	-		23
24	-	·11	-	·13	·25	·57	-	-	·33	-	·12	-		24
25	-	·27	-	·39	-	·03	-	-	-	-	·05	·08		25
26	-	·17	-	·03	-	·07	-	-	·02	-	-	·13		26
27	-	-	-	-	·23	-	-	-	·04	·15	-	·02		27
28	-	·02	-	-	-	-	-	-	-	·37	-	·04		28
29	·08	×	-	·14	-	-	·01	-	-	·15	-	·01		29
30	·09	×	·10	-	-	-	-	-	-	·10	-	·11		30
31	·04	×	·11	×	-	×	-	-	×	·07	×	-		31
TOTAL	1·09	1·20	2·28	·92	1·75	2·41	1·02	1·17	1·70	1·36	1·64	·49	Year's Total 17·03 ✓	
*Days with ·01 in. or more.	14	15	14	8	15	12	8	5	9	13	12	9	134	
*Days with .04 in. or more.	11	11	12	6	9	10	5	4	6	11	9	5	99	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*)

4th Jan. 1934.

[P.T.O.

Obsr. informed on Form 906. 1·3·35

Obsr. agrees. see file.

~~File No 737337/26.~~

Section **A**

COPY FOR OFFICIAL USE.

for the entry of Daily Observations.

Station No. 1177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Mogerhanger Sanatorium

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 152 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08							·38		·01		·35		1
2	·10		·07					·01	·11	·15		·10		2
3		·10		·16					·49	·25				3
4	·04	·06	·05							·18	·12	·15		4
5	·03		·17					·02	·03		·08	·12		5
6			·11	·02	·33	·09		·03		·19		·43		6
7	·05					·07		·08		·02				7
8					·09	·03		·06	·07	·02	·07			8
9								·08			·50	·14		9
10			·13	·09				·02			·38	·02		10
11	·23		·25	·02			·02	·15			·0~~4~~5	·11		11
12			·10				·02	·27				·02		12
13	·18			·04			66	·08			·02	·40		13
14	·02		·15	·01						·09	·25	·18		14
15			·05		·02				·20	·01	·14	·07		15
16	·11		·12		·14					·09	·02	·01		16
17	·04								·01		·0~~5~~3	·08		17
18	·03		·04	·15			·36					·05		18
19			·10	·13		·14			·06			·02		19
20				·01			·02							20
21			·02	·05		·11		·05						21
22							·02	·06	·12	·08		·03		22
23				·13	·04	·10	·06	·09				·07		23
24		·11	·09			·04	·10		·13					24
25	·10	·05		·01		·02			·02	·02		·30		25
26				·22		~~·02~~						·08		26
27		·27				·14				·06		·42		27
28		·05		·16		·10		·91			·09	·33		28
29							·26		·19		·06	·03		29
30	·09	×					·02			·04		·03		30
31	·03	×		×		×			×	26	×	·08		31
TOTAL	1·13 ✓	0·64 ✓	1·45 ✓	1·20 ✓	0·62 ✓	0·8~~6~~4 ✓	1·54 ~~0·88~~ ✓	2·29	1·~~2~~43 ✓	1·~~21~~47	1·8~~2~~1 ✓	3·62	Year's Total. 18·04 ~~16·95~~	✓
* Days with .01 in. or more.	14	6	14	14	5	11	10 ~~9~~	15	1~~0~~	1~~4~~5	13	25 ✓	15~~0~~2	
* Days with .04 in. or more.	10	6	13	9	4	8	5 ~~4~~	11	8 ~~7~~	10 ~~9~~	1~~1~~0	18	11~~0~~2	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) G. Welch M.D.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Sandy, Mogerhanger Park

in the County of Bedfordshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08							·38	·11	·01		·35		1
2	·10		·07					·01	·49	·15		·10		2
3		·10		·16						·25				3
4	·04	·06	·05						·03	·18	·12	·15		4
5	·03		·17					·02			·08	·12		5
6			·11	·02	·33	·09		·03		·19		·43		6
7	·05					·07		·08		·02				7
8					·09	·03		·06	·07	·02	·07			8
9								·08			·50	·14		9
10			13	·09				·02			·38	·02		10
11	·23		25	·02			·02	·15			·05	·11		11
12			10				·02	·27				·02		12
13	·18			·04			·66	·08			·02	·40		13
14	02		·15	·01						·09	25	·18		14
15			·05		·02				·20	·01	·14	·07		15
16	·11		·12		·14					·09	·02	·01		16
17	·04								·01		·03	·08		17
18	·03			·15			·36					·05		18
19			04	·13		·14			·06			·02		19
20			·10	·01			·02							20
21			·02	·05		·11		·05						21
22							·02	·06	·12	·08		·03		22
23				·13	·04	·10	·06	·09				·07		23
24		·11	·09			·04	·10		·13					24
25	·10	·05		·01		·02			·02	·02		·30		25
26				·22								·08		26
27		27				·14				·06		·42		27
28		·05		·16		·10		·91			·09	·33		28
29							·26		·19		·06	·03		29
30	·09	X					·02			·04		·03		30
31	·03	X		X		X			X	·26	X	·08		31
TOTAL	1·13	·64	1·45	1·20	·62	·84	1·54	2·29	1·43	1·47	1·81	3·62	Year's Total 18·04	
*Days with ·01 in. or more.	14	6	14	14	5	10	10	15	11	15	13	25	152	
*Days with ·04 in. or more.	10	6	13	9	4	8	5	11	8	10	10	18	112	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) C. G. Welch

[P.T.O.

File No. 737337/26

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sandy

in the County of Beds

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 152 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23													1
2				·03		·05	·05		·05	·11	·10	·02		2
3		·13	·05	·02		·03			·10	·14	·05	·01		3
4				·18		·01			·30	·39	·15			4
5		·69		·12		·06			·12	·06		·01		5
6		·02	·08	·24		·03			·12		·08	·04		6
7	·14	·02	·02	·35		·13				·09	·06			7
8				·17						·17	1·08			8
9	·01			·15		·39				·65	·07			9
10	·01	·03		·20		·02					·07			10
11	·13					·05	·04				·02	·05		11
12	·01					·09					·32			12
13	·10	·22		·21	·18	·05					·07	·02		13
14				·04	·12				·17			·03		14
15		·12		·46	·02	·14			·17		·12	·15		15
16		·04	·06	·11		·09			·11	·04	·22	·16		16
17				·03		·15					·34			17
18	·01			·28	·10	·03	·03		·24	·05	·54			18
19	·03	·01		·06	·28	·13	·31		·15					19
20	·05	·13		·11	·20		·04				·28			20
21	·02	·14	·10	·02					·35		·04			21
22			·05	·12				·19	·48		·11			22
23	·05	·01	·10					·55	·06			·07		23
24	·12	·27	·01						·24			·18		24
25	·16	·10		·15		·56						·12		25
26	·15	·03						·30	·03	·03		·18		26
27	·05	·16			·05				·14			·30		27
28		·08			·01				·22	·06	·16	·06		28
29	·10								·55		·06			29
30		✕	·01	·42				·40		·02	·28	·15		30
31		✕		✕		✕		·12	✕	·85	✕	·16		31
													Year's Total	
TOTAL	1·37	2·20	0·48	3·47	0·96	2·01	0·47	1·86	4·26	2·66	4·21	1·71	25·66	
* Days with .01 in. or more.	17	17	9	21	8	17	5	5	18	13	21	17	~~148~~	168
* Days with .04 in. or more.	11	11	6	17	6	12	4	5	17	11	20	12	132	

40-9999.

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 1177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sandy, Mongerhanger Park

in the County of Bedford

Diameter of Funnel of Gauge ...... in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level ...... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23					·05	·05		·05	·11	·10	·02		1
2				·03		·03			·10	·14	·05	·01		2
3		·13	·05	·02		·01			·30	·39	·15			3
4				·18		·06			·12	·06		·01		4
5		69		·12		·03			·12		·08	·04		5
6		·02	·08	·24		·13					·05			6
7	·14	·02	·02	·35						·09	1·08			7
8				·17						·17	·07			8
9	·01			·15		·39				·65	·07			9
10	·01	·03		·20		·02					·02			10
11	·13					·05	·04				·32	·05		11
12	·01					·09					·07			12
13	·10	·22		·21	·18	·05						·02		13
14				·04	·12				·17		·12	·03		14
15		·12		·46	·02	·14			·17		·22	·15		15
16		·04	·06	·11		·09			·11	·04	·34	·16		16
17				·03		·15	·03				·54			17
18	·01			·28	·10	·03	·31		·24	·05				18
19	·03	·01		·06	·28	·18	·04		·15		·28			19
20	·05	·13		·11	·20						·04			20
21	·02	·14	·10	·02					·35		·11			21
22			·05	·12				·19	·48					22
23	·05	·01	·10					·55	06			·07		23
24	·12	·27	·01						·90			·18		24
25	·16	·10		·15		·56						·12		25
26	·15	·03						·30	·03	·03		·18		26
27	·05	·16			·05				·14			·30		27
28		·08			·01				·22	·06	·16	·06		28
29									·55		·06			29
30	·10	×	·01	·42				·70		·02	·28	·15		30
31		×		×		×		·12	×	·85	×	·16		31
TOTAL	1·37	2·20	·48	3·47	·96	2·01	·47	1·86	4·26	2·66	4·21	1·71	Year's Total 25·66	
*Days with ·01 in. or more.	17	17	9	21	8	17	5	5	18	13	21	17	168	
*Days with ·04 in. or more.	11	11	6	17	6	12	4	5	17	11	20	12	132	

† Spare column, no entries required.

(*Signed*) J. C. G. Welch

M

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Sandy, Mongerhanger Park

in the County of Bedford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 152 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·44		·40		·04		·01	—	—	—	·03		1
2		·02	·21	·04		·42			—	—	·23	·29		2
3		·02		·01		·08	·74		·06	—	·15	—		3
4			·10	·01		·11			·37	—	—	·09		4
5	·12		·02					·02	·07	—	—	·03		5
6	·12					·17	·02	·15	·04	—	—	—		6
7	·22		·04				·14	·02	·02	—	—	—		7
8	·12		·10						—	—	·28	·21		8
9	·45	·02	·07		·01	·04	1·01		·04	—	—	—		9
10	·03			·02	·02		·22	·04	·10	—	—	—		10
11				·11			·14	·02	—	—	·30	—		11
12				·17		·47	·34		·09	—	·22	·15		12
13				·02		·63		·03	—	·15	·07	·10		13
14		·11		·05		·03	·81		·03	·03	—	—		14
15		·01				·03	·18		·24	—	—	·27		15
16	·29	·07					·02		—	—	·61	·05		16
17	·05	·18							—	·03	—	·10		17
18		·07				·20	·08		—	·05	—	—		18
19	·22	·04		·04		·16		·06	—	·04	—	—		19
20		·10	·03	·21					1·15	—	—	—		20
21					·05	1·10	·03		·17	—	—	—		21
22	·10	·54	·03		·47		·17		—	—	—	·12		22
23	·01	·02	·19	·12	·03		·03		—	·03	—	—		23
24	·15	·12					·30		·08	·24	—	—		24
25	·04	·02	·20	·10		·27	·02		·17	—	·11	·05		25
26		·11	·20	·05			·11		·04	·02	—	—		26
27	·04	·02					·04		·21	·05	—	—		27
28	·48	·05	·09			·28	·11		·03	—	·05	·09		28
29	·30	·15	·04			·10	·09		—	·07	·21	—		29
30	·03	×			·31	·46	·06		—	·11	·03	—		30
31	·76	×	·13	×	·01	×	·14		×	·61	×	·05		31
TOTAL	3·63	2·11	1·45	1·35	·90	4·59	4·80	·35	2·91	1·43	2·26	1·63	Year's Total. 27·41	✓
* Days with .01 in. or more.	19	19	14	14	7	17	22	8	17	12	11	~~14~~ 15	17~~4~~5	✓
* Days with .04 in. or more.	16	12	11	10	3	15	17	3	14	8	10	12	131	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. G. Welch

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Sandy, Mogerhanger Park

in the County of Bedford

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

400

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	-			-	-	-	-	-	-	·67	·44		1
2	-	·01	·02	·40	-	-	-	-	-	-	-	·08		2
3	·03	·25	·14	·01	-	-	-	-	-	-	-	·14		3
4	-	·24	·01		-	-	-	·04	-	-		·85		4
5	·11	·03	·15		-	-	-	-	-	-	-	·04		5
6	·02	-	1·04		·09	-	·13	-	-	-	·03			6
7	-	·62	·06	·09	·11	-	-	-	-	-	-			7
8	-	·02			·05	-	-	-	-	-	·49			8
9	-	-		·24	·39	-	·37	-	·11	-	-			9
10	-	·02	·45	·02	·02	·29	-	-	-	-	-	·29		10
11	-	-	·17		·69	-	-	·85	-	-	-	·12		11
12	·08	·42	·01		·29	·20	-	·79	·25	-	-	·04		12
13	·17	·05	·30	·02	-	·25	-	-	·12	-	-	·24		13
14	·01	·03	·33	·08	-	-	-	·75	·01	-	-			14
15	·15	·07		·18	-	03	·98	-	·06	-	-	·04		15
16	·10	·06	·15	·38	-	-	-	·04	·40	-	-	·09		16
17	·18	-	·17	·30	-	-	-	-	·66	-	·03			17
18	·28	·03		·02	·03	-	-	-	·80	-	·45			18
19	·08	·08		·03	·02	·27	-	-	·24	-	·10			19
20	·09	·01	·01	·53	·70	·09	-	-	-	-	-			20
21	·08	·30	·14	·04	-	-	·15	·04	-	-	-			21
22	·33	·05			-	·04	-	-	-	·36	·20			22
23	·14	-	·10		·73	-	·13	-	-	·60	-			23
24	·28	-			-	-	-	-	·11	·10	-			24
25	·05	·27			1·11	-	-	-	·03	·14	-			25
26	-	·30	·06		·26	-	-	-	-	·08	-			26
27	-	·37		·14	-	-	-	-	-	·89	-			27
28	-	·06		·03	-	-	-	-	-	·07	-			28
29	·07	-			-	-	-	-	-	·03	·06	·09		29
30	·26	×			-	-	-	-	-	·04	·20	·03		30
31	·24	×		×	-	×	-	-	×	·06	×	·03		31
TOTAL	2·94	3·29	3·31	2·51	4·49	1·17	1·76	2·51	2·79	2·37	2·23	2·52	Year's Total 31·89	
* Days with .01 in. or more.	21	21	17	16	13	7	5	6	11	10	9	14	150	
* Days with .04 in. or more.	18	14	13	10	10	6	5	6	9	9	7	12	119	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Kept at Sandy, Mogerhanger Park.

in the County of Bedford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 152 ft.

value on 8th Aug. calculated from nearby stns.

Copy by B.R.O

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	–			·01	·43	·01	–	·03	·14	–	·07		1
2	·15	–			·09		·01	–	–	·19	–	–		2
3	·02	–			·14	·05	–	–	·06	–	–	–		3
4	·12	–				·02	·02	–	–	·51	–	·08		4
5	–	–				·01	·09	–	·02	·32	·02	–		5
6	·07	–					·04	–	·29	·19	–	–		6
7	·02	–					·25	·24	·14	·22	–	·06		7
8	·15	–					·19	·22 ~~·32~~	–	–	–	·01		8
9	·08	·05					·01	·08	–	·13	–	·40		9
10	–	–				·09	–	·28	–	–	–	·03		10
11	·49	–					–	–	–	–	·06	·01		11
12	·08	·06					–	1·12	–	·34	·01	–		12
13	–	·10					–	·35	–	–	·02	·10		13
14	·23	·02			·05		–	–	·04	–	–	–		14
15	·05	·02					·08	–	–	·07	–	·45		15
16	·13	–					·12	–	–	·05	·06	–		16
17	–	·08			·05		·13	–	–	·02	–	–		17
18	–	–		·02	·27		–	–	·24	–	·25	–		18
19	–	·01					–	–	–	–	·15	–		19
20	–	–					–	·02	–	–	·20	–		20
21	–	–					–	·10	·04	–	–	·85		21
22	–	–		·02		·01	–	–	–	–	·26	·30		22
23	–	–		·03			–	–	·09	–	–	–		23
24	–	–	·08		·03		–	–	·22	–	·05	–		24
25	·15	–	·06				–	·37	·01	·08	·42	·14		25
26	·11	·23	·08				–	·03	·04	·20	–	·03		26
27	·07	–			·61	·18	·31	–	·36	–	·32	·02		27
28	·03	–			·80	·10	–	·70	–	–	·08	·09		28
29	·61	×			·23		–	–	·05	–	·06	·16		29
30	–	✕		·01		·03	–	–	·10	·03	–	·09		30
31	·25	✕		✕	·10	✕	–	–	✕	·12	✕	·30		31
TOTAL	2·88	·57	·22	·08	2·38	·92	1·26	3·51	1·73	2·61	1·96	3·19	Year's Total 21·31	✓
* Days with .01 in. or more.	19	8	3	4	11	9	12	11	15	15	14	18	139	✓
* Days with .04 in. or more.	16	5	3	0	9	5	8	9	12	13	11	13	104	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

·87

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sandy, Mogerhanger Park

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 152 ft.

Jan. corrected for arithmetic

Copy by B.R.O.

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	–	–	·21	·15	–	·29	·03	·18	–	–	–		1
2	·04	–	–	–	–	–	·01	·45	·21	–	·02	–		2
3	·36	–	–	·15	–	–	–	·82	–	–	·20	·25		3
4	·04	–	·20	·38	–	–	–	·06	–	–	·01	·03		4
5	–	–	–	·54	·05	–	·02	·67	–	·05	·15	·37		5
6	·44	–	–	·02	–	–	·09	·09	–	–	–	–		6
7	·09	·02	–	–	–	–	–	·03	–	–	·23	·12		7
8	–	·04	·12	–	–	–	·03	·12	–	·24	·06	·33		8
9	–	·03	–	–	–	–	–	·04	–	·46	·03	·12		9
10	·28	–	–	–	·01	·39	–	·10	·02	–	–	·01		10
11	–	–	·24	–	·01	–	–	–	·05	–	–	–		11
12	–	–	–	·01	–	·22	·01	–	·05	–	–	–		12
13	–	–	–	·03	–	·01	·02	–	·03	·78	–	–		13
14	·39	–	–	–	·42	·02	–	–	·02	·13	·11	–		14
15	·18	–	–	–	·58	·28	·08	–	·15	·43	·10	–		15
16	·19	·02	·08	·03	·06	·30	·02	–	·01	·11	·22	–		16
17	·14	–	·06	·05	·06	–	·71	–	–	·02	–	–		17
18	·09	–	·04	–	–	·13	·13	–	–	·16	·08	–		18
19	·24	–	·02	–	–	·03	·15	·01	–	·05	·39	·01		19
20	·03	–	·01	–	–	·02	·17	·14	–	–	–	–		20
21	·12	–	·30	–	–	·50	·40	·03	·10	–	–	–		21
22	·09	·19	·08	–	–	·03	·02	–	–	–	·07	–		22
23	·07	–	–	·06	–	·01	·07	–	–	·07	·46	–		23
24	·28	–	·02	·01	–	–	·15	–	–	·02	–	–		24
25	·80	·10	·13	·01	–	–	·04	·61	–	·01	·24	–		25
26	·26	–	·06	·04	–	–	–	·09	–	·16	·48	·12		26
27	–	–	·17	–	–	–	·01	–	–	·06	·02	–		27
28	·01	·19	·10	–	–	–	–	–	–	·27	·12	–		28
29	–		–	·69	–	–	·24	–	–	·24	·01	·06		29
30	–	✕	–	·79	–	–	·01	–	–	–	–	–		30
31	–	✕	–	✕	–	✕	·12	–	✕	–	✕	–		31
TOTAL	4·19	·59	163	3·02	1·34	194	279	3·29	·82	3·26	3·00	1·42	Year's Total 27.29	✓
* Days with .01 in. or more.	21	7	15	15	8	12	22	15	10	17	19	10	171	✓
* Days with .04 in. or more.	19	4	12	9	6	6	13	11	6	14	14	7	121	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1050

REGISTER OF RAINFALL IN 19340

X00

Kept at Sandy, (Mogerhanger Park)
in the County of Bedford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 152 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·02	-	-	-	-	-	-	-	-	·05	-		1
2	-	·12	-	·15	-	-	-	-	-	·05	·06	-		2
3	-	·17	-	·13	-	-	-	-	-	·10	1·89	·07		3
4	-	·09	-	·07	-	-	-	-	-	·14	·57	·03		4
5	-	-	-	-	·01	-	·18	-	-	-	·35	·05		5
6	-	·15	-	-	·06	-	·50	-	-	·15	·21	·02		6
7	·12	·10	-	-	·14	-	·12	-	-	-	-	-		7
8	·31	-	-	-	-	-	-	-	-	·05	-	·34		8
9	-	-	·03	-	-	·52	-	·06	·04	-	·05	·10		9
10	-	-	-	-	-	-	·53	-	-	·04	·20	·21		10
11	-	-	-	-	-	-	·02	-	-	-	·63	·12		11
12	-	·09	·03	-	-	-	·04	-	·05	-	·06	-		12
13	-	-	1·04	-	-	-	-	·05	-	-	·91	-		13
14	-	-	·10	·14	·02	-	-	-	·05	-	-	·22		14
15	-	-	-	·01	·09	-	·05	-	·05	-	·10	-		15
16	·08	·10	·46	-	-	-	·38	-	·04	·62	·62	-		16
17	-	·01	·41	-	-	-	·03	-	-	-	·36	-		17
18	-	·52	·27	-	-	-	·19	·06	-	·05	-	·05		18
19	-	·17	-	·43	-	-	·12	-	·16	-	-	·07		19
20	-	·02	·03	·03	-	-	·05	·03	-	-	-	-		20
21	·05	-	-	-	·02	-	·21	-	-	·07	-	-		21
22	·02	-	·03	-	·15	·31	-	-	·15	-		-		22
23	-	-	-	·02	·22	·08	-	-	-	-	-	-		23
24	-	-	-	·08	-	-	·12	-	-	-	-	·04		24
25	-	-	·15	-	·02	·06	·57	-	-	-	-	-		25
26	·83	·06	·04	-	·03	-	·44	-	-	-	-	-		26
1·72 27	·54	·03	-	-	-	-	·45	·04	-	-	-	-		27
28	·29	·11	·05	-	·09	-	-	-	·02	-	-	-		28
29	-	·04	-	-	·12	-	-	-	-	-	-	·21		29
30	-	×	-	·12	-	-	-	-	-	·15	-	·11		30
31	06	×	-	×	-	×	-	-	×	49	×	-		31
TOTAL	2·30	1·80	2·64	1·18	·97	·97	4·00	·24	·56	1·91	6·06	1·64	Year's Total 24·27	
* Days with .01 in. or more.	9	16	12	10	12	4	17	5	8	11	14	14	132	
* Days with .04 in. or more.	8	12	8	7	87	4	15	4	7	11	14	12	109	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Dr. C. G. Welch

[P.T.O.

1178

Section **A** for the entry of
AIR MINISTRY

FORM 1090.

REGIST

COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

93/ .

B A T C H S L I P

STD JOB:
MET-ARCH
BATCH :
METZ005
ENTRY 126 - VERIFY

Kept at Sewage work
in the County of Bedf

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea l

ome a free copy of
al 1930 please
P.R.B.

THE MORNING MEASU **DAY.**

An observer who does not conform to *the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·04	—	—	—	—	—	—	·13	—	—	—	1
2	·10	·32	—	·34		—	—	·46	·46	—	—	·12	2
3	—	·04	—	·09	·47	—	—	—	·45	—	—	—	3
4	—	·03	—	·04	·34	—	·30	—	·21	—	·04	—	4
5	—	—	—	—	—	·45	—	—	·02	—	—	·29	5
6	—	·09	—	—	—	·07	—	—	—	—	·54	—	6
7	—	—	·02	—	—	—	—	·89	—	·19	—	—	7
8	—	·04	·01	—	—	·13	—	·78	·01	—	—	—	8
9	—	·13	—	—	—	·24	—		—	—	—	—	9
10	·08	·06	—	—	—	—	—	·23	—	—	·28	·02	10
11	·17	·07	—	—	—	—	—	·04		—	—	—	11
12	—	·09	—	—	—	·06	·09	—	·23	—	—	—	12
13	—	·10	·07	—	—	·04	·02	·24	—	—	—	—	13
14	—		—	—	—	·04	·88	·32	—	—	—	—	14
15	·03	·35	·02	·58	—	·02	·24	·18	—	—	—	·05	15
16	·02	·12	—	·04	·33	·03	—	·13	·15	—	—	—	16
17	·02	·07	—	·22	·37	·05	·14	·30	—	—	—	—	17
18	·04	—	—	—	—	—	·01	—	·08	—	·48	—	18
19	·06	·08	—	·60	—	—	·51	—	—	—	—	—	19
20	—	—	—	·02	—	—	·04	·23	—	—	—	—	20
21	·03	—	—	—	·86	—	—	·02	—	—	—	—	21
22	·13	—	·02	·02	—	—	—	—	·03	—	—	—	22
23	·05	·07	·03	·03	·24	—	—	—	—	—	—	—	23
24	—	·05	—		—	—	·04	—	—	—	—	·01	24
25	—	—	—	·48	—	—	·91	—	—	—	—	—	25
26	·11	—	—	·27	·13	—	·43	—	—	—	·45	—	26
27	—	·55	—	—	—	—	—	—	—	—	—	·01	27
28	·15	·04	—	·18	—	—	—	—	—	·04	—	—	28
29	·11	—	—	·07	—	—	·19	—	—	—	—	·01	29
30	·05	×	—	·03	—	—	—	·24	—	—	·33	—	30
31	·13	×	·03	×	—	×	—	·04	×	—	×	—	31
TOTAL	1·28	2·37	·20	3·06	2·77	1·13	3·83	4·10	1·77	·23	2·12	·51	YEAR'S TOTAL 23·37
*Days with ·01 in. or more.	16	20	4	16	8	10	13	15	11	2	6	7	134
*Days with ·04 in. or more.	12	19	1	13	8	8	11	14	8	2	6	3	105

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Percival R. Bradley
Surveyor.

[P.T.O.

1178

BEDFORD

SANDY S. W.

1931 – 1940

780210

1178

Section **A** for the entry of
AIR MINISTRY
RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST 193*1*.

Kept at Sewage works

in the County of Bedfo

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

„ Ground „ Sea Le

welcome a free copy of
annual 1930 please
P.R.B.

THE MORNING MEASU OUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·07	—	—	—	—	—	—	·13	—	—	—	1
2	·10	·32	—	·34		—	—	·46	·46	—	—	·12	2
3	—	·04	—	·09	·44	—	—	—	·45	—	—	—	3
4	—	·03	—	·04	·34	—	·30	—	·21	—	·04	—	4
5	—	—	—	—	—	·45	—	—	·02	—	—	·29	5
6	—	·09	—	—	—	·07	—	—	—	—	·54	—	6
7	—	—	·02	—	—	—	—	·89	—	·19	—	—	7
8	—	·04	·01	—	—	·18	—	·78	·01	—	—	—	8
9	—	·13	—	—	—	·24	—		—	—	—	—	9
10	·08	·06	—	—	—	—	—	·23	—	—	·28	·02	10
11	·17	·07	—	—	—	—	—	·04		—	—	—	11
12	—	·09	—	—	—	·06	·09	—	·23	—	—	—	12
13	—	·10	·07	—	—	·04	·02	·24	—	—	—	—	13
14	—		—	—	—	·04	·88	·32	—	—	—	—	14
15	·03	·35	·02	·58	—	·02	·24	·18	—	—	—	·05	15
16	·02	·12	—	·04	·33	·03	—	·13	·15	—	—	—	16
17	·02	·07	—	·22	·37	·05	·14	·30	—	—	—	—	17
18	·04	—	—	—	—	—	·01	—	·08	—	·48	—	18
19	·06	·08	—	·60	—	—	·51	—	—	—	—	—	19
20	—	—	—	·02	—	—	·04	·23	—	—	—	—	20
21	·03	—	—	—	·86	—	—	·02	—	—	—	—	21
22	·13	—	·02	·02	—	—	—	—	·03	—	—	—	22
23	·05	·07	·03	·03	·24	—	—	—	—	—	—	—	23
24	—	·05	—		—	—	·04	—	—	—	—	·01	24
25	—	—	—	·48	—	—	·91	—	—	—	—	—	25
26	·11	—	—	·27	·13	—	·43	—	—	—	·45	—	26
27	—	·55	—	—	—	—	—	—	—	—	—	·01	27
28	·15	·04	—	·18	—	—	—	—	—	·04	—	—	28
29	·11	—	—	·07	—	—	·19	—	—	—	—	·01	29
30	·05	✕	—	·05	—	—	—	·24	—	—	·33	—	30
31	·13	✕	·03	✕	—	✕	—	·04	✕	—	✕	—	31
TOTAL	1·28	2·37	·20	3·06	2·77	1·13	3·83	4·10	1·77	·23	2·12	·51	YEAR'S TOTAL 23·37
*Days with ·01 in. or more.	16	20	7	16	8	10	13	15	11	2	6	7	~~134~~
*Days with ·04 in. or more.	12	19	1	13	8	8	11	14	8	2	6	3	~~105~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Percival R. Bradley
Surveyor.

P.T.O.

1178

Section **A** for the entry of

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Sewage works, Sandy.
in the County of Bedfordshire.
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground ft 8" in.
,, Ground ,, Sea Level 75 ft.

I should welcome a free copy of reprint of general table please. P.R.B.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·07	—	—	—	—	—	—	·13	—	—	—	1
2	·10	·32	—	·34	}	—	—	·46	·46	—	—	·12	2
3	—	·04	—	·09	} ·47	—	—	—	·45	—	—	—	3
4	—	·03	—	·04	·37	—	·30	—	·21	—	·04	—	4
5	—	—	—	—	—	·45	—	—	·02	—	—	·29	5
6	—	·09	—	—	—	·07	—	—	—	—	·54	—	6
7	—	—	·02	—	—	—	—	·89	—	·19	—	—	7
8	—	·04	·01	—	—	·13	—	·48	·01	—	—	—	8
9	—	·13	—	—	—	·24	—	}	—	—	—	—	9
10	·08	·06	—	—	—	—	—	} ·23	—	—	·28	·02	10
11	·17	·07	—	—	—	—	—	·04	}	—	—	—	11
12	—	·09	—	—	—	·06	·09	—	} ·23	—	—	—	12
13	—	·10	·07	—	—	·04	·02	·24	—	—	—	—	13
14	—	}	—	—	—	·04	·88	·32	—	—	—	—	14
15	·03	} ·35	·02	·58	—	·02	·24	·18	—	—	—	·05	15
16	·02	·12	—	·04	·33	·03	—	·13	·15	—	—	—	16
17	·02	·07	—	·22	·37	·05	·14	·30	—	—	—	—	17
18	·04	—	—	—	—	—	·01	—	·08	—	·48	—	18
19	·06	·08	—	·60	—	—	·51	—	—	—	—	—	19
20	—	—	—	·02	—	—	·04	·23	—	—	—	—	20
21	·03	—	—	—	·86	—	—	·02	—	—	—	—	21
22	·13	—	·02	·02	—	—	—	—	·03	—	—	—	22
23	·05	·07	·03	·03	·24	—	—	—	—	—	—	—	23
24	—	·05	—	}	—	—	·04	—	—	—	—	·01	24
25	—	—	—	} ·48	—	—	·91	—	—	—	—	—	25
26	·11	—	—	·27	·13	—	·43	—	—	—	·45	—	26
27	—	·55	—	—	—	—	—	—	—	—	—	·01	27
28	·15	·04	—	·18	—	—	—	—	—	·04	—	—	28
29	·11	—	—	·07	—	—	·19	—	—	—	—	·01	29
30	·05	✕	—	·05	—	—	—	·24	—	—	·33	—	30
31	·13	✕	·03	✕	—	✕	—	·04	✕	—	✕	—	31
TOTAL	1·28	2·37	·20	3·06	2·77	1·13	3·83	4·10	1·77	·23	2·12	·51	YEAR'S TOTAL 23·37
*Days with ·01 in. or more.	16	20	7	16	8	10	13	15	11	2	6	7	~~131~~
*Days with ·04 in. or more.	12	19	1	13	8	8	11	14	8	2	6	3	~~105~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Percival R. Bradley. Surveyor.

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 1178

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Sewage works, Sandy

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 8" in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	—	—	·08	·31	—	—	·83	·09	·44		—	1
2	·06	—	—	·16	·25	—	—	—	·18	—	·03	—	2
3	—	—	—	·16	—	—	—	—	—	—	—	—	3
4	·07	—	—	·01	·02	—	—	—		—	·17	—	4
5	·09	—	—	—	—	·05	—	—	·14	·02	—	—	5
6	·18	—	·08	·04	—	—	—	—	—	—	—	—	6
7	—	—	—	·14	—	—	—	—	·01	—	—	·16	7
8	—	—	·19	·05	—	—	—	—	·19		—	—	8
9		·02	—	—	·45	—	—	—	—	·09	—	·04	9
10	·50	·01	—		·08	—	—	—	·06	—	—	—	10
11	—	·02	—	·27	·07	·29	·01	·43	—	—	—	—	11
12	—	—	—	—	·10	—	—	—	·03	·25	—	—	12
13		—	—	·10	—	—	·13	—		—	·16	—	13
14	·27	—	—	—	—	—	—	—	—	—	—	—	14
15	·02	·01	—	·10		—	·15	—	—		—	—	15
16	·19	—	—	·23	·37	—	—	—	—	·19	·06	—	16
17	—	—	—	—	—	—	—	—	—	—	—	—	17
18	—	—	—	—	—	—	—	—	·44	—	—	—	18
19	—	—	—	—	—	—	—	—	—	·16	·04	—	19
20	—	—	—		·05	—	·15	1·50	—	·32	·07	—	20
21	—	—		·25	·58	—	·22	1·35	—	·26	·19	—	21
22	—	·05	·47	·01	—	—	—	—	—	—	—	—	22
23	—	~~·03~~	—		—	—	—	—	·30	·34	·04	·01	23
24	—	—	—	·02	—	—	·73	—	·03	·04	·33	—	24
25	—	·03	—	—		—	·11	—	·02	·31	—	—	25
26	—	—	·02	·31	·39	—		—	·07	·31	·01	—	26
27	—	—	·30	·12	·50	—	·34	—	·01		·07	—	27
28	—	—	·14	·07	·45	—	·05	—	—	·09	·02	—	28
29	—	—	·08	·03	·19			·12	·01	·31	·02	—	29
30	—	×	—	—	·28	·13	·07	·11	·05	·26	—	·16	30 " "
31	—	×	·15	×	—	×	—	—	×	·19	×	·01	31 d
TOTAL	1·50	·14	1·43	2·15	4·09	·47	1·96	4·34	1·65	3·58	1·21	·38	YEAR'S TOTAL 22·90
*Days with ·01 in. or more.	~~11~~	~~6~~	~~9~~	~~21~~	~~17~~	~~4~~	~~12~~	~~6~~	~~17~~	~~19~~	~~14~~	~~5~~	~~141~~
*Days with .04 in. or more.	~~8~~	~~1~~	~~7~~	~~14~~	~~14~~	~~3~~	~~9~~	[illegible]	~~10~~	~~15~~	~~9~~	~~3~~	[illegible]

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Percival R. Bradley [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~1178~~ 1178

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at SANDY

in the County of BEDFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 72:0 ft.

Corrections to March carried out 1/5/34 ÐWD.
Estimations made by neigbouring stations
Corrected for W.D.

March ½ low.

WD

Letter sent 27/4/34
re low total.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following (—)

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·08	—	—	—	—	—	—	—	0·11	—	0·03	—		1
2	0·09	—	(·12)	—	0·11	—	—	—	—	—	0·09	—		2
3	—	—	(·18)	—	—	—	—	—	—	—	—	—		3
4	0·08	0·46	(·14)	—	—	—	—	—	—	—	—	—		4
5	0·03	0·02	(·03)	—	—	—	—	—	—	—	—	—		5
6	0·05	—	0·04	—	—	—	—	—	—	—	—	—		6
7	—	0·07	0·03	—	0·44	—	—	—	—	0·03	0·05	—		7
8	—	—	—	—	0·05	—	—	—	—	0·02	—	0·02		8
9	—	—	0·12	—	0·05	—	—	—	—	—	—	—		9
10	0·04	—	—	—	0·02	—	0·11	—	—	—	0·16	—		10
11	0·03	—	—	—	—	0·08	0·46	—	—	0·10	0·04	—		11
12	0·01	—	—	0·53	0·08	0·03	—	0·18	—	—	—	—		12
13	0·04	—	—	—	—	0·16	0·06	—	0·26	—	0·19	—		13
14	0·02	—	—	—	0·04	0·07	0·15	—	—	0·12	0·68	—		14
15	0·16	—	(·10)	—	—	—	—	—	—	—	0·20	—		15
16	0·20	—	0·53	—	—	—	0·15	0·03	—	0·01	0·05	—		16
17	—	—	(·30)	—	0·06	0·14	0·01	—	—	—	—	—		17
18	—	—	0·01	—	—	0·03	—	—	0·03	—	—	—		18
19	—	—	(·20)	—	—	0·08	—	—	—	—	—	0·02		19
20	—	—	—	—	—	0·28	—	—	0·15	—	—	—		20
21	—	—	—	—	—	0·50	—	—	—	—	—	—		21
22	—	—	—	—	—	—	—	—	0·29	—	—	—		22
23	—	—	—	—	0·11	0·31	—	0·64	—	0·10	0·04	—		23
24	—	—	—	—	—	—	—	—	0·70	0·01	—	—		24
25	—	0·24	—	—	0·27	0·56	—	—	0·31	—	0·07	—		25
26	—	0·30	—	—	0·02	0·04	—	—	0·03	—	—	0·06		26
27	—	0·10	—	—	—	0·06	—	—	0·07	—	—	0·12		27
28	—	0·07	—	—	0·23	—	—	—	—	0·14	—	—		28
29	—	×	0·09	—	0·03	—	—	—	—	0·36	—	0·02		29
30	—	×	—	—	—	—	—	—	—	0·07	—	0·01		30
31	—	×	—	×	—	×	—	—	×	—	×	0·06		31
	–	–	(·10)	–	–	–	–	0·11	–	0·03	–	–	Year's Total	
TOTAL	~~0·83~~	~~1·26~~		~~0·53~~	~~1·51~~	~~2·34~~	~~0·94~~	~~0·85~~	~~1·95~~	~~0·96~~	~~1·60~~	~~0·21~~	~~13·90~~	14·99
*Days with ·01 in. or more.	~~12~~	~~7~~	~~4~~	~~1~~	~~13~~	~~13~~	~~6~~	~~2~~	~~9~~	~~10~~	~~11~~	~~9~~	~~98~~	
*Days with .04 in. or more.	~~8~~	~~6~~	~~4~~	~~1~~	~~10~~	~~11~~	~~5~~	~~2~~	~~7~~	~~6~~	~~10~~	~~3~~	~~93~~	
40-9999	0·75	1·26	1·99	0.53	1.51	2·34	0·94	0·96	1·84	0·99	1·57	0·31		

† Spare column, no entries required.

(Signed) G. Vivian James.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1178

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

III/Beds/3

Kept at SANDY (Sewage works)
in the County of BEDFORDSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 72·0 ft.

File no. 75132A/27.

Letter

1933 [illegible] low
1934 appears 2" too low.

No omissions [illegible] Low generally; [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·07	—	—	—	—	—	—	0·25	Tr	0·04	—	0·33		1
2	0·06	—	0·04	—	—	—	—	0·01	0·51	0·06	0·03	0·15		2
3	0·01	0·08	—	0·10	—	—	—	—	—	0·22	—	0·01		3
4	0·03	0·04	0·04	Tr.	Tr.	—	—	—	0·02	0·20	0·07	0·15		4
5	Trace	—	0·06	—	—	—	—	—	—	—	0·07	0·16		5
6	Tr.	—	0·11	0·02	0·27	0·05	—	0·01	—	0·10	—	0·35		6
7	0·05	—	—	—	—	0·09	—	0·05	—	0·02	—	0·08		7
8	—	—	—	Tr.	0·08	0·02	—	0·08	0·03	—	0·06	0·01		8
9	Tr.	—	0·06	0·01	—	—	—	0·11	—	—	0·49	0·16		9
10	—	—	0·10	0·10	—	—	—	0·01	—	Tr.	0·28	Tr.		10
11	0·17	—	0·25	0·01	—	—	0·07	0·08	—	—	Tr.	0·07		11
12	—	—	0·10	Tr	—	—	0·01	0·42	—	—	—	0·03		12
13	0·15	Tr.	Tr.	0·04	—	—	0·46	0·11	—	Tr.	0·01	0·24		13
14	—	0·01	0·14	—	0·04	—	—	—	—	0·10	0·24	0·17		14
15	Tr.	Tr.	0·03	—	—	—	—	—	0·34	Tr.	0·09	0·04		15
16	0·10	0·01	0·09	—	0·11	—	—	—	—	0·07	0·01	Tr.		16
17	0·02	—	—	—	0·01	—	—	—	0·02	0·05	0·01	0·05		17
18	0·01	Tr.	Tr	0·11	—	—	0·15	—	Tr.	—	0·01	0·03		18
19	—	—	0·02	0·12	—	0·03	—	—	0·04	Tr.	Tr.	Tr.		19
20	—	—	0·10	0·02	—	—	—	—	0·01	—	Tr.	Tr.		20
21	—	—	Tr.	0·04	—	0·12	Tr.	0·04	—	0·05	—	0·01		21
22	—	—	—	—	—	—	0·05	0·06	0·16	—	—	—		22
23	—	—	—	0·13	0·09	—	0·06	0·12	—	—	Tr.	0·05		23
24	Tr.	0·04	0·06	0·03	—	0·03	0·10	—	0·25	—	—	Tr.		24
25	0·07	0·03	—	0·02	—	0·01	—	—	Tr.	0·01	—	0·28		25
26	0·03	Tr.	—	0·05	—	0·01	—	—	—	—	—	0·05		26
27	0·03	0·14	—	Tr.	—	0·20	—	—	—	0·04	—	0·33		27
28	—	0·09	—	0·08	—	0·28	—	0·80	—	—	0·04	0·36		28
29	—	×	—	—	—	—	0·21	0·13	0·20	—	0·02	0·01		29
30	0·04	×	—	Tr.	—	—	0·01	—	Tr.	0·02	—	0·03		30
31	0·04	×	—	×	—	×	0·01	—	×	0·28	×	0·06		31
TOTAL	0·88	0·44	1·20	0·88	0·60	0·84	1·13	2·28	1·58	1·26	1·43	3·21	Year's Total 15·73	Low?
*Days with ·01 in. or more.	15	8	14	15	6	10	10	15	10	14	14	25	156	[illegible]
*Days with ·04 in. or more.	9	5	12	9	5	5	7	12	6	11	8	18	107	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. Vivian James. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1178

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

1933
low in 193[illegible]

Kept at X SANDY (Sewage Works) X

in the County of BEDFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 72·0 ft.

FILE NO:- 751324/27.

1177
1174
11747

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·28	—	—	0·01	—	0·03	0·05	—	0·04	0·04	0·38	0·02		1
2	0·01	—	Tr.	0·03	—	0·01	—	0·01	—	0·12	0·03	—		2
3	—	0·16	0·10	0·07	—	—	—	0·03	0·07	0·37	0·12	—		3
4	—	—	0·01	0·13	—	0·02	—	—	0·29	0·04	0·01	—		4
5	—	0·62	0·07	0·10	—	0·03	0·04	—	0·04	0·12	0·03	0·01		5
6	0·01	0·01	0·01	0·24	—	0·14	—	—	—	—	0·03	0·01		6
7	0·11	—	—	0·33	—	0·01	—	0·01	—	0·03	0·93	0·11		7
8	—	Tr.	—	0·16	—	—	—	—	—	0·18	0·04	0·14		8
9	—	—	—	0·13	0·01	0·35	—	—	—	0·64	0·04	Tr.		9
10	0·01	0·02	—	0·15	—	—	—	—	—	—	0·01	0·01		10
11	0·11	—	—	0·03	—	0·01	0·06	—	—	0·01	0·26	0·01		11
12	—	0·01	—	Tr.	—	0·10	—	0·02	—	—	0·28	—		12
13	0·06	0·14	—	0·16	0·15	0·05	—	—	—	—	0·01	—		13
14	—	Tr.	—	0·06	0·10	0·09	—	—	0·13	—	0·11	0·03		14
15	—	0·11	—	0·39	0·02	0·08	—	—	0·14	—	0·23	0·11		15
16	—	0·02	0·07	0·06	Tr.	0·14	—	—	0·06	0·02	0·36	0·25		16
17	Tr.	—	—	0·01	—	—	0·01	—	0·01	—	0·43	—		17
18	0·01	Tr.	—	0·30	0·12	0·03	0·38	—	0·20	0·02	0·01	—		18
19	0·01	—	—	0·06	0·01	0·14	0·04	—	0·11	—	0·23	—		19
20	0·03	0·10	—	0·08	0·24	0·11	0·03	—	0·02	—	0·02	—		20
21	—	0·11	0·10	0·01	0·10	—	—	—	0·20	0·02	0·13	—		21
22	—	—	0·06	0·03	—	—	—	0·04	0·55	—	0·01	—		22
23	0·02	0·01	0·07	—	—	—	—	0·41	Tr.	—	0·01	—		23
24	0·04	0·23	—	—	—	—	—	—	1·07	—	—	0·18		24
25	0·12	0·10	—	0·12	—	0·65	—	0·02	0·01	—	—	0·03		25
26	0·06	0·01	—	0·01	—	—	—	0·31	0·09	0·01	—	0·20		26
27	—	0·15	—	—	0·07	—	—	—	0·08	—	0·13	0·28		27
28	—	—	—	—	—	—	—	—	0·14	0·02	0·01	0·03		28
29	0·05	X	—	—	—	—	—	—	0·54	—	—	0·11		29
30	0·05	X	0·01	0·20	Tr.	—	—	0·64	0·02	0·01	0·29	0·12		30
31	Tr.	X	—	X	Tr.	X	—	0·13	X	0·66	X	0·10		31
TOTAL	0·98	1·80	0·50	2·87	0·82	1·99	0·61	1·62	3·81	2·31	4·14	1·75	Year's Total. 23·20	✓ Pr
* Days with .01 in. or more.	16	15	9	24	9	17	7	10	20	16	26	18	187	
* Days with .04 in. or more.	9	9	6	17	6	10	5	5	16	8	15	10	116	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) X SANDY U.D.C. X [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1148

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Sandy Sewage Works
in the County of Bedfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 72 ft.

Days Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·40	·06	·37	—	·01	·07	—	—	—	·02	·04		1
2	·01	·01	·11	·02	—	·28	·68	·04	—	—	·17	·24		2
3	—	—	Trace	—	—	·17	—	Trace	·03	—	·20	·01		3
4	—	—	·09	Trace	—	·29	—	—	·50	—	·03	·09		4
5	·06	Trace	—	—	—	—	·01	·01	·10	·01	·02	·03		5
6	·21	—	—	—	—	·13	·01	·15	·04	—	·01	—		6
7	·10	—	·04	—	—	—	·64	·01	·01	·01	·01	·02		7
8	·28	—	·09	—	—	·01	—	—	Trace	—	·19	·19		8
9	—	—	·06	—	·01	·02	·79	—	·03	—	·01	·01		9
10	·11	—	—	·01	·01	—	·22	·02	·04	·01	—	—		10
11	—	—	—	·10	—	Trace	·31	·03	—	—	·34	—		11
12	—	—	—	·17	—	·48	·36	—	·08	—	·23	·18		12
13	—	—	—	·03	—	·58	Trace	—	—	·05	·06	·08		13
14	—	·10	—	·04	—	·01	·61	—	—	·01	—	·16		14
15	—	·01	—	—	—	—	·35	—	·25	—	·01	·08		15
16	—	·07	—	—	—	·02	·01	—	—	—	·61	·01		16
17	·04	·22	—	—	—	—	Trace	—	—	·01	·16	·09		17
18	·17	·06	—	—	—	·15	·05	—	—	·07	·03	·01		18
19	—	·02	·01	·06	Trace	·15	—	·03	—	·02	—	—		19
20	—	·07	·03	·20	Trace	—	·01	—	·60	Trace	—	—		20
21	·18	·44	—	·11	·02	1·21	Trace	—	·36	—	—	—		21
22	·07	—	·02	·01	·38	·04	·15	—	—	—	·02	·11		22
23	—	—	—	·10	·01	—	·04	—	—	·02	·01	—		23
24	·13	·09	—	·01	—	—	·22	—	·06	·28	—	—		24
25	·04	—	·12	·08	—	·30	·03	—	·15	·01	·65	·05		25
26	—	·08	·13	·01	—	—	·06	—	·01	·03	·02	·01		26
27	·01	—	—	Trace	—	—	·02	—	·18	·17	—	—		27
28	·45	·01	·07	—	—	·38	·05	—	—	—	—	·06		28
29	·32	·12	·02	—	—	·16	·10	—	—	·06	·19	·04		29
30	·06	✕	—	—	·21	·37	·08	—	—	·22	·01	—		30
31	·64	✕	·09	✕	—	✕	·09	—	✕	·44	✕	·04		31
TOTAL	2·95	1·70	·94	1·31	·64	4·71	4·96	·29	2·44	1·37	2·40	1·50	Year's Total 25·21	✓
* Days with .01 in. or more.	18	14	14	15	6	19	24	7	15	16	22	21	191	✓
* Days with .04 in. or more.	16	10	10	9	2	14	18	2	11	7	10	14	123	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1178

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Sandy Sewage Works

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 72 ft.

File No. 751324/27

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·12	Trace	—	—	—	—	—	—	—	—	·52	·40		1
2	—	·05	·01	·38	—	—	—	—	—	—	—	·08		2
3	·06	·15	·10	—	—	—	—	—	—	—	—	·10		3
4	—	·25	—	—	—	—	—	·15	—	—	—	·58		4
5	·10	·01	·17	—	—	—	—	—	—	—	Trace	·17		5
6	·01	—	·09	—	·09	—	·10	—	—	—	·02	—		6
7	—	·49	·30	·09	·06	—	—	—	—	—	—	—		7
8	—	·04	·47	—	—	·04	—	—	—	—	·39	·03		8
9	—	—	—	·23	·42	—	·30	Trace	·10	—	—	·20		9
10	—	—	—	·03	·02	·35	·03	—	—	—	·02	·25		10
11	—	—	·18	Trace	·42	—	—	·37	—	·01	—	·97		11
12	·04	·42	·20	—	·24	—	—	·17	·17	—	—	—		12
13	·14	·03	·28	·04	—	·47	—	·57	·12	—	—	·18		13
14	·02	·02	·33	·01	—	—	—	1·09	·01	—	—	—		14
15	·06	·06	—	·13	—	—	·17	—	·05	—	—	·02		15
16	·19	·07	·11	·24	—	—	—	·04	·20	—	—	·08		16
17	·17	Trace	·17	·26	—	·06	—	—	·91	—	·03	Trace		17
18	·23	·08	·20	·01	·05	—	—	—	·54	—	·29	—		18
19	·08	·07	Trace	·05	·01	·27	Trace	—	·37	—	·10	Trace		19
20	·08	—	Trace	·42	·52	·11	—	—	·21	·02	—	—		20
21	·09	·30	·08	·05	Trace	·01	·15	·08	—	—	—	·02		21
22	·27	·02	—	Trace	—	—	·04	—	—	·31	·17	·01		22
23	·17	—	·09	—	·50	—	·12	—	—	·65	—	—		23
24	·20	·26	·01	—	—	—	·03	—	·10	·10	—	·01		24
25	·04	·27	—	—	·97	—	—	—	·01	·18	—	—		25
26	—	·27	—	—	·21	—	—	—	Trace	·09	—	—		26
27	—	·06	·03	·12	—	—	—	—	·01	·67	·01	Trace		27
28	—	·18	·01	—	—	—	—	—	—	·07	—	·05		28
29	—	—	—	—	—	—	—	—	—	·04	·03	·02		29
30	·24	✗	—	—	—	·02	—	—	—	·04	·19	—		30
31	·23	✗	—	✗	—	✗	—	—	✗	·05	✗	·06		31
TOTAL	2·44	3·10	2·42	2·06	3·51	1·33	1·48	2·47	2·80	2·23	1·77	2·39	Year's Total 28·00	
* Days with .01 in. or more.	~~2~~20	~~4~~20	~~4~~18	~~3~~14	~~2~~12	~~2~~8	~~2~~8	~~0~~7	~~3~~13	~~2~~12	~~5~~11	~~6~~18	161 ~~35~~	
* Days with .04 in. or more.	18	16	14	11	10	6	6	7	10	10	6	~~13~~12	12~~8~~6	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. Douglas

Surveyor.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1178

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Sandy Sewage Works

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 72 ft.

File No. 751324/27

Desp w.g.f.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	—	·02	—	·19	·02	—	·02	·04	—	·05		1
2	·19	—	—	—	·05	·03	·01	—	—	·02	·01	—		2
3	·02	T	—	—	·11	·01	—	—	·05	·54	—	—		3
4	·05	T	—	—	—	·02	T	—	—	·16	—	·05		4
5	·01	—	—	·01	—	—	·09	·01	—	·06	T	—		5
6	·03	—	—	—	—	—	·19	—	·20	·04	—	—		6
7	·04	T	—	—	—	—	·08	·20	·10	·25	—	·03		7
8	·11	—	—	—	—	·01	—	·32	·01	·11	—	—		8
9	·11	·01	—	—	—	—	—	·01	—	—	—	·34		9
10	—	—	—	—	—	·10	·03	·40	—	—	—	·03		10
11	·44	—	—	—	—	—	—	—	—	—	·06	—		11
12	·05	·07	—	—	T	—	—	1·06	—	·32	·01	—		12
13	·01	·04	—	—	—	—	—	·19	—	T	—	·06		13
14	·18	·05	—	—	·05	—	·01	—	·05	—	T	—		14
15	·02	T	—	T	—	—	·07	—	—	·07	·02	·12		15
16	·08	·01	—	—	·01	—	·09	—	—	·02	·03	·28		16
17	—	—	—	—	·06	—	·06	—	·01	·04	—	—		17
18	·02	—	—	—	·24	—	—	·01	·10	—	·19	—		18
19	T	—	—	—	·01	—	—	·02	·01	—	·09	—		19
20	T	—	—	—	—	—	—	T	·01	—	·31	—		20
21	T	—	—	—	—	—	—	·22	·02	—	—	—		21
22	·06	—	—	·01	—	—	—	·02	—	—	·19	·53		22
23	—	—	—	·01	—	·01	—	—	·01	—	—	·03		23
24	—	—	·06	T	·02	—	—	—	·19	—	·04	·19		24
25	·11	·01	·05	—	—	—	·01	·10	·02	·07	·38	—		25
26	·09	·13	·10	T	—	—	—	—	·05	·20	—	·18		26
27	·06	·05	—	·01	·16	·15	·23	·01	·37	·07	·28	·02		27
28	·08	·01	—	·02	·99	·05	—	·59	·01	—	·05	·02		28
29	·46	—	—	—	·17	—	·01	·01	—	—	·03	·16		29
30	~~[illegible]~~	✕	—	·01	—	·02	—	—	·08	·02	·05	·05		30
31	·23	✕	—	✕	·07	✕	—	—	✕	·11	✕	·35		31
TOTAL	2·45	·34	·21	·09	1·87	·59	·94	3·17	1·31	2·32	1·74	2·49	Year's Total 17·52	✓
* Days with .01 in. or more.	23	9	3	7	12	10	13	15	18	17	15	17	~~61~~	159 ✓
* Days with .04 in. or more.	16	5	3	—	9	4	7	8	9	15	10	12	98	✓

† Spare column, no entries required.

(*Signed*) T. Douglas [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1178

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sandy Sewage Works

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 72 ft.

File No. 451324/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	—	—	·19	·11	—	—	·02	·21	—	—	—		1
2	·03	—	—	—	—	—	·16	·40	·26	—	·01	—		2
3	·04	—	—	·12	—	—	—	·41	—	—	·17	·25		3
4	·22	—	·15	·27	—	—	—	·02	—	·10	·05	·02		4
5	—	—	—	·43	·04	—	·01	·71	—	·05	·15	·31		5
6	·36	—	—	·01	—	—	·08	·06	—	—	—	·02		6
7	·09	·02	—	—	—	—	·01	·02	—	—	·22	·07		7
8	—	·02	·09	—	—	—	—	·32	—	·13	·05	·34		8
9	·01	·03	—	—	—	—	—	·03	—	·46	·01	·11		9
10	·21	—	—	—	—	·37	—	·11	·01	—	—	—		10
11	—	—	·22	—	Trace	·01	—	—	·02	·12	—	—		11
12	—	—	—	—	—	·40	—	—	·02	—	—	—		12
13	—	—	—	—	—	·01	·01	—	·05	·54	—	—		13
14	·31	—	—	—	·36	·02	·01	—	·02	·16	·12	—		14
15	·17	—	—	—	·56	·21	·16	—	·08	·40	·01	—		15
16	·19	—	·05	—	·04	·42	·50	—	·01	·13	·29	—		16
17	·11	·01	·01	·12	·05	—	·58	—	—	—	·02	—		17
18	·09	—	·03	—	—	·19	·13	—	·01	·16	·47	—		18
19	·20	—	—	—	—	·02	·10	—	—	·07	—	·01		19
20	·07	—	—	—	—	·04	·19	·07	·01	—	—	—		20
21	·05	—	·27	—	—	·23	·24	·02	·06	—	—	—		21
22	·06	·12	·07	—	—	·01	·02	—	·02	—	·06	—		22
23	·02	—	·05	·04	—	—	·16	—	—	·07	·41	·01		23
24	·06	—	·05	·01	—	—	·22	—	·02	·02	—	—		24
25	·35	·07	·10	·04	—	—	·02	2·41	—	—	·18	—		25
26	·17	—	·05	·14	—	—	—	·02	—	·11	·38	·04		26
27	—	—	·12	—	—	—	·02	—	—	·10	·07	—		27
28	—	·16	·08	·02	—	—	—	—	—	·12	·12	—		28
29	—	—	—	·51	—	—	·22	·17	—	·40	—	—		29
30	—	✕	—	·64	—	·02	—	—	—	—	·02	—		30
31	—	✕	—	✕	—	✕	·12	—	✕	—	✕	—		31
TOTAL	2·84	·43	1·34	2·54	1·16	1·95	2·96	4·79	·80	3·14	2·81	1·18	Year's Total 25·94	
* Days with .01 in. or more.	21 ~~3~~	7 ~~4~~	14 ~~2~~	13 ~~3~~	~~1~~ 6	~~6~~ 13	~~7~~ 20	~~6~~ 15	~~9~~ 14	~~1~~ 17	~~5~~ 19	~~4~~ 10	~~50~~ 169	
* Days with .04 in. or more.	18	3	12	10	6	7	13	9	5	16	14	6	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) T. Douglas

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1178

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Sandy Sewage Works

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 72 ft.

File No: 751324/27.

January adj for snow – circ sent 3/2/41

Doys

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	·08	·02	—	—	—	—	—	·05	—		1
2	—	—	—	·13	—	—	—	—	—	·03	·88	—		2
3	—	—	—	·09	—	—	—	—	—	·06	·5	·05		3
4	—	·40	—	—	—	—	·02	—	—	·13	1·16	·03		4
5	—	·18	—	—	—	—	·24	—	—	—	·29	·03		5
6	·15	·31	—	—	·05	—	·42	—	—	·15	·19	—		6
7	·30	·07	—	—	·11	—	·03	—	—	—	—	—		7
8	—	—	—	—	—	—	·02	—	—	·02	·01	·22		8
9	—	—	·04	—	—	—	—	·05	·02	—	·02	·09		9
10	—	—	—	—	—	·26	·47	—	—	·01	·17	·25		10
11	—	—	—	·02	—	·01	—	—	—	—	·57	·1		11
12	—	—	·03	—	—	—	·03	—	·04	—	·02	—		12
13	—	—	·57	—	—	—	·04	—	·01	—	·81	—		13
14	—	—	·2	·09	·02	—	—	—	—	—	—	·21		14
15	—	—	·04	—	·08	·02	·06	—	·04	—	·08	—		15
16	—	—	·14	·01	—	—	·35	—	·03	·46	·54	—		16
17	—	·20	·50	—	—	—	—	—	—	—	·4	—		17
18	—	·26	·15	·37	—	—	·13	·04	—	·03	—	·05		18
19	—	—	·14	·11	—	—	—	—	·13	—	·07	·02		19
20	—	·10	·01	·04	—	—	·14	·02	—	·02	—	—		20
21	—	·09	—	—	·02	—	·08	—	—	·02	·43	—		21
22	—	—	·03	—	·12	·21	—	—	·12	—	—	—		22
23	—	·18	·02	·04	·18	·11	—	·03	—	—	—	·01		23
24	—	—	—	·06	—	—	·12	—	—	—	—	—		24
25	—	—	·11	—	—	—	·72	—	—	—	—	—		25
26	— ·4	·04	·06	—	·05	—	·27	—	—	—	—	—		26
27	— ·4	·02	—	·06	·08	—	·11	—	—	—	—	—		27
28	~~·08~~ ·4 (1·39)	·10	—	—	·06	—	—	—	—	—	—	—		28
29	~~·31~~	·01	·04	—	·01	·01	—	—	—	—	—	·18		29
30	— ·4	✕	—	·11	—	—	—	—	—	·11	—	·08		30
31	—	✕	—	✕	—	✕	—	—	✕	·44	✕	—		31
TOTAL	1·84 ~~·84~~	1·96	2·08	1·21	·80	·62	3·25	·14	·39	1·48	6·19	1·32	Year's Total ~~20·28~~	21·28
* Days with .01 in. or more.	~~—~~ 6	~~2~~ 13	~~4~~ 15	~~2~~ 13	~~4~~ 12	~~3~~ 6	~~4~~ 17	~~2~~ 4	~~3~~ 7	~~6~~ 12	~~3~~ 17	~~4~~ 13	~~31~~	129
* Days with .04 in. or more.	~~4~~ 6	11	11	11	8	3	13	2	4	6	14	9	~~46~~	98

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) T. Douglas

[P.T.O.

41

1179

Section **A** for the entry of
AIR MINISTRY

1179 COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

FORM 1090.

REGIST

1931.

1179

BEDFORD
CASTLE RD.

1931 - 1940

46 02 10

Kept at 58 Castle R
in the County of Bedf

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUR **OUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·07	·02	·26	·01		·16				1
2	·11	·12		·42	·25			·04	·50	·02		·02	2
3	·02			·07	·29			·06	1·00		·15	·11	3
4				·05			·18	·50	·18		·11		4
5		·02		·07	·03	·46	·02		·04			·33	5
6		·13		·01		·02	·01			·23	·33		6
7								·50		·04	·05		7
8	·01	·04	·03	·03		·04		·42		·01	·03		8
9		·20		·01		·31		·01			·21		9
10		·05			·02	·03	·01	·22			·15		10
11	·13	·11							·04		·08		11
12		·02					·04	·03	·29				12
13	·01						·10						13
14	·02	·09			·08	·04	·58	·70			·01		14
15	·01	·07		·14	·14		·26	·04				·03	15
16		·12		·08	·24	·11		·32	·14				16
17		·19		·15	·39	·01	·12		·05				17
18	·02	·07		·14	·03	·12		·24			·44		18
19	·07			·38		·23	·17	·03	·06				19
20				·14			·23	·29		·04	·01		20
21	·03		·02		·65			·02	·02				21
22	·09			·02					·04		·10		22
23	·11	·01	·02		·34	·08						·02	23
24				·15	·15	·02	·02		·02				24
25	·08			·50	·04		·68				·15		25
26				·16			·37				·15		26
27	·06	·59		·01			·06				·17		27
28	·10	·08		·02	·04					·01		·05	28
29	·05			·06	·03		·13			·16			29
30	·10	×			·01			·13	·02		·02	·01	30
31	·15	×		×		×			×		×	·01	31
TOTAL	1·17	1·94	·07	2·68	2·75	1·73	2·99	3·55	2·56	·51	2·16	·58	YEAR'S TOTAL 22·69
*Days with ·01 in. or more.	18 ~~7~~	17 ~~4~~	3	21 ~~6~~	17 ~~6~~	13 ~~4~~	17 ~~5~~	16 ~~4~~	14 ~~3~~	7 ~~3~~	16 ~~4~~	8 ~~5~~	167
*Days with ·04 in. or more.	11	13	–	15	11	9	12	12	11	4	12	3	113

40-9999

(*Signed*) Mary E. Newbery

P.T.O.

*See Instruction 2 (*f*) on other side.

1179

Section **A** for the entry of ~~Daily Observations.~~ ~~Station Number~~ 1179 COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at 58 Castle Road
in the County of Bedford, Beds.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 7 ft - in.
,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·07	·02	·26	·01		·16				1
2	·11	·12		·42	·25			·04	·50	·02		·02	2
3	·02			·07	·29			·06	1·00		·15	·11	3
4				·05			·18	·50	·18		·11		4
5		·02		·07	·03	·46	·02		·04			·33	5
6		·13		·01		·02	·01			·23	·33		6
7								·50		·04	·05		7
8	·01	·04	·03	·03		·04		·42		·01	·03		8
9		·20		·01		·31		·01			·21		9
10		·05			·02	·03	·01	·22			·15		10
11	·13	·11							·04		·08		11
12		·02					·04	·03	·29				12
13	·01						·10						13
14	·02	·09			·08	·04	·58	·70			·01		14
15	·01	·07		·14	·14		·26	·04				·03	15
16		·12		·08	·24	·11		·32	·14				16
17		·19		·15	·39	·01	·12		·05				17
18	·02	·07		·14	·03	·12		·24			·44		18
19	·07			·38		·23	·17	·03	·06				19
20				·14			·23	·29		·04	·01		20
21	·03		·02		·65			·02	·02				21
22	·09			·02					·04		·10		22
23	·11	·01	·02		·34	·08						·02	23
24				·15	·15	·02	·02		·02				24
25	·08			·50	·04		·68				·15		25
26				·16			·37				·15		26
27	·06	·59		·01			·06				·17		27
28	·10	·08		·02	·04					·01		·05	28
29	·05			·06	·03		·13			·16			29
30	·10	×			·01			·13	·02		·02	·01	30
31	·15	×		×		×			×		×	·01	31
TOTAL	1·17	1·94	·07	2·68	2·75	1·73	2·99	3·55	2·56	·51	2·16	·58	YEAR'S TOTAL 22·69
*Days with ·01 in. or more.	18 ~~7~~	17 ~~4~~	3	21 ~~6~~	17 ~~6~~	13 ~~4~~	17 ~~5~~	16 ~~4~~	14 ~~3~~	7 ~~3~~	16 ~~4~~	8 ~~5~~	167
*Days with ·04 in. or more.	11	13	–	15	11	9	12	12	11	4	12	3	113

40-9999

(*Signed*) Mary E. Newbery

P.T.O.

*See Instruction 2 (*f*) on other side.

1179

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1179

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 58, Castle Road, Bedford

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 7 ft. - in.

,, Ground ,, Sea Level 100 ft.

dap.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·02		·09	·39	·02	·07	·24	·06	·32		·02	1
2				·20	·04			·01	·19	·08	·03	·09	2
3				·10	·13				·02	·01			3
4	·01			·02							·22		4
5	·12				·04		·19		·05				5
6	·23		·01	·05	·02				·08				6
7			·15	·18	·03		·01		·01				7
8		·02	·02	·08					·48	·05			8
9	·02	·01		·03	·09								9
10	·13	·02		·14	·10				·08		·01		10
11	·02			·12	·09	·06	1·41	·49	·02		·03		11
12	·04			·02	·11			·03	·01	·18	·02		12
13	·02			·09			·19		·02	·02	·03	·01	13
14	·14	·02		·22	·02					·05	·01		14
15				·04	·23		·13	·15		·11			15
16	·18			·27	·32								16
17				·01			·05			·10			17
18									·45		·01		18
19									·04	·12			19
20				·11	·12		·10	·98		·32	·07		20
21			·10	·10	·69			1·10		·28			21
22			·37	·01	·03		·33		·34	·03	·23		22
23		·03	·04		·01				·08	·30	·02		23
24							·33		·01	·07	·23		24
25		·04					·19		·03	·26	·03		25
26			·01	·31	·12		·38		·09	·01			26
27			·17	·10	·45		·34		·03		·07		27
28			·15	·02	·50		·19	·03		·06			28
29			·15	·03	·12		·05	·12	·03	·23		·02	29
30		×	·02		·35	·23		·15	·06	·07	·10	·16	30
31		×	·49	×		×	·06	·02	×		×	·02	31
TOTAL	·93	·16	1·68	2·34	4·00	·31	4·02	3·32	2·18	3·67	1·11	·32	YEAR'S TOTAL 23·04
*Days with ·01 in. or more.	11 ~~5~~	7 ~~1~~	12 ~~4~~	23 ~~1~~	22 ~~5~~	3 ~~1~~	16 ~~1~~	11 ~~4~~	21 ~~9~~	20 ~~4~~	15 ~~9~~	6 ~~4~~	167 ~~59~~
*Days with .04 in. or more.	6	1	8	16	17	2	15	7	12	16	6	2	108

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. E. Newbery

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1179

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at 58, Castle Road, Bedford

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 7 ft. - in.

,, Ground ,, Sea Level 100 ft.

Rec.o. 26/1/34

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·11	·15	·12								·07			1
2	·08		·12		·04									2
3		·12	·13											3
4	·11		·01		·13									4
5	·03		·09		·14									5
6		·03	·04		·32					·01	·04			6
7	·03	·08			·02					·02		·02		7
8	·01		·13		·02		·08							8
9					·03		·18			·01	·18			9
10		·03				·07	·39			·18	·19			10
11	·09					·06	·03	·17				·04		11
12						·14	·03		·31			·02		12
13	·01				·05	·04	·14				·20			13
14							·01			·15	·45	·01		14
15	·24						·01	·12		·02	·38			15
16	·05		·57		·03	·15	·04			·02	·05			16
17	·04	·03	·31			·05			·02		·02			17
18						·07								18
19		·02	·19	·02		·02			·19			·02		19
20		·01		·05		·70		·02	·04		·01			20
21						·01		·11	·30					21
22								·49		·18	·04			22
23				·09					·72	·01				23
24		·18		·12	·13	·32			·43		·08			24
25		·36		·22		·09			·05		·04	·07		25
26		·12		·03		·12			·02	·07	·02	·10		26
27					·38				·03	·07		·01		27
28										·31		·03		28
29	·04	✕		·51			·02			·07		·01		29
30	·18	✕	·10				·03					·09		30
31	·04	✕	·12	✕		✕		·11	✕	·04	✕			31
TOTAL	1·06	1·73	1·93	1·04	1·29	1·84	·96	1·02	2·11	1·16	1·77	·42	Year's Total 15·73	
*Days with ·01 in. or more.	14~~4~~	11~~5~~	12~~7~~	7~~2~~	11~~4~~	13~~2~~	11~~6~~	~~7~~6	~~8~~10	~~6~~14	~~3~~14	11~~7~~	134	
*Days with .04 in. or more.	10	6	11	5	7	11	5	5	7	8	11	4	90	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) M. E. Newbery

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1179

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 58 Castle Road
in the County of Bedford, Beds.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 7 ft . in.
,, Ground ,, Sea Level 100 ft.

~~Dry~~ Jan

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10							·14		·15	·01	·33		1
2	·10		·05						·43	·07		·13		2
3		·07		·08						·27				3
4	·04	·02	·06						·03	·19	·08	·20		4
5			·04					·04		·01		·21		5
6			·11	·02	·27	·11				·10		·40		6
7	·06					·06		·09		·03	·07	·11		7
8					·10	·02		·07	·04		·11	·01		8
9			·04					·05			·59	·22		9
10			·10	·11							·28	·01		10
11	·22		·24	·03			·01	·14			·01	·08		11
12			·07				·01	·30				·03		12
13	·19			·02			·70	·09		·01	·01	·38		13
14	·01		·10		·04					·07		·15		14
15	·01		·05		·02				1·18		·36	·15		15
16	·10	·01	·12		·14					·09	·14			16
17					·01				·01	·08	·02	·11		17
18	·08			·21					·03			·04		18
19			·05	·08		·02	·09		·03	·01		·02		19
20			·06	·01										20
21			·01	·02		·20		·02		·08				21
22							·04	·05	·20					22
23				·16	·04	·15	·03	·04	·26			·06		23
24		·14	·09			·02	·35							24
25	·09	·03		·01		·04						·26		25
26	·07					·03			·01	·02		·07		26
27		·06		·13		·16				·04		·27		27
28		·09		·31		·03		·90			·07	·31		28
29							·26	·03	·13		·07			29
30	·02	×										·05		30
31	·02	×		×		×	·02		×	·24	×	·10		31
TOTAL	1·11	·42	1·19	1·19	·62	·84	1·51	1·96	2·35	1·46	1·82	3·70	Year's Total. 18·17	
* Days with .01 in. or more.	~~4~~ 14	~~3~~ 7	~~1~~ 15	~~6~~ 13	~~2~~ 7	~~5~~ 11	~~4~~ 9	~~2~~ 13	~~5~~ 11	~~5~~ 16	~~4~~ 13	~~4~~ 24	~~45~~	153
* Days with .04 in. or more.	10	4	14	7	5	6	5	11	6	11	9	20	108	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mary E. Newbery

P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1179

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 58 Castle Road

in the County of Bedford Beds

Day

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 7 ft - in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·75			·03		·07	·05		·05	·06	·12	·02		1
2			·02			·02				·09	·01			2
3		·19	·03	·02		·02		·05	·11	·27	·12			3
4				·12		·04			·10	·05	·01			4
5		·69	·05	·12		·13	·05		·05	·05	·05	·03		5
6		·01	·01	·25						·03	·01	·01		6
7	·08	·01		·31		·03					·66	·13		7
8				·17						·19	·06	·05		8
9				·21		·31				·74	·07	·02		9
10				·26		·02					·05	·03		10
11	·09			·03		·04	·04			·03	·32			11
12		·01				·11		·02	·01		·02			12
13	·10	·20		·09	·16	·11						·04		13
14				·02	·26				·10		·13	·04		14
15		·13		·40	·03	·04			·09		·21	·14		15
16		·03	·07	·14		·22			·13	·02	·46	·11		16
17				·01		·18					·40			17
18	·01			·28	·06	·03	·32		·24	·03				18
19				·05	·30	·15	·02		·12		·17			19
20	·03	·09		·10	·08	·09	·04		·02		·03			20
21		·15	·06	·04					·75		·15			21
22		·02	·06	·2					·77					22
23			·09					·02						23
24	·04	·28	·02					·53	1·22	·03		·20		24
25		·03		·14		·27					·14	·08		25
26	·11	·02						·24	·08			·21		26
27		·09			·13				·10			·42		27
28		·05			·03			·01	·09		·02	·03		28
29	·01								·69		·01	·20		29
30	·06	×		·09	·04			·85	·05		·36	·15		30
31		×		×		×		·15	×	·85	×	·09		31
TOTAL	·68	2·00	·41	2·90	1·09	1·88	·52	1·87	4·77	2·44	3·58	2·00	Year's Total. 24·14	
* Days with .01 in. or more.	10 ~~3~~	16 ~~7~~	9 ~~4~~	22 ~~6~~	~~2~~9	18 ~~5~~	6 ~~1~~	~~3~~8	19 ~~3~~	13 ~~5~~	23 ~~7~~	~~6~~19	172	✓
* Days with .04 in. or more.	7 ✓	9 ✓	5 ✓	16 ✓	7 ✓	13 ✓	5 ✓	5 ✓	17 ✓	8 ✓	16 ✓	13 ✓	121	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1179.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Days

Kept at 58 Castle Road, Bedford

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 7 ft. 5 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·31	·05	·41		·07	·07	·01			·02	·04		1
2	·08	·01	·12			·31	·94	·07			·22	·18		2
3	·01		·01			·19			·07		·18	·01		3
4	-		·10			·08			·36		·03	·10		4
5	·07		·01		·01		01	·02	·10			·05		5
6	·09		·03		·02	·15	·01	·10	·03		·02			6
7	·23						·63		·02			·01		7
8	·11		·14	·03			–				·23	·16		8
9	·47		·05			·02	·71		·03	·02	·01	·01		9
10	·12						·27	·08	·10	·05				10
11	-			·05			·26	·09			·28			11
12	-			·18		·58	·45		·05		·29	·12		12
13	-			·03		·42				·06	·04	·17		13
14	-	·10		·07		·02	·55		·04	·01		·28		14
15	-	·01				·04	·34		·16			·07		15
16	·17	·04									·61			16
17	·05	·27								·02	·13	·09		17
18	-	·02				·19	·09			·05	·06	·02		18
19	·26	·03	·04	·06		·06		·11		·03				19
20	·01	·10	·02	·18			·01			·02				20
21	-			·13	·03	1·21	·05		·34					21
22	·07	·62	·03		·64	·01	·20		·75		·02	·10		22
23	-	·01	·04	·12	·04		·02							23
24	·08	·11					·23			·38				24
25	·04	·04	·17	·08		·23	·01		·34	·02	·08	·06		25
26	-	·10	·21			·02	·43		·20	·04	·02			26
27	·02						·03		·04	·11				27
28	·44	·02	·07			·17	·24		·21			·06		28
29	·22	·15	·04			·07	·04		·02	·07	·17	·02		29
30	·04	✕			·22	·35	·09			·21				30
31	·56	✕	·14	✕		✕	·10		✕	·41	✕	·06		31
													Year's Total	
TOTAL	3·23	1·94	1·27	1·34	·96	4·19	5·78	·48	2·86	1·50	2·41	1·61	27·57	✓
* Days with .01 in. or more.	21 ~~8~~	16 ~~8~~	17 ~~5~~	11 ~~8~~	6 ~~3~~	19 ~~4~~	~~6~~ 24	7 ~~2~~	~~4~~ 17	~~6~~ 15	~~6~~ 17	~~5~~ 19	189	✓
* Days with .04 in. or more.	18	10	12	9	3	15	18	5	13	9	11	14	137	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. E. Newbery [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1179

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at 58 Castle Road Bedford

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 7 ft. – in.

,, Ground ,, Sea Level 100 ft.

Day 197

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·11	·01							·02		·50	·31		1
2		·05	·01	·44								·11		2
3		·21	·03									·18		3
4	·04	·18		·01								·71		4
5	·10		·16									·01		5
6	·02		·95	·07	·08		·12				·02			6
7		·57	·02		·06				·01					7
8		·05				·03					·32	·01		8
9				·26	·35		·23		·32			·26		9
10		·01	·49	·06	·02	·28						·20		10
11					·70	·07						·05		11
12	·06	·35	·06		·28	·25		·38	·18			·04		12
13	·13	·05	·28	·02		·33		·20	·04			·14		13
14	·01	·02	·24	·05		·08		·68	·02					14
15	·09	·08		·11		·09	·73		·05					15
16	·10	·10	·17	·34				·03	·38			·05		16
17	·19		·27	·22		·05			·60		·04			17
18	·21	·09	·15	·01	·03				·46		35			18
19	·12	·05	·01	·06	·04	·24			·01	·01	·09			19
20	·16			·53	·62	·05			·03					20
21	·11	·27	·05	·03			·13					·01		21
22	·30	·02			·01	·05	·02			·28	·17			22
23	·19		·06		·48		·14			·72				23
24	·21	·27	·01		·99		·01		·06	·10		·02		24
25	·05	·29							·01	·27				25
26		·34	·06		·21					·08		·01		26
27	·01	·44		·10						·87				27
28				·01						·06				28
29	·04									·02	·03	·04		29
30	·24	✕				·01				·05	·19	·		30
31	·25	✕		✕		✕			✕	·07	✕	·04		31
TOTAL	2·74	3·45	3·02	2·32	3·87	1·53	1·38	1·29	2·19	2·53	1·71	2·19	Year's Total 28·22	✓
* Days with .01 in. or more.	22	20 ~~4~~	~~4~~ 17	~~5~~ 16	~~3~~ 13	~~2~~ 12	~~2~~ 7	~~1~~ 4	~~6~~ 14	~~2~~ 11	~~2~~ 9	~~5~~ 22	167	✓
* Days with .04 in. or more.	19	16	13	11	10	10	5	3	8	9	7	17	128.	✓

† Spare column, no entries required.

(*Signed*) Mary E. Newbery [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1179

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at 58 Castle Road

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 7 ft. .. in.

,, Ground ,, Sea Level 100 ft.

2 Days. w.f.7.

~~snow~~ w.f.7.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	-			·12	-	-	-	·11	-	·08		1
2	·09	-	-	·04	·08	·06	-	-	-	·22	·01	·01		2
3	·01	-	-		·10	-	-	-	·04	·57	-	-		3
4	·06	-	-		-	-	-	-	-	·23	-	·07		4
5	·01	-	-		-	-	·21	·02	·01	·11	-	-		5
6	·02	-	-		-	-	·02	·08	·34	·06	-	-		6
7	·04	-	-		-	-	·49	·42	·13	·28	-	·12		7
8	·08	-	-		-	·01	·14	·04	-	·15	-	·01		8
9	·02	-	-		-	-	·02	·49	-	-	-	·49		9
10	-	·03	-		-	·10	·04	·58	-	-	-	·02		10
11	·46	-	-		-	-	-	-	-	-	·04	-		11
12	·08	·04	-		·01	-	-	·50	-	·33	-	-		12
13	-	·07	-		-	-	-	·05	-	·01	·05	·08		13
14	·20	-	-		·05	-	-	-	·02	-	-	·01		14
15	·06	·02	-			-	·07	-	-	·08	·01	·18		15
16	·07	·02	-			-	·08	-	-	-	·03	·28		16
17	-	·06	-		·22	-	·10	-	·01	·06	-			17
18	·03	-	-		·19	-	-	·01	·18	-	·20			18
19	-	-	-		-	-	-	·04	·04	-	·20			19
20	-	-	-		-	-	-	·03	·01	-	·39	·05		20
21	-	-	-		-	-	-	·04	·02	-	·02	1·45	Snow	21
22	-	-	-		-	-	-	·01	-	-	·19			22
23	-	-	-		-	-	-	-	·02	-	·01			23
24	-	-	·08		·03	-	-	-	·29	-	·03			24
25	·12	·07	·04		·03	-	-	·28	·01	·12	·40			25
26	·10	·22	·07		-	-	-	-	·04	·18	-	·15		26
27	·05	·02	-		·45	·15	·15	-	-	·10	·30			27
28	·06	·02	-		·60	·15	-	1·00	·01	[illegible]	·08	·04		28
29	·44	-	-		·17	-	-	·02	-	-	·03	·13		29
30	-	✕	-			-	-	-	·12	·03	·10	·07		30
31	·11	✕	-	✕	·14	✕	-	-	✕	·13	✕	·35		31
TOTAL	2·12	·57	·19	·04	2·07	·59	1·32	3·61	1·29	2·77	2·09	3·59	Year's Total 20·25	
* Days with .01 in. or more.	21	10	3	1	12	6	10	16	16	17	17	21 ~~14~~	150	
* Days with .04 in. or more.	15	5	3	1	9	5	8	11	8	15	10	~~14~~ 16	106	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mary E. Newbery

[P.T.O.

COPY FOR OFFICIAL USE 712180/26

Section **A** for the entry of Daily Observations

Station No. 1179.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at 58 Castle Road Bedford

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 ✓ in.

Height of top of Gauge above Ground 4 ft. 6 ✓ in. ×

,, Ground ,, Sea Level 100 ✓ ft.

Days

Totals

Raingauge lowered July 1939 [illegible]

Note: inspection report said position of gauge could not be bettered

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

3075/40

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03			·21	·12		·12		·28					1
2	·05			·01				·44	·20	·02	·02			2
3	·30			·13				·65	-	-	·17	·25		3
4	·06		·20	·22			·02	·05	-	·07	·03	·03		4
5	-			·38	·06			·63	-	·10	·22	·67		5
6	·42		·01	·01			·15	·15	-	·02	·03			6
7	·11	·03		-			·01		-	-	·08	·08		7
8	-	·05	·10	-			·07	·07	-	·18	·04	·37		8
9	-	·04		-			-	·04	-	·44	-	·10		9
10	-	-		-		·45	-	·18	·02	·02	-			10
11	·33	-	·25	-		·04	-	-	·06		-	·02		11
12		-		-		·14	-	-	·01		·11			12
13		-		-			·01	-	·05	·78	-			13
14	·26	-	·01	-	·39	·03	·06		·14	·12	·12			14
15	·05	-		-	·51	·19	·13	-	·12	·60	·02			15
16	·26	-	·03	·03	·07	·55	·09	-		·15	·32			16
17	·14	-	·02	·08	·02		·39	-		·10	·03			17
18	·11	-	·04	-		·16	·13	-		·17	·48			18
19	·24	-	-	-		·01	·27	-		·16		·01		19
20	·10	-	·01	-		·03	·13	·66		-				20
21	·07	·01	·25	-		·30	·11	·04	·05	-				21
22	·13	·15	·07	-			·03	-	·02	-	·10			22
23	·04	-	·02	·04			·13	-		·09	·52			23
24	·17	-		·03			·04	-		·01				24
25	·72	·08	·33	-		·02	·04	·25			·24			25
26	·33		·04	·07		-	-	·02		·17	·48	·06		26
27	·01		·13	·02		-	·03			·09	·02			27
28		·15	·09	·04		-	-			·10	·12	·10		28
29			-	·61		-	·39			·27	-			29
30		✕	-	·58		·02	-				·02			30
31		✕		✕		✕	·05		✕		✕			31
TOTAL	3·93	·51	1·60	2·46	1·17	1·94	2·40	3·18	·95	3·66	3·17	1·69	Year's Total 26·66	✓
* Days with .01 in. or more.	~~2~~ 21	~~2~~ 7	~~5~~ 16	~~5~~ ~~16~~ 15	~~1~~ 6	~~4~~ 12	~~5~~ 21	~~1~~ 12	~~3~~ 10	~~4~~ 20	~~7~~ 20	~~3~~ 10	170	✓
* Days with .04 in. or more.	19	5	11	10	5	8	16	11	7	16	13	7	128	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Mary E. Newbery

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1179 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at 58 Castle Road
in the County of Bedford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
,, Ground ,, Sea Level 100 ft.

Dup totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·10						·04			1
2				·05						·04	·92			2
3		·24		·17						·06	·60	·03		3
4		·09		·08						·18	·89	·04		4
5		·02					·17			·02	·48	·03		5
6		·17			·05		·18			·15	·18			6
7	·13	·10			·10		·06				·01			7
8	·27			·02			·01			·05	·01	·23		8
9						·44	·01	·03	·02		·04	·09		9
10							·81			·16	·21	·16		10
11				·03			·03				·67	·10		11
12		·08	·03				·06		·04		·08			12
13			·97			·08	·02	·03	·06		·95	·01		13
14			·11	·12	·04				·04			·18		14
15			·14	·02	·03		·06		·04		·04			15
16	·13	·14	·32	·01			·33		·11	·71	·64			16
17			·33				·02				·12			17
18		·49	·20	·48			·18			·06	·03	·06		18
19		·19	·08	·14			·07	·04	·19	·01	·10	·04		19
20				·03			·03	·02		·03	·03			20
21	·02	·01			·07		·09			·07	·58			21
22	·06		·05		·21	·32	[illegible]		·13	·02				22
23		·18	·01		·28	·09	·29	·01	·02	·01				23
24				·04			·08				·01			24
25			·08				·94							25
26	·96	·04	·01		·03	·03	·09			·02		·03		26
27	·50	·02		·97	·07		·12	·01		·04	·02			27
28	·26	·12		·01	·16									28
29		·03	·04		·37							·81		29
30		×		·28						·12		·04		30
31	·10	×		×		×			×	·44	×			31
TOTAL	2·43	1·92	2·37	2·45	1·51	·96	3·56	·14	·65	2·19	6·65	1·25	Year's Total 26·08	
* Days with .01 in. or more.	9	15	13	15	12	5	20	6	9	18	22	14	158	
* Days with .04 in. or more.	8	10	10	9	10	4	14	1	7	12	16	10	111	

1·82

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Mary E. Newbery

P.T.O.

1180.

Bedford Pk.

1931–40

78D210

898234/29

1180

COPY FOR OFFICIAL USE.

OFFICE.—BRITISH RAINFALL ORGANIZATION.

AINFALL IN 1931 .

? WD

ED TO THE PREVIOUS DAY.

reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
tr.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·10	·10	·05	·02	–	–	–	tr	–	–	tr	1
2	·02	·05	tr	–	tr	·12	tr	·02	·14	–	–	tr	2
3	·11	·12	tr	·40	·20	–	–	·06	·52	·01	–	tr	3
4	·01	tr	tr	·08	·32	–	–	–	·87	–	·06	·11	4
5	–	tr	tr	·06	–	–	·18	·22	·12	–	·08	–	5
6	tr	·01	tr	·07	–	48	·02	01	·03	tr	tr	·32	6
7	–	·08	tr	–	–	·02	tr	–	–	·19	·32	tr	7
8	–	·05	–	–	–	–	–	·62	–	·01	·04	tr	8
9	tr	·03	·03	03	–	·20	–	26	–	tr	·04	tr	9
10	tr	·10	tr	·03	–	·08	–	·03	–	–	·14	tr.	10
11	·02	·08	tr	–	·02	02	–	·16	–	–	·12	–	11
12	·10	·07	tr	–	–	–	–	·02	·04	tr	·06	–	12
13	tr	·04	–	–	–	–	·04	·01	·26	–	–	–	13
14	·01	tr	tr	–	–	–	·03	·10	–	–	–	tr	14
15	·02	·08	–	–	·08	·04	·63	·20	–	tr	tr	tr	15
16	tr	·06	–	·16	·13	–	·17	·04	–	tr	tr	–	16
17	tr	·03	–	·07	·23	·09	–	·22	·15	–	tr	·02	17
18	tr	·25	–	·16	·37	·01	·11	–	–	–	·34	–	18
19	·02	·23	–	·17	tr	·11	–	·24	–	–	–	–	19
20	·06	tr	–	·49	tr	·54	·14	·21	·06	tr	–	–	20
21	tr	tr	–	·07	–	–	31	·02	–	02	–	–	21
22	·03	–	·02	–	·69	–	–	·02	·02	–	–	–	22
23	·06	tr	·01	–	·01	–	–	–	·04	–	–	–	23
24	·06	·01	·02	–	·34	·04	–	–	·01	–	·07	–	24
25	–	tr	tr	·12	·13	·01	·02	–	·01	–	–	–	25
26	·13	tr	tr	·45	·02	–	·63	–	–	–	·19	–	26
27	–	tr	–	·11	–	–	·37	–	tr	–	·14	–	27
28	·05	·56	–	·01	·03	–	·04	–	–	tr	·16	·05	28
29	·08	×	–	·03	–	–	–	–	tr	–	·02	–	29
30	·03	×	–	·01	·02	–	·10	–	tr	–	·02	–	30
31	·16	×	–	×	–	×	–	·13	×	·12	×	–	31
99 Total	1·07	1·95	0·18	2·57	2·61	1·76	2·79	2·59	2·27	0·35	1·80	0·50	Year's total 20·44
*Days with ·01 in. or more.	18	18	5	19	15	13	14	19	13	5	15	4	158
*Days with ·04 in. or more.	10	14	1	14	9	9	11	12	9	2	13	3	107

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Charles H Mahleway [P.T.O.

X Borough Engineer X

898234/29

1180

COPY FOR OFFICIAL USE.

[redacted] OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Bedford Park, Bedford

in the County of Bedfordshire

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground 1 ft 3½ in.

,, Ground ,, Sea Level 117·21 Newlyn ft.

WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: tr.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·10	·10	·05	·02	–	–	–	tr	–	–	tr	1
2	·02	·05	tr	–	tr	·12	tr	·02	·14	–	–	tr	2
3	·11	·12	tr	·40	·20	–	–	·06	·52	·01	–	tr	3
4	·01	tr	tr	·08	·32	–	–	–	·87	–	·06	·11	4
5	–	tr	tr	·06	–	–	·18	·22	·12	–	·08	–	5
6	tr	·01	tr	·07	–	48	·02	01	·03	tr	tr	·32	6
7	–	·08	tr	–	–	·02	tr	–	–	·19	·32	tr	7
8	–	·05	–	–	–	–	–	·62	–	·01	·04	tr	8
9	tr	·03	·03	·03	–	·20	–	26	–	tr	·04	tr	9
10	tr	·10	tr	·03	–	·08	–	·03	–	–	·14	tr.	10
11	·02	·08	tr	–	·02	02	–	·16	–	–	·12	–	11
12	·10	·07	tr	–	–	–	–	·02	·04	tr	·06	–	12
13	tr	·04	–	–	–	–	·04	·01	·26	–	–	–	13
14	·01	tr	tr	–	–	–	·03	·10	–	–	–	tr	14
15	·02	·08	–	–	·08	·04	·63	·20	–	tr	tr	tr	15
16	tr	·06	–	16	·13	–	·17	·04	–	tr	tr	–	16
17	tr	·03	–	·07	·23	·09	–	·22	·15	–	tr	·02	17
18	tr	·25	–	·16	·37	·01	·11	–	–	–	·34	–	18
19	·02	·23	–	·17	tr	·11	–	·24	–	–	–	–	19
20	·06	tr	–	·49	tr	·54	·14	·21	·06	tr	–	–	20
21	tr	tr	–	·07	–	–	31	·02	–	02	–	–	21
22	·03	–	·02	–	·69	–	–	02	·02	–	–	–	22
23	·06	tr	·01	–	·01	–	–	–	·04	–	–	–	23
24	·06	·01	·02	–	·34	·04	–	–	·01	–	·07	–	24
25	–	tr	tr	·12	·13	·01	·02	–	·01	–	–	–	25
26	·13	tr	tr	·45	·02	–	·63	–	–	–	·19	–	26
27	–	tr	–	·11	–	–	·37	–	tr	–	·14	–	27
28	·05	·56	–	·01	·03	–	·04	–	–	tr	·16	·05	28
29	·08	×	–	·03	–	–	–	–	tr	–	·02	–	29
30	·03	×	–	·01	·02	–	·10	–	tr	–	·02	–	30
31	·16	×	–	×	–	×	–	·13	×	·12	×	–	31
99 TOTAL	1·07	1·95	0·18	2·57	2·61	1·76	2·79	2·59	2·27	0·35	1·80	0·50	YEAR'S TOTAL 20·44
*Days with ·01 in. or more.	18	·18	5	19	15	13	14	19	13	5	15	4	158
*Days with ·04 in. or more.	10	14	1	14	9	9	11	12	9	2	13	3	107

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Charles H. [illegible] [P.T.O.

X BOROUGH ENGINEER X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

BOROUGH OF [illegible]
SURVEYOR'S [illegible]
RECD [illegible]
ACKD
ANSD

Kept at Bedford Park Bedford

in the County of Bedfordshire

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground 1 ft. 3½ in.

,, Ground ,, Sea Level 117·21 Newlyn

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
32	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·01	-	·07	·39	·01	·08	·27	·06	·38	-	·11	1
2	-	~~tr~~	-	·23	·07	-	~~tr~~	~~tr~~	·16	·09	·02	·08	2
3	~~tr~~	~~tr~~	-	·10	·15	-	-	-	·02	·01	-	-	3
4	~~tr~~	-	-	·02	~~tr~~	-	-	~~tr~~	-	-	·24	·01	4
5	·06	~~tr~~	-	~~tr~~	·05	~~tr~~	·18	-	·06	-	-	-	5
6	·15	-	~~tr~~	·07	·03	-	~~tr~~	-	·07	-	-	-	6
7	-	-	·18	·10	·02	-	·01	-	-	-	-	·01	7
8	·02	·02	-	·07	-	-	-	-	·54	·04	-	-	8
9	·03	·02	~~tr~~	·03	·09	-	-	-	-	~~tr~~	-	-	9
10	·06	·01	-	·12	·12	-	-	-	·05	-	-	-	10
11	·02	-	~~tr~~	·13	·05	·05	1·21	·38	·03	·02	·02	-	11
12	·03	~~tr~~	-	·02	·10	-	-	·03	·01	·17	·02	-	12
13	~~tr~~	~~tr~~	-	·08	-	-	·27	-	·02	·05	·04	-	13
14	·12	·02	~~tr~~	·10	~~tr~~	-	-	·15	-	·05	·01	-	14
15	-	-	~~tr~~	·05	·20	-	·10	·01	~~tr~~	·10	-	-	15
16	·17	-	-	·36	·31	-	-	-	~~tr~~	~~tr~~	-	-	16
17	-	-	~~tr~~	·01	-	-	·06	-	-	·07	-	-	17
18	~~tr~~	~~tr~~	-	~~tr~~	-	-	-	-	·38	-	·01	-	18
19	-	~~tr~~	-	·01	-	-	-	-	·03	·10	-	-	19
20	~~tr~~	-	-	·06	·09	-	·13	·97	-	·32	·07	-	20
21	~~tr~~	~~tr~~	·11	·05	·39	-	·02	·98	-	·23	-	-	21
22	~~tr~~	-	·32	~~tr~~	·03	-	·25	-	·32	·03	·14	~~tr~~	22
23	-	·04	·02	-	·02	-	-	-	·06	·28	·03	·02	23
24	-	~~tr~~	-	-	-	-	·27	-	-	·05	·25	-	24
25	~~tr~~	·04	-	-	-	-	·15	-	·03	·24	·03	~~tr~~	25
26	~~tr~~	-	-	·27	·22	-	·19	-	·07	-	-	~~tr~~	26
27	~~tr~~	-	·16	·11	·38	-	·18	-	·05	-	·07	-	27
28	~~tr~~	-	·11	·01	·11	-	·49	·08	-	·07	~~tr~~	-	28
29	~~tr~~	-	·10	·04	·54	·09	-	·10	·03	·19	-	-	29
30	-	×	tr	-	·28	·11	~~tr~~	·20	·07	·08	·02	·14	30
31	~~tr~~	×	·62	×	-	×	·06	·02	×	-	×	~~tr~~	31
99 TOTAL	0·69	0·16	1·62	2·11	3·64	0·26	3·65	3·19	2·06	2·57	0·97	0·37	YEAR'S TOTAL 21·29
*Days with ·01 in. or more.	10	7	8	23	21	4	16	11	19	20	14	6	159
*Days with .04 in. or more.	5	2	7	17	17	3	14	8	12	17	6	3	111

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

Borough Engineer & Surveyor

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 1180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bedford Park Bedford

in the County of Bedfordshire

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground 1 ft. 3½ in.

,, Ground ,, Sea Level 117.2 Newlyn ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
33	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·11	·12	·01	-	-	-	-	-	-	-	-	1
2	·04	-	·12	-	·04	-	-	-	-	-	·10	-	2
3	-	·10	·12	-	-	-	-	-	-	-	-	-	3
4	·13	-	·01	-	·19	-	-	-	-	-	-	-	4
5	·02	-	·07	-	·09	-	-	-	-	-	-	-	5
6	-	·04	·02	-	·34	-	-	-	-	·01	·04	·02	6
7	·01	·05	-	-	·01	-	-	-	-	·02	·01	-	7
8	·02	-	·12	-	·02	-	·07	-	-	-	-	-	8
9	-	-	-	-	-	-	·16	-	-	-	·18	-	9
10	-	tr	-	-	-	·06	·34	-	-	-	·23	-	10
11	·11	·01	-	-	-	·05	·04	·13	-	-	-	·01	11
12	tr	-	-	-	tr	·14	·04	-	·30	-	-	-	12
13	tr	-	-	-	-	·06	·10	-	-	-	·21	-	13
14	-	-	-	-	·06	-	-	-	-	·08	·40	·02	14
15	·17	-	-	-	·02	-	-	·08	-	-	·32	-	15
16	·08	-	·40	-	-	·11	·03	-	-	·01	·07	-	16
17	·03	-	·28	-	-	·04	-	-	·02	-	·02	-	17
18	-	-	-	-	-	·07	-	-	-	-	-	·01	18
19	-	·03	·14	·01	-	-	-	-	·19	-	-	·01	19
20	-	·01	-	·03	-	·87	-	·02	·02	-	·01	-	20
21	-	-	-	-	-	-	-	·13	·27	·01	-	-	21
22	-	-	-	-	-	-	-	·44	-	·14	·03	-	22
23	-	-	-	·07	-	-	-	-	·65	tr	-	-	23
24	-	·12	-	·11	·09	·32	-	-	·30	-	·10	-	24
25	-	·09	-	·20	-	·06	-	-	·03	-	·03	·08	25
26	-	·32	-	·01	-	·09	-	-	·02	·06	-	·10	26
27	-	tr	-	-	·29	-	-	-	·06	·05	-	-	27
28	-	·01	-	-	tr	-	-	-	·01	·27	-	·03	28
29	·02	×	-	·48	-	-	·01	-	-	·06	-	-	29
30	·17	×	·10	-	-	-	-	-	-	-	-	·11	30
31	·01	×	·13	×	-	×	-	·11	×	·06	×	-	31
99 TOTAL	0·91	0·89	1·63	0·92	1·15	1·87	0·79	0·91	1·87	0·77	1·75	0·39	YEAR'S TOTAL 13·85
*Days with ·01 in. or more.	13	11	12	8	10	11	8	6	11	11	14	9	124
*Days with .04 in. or more.	7	7	10	4	7	11	6	5	6	7	9	3	82

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

Borough Engineer & Surveyor

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bedford Park, Bedford

in the County of Bedfordshire

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground 1 ft 3½ in.

,, Ground ,, Sea Level 117·21 Newlyn ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
34	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	-	-	-	-	-	-	·13	-	·13	-	·28		1
2	-	-	·03	-	-	-	-	-	·44	·06	·01	·12		2
3	·10	·09	-	·08	-	-	-	-	-	·22	-	-		3
4	·03	·02	·05	-	-	-	-	·01	·06	·15	·09	·19		4
5	-	-	·10	-	-	-	-	-	-	·03	·05	·17		5
6	-	-	-	-	·26	·12	-	·04	-	·10	-	·37		6
7	·05	-	-	~~tr~~	·10	·07	-	·08	-	·03	-	·10		7
8	-	-	·02	-	-	·02	-	·06	·04	-	·12	·20		8
9	-	-	·03	·03	-	-	-	·07	-	-	·57	-		9
10	-	-	·03	·11	-	-	-	-	-	-	·41	-		10
11	-	-	·27	·03	-	-	·02	·17	-	-	-	·08		11
12	-	-	·11	·02	-	-	-	·27	-	-	-	·02		12
13	·17	-	-	-	-	-	·65	·09	-	-	-	·39		13
14	·01	-	·10	-	·01	-	-	-	-	·08	·33	·14		14
15	·02	-	·03	-	·01	-	-	-	1·00	-	·15	·13		15
16	·09	-	·10	-	·11	-	-	-	-	·09	~~tr~~	-		16
17	-	-	-	-	-	-	-	-	-	·07	·02	·09		17
18	·07	-	-	·22	-	-	·08	-	·01	-	-	·04		18
19	-	-	·04	·08	-	·02	-	-	·01	·01	-	·02		19
20	-	-	·05	~~tr~~	-	-	-	-	-	-	-	-		20
21	-	-	·02	·02	-	·14	-	·01	-	·04	-	-		21
22	-	-	-	-	-	-	·03	·02	·15	-	-	-		22
23	-	-	-	·14	·06	·16	·04	·11	-	-	-	·07		23
24	-	·17	·09	~~tr~~	-	·02	·36	-	·25	-	-	·07		24
25	·08	·05	-	-	-	·03	-	-	-	-	-	-		25
26	·02	-	-	·16	-	·03	-	-	-	-	-	·25		26
27	~~tr~~	·08	-	-	-	·16	-	-	-	·04	-	·25		27
28	-	·10	-	·12	-	·05	-	·82	-	·01	·07	·31		28
29	-	×	-	~~tr~~	-	-	·23	·03	·11	-	·06	-		29
30	·03	×	-	-	-	-	-	-	-	-	-	·04		30
31	·03	×	-	×	-	×	-	-	×	·26	×	·09		31
TOTAL 99	0·77	0·51	1·07	1·01	0·55	0·82	1·41	1·91	2·07	1·32	1·88	3·42	Year's Total. 16·74	
* Days with .01 in. or more.	13	6	15	11	6	11	7	14	9	15	11	22	140	
* Days with .04 in. or more.	7	5	9	7	4	6	5	10	7	11	9	20	100	

40-9999

† Spare column, no entries required

* See Instruction 2 (f) on other side. 5th Jan. 1935

(Signed) Charles H [illegible]
Borough Engineer & Surveyor

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bedford Park Bedford
in the County of Bedfordshire
Diameter of Funnel of Gauge Eight in.
Height of top of Gauge above Ground 1 ft. 3½ in.
,, Ground ,, Sea Level Newlyn 117·21 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
35	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	—	—	·03	—	·06	·06	—	·02	·03	·30	·02		1
2	—	—	·03	—	—	·05	—	—	—	·08	—	·01		2
3	—	·20	·03	·02	—	—	—	—	·14	·27	·13	—		3
4	—	—	—	·13	—	—	—	·08	·04	·07	—	—		4
5	—	·70	·06	·12	—	·11	·05	—	·04	·06	·07	·02		5
6	—	—	—	·24	—	·04	—	—	—	—	·01	~~trace~~		6
7	·09	—	—	·29	—	·02	—	—	—	·03	·68	·13		7
8	—	—	—	·17	·01	—	—	—	—	·20	·04	·05		8
9	—	—	—	·17	—	·30	—	—	—	·60	·05	·02		9
10	—	—	—	·12	—	·01	·16	—	—	—	·06	·02		10
11	·07	~~trace~~	—	·01	—	·03	—	—	—	·04	·28	—		11
12	—	—	~~trace~~	—	—	·13	—	—	·01	—	·01	—		12
13	·10	·14	—	·09	·18	·14	—	·02	—	—	—	·01		13
14	—	—	—	·01	·28	—	—	—	·13	—	·13	·04		14
15	—	·06	—	·39	·03	·02	—	—	·08	—	·18	·14		15
16	—	—	·07	·15	—	·30	—	—	·11	·01	·45	·01		16
17	—	·04	—	—	—	·18	—	—	·01	—	·46	—		17
18	—	—	—	·28	·05	·02	·26	—	·20	·01	—	—		18
19	—	—	—	·12	·33	·13	·02	—	·12	—	·17	—		19
20	·03	·05	—	·12	·06	·12	·08	—	·02	—	·02	—		20
21	—	·11	·07	·04	—	—	—	—	·62	·01	·17	—		21
22	—	·03	·10	·02	—	—	—	·10	·64	—	—	—		22
23	—	—	·05	—	—	—	—	·46	~~trace~~	·01	—	—		23
24	·05	·25	·02	—	—	—	—	—	1·14	—	—	·48		24
25	·12	·03	—	·14	—	·26	—	~~trace~~	—	—	—	—		25
26	—	·04	—	—	—	·01	—	·19	·06	—	—	·07		26
27	—	·08	—	—	·11	—	—	—	·09	—	·11	·21		27
28	—	·06	—	—	·02	—	—	·03	·18	—	—	·12		28
29	—	X	—	—	—	—	—	—	·62	—	—	—		29
30	·07	✕	—	·10	·04	—	—	·77	·03	—	·31	·16		30
31	—	✕	—	✕	—	✕	—	·05	✕	·80	✕	·16		31
99 TOTAL	·71	1·79	0·43	2·76	1·11	1·93	0·63	1·70	4·30	2·22	3·63	1·67	Year's Total 22·88	
* Days with .01 in. or more.	8	13	8	21	10	18	6	8	20	14	19	17	162	
* Days with .04 in. or more.	7	11	5	16	7	12	5	6	15	8	16	10	118	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Charles H Blakeway [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 1180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. JAN - AUGUST (INCL)

D by observer [illegible]
by BRO for 1096
~~[illegible]~~ noted
for [illegible]
[illegible]

Copy by B.R.O.

Kept at Bedford Park Bedford

in the County of Bedfordshire

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft 3½ in.

,, Ground ,, Sea Level Newlyn 117·21 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
36	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·85	·08	·41	-	·06	·07	-	-	-	·01	·04	1
2	·11	·01	·10	·02	-	·43	·62	·05	-	-	·20	·23	2
3	tr	·02	-	-	-	·09	-	-	·10	-	·18	—	3
4	-	-	·09	-	-	·13	-	-	·42	-	·02	·09	4
5	·05	-	-	~~tr~~	-	-	·03	·02	·20	-	—	·04	5
6	·07	-	-	-	·10	·15	·01	·15	·02	-	·02	—	6
7	·25	-	·05	-	-	-	·51	-	~~tr~~	-	—	—	7
8	·10	-	·15	-	-	-	-	-	~~tr~~	-	·12	15	8
9	·36	-	·05	-	-	·02	·75	-	·03	-	-	·01	9
10	-	-	-	·01	-	-	·23	·15	·08	·02	-	—	10
11	-	-	-	·07	-	-	·20	·01	~~tr~~	-	·26	·01	11
12	-	-	-	·19	-	·43	·40	-	·05	-	·28	·15	12
13	-	-	-	·01	-	·48	~~tr~~	-	tr	·04	·05	·09	13
14	-	-	-	·09	-	·02	·65	-	·13	-	-	·24	14
15	-	-	-	-	-	-	·30	-	·07	-	~~·45~~	·03	15
16	·06	·04	-	-	-	-	·02	-	-	-	·45	—	16
17	-	-	-	-	-	·19	·01	-	-	·01	·20	·06	17
18	-	·04	-	-	-	-	·10	-	~~tr~~	·04	·80	·02	18
19	·31	·02	·04	-	-	·03	-	·04	-	-	—	—	19
20	·06	·10	·02	·15	-	1·05	·01	-	1·06	-	-	—	20
21	-	·04	-	·13	·03	1·13	·01	-	·20	-	—	—	21
22	-	·95	·03	-	·62	-	·19	-	-	-	-	·13	22
23	-	·01	·04	·07	-	·01	·01	-	-	-	-	—	23
24	·12	·12	-	-	tr	-	·17	-	·26	·37	-	—	24
25	·01	·05	·17	·12	-	·15	~~tr~~	-	·22	·02	·06	·02	25
26	-	·07	·21	-	-	·03	·44	-	~~tr~~	·03	·02	—	26
27	·01	·02	-	-	-	-	·02	~~tr~~	·22	·14	—	—	27
28	·48	-	·06	-	-	·17	·22	-	·03	-	—	·07	28
29	·42	·20	·04	-	-	·06	·03	-	-	·07	·16	·03	29
30	·10	✕	-	-	·22	·35	·07	-	-	·21	—	~~tr~~	30 ✓
31	·22	✕	·10	✕	a	✕	·08	-	✕	·39	✕	·05	31
99 TOTAL	2·84 ✓	2·54 ✓	1·23 ✓	1·27 ✓	·97 ✓	3·98 ✓	5·15 ✓	·42 ✓	3·09 ✓	1·34	2·83	1·46	YEAR'S TOTAL TO DATE 27·12
*Days with ·01 in. or more.	17	15	15	11	4	19	25	6	15	11	15	18	171 ~~112~~ ✓
*Days with .04 in. or more.	15	10	13	8	3	14	16	4	12	7	9	12	123 ~~83~~ ✓

40-9999

*See Instruction 2 (*f*) on other side.

pp Corporation of Bedford.
(Signed)
Borough Engineer & Surveyor

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Bedford, Bedford Park

in the County of Bedford

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

circ F. sent re Oct. total. 8.11.37.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
37	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	-	-	-	-	-	-	-	·03	-	·50	·30		1
2	-	·05	·01	·44	-	-	-	-	-	-	-	·05		2
3	-	·19	·03	-	-		-	-	-	-	-	·20		3
4	·05	·15	-	-	·01	-	-	-	-	-	-	·55		4
5	·06	-	·17	-	-	-	-	-	-	-	-	·10		5
6	·03		·50	-	·10	-	·10	-	-	-	-	-		6
7	-	·58	·11	·07	·06	-	(-)	-	-	-	-	-		7
8	-	·04	-	-	·05	·02	(·02)	-	-	-	·28	·02		8
9	-	-	-	·27	·33	-	(18)	·01	·40	-	-	·21		9
10	-	~~Tr~~	·54	·02	·02	·30	-	-	-	-	-	·19		10
11	·01	-	·21	-	·70	·31	-	-	-	-	-	·06		11
12	·05	·40	·05	-	·31	·31	-	·62	·20	-	-	·05		12
13	·14	·04	·19	·03	-	·25	-	·09	·02	-	-	·13		13
14	·01	·01	·37	·04	·02	·03	-	·95	·01	-	-	-		14
15	·11	·08	-	·09	-	·11	·75	-	·04	-	-	·01		15
16	·09	·06	·17	·30	-	-	-	·03	·33	-	-	·05		16
17	·19	-	·24	·26	-	·10	-	-	·49	-	·02	-		17
18	·19	·03	·07	·04	·04	-	-	-	·50	-	·33	-		18
19	·09	·09	·01	·10	·03	·24	-	-	-	·01	·12	-		19
20	·15	-	·10	·50	·63	·04	-	-	·02	-	-	-		20
21	·13	·29	·06	·03	-	-	-	·01	-	-	-	-		21
22	·33	·04	·01	-	-	·04	·11	-	-	·27	·19	-		22
23	·15	-	·11	-	·43	-	-	-	-	·68	-	-		23
24	·20	·26	·01	-	-	·01	-	-	·05	·09	-	·03		24
25	·06	·24	-	-	1·01	-	-	-	·01	·03	-	-		25
26	·01	·34	·07	·01	·21	-	-	-	-	·08	-	-		26
27	-	·24	-	·11	-	-	-	-	·01	·82	-	-		27
28	-	·16	-	·01	-	-	-	-	-	·60	-	-		28
29	-	✕	-	-	-	-	-	-	-	·02	·01	·04		29
30	·25	✕	-	-	-	-	-	-	-	·03	·20	-		30
31	·20	✕	-	✕	-	✕	-	-	✕	·08	✕	·06		31
99 TOTAL	2·60	3·29	3·03	2·32	3·95	1·76	1·16	1·71	2·11	2·71	1·65	2·05	Year's Total 28·34	
* Days with .01 in. or more.	22	19	20	16	15	12	5	6	13	11	8	16	163	
* Days with .04 in. or more.	18	17	15	11	11	9	4	3	7	7	6	13	121	

40-9999.

† Spare column, no entries required

(Signed) .... [P.T.O.

* See Instruction 2 (f) on other side.

Section **A** for the entry of Daily Observations

Station No. ....

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bedford (Bedford Park)

in the County of Bedfordshire

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
38	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	·13	–	–	–	·10	·09	·03		1
2	·09	–	–	–	·10	·05	–	–	–	·20	–	–		2
3	·01	–	–	·05	·10	–	–	–	·03	·39	–	–		3
4	·06	–	–	–	–	–	–	–	–	·18	–	·05		4
5	·01	–	–	–	–	–	·19	–	–	·08	–	–		5
6	·01	–	–	–	–	·01	·04	·03	·02	·07	–	–		6
7	·05	–	–	–	–	·02	·46	·12	·32	·25	–	·12		7
8	·09	–	–	–	–	–	·15	·34	·18	·12	–	–		8
9	·02	–	–	–	–	–	·03	·04	–	–	–	·43		9
10	–	·03	–	–	–	·10	·04	·39	–	–	–	·03		10
11	·44	–	–	–	–	–	–	·32	–	–	·03	–		11
12	·05	·08	–	–	·01	–	–	–	–	·28	–	–		12
13	·01	·03	–	–	–	–	–	·55	–	–	·03	·06		13
14	·19	·02	–	–	·05	–	·04	·03	·05	–	–	·01		14
15	–	·02	–	–	–	–	·05	–	–	·07	–	·05		15
16	·04	–	–	–	–	–	·08	–	–	–	·03	·15		16
17	–	·07	–	–	·20	–	·11	–	–	–	–	–		17
18	·02	–	–	–	·22	–	–	–	·25	·05	·18	–		18
19	–	–	–	–	–	–	–	·03	–	–	·09	–		19
20	–	–	–	–	–	–	–	·02	–	–	·42	·21		20
21	–	–	–	–	–	–	–	·06	·02	–	·01	·75		21
22	–	–	–	–	–	–	–	·02	–	–	·20	·38		22
23	–	–	–	–	–	–	–	–	·06	–	–	·03		23
24	–	–	·06	–	–	–	–	–	·18	·03	·03	–		24
25	·09	·08	·02	–	·01	–	–	·24	–	·22	·34	·06		25
26	·09	·21	·07	–	–	–	–	–	·03	·15	–	–		26
27	·03	·02	–	–	·34	·10	·16	–	·22	·06	·25	–		27
28	·05	·01	–	–	·58	·09	–	·99	–	–	·09	·04		28
29	·44	X	–	–	·17		–	–	–	–	·03	·13		29
30	–	X	–	–	–		–	–	·15	·01	·07	–		30
31	·08	X	–	X	·13	X	–	–	X	–	X	·22		31
TOTAL 99	1·87	·57	·15	·05	1·91	·50	1·35	3·18	1·51	2·26	1·89	2·74	Year's Total 17·98	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..........

(P.T.O.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bedford, Bedford Park

in the County of Bedford

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 117 ft.

2/40 letter re ht of gauge

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
39	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	–	·19	·06	–	24	–	·20	–	–	–		1
2	·05	–	–	·03	–	–	–	·40	·17	·02	·01	·01		2
3	·29	–	–	·14	–	–	–	·61	–	tr	·15	·22		3
4	·04	–	·17	·25	–	–	02	·07	–	·06	·01	·02		4
5	–	–	–	·31	·06	–	–	·63 ✓	–	·13	·20	·67		5
43 6	·43	–	·01	TR	TR	–	10	·15 ✓	–	–	·02	–		6
09 7	·09	·02	–	–	–	–	02	–	–	–	·06	·10		7
8	–	·03	·11	–	–	–	04	·07	–	·20	·04	·32		8
9	–	·02	–	–	–	–	–	·04	–	·39	–	·08		9
10	·32	–	–	–	–	·45	–	·18	·01	·01	–	–		10
11	–	–	·25	–	TR	04	–	–	·06	–	–	tr		11
12	–	·01	·01	–	TR	·08	–	–	·01	–	·10	–		12
13	–	–	–	TR	–	·01	02	–	·05	·77	–	–		13
14	·26	–	·01	·01	·39	·03	05	–	·12	·06	·09	–		14
15	·04	–	–	TR	·57	·21	15	–	·13	·53	·09	–		15
16	·27	–	·04	·05	·08	·50	06	–	·02	·19	·24	–		16
17	·15	–	·02	·07	·01	–	22	–	–	·09	·02	–		17
18	·14	–	·04	–	–	14	14	–	tr	·29	·47	–		18
19	·25	–	–	–	–	01	27	–	–	·03	–	tr		19
20	·10	–	·01	–	–	·02	·13	·23	–	–	–	·01		20
21	·03	·02	·21	–	–	19	·03	·03	·05	–	–	–		21
22	·13	12	·06	–	–	·01	·01	–	·03	–	·08	–		22
23	·05	–	–	·03	–	15	·12	–	–	·09	·44	–		23
24	·17	–	·02	·05	–	–	·06	–	–	·01	–	–		24
25	·82	·06	·43	·01	–	·02	03	·25	–	tr	·11 ✓	tr		25
26	·35	–	·06	·03	–	–	–	·01	–	·19	·48	·07		26
27	~~TR~~	·01	·13	·01	·03	–	02	–	–	·05	–	–		27
28	–	·10	·09	·03	–	–	–	–	–	·11	·11	·01		28
29	–		–	·61	·01	–	·37	–	–	·28	tr	–		29
30	–	✕	–	·59	–	10	–	–	–	–	·01	–		30
31	–	✕	–	✕	–	✕	04	–	✕	–	✕	–		31
99 TOTAL	4·01	·39	1·67	2·41	1·21	1·81	2·14	2·67	·85	3·50	2·73	1·51	Year's Total 24·90	? [illegible]
* Days with .01 in. or more.	20 ~~19~~	9	17	16	8	14	21	12	11	19	19	10	176	✓
* Days with .04 in. or more.	18 ~~17~~	3	11	9	5	8	14	10	7	15	14	6	~~119~~ 120	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1180 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~1939~~ 1940

Kept at Bedford (Bedford Park)
in the County of Bedfordshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" Ground " Sea Level 117 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
40	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	~~tr~~	-	-	·14	-	-	-	-	-	·04	-		1
2	·01	·03	-	·12	-	-	-	-	-	·04	·81	~~TR~~		2
3	-	·17	-	·09	-	-	-	-	-	·06	1·10	·02		3
4	-	·09	-	·08	-	-	·03	-	-	·21	·22	·01		4
5	-	·02	-	-	·02	-	·08	-	-	·01	·45	·02		5
6	·10	·17	-	-	·03	-	·15	-	-	·12	·18	~~TR~~		6
7	·27	·09	-	~~tr~~	·09	-	·05	-	·01	-	~~tr~~	~~TR~~		7
8	-	-	-	·02	-	-	-	-	~~tr~~	·05	·01	·22		8
9	-	-	-	~~tr~~	-	·43	·01	~~tr~~	·01	-	·03	·08		9
10	-	-	~~tr~~	-	-	-	·68	-	-	·21	·17	·14		10
11	-	·03	-	·02	-	-	·01	-	-	-	·63	·08		11
12	-	-	·02	-	-	-	·06	-	·02	-	·05	-		12
13	-	-	·84	-	-	·04	·02	·04	·03	-	·95	·07		13
14	-	-	·11	·07	·03	-	-	·01	·03	~~tr~~	~~tr~~	·07		14
15	·01	-	·10	·01	·05	-	·05	-	·05	-	·05	-		15
16	·10	-	·31	·01	-	~~tr~~	·31	-	·05	·68	·63	-		16
17	-	·20	·30	-	-	-	·02	-	-	~~tr~~	·11	-		17
18	-	·48	·17	·48	-	-	·27	·04	-	·05	·03	·05		18
19	-	·17	·02	·12	-	-	·13	-	·18	-	·09	·04		19
20	-	~~tr~~	-	·03	-	-	-	·02	-	·06	·01	-		20
21	·07	~~tr~~	-	-	·06	-	·04	-	-	·04	·51	-		21
22	·04	-	·06	-	·19	·32	-	~~tr~~	·14	·01	~~tr~~	-		22
23	-	·15	·01	·06	·31	·07	~~TR~~	~~tr~~	·01	-	-	·02		23
24	-	-	-	·02	-	-	·04	-	-	·01	~~tr~~	-		24
25	-	-	·04	-	-	-	·89	-	-	·01	-	-		25
26	·76	·03	~~tr~~	-	·03	·01	·28	-	-	-	~~tr~~	-		26
27	·47	·01	-	·95	·03	-	·11	~~tr~~	-	·07	·01	-		27
28	·24	·09	-	~~tr~~	·50	-	-	-	-	-	-	-		28
29	-	·02	·04	-	·26	-	-	-	-	-	-	·16		29
30	·05	✕	-	·27	-	-	-	-	-	·11	-	·02		30
31	·03	✕	-	✕	-	✕	-	-	✕	·40	✕	-		31
99 TOTAL	2·15	1·75	2·02	2·35	1·74	·87	3·29	·11	·53	2·14	6·08	1·03	Year's Total 24·06	✓
* Days with .01 in. or more.	12	15	12	15	13	5	19	4	10	17	20	14	156	✓
* Days with .04 in. or more.	9 ✓	9 ✓	9 ✓	9 ✓	8 ✓	4	14 ✓	2 ✓	4 ✓	13 ✓	15	9	105	✓

† Spare column, no entries required.

(*Signed*) The Borough Engineer [P.T.O.

* See Instruction 3 (f) on other side.

1179/5

BIDDENHAM

1937- 1940

780210

Section **A** for the entry of Daily

AIR MINISTRY.—M

Station No. 1179/5.

INFALL ORGANIZATION

FORM 1090

REGISTE 937

Kept at Biddenham

in the County of Bedford

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

-4/29

THE MORNING MEASUREMEN IOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											58	37		1
2									02			18		2
3												23		3
4												72		4
5											02			5
6														6
7														7
8											32			8
9									26			35		9
10												18		10
11												06		11
12								34	16					12
13								22	01					13
14								85	02			14		14
15							·81		04					15
16								03	38			07		16
17									36		05			17
18									61		39			18
19									02		10			19
20														20
21							10	02						21
22										29	22	02		22
23							16			73				23
24									05	11				24
25									02	27				25
26										99				26
27										95				27
28										05				28
29										02				29
30		✕								03	19			30
31		✕		✕		✕			✕		✕	15		31
TOTAL							1.07	1.46	1.95	2.54	1.87	2.47	Year's Total imp	up
* Days with .01 in. or more.							3	5	12	9	8	11		
* Days with .04 in. or more.							3	3	7	7	7	10		

Moved from Stanstead Abbots 951

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) E. H. Barlow [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1179/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Biddenham

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 120 ft.

897044/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Moved from Stanstead Abbots 951

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											58	37		1
2									02			18		2
3												23		3
4												72		4
5											02			5
6														6
7														7
8											32			8
9									26			35		9
10												18		10
11												06		11
12								34	16					12
13								22	01					13
14								85	02			14		14
15							·81		04					15
16								03	38			07		16
17									36		05			17
18									61		39			18
19									02		10			19
20														20
21							10	02						21
22										29	22	02		22
23							16			73				23
24									05	11				24
25									02	27				25
26										29				26
27										95				27
28										05				28
29										02				29
30		✕								03	19			30
31		✕		✕		✕			✕		✕	15		31
TOTAL							1.07	1.46	1.95	2.54	1.87	2.47	Year's Total imp	np
* Days with .01 in. or more.							3	5	12	9	8	11		
* Days with .04 in. or more.							3	3	7	7	7	10		

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. H. Barlow [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1179/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

imp 1937 §897044/29

Kept at St Benedicts, Biddenham
in the County of Bedford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 129 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										10		08		1
2					09	20				21				2
3					10	08			03	53				3
4										25		08		4
5							28	02		10				5
6	19						02			06				6
7	05						32	45	30	25		13		7
8	09	03					07	02	10	18				8
9	03											50		9
10						12	06	35				01		10
11	49							52			03			11
12								60		31				12
13		15						02		01	05			13
14	27				05					08				14
15	10						10					09		15
16	07						06				03	27		16
17					15		10		03	07				17
18	03				22				25		22			18
19								05	03		10			19
20								08			45			20
21				·01				04	01			1.00		21
22											23			22
23														23
24			09						19		03			24
25	12	18	03		07			26		11	40			25
26		25	06	.02					05	17		.20		26
27	15				27	12	16		21	03	29			27
28	09	04			49	12		98	01		08			28
29	48			·02	18			02		03	05	13		29
30		✕							15		10	06		30
31	12	✕		✕	15	✕			✕	13	✕	36		31 'd'
TOTAL	2.28	.65	·18	·05	1,77	.64	1,17	3.41	1.36	2,62	2,06	2,91	Year's Total 19·10 ~~19.08~~	✓ Print 98
* Days with .01 in. or more.	14	5	3	3	10	5	9	13	12	17	13	12	~~116~~	✓ 23/3/39
* Days with .04 in. or more.	12	4	2	—	10	5	8	9	7	14	10	11	92	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) E. H. Barlow

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1179/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Biddenham

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 120 ft.

Query sent 29/2/40 — observer does not agree [illegible]

Entry on Jan 25th adjusted by reference to nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	08			24	16		06							1
2				01				42	05		02			2
3	35			16				42	25		14	30		3
4			20	25				12		10	03			4
5	43			30	08			76		16	20	70		5
6	15						19	17			05			6
7		03						02			07	12		7
8		05	10				08	08			13	38		8
9	01							09		72		10		9
10	36							16	01	02				10
11			28			40			06					11
12		05				02					11			12
13						10			02	75				13
14	28				48	06	10		11	09	13			14
15	06				55	20	15		09	70				15
16	30		08		07	65	10			27	35			16
17	20			14			19			10	03			17
18	09					17	16			20	49			18
19	20						24			10		03		19
20	25					02	13	30						20
21	04		37			28	05	08	04					21
22	17	15	07								17			22
23	05			04		02	15			11	50			23
24	32			06			06			01				24
25	(·80) ~~2.05~~	08	45				04	16			25			25
26	40		05	08				02		16	47	11		26
27	02		13	02			02			06	07			27
28		20	10	03						11	13	05		28
29				60			35			35	02			29
30		✕		66		05	03							30
31		✕		✕		✕	03		✕		✕		27·57	31
TOTAL	(4·56) ~~5.81~~	.56	1.83	2.59	1.34	1.97	2.13	2.80	.63	4.01	3.56	.79	Year's Total ~~28.82~~	~~Print~~ WH
* Days with .01 in. or more.	20	6	10	13	5	11	18	13	8	17	19	8	148	
* Days with .04 in. or more.	18	5	10	10	5	8	15	11	6	15	15	7	125	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. H. Barlow

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1179/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~1939~~ 1940

Kept at Biddenham

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	~~Mar.~~	~~April~~	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			April	Mar.	05									1
2			11							03	07			2
3			14							05	85	07		3
4							03			23	97	03		4
5					05		13			02	31	03		5
6	13	65					14			14	20			6
7					09		06							7
8		08								04	03	23		8
9						28			02		04	10		9
10							40			18	23	14		10
11								03			70	13		11
12		09		05			06		04	01	09			12
13			02	96		08	05		05		1.01			13
14			12	08	07				04	01		16		14
15	36			07	02		05				05			15
16				30			30		11	90	65			16
17		13		33			02				10			17
18		48	51	22			31	03		05				18
19		16	14				15		25	01	10	10		19
20			02						01	04	04			20
21					10		07			06	55			21
22	14			09	22	27			16	02				22
23		19	04	02	28	15			02		01			23
24			05				07				03			24
25				07			52							25
26	30				03		28			01				26
27	65	14	44		04		12			07				27
28	65				15									28
29				05	14							24		29
30		✕	38							13		04		30
31		✕		✕		✕			✕	43	✕			31
TOTAL	2.43	1.92	1.97	2.24	1.24	.78	2.76	.06	.70	2.43	6.03	1.27	Year's Total 22 83	
* Days with .01 in. or more.	6	8	11	11	12	4	17	2	9	19	19	11	129	
* Days with .04 in. or more.	6	8	9	10	10	4	16	0	6	12	16	9	106	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. H. Barlow.

[P.T.O.

1181

1181
GOLDINGTON
CASTLE MILL HSE
1931- 40

780210

Section **A** for the entry of Da

AIR MINISTRY.-

AINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTE 1931.

Kept at Castle Mill House

in the County of Bedfor

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

ost accurate.
Annual seems small

THE MORNING MEASURE US DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·20	·05			·10	·01		·105				1
2				·05	·13				·42				2
3	·10			·24					·13			·12	3
4					·275		·18		·09		·15		4
5												·29	5
6				·20		·49	·02						6
7							·01	·50					7
8		·15						·35					8
9						·30					·09		9
10			·07		·05	·02		·25			·07		10
11	·05	·20											11
12	·125						·04		·05				12
13	·015								·30				13
14					·05		·10						14
15				·10		·055	·58						15
16	·05			·02	·13		·26						16
17		·435			·235		·12		·15				17
18				·175	·42	·11					·45		18
19	·045			·35		·32	·21	·185					19
20	·045			·17			·23						20
21							·07	·44					21
22		·135			·56			·05					22
23	·05												23
24	·07				·30	·04				·30			24
25				·355	·06		·475						25
26				·15			·34						26
27	·04	·64			·04								27
28	·055	·14								·07			28
29	·09			·14	·03		·17		·12	·12		·18	29
30	·05	×		·015			·01	·10					30
31		×		×		×		·04	×		×		31
TOTAL	·785	1·90	·12	1·965	2·28	1·43	2·82	1·91	1·36	·49	·76	·59	YEAR'S TOTAL 16·41
*Days with ·01 in. or more.	13	7	2	12	12	8	16	8	8	3	4	3	96
*Days with ·04 in. or more.	12	7	2	10	11	7	12	8	8	3	4	3	85

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) X G a Rogers.

[P.T.O.

1181

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Castle Mill House Goldington

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level ft.

Obsr says
Probably not accurate.
Annual seems small

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·20	·05			·10	·01		·105				1
2				·05	·13				·42				2
3	·10			·24					·13			·12	3
4					·275		·18		·09		·15		4
5												·29	5
6				·20		·49	·02						6
7							·01	·50					7
8		·15						·35					8
9						·30					·09		9
10			·07		·05	·02		·25			·07		10
11	·05	·20											11
12	·125						·04		·05				12
13	·015								·30				13
14					·05		·10						14
15				·10		·055	·58						15
16	·05			·02	·13		·26						16
17		·435			·235		·12		·15				17
18				·175	·42	·11					·45		18
19	·045			·35		·32	·21	·185					19
20	·045			·17			·23						20
21							·07	·44					21
22		·135			·56			·05					22
23	·05												23
24	·07				·30	·04				·30			24
25				·355	·06		·475	—					25
26				·15			·34						26
27	·04	·64			·04								27
28	·055	·14								·07			28
29	·09			·14	·03	—	·17		·12	·12		·18.	29
30	·05	×		·015			·01	·10					30
31		×		×		×		·04	×		×		31
TOTAL	·785	1·90	·12	1·965	2·28	1·43	2·82	1·91	1·36	·49	·76	·59	YEAR'S TOTAL 16·41
*Days with ·01 in. or more.	13	7	2	12	12	8	16	8	8	3	4	3	96
*Days with ·04 in. or more.	12	7	2	10	11	7	12	8	8	3	4	3	85

40-9999

(Signed) X. G. a Rogers.

[P.T.O.

*See Instruction 2 (*f*) on other side.

X GOLDINGTON (CASTLE MILL) X

4275/30

~~COPY FOR OFFICIAL USE~~

Section **A** **for the entry of Daily Observations.**

Station No. 1181

Beds/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Castle mill House Goldington

in the County of Bedford

Over sheltered to NW & NE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

" Ground " Sea Level .... ft.

If thrown out see file 4275/30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·01	·34		·06	·28		·25	Tr:		1
2		·03		·06	·01					·015	·03		2
3				·25	·20				·145	·03		·15	3
4				·07							·18		4
5					·02		·20		·05				5
6	·20				·03			·38	·045				6
7			·16	·21									7
8			·04	·09					·40	·03			8
9	·04			·07	·19				·025	·01			9
10	·06	·01		·10					·03	·03			10
11				·17	·16	·05	·82		·02		·01		11
12	·035			·01	·07			·50		·225	·01		12
13				·06	·01		·10	·02	·015	·03	·02		13
14	·18			·14	·01					·08		·005	14
15				·02	·08		·135	·01		·10		·01	15
16	·22			·27	·485		Tr:						16
17							·02			·09			17
18									·43				18
19									·025	·09			19
20				·12	·125		·065	·99		·32	·69		20
21			·025	·09	·69			·75		·23			21
22			·38		·03		·18		·29	·02	·20	·005	22
23			·01						·055	·21			23
24							·40		·005	·07			24
25		·07	·01				·12		·015	·25	·25		25
26		·04		·30	·02		·20		·02	Tr:	·05		26
27			·12	·10	·36		·15		·01	·01			27
28			·17	·01	·50		·15	·04		·04	·07		28
29			·09	·03	·26		·005	·05	·01	·17			29
30		X	Tr:		·15	·10		·04	·09	·09	·10		30
31		X	·32	X		X		·11	X		X	·01	31
TOTAL	·735	·15	1·325	2·18	3·74	·15	2·605	3·17	1·68	2·39	1·01	·18	YEAR'S TOTAL 19·315
*Days with ·01 in. or more.	6	4	10	20	20	2	13	11	17	22	11	4	150
*Days with .04 in. or more.	6	2	7	16	13	2	12	9	9	14	7	3	100

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) X G. A. Rogers ESQ X

f 4275/30

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1181

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Beds /3

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Castle Mill House Goldington Nr Bedford

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level abt 70 ft.

File No 4275/30

[illegible] up 1931-2

cf 1179 1182

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·08			·03						·08			1
2			·115											2
3		·125	·09								·005			3
4	·065		·01											4
5	·02				·30									5
6	·035	·02	·035								·045			6
7		·06			·03					·065	·01	·01		7
8			·11		·05		·04							8
9					·05		·065				·165			9
10							·32				·30			10
11					·03	·06								11
12	·075				·005	·16			·35					12
13						·065	·165				·21			13
14					·05					·27				14
15	·17										·35			15
16	·08		·57	·01	·01	·14		·36		·02	·045			16
17			·27						·02		·03			17
18		·10				·10								18
19		·05	·10						·15			·035		19
20			·01			·71								20
21		·01			·005	·02		·145	·30					21
22					·18			·54	·03	·10	·07			22
23									·63		·01			23
24		·22			·10	·46			·40		·06			24
25		·27				·18			·08		·04	·05		25
26				·035					·055			·135		26
27					·33					·06				27
28										·31				28
29				·20						·06		·005		29
30	·255	×	·07									·12		30
31	·01	×	·13	×		×	·03	·105	×	·075	×			31
TOTAL	·710	·935	1·510	·245	1·170	1·895	·620	1·150	2·015	·960	1·420	·355	Year's Total 12·985	
*Days with ·01 in. or more.	8	9	11	3	12	9	5	4	9	8	13	5	96	
*Days with ·04 in. or more.	5	7	8	1	7	8	4	4	7	7	10	3	71	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) G. A. Rogers.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1181

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

111/Beds/3.

Kept at Castle Mill House Renhold Beds

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level ft.

File No: 4275/30

1931-32 & '33 N.P. Cow.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06							·15			·005	·28		1
2	·08		·06						·35	·03				2
3		·10		·13						·26		·03		3
4	·03		·04							·22	·045	·11		4
5			·02					·04	·02	·01	·035	·10		5
6			·09	·02	·27	·10				·13	·01	·255		6
7						·07		·08		·03		·05		7
8	·08				·09	·03		·08	·03		·03	·005	T	8
9			·04					·06			·255	·065		9
10			·11	·10							·27			10
11	·16		·26					·13				·025		11
12			·10				·025	·29				·02		12
13	·14			·02	T		·62					·27		13
14			·09		·005			·10			·22	·06		14
15			·03		·015				1·23	·08	·11	·08		15
16			·10		·115					·09	·01			16
17	·10									·07	·61	·055		17
18	·04			·195			·11		·085			·015		18
19			·08									·005	T	19
20			·02											20
21				·03		·16		·02		·075				21
22							·04	·04	·17					22
23				·15	·07	·08	·05					·01		23
24		·12	·085			·04	·10		·26					24
25	·10	·04				·03			·005 T			·24		25
26	·01	·01		·15		·02				·01		·02		26
27		·20				·19				·02		·155		27
28		·05				·06		1·0				·19		28
29							·215	·045	·145			·005	T	29
30	·03	×										·005	T.	30
31	·02	×		×		×			×	·255	×	·04		31
TOTAL	·85	·52	1·125	·795	·565	·78	1·16	2·035	2·295	1·28	1·00	2·09	Year's Total. 14·495	
* Days with .01 in. or more.	~~12~~	~~6~~	~~14~~	~~8~~	~~5~~	~~10~~	7	12	8	13	10	~~20~~	~~125~~	
* Days with .04 in. or more.	~~8~~	~~5~~	11	~~6~~	~~4~~	~~7~~	6	11	6	8	5	14	93	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. A. Rogers.

[P.T.O.

⊗ Goldington (CASTLE MILL HOUSE)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1181

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Beds/3

Kept at Castle Mills Renhold

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 75 ft.

File No 4275/30.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·165			·01		·06	·01			·03	·03			1
2						·01			·06	·02				2
3		·135	·035	·02		·005		·05	·06	·335	·10			3
4				·10						·06				4
5		·57		·08			·02		·05	·035	·045			5
6			·045	¼"		·045								6
7		·02		·23		·01					·43			7
8				·07						·165	·04	·04		8
9				·025		·31				·515	·05	·04		9
10		·02		·125		·01								10
11	·20					·015		·03			·14			11
12		·01				·06					·02			12
13	·075	·06		·07	·15			·14				·005		13
14					·11	·045			·035		·01	·035		14
15		·065		·12		·13			·03		·075	·15		15
16		·05	·07	·055		·14			·06	·01	·33	·085		16
17	·02					·09					·20			17
18				¼"	·065	·01	·25		·10	·035				18
19	·06			·07	·20	·08	·015				·12			19
20		·09		·20	·06	·07					·02			20
21	·02	·03	·05	·01					·51	·02	·10			21
22		·01							·60					22
23	·01		·01					·375						23
24		·25						·04	1·015	·01		·13		24
25	·015			·15		·36								25
26	·13								·03	·01		·10		26
27	·02	·07			·02				·06		·09	·21		27
28		·01							·175	·025		·02		28
29									·54		·02	·02		29
30	·055	×		·14	·01			·64	·03		·04	·02		30
31		×		×		×		·11	×	·63	×	·005		31
TOTAL	·77	1·39	~~·21~~	~~1·47~~	·61	1·45	·29	1·38	3·35	1·93	~~1·86~~	~~·86~~	Year's Total ~~15·57~~	
* Days with .01 in. or more.	11	14	5	16	7	16	4	7	15	14	18	11	138	
* Days with .04 in. or more.	6	8	3	12	5	11	1	6	11	5	13	7	88	

Letter of 16.1.36

40-9999

* See Instruction 2 (f) on other side.

G. A. ROGERS, ESQ.

† Spare column, no entries required.

(Signed) G. A. Rogers.

[P.T.O.

X GOLDINGTON (CASTLE MILL HOUSE) X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1181

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ~~CASTLE MILL HOUSE~~ RENHOLD

in the County of BEDFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 75 ft.

1934 [illegible] low

1935 [illegible] [illegible]

see min. 56 in file

Missing values estd. from surr. stns. [illegible] - form 906 sent 8/4

4275/30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·38	·07	·50		·04	·075	·04			·015	·05		1
2	·06	·01	·13	·02		·26	·70	·02			·22	·265		2
3						·57	·01		·055		·18			3
4			·10						·37			·10		4
5	·01	·005	·01					·015	·14			·08		5
6	·04				·02	·24		·19	·025		·04			6
7	·18		·015				·67		·01					7
8	·01										·17	·22		8
9	·095		·11		·005		·60		·02	·06				9
10	·05					·02	·24		·06	·04				10
11							·32				·27			11
12				·18		·46	·385		·05	·05	·22	·13		12
13				·10		·36	·01				·03	(·10) ✓		13
14		·115		·06		·025	·64		·05	·07		·20 ✗		14
15				·01		·02	·42		·10		·005	·05		15
16	·21						·01				·55			16
17	·04	·225				·17				·02	·145	✗		17
18		·025					·06			·07		·09 ✓		18
19	·27	·015	·055	·075		·18		·045						19
20	·01	·07		·20			·02		·86					20
21				·14		1·02	·04							21
22	·065	·56	·04		·61	·005	·18					·10		22
23		·01	·025		·04		·01							23
24	·10	·13		·10			·26		·25	·37				24
25	·04	·01	·17	·085		·245	·015		·19	·02	(·10)	(·05)		25
26		·07	·20			·01	·22			·02				26
27	·01	·01					·02		·035	·17				27
28	·48		·07			·25	·14		·01			·10		28
29	·275	·15				·115	·03			·07	·315	·02		29
30	·05	✕			(·20)	·32	·095			·21				30
31	·62	✕		✕		✕	·10		✕	·375	✕		d	31
TOTAL	2·655	1·785	·955	1·47	~~·845~~ 1·09	4·310	5·270	·310	2·225	1·545	~~2·160~~ 2·26	~~1·405~~ 1·55	Year's Total ~~25·025~~	25·43
* Days with .01 in. or more.	20	14	12	11	~~4~~ 5	17	25	5	15	13	~~11~~ 12	~~14~~ 16	~~161~~	(165)
* Days with .04 in. or more.	16	8	9	9	~~8~~ 4	13	17	3	10	10	~~9~~ 10	~~12~~ 14	~~119~~	(123)

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) X G. A. Rogers X

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1181

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Castle Mills Renhold
in the County of Bedfordshire
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	-	-	-	-	-	-	-	·01	-	·53	·35		1
2	-	·03	·02	·38	-	-	-	-	-	-	-	·01		2
3	-	·19	·10	-	-	-	-	-	-	-	-	·165		3
4	·055	·15	-	·005	-	-	-	·05	-	-	-	·76		4
5	·09	·02	·18	-		-	-	-	-	-	-	-		5
6	·02	-	·53	-	·21	-	·13	-	-	-	·015	-		6
7	-	·55	·005	-	·05	-	-	-	·01	-	-	·01		7
8	-	·06	-	-	-	·035	-	-		-	·35	-		8
9	-	-	-	·25	·38	-	·23	-	·125	-	-	·29		9
10		·015	·47	·06	·03	·25	-	-	-	-	-	·18		10
11	-	-	·22	-	·75	·005	-	-	-	-	-	·10		11
12	·05	·32	·04	-	·25	-	-	·34	·23	-	-	·04		12
13	·125	·03	·35	✓	-	·44	-	·36	✓	-	-	·20		13
14	-	·02	·25	✓ ·05	-	·02	-	·71	·04	-	-	-		14
15	·12	·08	-	·11	-	·005	·885	-	·01	-	-	·04		15
16	·075	·09	·15	·31	-	-	-	·05	✗ -	-	-	·04		16
17	·09	·01	·26	·31	-	·02	-	-	✗ ·55	-	·05	-		17
18	·09	·08	·05	✓	·02	·26	-	-	-	-		-		18
19	·08	-	-	·06	·015	-	-	-	·70	-	·43	-		19
20	·11	-	✗ -	·54	·64	·02	·17	-	✓	-	-	-		20
21	·08	·27	✗ ·10	·03	-	-	-	-	-	-		·015		21
22	·29	-	-	-	-	·03	-	-	-	·36	·14	-		22
23	·16	-	·09	-	·78	-	·16	-	-	✗		-		23
24	·20	·28	✓ -	-	-	·04	-	-	✗	·72	-	-		24
25	·05	·27	✓ ·05	-	1·02	-	-	-	✓ ·14	·165	-	-		25
26	-	·27	-	-	·28	-	-	-	-	✗	-	-		26
27	·01	·28	-	✗		-	-	-	-	·93	·01	-		27
28	-	·01	-	✓		-	-	-	-	·06	·02			28
29	-	✗	-	-		-	-	-	-	·02	·19	·09		29
30	·23	✗	-			·005	-	-	-	-		·05		30 d
31	·24	✗	-	✗		✗	-	-	✗	·08	✗	-		31 27·17
TOTAL	2·315	3·03 3·025	2·87 2·865	2·11 2·105	4·43 4·425	1·13	1·575	1·51	1·815	2·33 2·325	1·735	2·34	Year's Total 27·165	27·165 ✓
* Days with .01 in. or more.	20	20	17 15	14 ~~10~~	19	9	5	5	13 9	9 7	9	15	~~136~~	148
* Days with .04 in. or more.	19	13	14 4	9	9	4	5	5	7 8	8 6	6	12	~~108~~	✓ 111

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. A. Rogers

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1181.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Castle Mill House, Renhold,

in the County of Bedfordshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 79 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	.15	–	–	–	–	–	.05		1
2	.16	–	–	.05	.10	.07	–	–	–	.20	–	.02		2
3	–	–	–	–	.07	–	–	–	.04	.54	–	–		3
4	.06	–	–	–	–	.025	–	–	–	.20	–	.06		4
5	–	–	–	–	–	–	.15	–	.02	–	–	–		5
6	–	–	–	–	–	–	–	–	.25	.10	–	–		6
7	.12	–	–	–	–	–	.17	).69	.085	.25	–	.04		7
8	–	–	–	–	–	–	.29	.15	–	.20	–	–		8
9	.04	–	–	–	–	–	–	.12	–	–	–	.38		9
10	–	–	–	–	–	.115	.05	.20	–	–	–	.02		10
11	.46	.01	–	–	.01	–	–	.22	–	–	–	–		11
12	.05	.05	–	–	–	–	–	.68	–	.34	.03	–		12
13	.02	.09	–	–	–	–	–	.20	–	.01	.055	.07		13
14	.15	–	–	–	.04	–	–	–	.04	–	–	–		14
15	.07	–	–	–	–	–	.07	–	–	.08	–	.18		15
16	.04	.03	–	–	–	–	.10	–	–	–	.04	.24		16
17	–	.09	–	–	.11	–	.12	–	.01	.05	–	–		17
18	.02	–	–	–	.25	–	–	.04	.18	–	.20	–		18
19	–	–	–	–	–	–	–	–	.21	–	–	–		19
20	–	–	–	–	–	–	–	.05	.02	–	.47	.07		20
21	–	–	–	–	–	–	–	.15	.01	–	.02	1.13		21
22	–	–	–	–	–	–	–	.02	–	–	.18	.21		22
23	–	–	–	–	–	–	–	–	.08	–	–	–		23
24	–	–	.10	–	–	–	–	–	.27	–	.03	–		24
25	.10	.03	.04	–	.025	–	–	.20	–	.11	.39	–		25
26	.10	.22	.09	–	–	–	–	–	.045	.19	–	.09		26
27	–	.03	–	–	.24	.16	.165	–	.32	.07	–	.14		27
28	.07	–	–	–	.73	.10	–	–	.01	–	–	–		28
29	.45	X	–	–	.16	–	–	–	.10	–	.02	.18		29
30	.11	X	–	–	–	–	–	–	.04	.02	.09	.115		30
31	–	X	–	X	.12	X	–	–	X	.14	X	.29		31
TOTAL	2.02	0.55	0.23	0.05	1.185 1.85	0.62	1.11	2.72	1.73	2.50	1.525 1.53	3.28	Year's Total 18.18 18.19	5
* Days with .01 in. or more.	16	8	3	1	11	6	8	12	17	15	11	17	~~125~~	
* Days with .04 in. or more.	14	4	3	1	9	5	8	11	12	13	17	15	~~108~~	112

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. A. Rogers

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1181.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Castle Mill House, Renhold.
in the County of Bedfordshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 79 ft.

2/40 letter re length of gauge
Entry on 28th Feb inserted to agree monthly totals

?·75

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	–	–	·21	·20	–	·31	–	·13	–	–	–		1
2	·04	–	–	✓	–	–	–	·70	·20	·03	–	·01		2
3	·31	–	–	·11 ×	–	–	–	·05	–	–	·21	·22		3
4	·04	–	–	·26	–	–	–	·68	–	·11	·05	·05		4
5	–	–	·17	·34	·06	–	·02	·40	–	·06	× ·20	·67		5
6	·37	·03	–	–	–	–	·13	·71	–	–	✓	–		6
7	·10	–	–	–	–	–	·005	·17	–	–	·11	·07		7
8	–	·03	·11	–	–	–	·68	·10	–	× ·54	·05	·31		8
9	–	–	–	–	–	–	–	·15	–	×	–	·11		9
10	·31	–	–	–	–	·46	–	–	–	–	·01	–		10
11	–	–	·23	–	–	·04	–	–	·03	–	–	–		11
12	–	–	–	–	–	·17	–	–	–	–	·03	–		12
13	–	–	–	–	–	–	–	–	·05	·75	–	–		13
14	× ·31	–	–	·01	·35	·02	·02	–	·07	–	·11	–		14
15	×	–	·08	–	·56	·22	·12	–	·11	·75	× ·33	–		15
16	·20	–	–	–	·06	·47	–	–	–	·28	×	–		16
17	·12	–	·03	·11	–	–	·33	–	–	–	·02	–		17
18	·08	–	–	–	–	·18	·12	–	–	·18	·47	–		18
19	·21	·01	–	–	–	·02	·14	–	–	·23	–	–		19
20	·08	–	–	–	–	·01	·11	·18	–	–	–	·015		20
21	·06	–	·24	–	–	·30	·64	·02	–	–	–	–		21
22	·13	·16	·09	–	–	·005	·02	–	·06	–	–	–		22
23	·06	–	–	·05	–	–	·09	–	–	·05	–	–		23
24	·15	–	–	✓	–	–	·67	–	–	–	–	–		24
25	·81	·09	× ·41	·03	–	–	·04	·36	–	–	·22	–		25
26	·36	–	×	–	–	–	–	·03	–	–	–	–		26
27	–		·16	–	–	–	·03	–	–	–	·46	–		27
28	–	(·15)	·09	·03	–	–	–	–	–	× ·42	·12	·12		28
29	–		–	·59	·005	–	·30	·03	–	×	–	–		29
30	–	✕	–	·58	–	·06	–	–	–	–	·02	–		30
31	–	✕	–	✕	–	✕	·05	–	✕	–	✕	–		31
TOTAL	3.77	0.47	1.61	2.32	1.23	1.95 6	3.21 3	3.58	0.65	3.40	2.41	1.57	Year's Total 26.20	
* Days with .01 in. or more.	~~19~~ 20	~~6~~ 5	~~10~~ 11	~~11~~ 12	~~6~~ 5	12	19	13	7	~~11~~ 13	~~18~~ 17	9	14[illegible] ~~138~~	
* Days with .04 in. or more.	~~18~~ 19	~~3~~ 2	~~9~~ 10	8	5	8	14	10	6	~~10~~ 12	~~11~~ 12	7	113 ~~109~~	

"d"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. A. Rogers

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1181.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Castle Mill House, Renhold,

in the County of Bedfordshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 75 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	–	.07	–	–	–	–	–	.05	–		1
2	–	–	–	.30	–	–	–	–	–	– 4	.92	–		2
3	–	–	–	.20	–	–	–	–	–	4 .11	.60	.07		3
4	–	.29	–	–	–	–	.01	–	–	.18	.94	.03		4
5	–	.04	–	–	–	–	.18	–	–	.01	.45	–		5
6	4 –	.13	–	–	.05	–	.26	–	–	.16	.22	–		6
7	4 .42	–	–	–	–	–	.05	–	Tr.	–	–	–		7
8	–	–	–	–	–	–	–	–	–	.06	.01	4		8
9	–	–	.03	.01	–	.68	–	–	.05	–	.03	4 .31		9
10	–	–	–	–	–	–	1.09	.02	–	– 4	.20	.23		10
11	–	–	–	–	–	–	.02	–	–	–	.63	.13		11
12	–	–	.04	–	–	–	.05	–	.05	–	.04	–		12
13	–	–	4	–	–	–	.02	.04	.03	–	.98	–		13
14	–		4 .98	.13	–	–	–	–	.03	–	–	.18		14
15	–	.08	.08	–	.06	–	.08	–	–	–	.11	.01		15
16	.11		4	–	–	–	.45	–	.10	4 .70	.65	–		16
17	–	.09	4 .66	–	–	–	.02	–	–	–	.23	–		17
18	–		.17	.42	–	–	.29	.06	–	–	.03	.06		18
19	–	.61	.07	.14	–	–	–	–	.27	–	.10	–		19
20	–	–	–	.03	–	–	.05	.03	–	–	–	–		20
21	.07	–	.02	–	.04	–	.18	–	–	.13	.47	–		21
22	–	–	.03	–	.13	4	–	–	.11	–	–	–		22
23	–	.20	–	–	.32	4 .36	–	–	.01	–	–	.05		23
24	–	–	–	–	–	–	.08	–	–	–	–	–		24
25	–	–	–	–	–	–	.62	–	–	–	–	–		25
26	.82	.03	–	–	.08	–	.31	–	–	–	–	–		26
27	4	–	–	.31 ✓	.01	–	.27	.05	–	–	–	–		27
28	4 .68	.21	–	–	.07	–	–	–	–	–	–	–		28
29	–	–	–	–	.31	–	–	–	–	–	–	4 –		29
30	4	✗	–	.13	–	–	–	–	–	4	–	.20		30
31	.07	✗	–	✗	–	✗	–	–	✗	4 .60	✗	–		31
TOTAL	2.17	1.68	2.08	1.67	1.14	1.04	4.03	0.20	0.65	1.95	6.66	1.27	Year's Total 24.54	Print
* Days with .01 in. or more.	9	12	11	9	10	3	18	5	8	11	18	12	126	WH
* Days with .04 in. or more.	8	10	8	7	9	3	14	3	5	10	15	9	101 ~~98~~	

1.57

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. a Rogers.

[P.T.O.

BEDFORD / PUTNOE LANE

1181/3
BEDFORD
PUTNOE LANE
1938 - 1939

780210

Section A for the entry of Da
AIR MINISTRY.-

FORM 1090

1/39 Station No. 1181/3
RAINFALL ORGANIZATION

REGIST 1938

Kept at "LONG ACRE", 67 Pu
in the County of BEDFO
Diameter of Funnel of Gauge 5
Height of top of Gauge above Groun
,, Ground ,, Sea Le

Dec., Estimated } obs from
[illegible], was too big
means } nearby station
made in red (see letters)

THE MORNING MEASUREM... EVIOUS DAY

Cur 23/1

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

July need not be estimated

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1												·06		1
2										·27		·01		2
3									·04	·53				3
4										·27		·06		4
5								·02	·02					5
6								·37	·38	·05				6
7								·28	·15	·32		·12		7
8								·06		·15		trace		8
9								·30				·46		9
10								·36				·02		10
11														11
12								·43		·31	·09			12
13								·05				·09		13
14									·06					14
15										·08		·16		15
16												·26		16
17														17
18									·22		·24			18
19								·05	·03					19
20								·10			·42	·04		20
21												(·75)		21 Snow
22												(·40)		22
23												~~·00~~ ·08		23
24									·26					24
25								·29		·14	·64			25
26									·05	·16		(·05)	12	26
27							~~·14~~	·96			·27			27
28							·01		·26		·10	·03		28
29											·04	·13		29
30		✕							·13		·10	·06		30
31		✕		✕		✕			✕	·16	✕	·35		31 wp
TOTAL							—	3·27	1·59	2·44	1·90	3·~~45~~08	Year's Total	incomplete
* Days with .01 in. or more.								12	11	11	8	~~15~~ 18		GB
* Days with .04 in. or more.								11	9	11	8	~~12~~ 14		23/3/39

H.F. BRIGGS ESQ.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H. F. Briggs

[P.T.O.

BEDFORD / PUTNOE LANE

Section A for the entry of Daily Observations

3/1/39 Station No. 1181/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at "LONG ACRE", 67 PUTNOE LANE. BEDFORD.
in the County of BEDFORDSHIRE.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 105 ft.

Entry of 23rd Dec., estimated by observer from depth of snow, was too big. Estimates made by nearby station have been made in red (see letter)

RECEIVED OBSERVER

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Cw 23/1

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

July need not be estimated

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1												·06		1
2										·27		·01		2
3									·04	·53				3
4										·27		·06		4
5								·02	·02					5
6								·37	·38	·05				6
7								·28	·15	·32		·12		7
8								·06		·15		trace		8
9								·30				·46		9
10								·36				·02		10
11														11
12								·43		·31	·09			12
13								·05				·09		13
14									·05					14
15										·08		·16		15
16												·26		16
17														17
18									·22		·24			18
19								·05	·03					19
20								·10			·42	·04		20
21												(·75)		21 Snow [illegible]
22												(·40)		22
23												~~1·00~~ ·03		23
24									·26					24
25								·29		·14	·64			25
26									·05	·16		(·05)	123	26
27							~~·14~~	·96			·27			27
28							~~·01~~		·26		·10	·03		28
29											·04	·13		29
30		✕							·13		·10	·06		30
31		✕		✕		✕			✕	·16	✕	·35		31 wp
TOTAL							—	3·27	1·59	2·44	1·90	3·~~45~~08	Year's Total	incomplete
* Days with .01 in. or more.								12	11	11	8	~~15~~ 18		GB
* Days with .04 in. or more.								11	9	11	8	~~12~~ 14		23/3/39

H.F. BRIGGS ESQ.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) H. F. Briggs [P.T.O.

BEDFORD (PUTNOE LANE) **COPY FOR OFFICIAL USE**

Section A for the entry of Daily Observations

Station No. 1181/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at 'LONG ACRE' 67 PUTNOE LANE BEDFORD

in the County of BEDFORD.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 105 ft.

Jan amended by nearby stns.

871941/39

Entry on Nov. 5th apportioned by ref to nearby stns.

Letter sent 4/5/40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·30			·18		·37					1
2								·53						2
3				·14				·55				·30	~~·30~~	3
4			·19	·23				·15		·09	(·39)			4
5				·35	·16			·79		·08	~~·79~~			5
6							·16	·10						6
7							·02	·07						7
8	4·00 ~~2·50~~							·07						8
9								·14		·58		1.25	~~1·25~~	9
10	·38					·47		·15						10
11			·35			·05								11
12						·06					·24			12
13										·70				13
14					·36	·04	·10							14
15	·32				·56	·16	·14		·53	·78	·15			15
16					·10	·59	·05		·10		·30			16
17	·42			12			·15			·26				17
18	·18					·15	·14							18
19	·25						·30							19
20						·03	·13							20
21			·35			·17	·10							21
22	·31	·26	·08			·02								22
23	·05						·14				1·10			23
24			·03											24
25			·45				·09	·45						25
26	Snow		·08	·14							·63	·16	~~·16~~ snow.	26
27	Snow		·13				·02							27
all snow of 28th → 28	1·54	·22					·02			·75	·20			28
29				·61	·02		·38			(·40)				29
30		✕		·64		·13								30
31		✕		✕		✕			✕		✕			31
TOTAL	(4·45) ~~5·75~~	.48	1.66	2.53	1.20	1.87	2.12	3.00	1.00	3·64 ~~3·24~~	3·01 ~~3·41~~	1.71	Year's Total ~~27.97~~	Print WH 26·67 "d" WH
* Days with .01 in. or more.														
* Days with .04 in. or more.														

severe drought

severe drought

This amount fell during period of drought

H. F. BRIGGS, Esq.

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) H. F. Briggs

[P.T.O.

1181/5
BROMHAM
PARK HSE
1935-1940

78 02 10

Section **A.** for the entry of Da

AIR MINISTRY.— FALL ORGANIZATION.

Station No. 1181/5

FORM 1090.

REGISTE 1935.

Kept at Park House, B

in the County of Bedford

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	—	·05	·10	—	·10	—	—	—	·05	·15	·10	1
2	—	—	·05	·05	—	·05	—	—	—	·15	—	—	2
3	—	·22	—	·05	—	—	—	·05	·20	·25	·20	—	3
4	—	—	·07	·10	—	—	—	—	·05	·10	—	—	4
5	—	·70	—	·17	—	—	—	—	·05	·15	·10	—	5
6	—	—	—	·30	—	·20	—	—	—	—	—	—	6
7	·10	—	—	·35	—	—	—	—	—	·10	·55	·20	7
8	—	—	—	·20	tr	—	—	—	—	·25	·15	·10	8
9	—	—	—	·25	—	·35	—	—	—	·70	·10	·10	9
10	—	—	—	·35	—	—	—	—	—	—	·05	—	10
11	·12	—	—	·10	—	·20	—	—	—	·05	·30	—	11
12	—	tr	—	—	—	·10	—	—	—	—	tr	—	12
13	—	·20	—	·15	·20	—	—	—	—	—	—	—	13
14	·15	—	—	·20	·23	tr	—	—	·25	—	·20	·25	14
15	—	·12	—	·45	—	·40	—	—	·12	—	·25	·15	15
16	—	·05	—	·15	—	·20	—	—	·30	—	·48	—	16
17	—	—	—	tr	—	—	·15	—	—	—	·54	—	17
18	—	—	—	·35	·25	·20	—	—	·25	—	—	—	18
19	—	—	—	·20	·40	·10	·08	—	·15	—	·20	—	19
20	—	·10	tr	·15	—	—	—	—	·05	—	·15	—	20
21	—	·20	—	tr	—	—	—	—	·65	—	·20	—	21
22	—	·05	0.5	·20	—	—	—	·15	·70	—	—	—	22
23	tr	—	·20	—	—	—	—	·60	—	tr	—	—	23
24	·05	·35	trace	—	—	—	—	—	1·20	—	—	·35	24
25	·15	·05	—	·20	—	·40	—	—	—	—	—	·20	25
26	—	·05	—	—	·10	—	—	·20	·07	—	—	·25	26
27	—	·10	—	—	tr	—	—	—	·15	—	·18	·60	27
28	—	·15	—	—	—	—	—	—	·08	—	—	·10	28
29	—	—	tr	—	·15	—	—	—	·75	—	·10	·15	29
30	·06	×	—	·05	—	—	—	·62	·05	—	·35	·30	30
31	—	×	—	×	—	×	—	·06	×	·85	×	·15	31
TOTAL	·79	2·34	·42	4·12	1·33	2·30	·23	1·73	5·07	2·65	4·25	3·15	YEAR'S TOTAL 28·3~~7~~8
*Days with ·01 in. or more.	7	13	5	21	6	11	2	6	17	10	18	14	130
*Days with ·04 in. or more.	7	13	5	21	6	11	2	6	17	10	18	14	130

up late EB 23/3/35

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

Section **A.** for the entry of Daily Observations.

Station No. 1181/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Park House, Bromham

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	—	·05	·10	—	·10	—	—	—	·05	·15	·10	1
2	—	—	·05	·05	—	·05	—	—	—	·15	—	—	2
3	—	·22	—	·05	—	—	—	·05	·20	·25	·20	—	3
4	—	—	·04	·10	—	—	—	—	·05	·10	—	—	4
5	—	·70	—	·17	—	—	—	—	·05	·15	·10	—	5
6	—	—	—	·30	—	·20	—	—	—	—	—	—	6
7	·10	—	—	·35	—	—	—	—	—	·10	·55	·20	7
8	—	—	—	·20	tr	—	—	—	—	·25	·15	·10	8
9	—	—	—	·25	—	·35	—	—	—	·70	·10	·12	9
10	—	—	—	·35	—	—	—	—	—	—	·05	—	10
11	·12	—	—	·10	—	·20	—	—	—	·05	·30	—	11
12	—	tr	—	—	—	·10	—	—	—	—	tr	—	12
13	—	·20	—	·15	·20	—	—	—	—	—	—	—	13
14	·15	—	—	·20	·23	tr	—	—	·25	—	·20	·25	14
15	—	·12	—	·45	—	·40	—	—	·12	—	·25	·15	15
16	—	·05	—	·15	—	·20	—	—	·30	—	·48	—	16
17	—	—	—	tr	—	—	·15	—	—	—	·54	—	17
18	—	—	—	·35	·25	·20	—	—	·25	—	—	—	18
19	—	—	—	·20	·40	·10	·08	—	·15	—	·20	—	19
20	—	·10	tr	·15	—	—	—	—	·05	—	·15	—	20
21	—	·20	—	tr	—	—	—	—	·65	—	·20	—	21
22	—	·05	0·5	·20	—	—	—	·15	·70	—	—	—	22
23	tr	—	·20	—	—	—	—	·60	—	tr	—	—	23
24	·05	·35	trace	—	—	—	—	—	1·20	—	—	·35	24
25	·15	·05	—	·20	—	·40	—	—	—	—	—	·20	25
26	—	·05	—	—	·10	—	—	·20	·07	—	—	·25	26
27	—	·10	—	—	tr	—	—	—	·15	—	·18	·60	27
28	—	·15	—	—	—	—	—	—	·08	—	—	·10	28
29	—	—	tr	—	·15	—	—	—	·75	—	·10	·18	29
30	·06	×	—	·05	—	—	—	·68	·05	—	·35	·30	30
31	—	×	—	×	—	×	—	·05	×	·85	×	·15	31
TOTAL	·79	2·34	·42	4·12	1·33	2·30	·23	1·73	5·04	2·65	4·25	3·15	YEAR'S TOTAL 28·38
*Days with ·01 in. or more.	7	13	5	21	6	11	2	6	17	10	18	14	130
*Days with .04 in. or more.	7	13	5	21	6	11	2	6	17	10	18	14	130

wp late EB 23/3/35

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

SOLD BY H.M. STATIONERY OFFICE

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1181/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at PARK HOUSE, BROMHAM

in the County of BEDFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·29	·18	·55	—	tr	·16	tr	—	—	·03	·06		1
2	·10	—	—	—	—	·48	·64	·12	—	—	·45	·20		2
3	—	—	·28	—	—	·15	—	—	tr	—	·20	—		3
4	—	—	·03	—	—	·12	—	—	·75	—	·16	·22		4
5	·15	—	—	—	—	—	—	—	·22	—	—	—		5
6	·18	—	·12	—	·08	·25	—	·22	tr	—	·08	—		6
7	·30	—	·24	—	—	—	1·28	—	·05	—	—	—		7
8	·17	—	·10	—	—	—	—	—	—	—	·30	—		8
9	·65	—	—	—	—	—	·87	—	—	—	—	—		9
10	—	—	—	—	—	—	·64	·12	·25	·12	—	—		10
11	—	—	—	tr	—	—	·30	—	—	—	·35	—		11
12	—	—	—	·29	—	·63	·45	—	·12	—	·30	—		12
13	—	—	—	—	—	·84	—	—	—	·08	·08	·30		13
14	—	·09	—	·12	—	·03	·55	—	·35	—	—	·28		14
15	—	—	—	—	—	—	·48	—	·10	—	tr	·10		15
16	—	·15	—	—	—	—	—	—	—	—	·65	·08		16
17	·38	·40	—	—	—	—	—	—	—	—	·15	·03		17
18	—	·05	—	—	—	·18	·19	—	·05	·10	·04	—		18
19	·44	·03	—	·06	—	·16	—	tr	—	·05	—	—		19
20	—	·15	tr	·34	—	tr	—	—	·92	—	—	—		20
21	—	—	—	·19	—	1·18	—	—	·40	—	—	—		21
22	—	·42	·20	—	·80	·04	·18	—	—	—	—	—		22
23	—	—	tr	·18	·04	—	·05	—	—	—	—	—		23
24	·20	·18	—	—	—	—	·20	—	·20	·40	—	—		24
25	·08	—	·38	·12	—	·40	·05	—	·34	·12	·10	—		25
26	—	·15	·45	—	—	—	·25	—	—	·28	—	—		26
27	·03	—	—	tr	—	—	—	—	·22	—	—	—		27
28	·62	·04	·12	—	—	tr	·40	—	tr	—	—	·30		28
29	—	·20	·09	—	—	·14	tr	—	—	·14	·30	·05		29
30	·58	✕	—	—	·29	·30	·20	—	—	·20	—	—		30
31	·75	✕	·16	✕	—	✕	·05	—	✕	·45	✕	·12		31
TOTAL	4·78	2·45	2·35	1·85	1·21	4·90	6·95	·46	3·99	1·94	3·19	1·76	Year's Total 35·83	
* Days with .01 in. or more.	15	12	1~~4~~2	~~10~~8	4	1~~3~~4	1~~9~~8	~~5~~3	1~~6~~3	10	1~~5~~4	11	1~~48~~34	
* Days with .04 in. or more.	14	15	11	8	4	13	18	3	13	10	13	11	129	

[illegible]
23/3/39

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

Section A for the entry of Daily Observations

Station No. 1181/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at PARK HOUSE BROMHAM
in the County of BEDFORDSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·38	—	—	—	—	—	—	·03	—	·54	·30		1
2	·10	—	—	·28	—	—	—	—	—	—	—	—		2
3	tr	·30	—	—	—	—	—	—	—	—	—	·35		3
4	—	·25	—	—	—	—	—	—	—	—	—	·60		4
5	·05	—	·25	—	—	—	—	—	—	—	—	—		5
6	·18	—	·38	—	·10	—	·10	—	—	—	—	—		6
7	·04	·65	—	·10	—	—	—	—	—	—	—	—		7
8	—	·12	—	·20	—	—	—	—	—	—	·38	·15		8
9	—	—	—	—	·45	—	·38	—	·30	—	—	—		9
10	—	—	·35	·33	—	·95	—	—	—	—	—	·45		10
11	—	—	·35	—	·80	—	—	—	—	—	—	·08		11
12	·08	·45	·09	—	·30	·10	—	·45	·33	—	—	·12		12
13	·10	·10	·33	tr	—	·25	—	·25	—	—	—	—		13
14	·18	·05	·42	tr	—	—	—	·70	·04	—	—	·08		14
15	—	·08	—	·20	—	—	·90	—	·08	—	—	·12		15
16	·32	·04	·29	·35	—	—	—	·04	·29	—	—	—		16
17	·25	—	·35	·30	—	—	—	—	·54	—	—	—		17
18	—	·25	—	·08	—	—	—	—	·58	—	·45	—		18
19	·30	·12	·08	·10	05	40	—	—	—	—	·10	—		19
20	·18	—	·03	·54	·40	22	—	—	—	—	—	—		20
21	·45	·30	tr	·08	—	—	·12	·05	—	—	—	—		21
22	·25	tr	—	—	tr	10	·08	—	—	·35	·35	—		22
23	·32	—	·20	—	·40	—	·20	—	—	·64	—	—		23
24	—	·28	—	—	—	—	·05	—	·05	·12	—	—		24
25	—	·32	—	—	105	—	—	—	—	·25	—	—		25
26	—	·25	·12	—	·35	—	—	—	—	13	—	—		26
27	—	·12	—	·12	—	—	—	—	tr	·45	—	—		27
28	—	—	—	—	—	—	—	—	—	·05	—	·08		28
29	—	·30	—	—	—	—	—	—	—	tr	·05	·04		29
30	—	✕	—	—	—	—	—	—	—	—	·25	—		30
31	·40	✕	—	✕	—	✕	—	—	✕	·10	✕	·04		31
TOTAL	3·20	4·79	3·54	6 2·~~8~~2	4·20	1·62	8 1·[illegible]3	1·49	2·24	2·39	2·13	2·44	Year's Total 5 32·~~8~~5	
* Days with .01 in. or more.	5 1~~6~~	8 1~~9~~	3 1~~4~~	2 1~~4~~	9 ~~10~~	6	7	5	9 ~~10~~	8 ~~9~~	7	12	1 12~~9~~	
* Days with .04 in. or more.	15	18	12	12	9	6	7	5	8	8	7	12	119	

up late 23/3/38

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

BROMHAM (PARK HOUSE)

Section **A** for the entry of Daily Observations

Station No. 1181/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at PARK HOUSE, BROMHAM

in the County of BEDFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 170 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the **Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	·30	—	—	—	·16	—	·08		1
2	—	—	—	—	·18	·08	—	—	—	·32	—	—		2
3	·12	—	—	—	·03	—	—	—	·06	·50	—	—		3
4	·04	—	—	—	—	—	—	—	—	·25	—	·05		4
5	—	—	—	—	—	—	·25	·06	—	·09	—	—		5
6	—	—	—	—	—	—	—	—	·32	—	—	—		6
7	·08	—	—	—	—	—	·38	·42	·15	·35	—	·10		7
8	·12	—	—	—	—	—	·05	—	—	·14	—	—		8
9	·05	—	—	—	—	—	—	·54	—	—	—	15		9
10	·12	—	—	—	—	—	·04	·38	—	—	—	~~17~~		10
11	·45	—	—	—	—	—	—	—	—	—	—	·55		11
12	·01	—	—	—	—	—	—	·58	—	·30	—	—		12
13	·09	—	—	—	—	—	—	·02	—	—	·23	—		13
14	·12	—	—	—	—	—	—	—	—	—	—	—		14
15	·14	—	—	—	—	—	·12	—	—	·08	—	·10		15
16	—	—	—	—	—	—	·14	—	—	—	—	—		16
17	·10	·28	—	—	·30	—	·12	—	·05	·05	·04	·25		17
18	·08	—	—	—	·22	—	—	—	·13	—	·25	·24		18
19	—	—	—	—	—	—	—	—	·04	—	·20	—		19
20	—	—	—	—	—	—	—	·05	·01	—	·45	—		20
21	—	—	—	—	—	—	—	—	—	—	—	·18		21
22	—	—	—	—	—	—	—	—	—	—	·29	—		22
23	—	—	—	—	—	—	—	—	—	—	·08	—		23
24	—	—	~~05~~	—	—	—	—	—	·20	—	·40	—		24
25	·16	·25	·05	—	—	—	—	·25	·02	·10	—	—		25
26	·07	·39	·15	—	—	—	—	—	—	·20	·02	—		26
27	·08	—	—	—	·30	·05	·20	tr	·25	—	·27	·09		27
28	·10	·05	—	—	·58	·25	—	1·10	—	—	—	·40		28
29	·52	[illegible]	—	—	·25	—	—	—	—	—	·12	·50		29
30	—	✕	—	—	—	—	—	—	—	·05	·09	—		30
31	·12	✕	—	✕	—	✕	—	—	✕	·15	✕	·43	"d"	31
TOTAL	2·67	·97	·20	—	1·86	·68	1·30	3·40	1·23	2·74	2·48 5	3·12	Year's Total 20·68 2	✓ Print
* Days with .01 in. or more.	~~19~~	~~4~~	~~2~~	~~—~~	~~7~~	~~4~~	~~8~~	~~9~~	~~10~~	~~14~~	~~12~~	~~13~~	~~102~~	GB 23/3/39
* Days with .04 in. or more.	19	4	2	—	6	4	8	8	8	14	11	13	97	✓

MISS ~~A~~ HULSE.

† Spare column, no entries required.

* See Instruction 3 (f) on other side. P.T.O.

(*Signed*) A. Isabel Hulse

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1181/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at PARK HOUSE, BROMHAM

in the County of BEDFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·20	·25	–	–	–	·11	–	–	–		1
2	–	–	–	·19	–	–	–	·30	·35	–	–	–		2
3	–	–	–	·25	–	–	–	·60	–	–	·20	·35		3
4	–	–	·20	–	–	–	–	·07	–	–	·05	–		4
5	–	–	–	·35	·12	–	–	·65	–	·12	·22	·92		5
6	·85	–	–	tr	–	–	·22	·03	–	–	–	–		6
7	–	·05	–	–	–	–	–	·04	–	–	·18	·12		7
8	–	·03	–	–	–	–	·06	·12	–	·18	–	·40		8
9	–	·06	–	–	–	–	–	·14	–	·72	–	·12		9
10	·40	–	–	–	–	·50	–	·18	–	–	–	–		10
11	–	–	·35	–	–	·04	–	–	–	–	–	–		11
12	–	–	–	–	–	–	–	–	–	–	·05	–		12
13	–	–	–	–	–	–	–	–	–	·55	–	–		13
14	·30	–	–	–	·55	–	·12	–	·31	·20	·18	–		14
15	–	–	–	–	·75	·25	·10	–	·10	·72	·09	–		15
16	·30	–	·07	tr	·12	·95	·19	–	–	·28	·33	–		16
17	·29	–	–	·03	–	–	·05	–	–	·10	·03	–		17
18	·09	–	–	·10	–	·15	·22	–	–	·30	·56	–		18
19	·28	–	–	–	–	–	·33	–	–	·05	–	–		19
20	·20	–	–	–	–	–	·15	·29	–	–	–	–		20
21	–	·05	·30	–	–	·20	·15	·12	·05	–	–	–		21
22	·28	·18	·10	–	–	–	·02	–	–	–	·12	–		22
23	·04	–	–	·05	–	–	·13	–	–	·15	·54	–		23
24	1·11	–	·48	–	–	–	·09	–	–	–	–	–		24
25	–	·11	–	–	–	–	·05	·22	–	–	–	–		25
26	·49	–	·04	–	–	–	·03	·03	–	·20	·75	–		26
27	–	–	·19	–	–	–	–	–	–	·15	–	–		27
28	–	–	·10	–	–	–	–	–	–	·12	·15	–		28
29	–	·18	–	·64	–	–	–	–	–	·40	–	–		29
30	–	✕	–	·53	–	–	·30	–	–	–	–	–		30
31	–	✕	–	✕		✕	·15	–	✕	–	✕			31
													Year's Total	
TOTAL	4·63	·66	1·83	2·34	1·79	2·09	2·36	2·79	·92	4·24	3·45	1·91	29·01	✓
* Days with .01 in. or more.	~~12~~	~~7~~	~~9~~	~~9~~	~~5~~	~~6~~	~~17~~	~~13~~	~~5~~	~~15~~	~~14~~	~~5~~	~~107~~	"d"
* Days with .04 in. or more.	12	6	9	8	5	6	15	11	5	15	13	5	100	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1181/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Snow Circ. sent 5-3-41.

Snow – Jan + Feb ~~estd~~ from nearby stns.

869281/39.

Kept at BROMHAM (PARK HOUSE)

in the County of Bedfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	·09	–	–	–	–	–	–	–		1
2	–	–	–	·20	–	–	–	–	–	–	·85	–		2
3	–	~~·85~~	–	·09	–	–	–	–	–	·11	·75	·10		3
4	–	(·60)	–	–	–	–	–	–	–	·17	·53	–		4
5	–	–	–	–	–	–	–	–	–	·03	·42	–		5
6	–	–	–	–	–	–	–	–	–	·18	·20	–		6
7	–	–	–	–	·12	–	–	–	–	–	–	–		7
8	·48	–	–	–	–	–	–	–	–	·05	–	–		8
9	–	–	–	–	–	·35	–	–	–	–	–	·15		9
10	–	–	–	–	–	–	·63	–	–	·15	·39	·27		10
11	–	–	–	–	–	–	–	–	–	–	·68	–		11
12	–	–	–	–	–	–	–	–	–	–	·05	·02		12
13	–	–	–	–	–	·19	–	–	–	–	·85	–		13
14	–	–	·85	–	·09	–	–	–	–	–	–	–		14
15	(·10)	–	–	–	–	–	·20	–	–	–	·05	·17		15
16	–	–	·48	–	–	–	·33	–	·20	·80	·65	–		16
17	–	–	·28	–	–	–	·18	–	–	–	·10	–		17
18	–	–	·20	·65	–	–	·28	–	–	·05	–	–		18
19	–	–	–	–	–	–	–	–	–	–	·05	·05		19
20	–	·55	–	·18	–	–	–	–	–	·05	–	·05		20
21	–	–	–	–	·10	–	–	–	–	·15	·56	–		21
22	–	–	·09	–	·25	·35	–	–	·30	–	–	–		22
23	–	·39	–	–	·20	·15	–	–	–	–	–	–		23
24	–	–	–	–	–	–	–	–	–	·05	–	–		24
25	–	–	–	–	–	–	·75	–	–	–	–	–		25
26	(1·50)	–	–	–	·05	–	·30	–	–	–	–	–		26
27	–	–	–	·55	·18	–	–	–	–	·08	–	–		27
28	–	·20	–	–	·20	–	–	–	–	–	–	–		28
29	–	–	–	–	·10	–	–	–	–	–	–	–		29
30	–	✕	–	·35	–	–	–	–	–	·12	–	·25		30 Pit
31	–	✕	–	✕	–	✕	–	–	✕	·40	✕	·05		31 Wt.
TOTAL	(2·08) ~~·48~~	1·74 ~~1·99~~	1·90	2·02	1·38	1·04	2·67	0	·50	2·39	6·12	1·11	Year's Total ~~21·60~~	22·95
* Days with .01 in. or more.	1	4	5	6	10	4	7	0	2	14	14	9	76	
* Days with .04 in. or more.	1	4	5	6	10	4	7	0	2	13	14	8	74	"d"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Mrs) (*Signed*) A. Lizabeth Johnston [P.T.O.

1182

Section **A** for the entry of Dai

AIR MINISTRY.—

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGISTE

3 1 .

1182

GT. BARFORD

1931 - 40

480210

Kept at GREAT BA

in the County of BEDF

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

" Ground " Sea Level

THE MORNING MEASUREM ...AY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03	·04	·10		·01			·03				1
2		·04		·27	·04	·02	·01		·49				2
3	·10	·02		·08	·21			·11	·81		·06	·17	3
4		·02		·02			·06	·40	·15				4
5						·41	·27	·01	·04			·32	5
6		·03		·06		·02	·01			·18	·37		6
7						·01	·01	·48		·05	·07		7
8		·13	·06	·02		·01		·30				·03	8
9	·04	·19	·01	·01		·36		·01			·23		9
10	·02	·05				·06	02	·25			·10	·01	10
11	·15	·05				·01					·12		11
12		·02		·01			·18		·24				12
13	·03						·02	·14					13
14	·03				·06	·03	·70	·57					14
15	·04	·13		·23	·11		·14	·11					15
16		·21		·17	·22			·15	·11				16
17		·06			·47	·03	·12		·17				17
18	·02	·11		·29	·02	·02		·14			·42		18
19	·01			·35		·21	·20						19
20	·01	·02		·20			·12	·15		·05			20
21	·02	·01			·91			·01					21
22	·09		·02						·01				22
23	·21			·01	·24	·01			·02		·13	·04	23
24				·17	·13	·01	·07					·02	24
25				·35	·07		1·08				·14		25
26		·05		·23	·03		·41				·10		26
27	·11	·58		·02							·20		27
28	·10	·11		·04	·02		·04					·08	28
29				·09	·04		·11			·21		·01	29
30	·09	×		·01	·01		·04	·11					30
31	·25	×		×		×	·01		×		×		31
TOTAL	1·32	1·86	·13	2·73	2·58	1·22	3·62	2·88	2·07	·49	1·94	·68	YEAR'S TOTAL 21·52
*Days with ·01 in. or more.	17	19	4	21	15	15	20	15	10	4	11	8	159
*Days with ·04 in. or more.	9	12	2	14	11	4	14	12	7	4	11	4	104

40-9999

(Signed) J. Arnold Whitchurch

P.T.O.

*See Instruction 2 (*f*) on other side.

1182

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at GREAT BARFORD

in the County of BEDFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03	·04	·10		·01			·03		(		1
2		·04		·27	·04	·02	·01		·49				2
3	·10	·02		·08	·21			·11	·81		·06	·17	3
4		·02		·02			·06	·40	·15				4
5						·41	·27	·01	·04			·32	5
6		·03		·06		·02	·01			·18	·37		6
7						·01	·01	·48		·05	·07		7
8		·13	·06	·02		·01		·30				·03	8
9	·04	·19	·01	·01		·36		·01			·23		9
10	·02	·05				·06	02	·25			·10	·01	10
11	·15	·05				·01					·12		11
12		·02		·01			·18		·24				12
13	·03						·02	·14					13
14	·03				·06	·03	·70	·57					14
15	·04	·13		·23	·11		·14	·11					15
16		·21		·17	·22			·15	·11				16
17		·06			·47	·03	·12		·17				17
18	·02	·11		·29	·02	·02		·14			·42		18
19	·01			·35		·21	·20						19
20	·01	·02		·20			·12	·15		·05			20
21	·02	·01			·91			·01					21
22	·09		·02						·01				22
23	·21			·01	·24	·01			·02		·13	·04	23
24				·17	·13	·01	·07					·02	24
25				·35	·07		1·08				·14		25
26		·05		·23	·03		·41				·10		26
27	·11	·58		·02							·20		27
28	·10	·11		·04	·02		·04					·08	28
29				·09	·04		·11			·21		·01	29
30	·09	×		·01	·01		·04	·11					30
31	·25	×		×		×	·01		×		×		31
													YEAR'S TOTAL
TOTAL	1·32	1·86	·13	2·73	2·58	1·22	3·62	2·88	2·07	·49	1·94	·68	21·52
*Days with ·01 in. or more.	17	19	4	21	15	15	20	15	10	4	11	8	159
*Days with ·04 in. or more.	9	12	2	14	11	4	14	12	7	4	11	4	194

40-9999

(Signed) J. Arnold Whitchurch [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 1182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at GREAT BARFORD

in the County of BEDFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 6 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·04		·12	·62	·02	·10	·47	·13	·42	·02	·11	1
2	·03				~~·24~~					·02	·03	·30	2
3				·14	·24				·19				3
4		·03		·18									4
5	·01		·09	·13		·01	·14		·12				5
6	·27		·06	·14					·08				6
7	·02		·15	·03	·05		·01						7
8			·02	·14					·31	·08			8
9	·01	·02		·04									9
10	·06	·02		·13					·03	·03	·03		10
11				·04		·33	·21	·98	·08	·01			11
12	·04	·01		·02	·35			·04		·04	·02	+	12
13	·02			·02	·12		·11		·03	·08		·02	13
14	·08			·04	·06					·21	·04	·02	14
15				·11	·05		·04						15
16		·02		·28	·28								16
17	·26						·14		·32				17
18				·04	·02								18
19				·11						·14			19
20				·12	·15		·08	1·78		·23	·13		20
21			·08	·02	·56			·82		·24			21
22			·35	·07	·05				·31	·03	·32	·03	22
23		·05					·05		·10	·36	·05		23
24				·02			·51			·11	·40		24
25		·03		·04			15		·02	·36	·05		25
26			·03	·05	·14		30		·01				26
27			·17		·52		21		·01		·10		27
28			·21		·52	·02	28	·13		·10			28
29			·07	·27	·24	·11			·02	·16			29
30		×	·08		·11	·67			·01	·26	·11	·08	30
31		×	·35	×		×	·03	·12	×		×	·09	31
TOTAL	·80	·22	1·66	2·30	4·08	·56	2·36	4·34	1·77	2·88	1·30	·65	YEAR'S TOTAL 22·92
*Days with ·01 in. or more.	10	8	12	24	17	6	15	7	16	18	12	7	152
*Days with ·04 in. or more.	5	2	10	19	16	3	13	7	10	14	8	4	111

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Arnold Whitchurch

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at GREAT BARFORD

in the County of BEDFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	03	13		02						·15		1
2	07		15		03								2
3	11		14		04								3
4	10	03	02		10								4
5	04		12		28								5
6			02		40						05	03	6
7	03	14			04								7
8	04		11				03						8
9							17				07		9
10		01				11	32			15	16		10
11	07	01				05	02	20					11
12				04		10	01		31				12
13	02				27	07	10	15					13
14	33									14	26		14
15	11		10			10	21				43		15
16	01		45			20					08		16
17			33			04			07	?	06		17
18		11				01					02		18
19		03	21	03		01			·06				19
20		03	01	09		53		01	03		01		20
21		02			13			10	33		02		21
22					04	91		55		16			22
23		·17		12	01				71				23
24		·18		08	17	52			47	01	15		24
25				31		11			11	01	06	11	25
26		·21		06		12			03	02		12	26
27					21				05	20			27
28					01					32		06	28
29	03			15	01					04			29
30	18	×	08				01					12	30
31		×	15	×		×		12	×		×		31
TOTAL	1·24	·97	2·02	·88	1·76	2·88	·87	1·13	2·17	1·05	1·52	·44	YEAR'S TOTAL 16/93
*Days with ·01 in. or more.	·14	12	14	8	15	14	8	6	10	9	13	5	128
*Days with .04 in. or more.	10	5	11	7	10	12	4	5	8	6	10	4	92

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Arnold Whit[illegible]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~5~~ 4.

Kept at GREAT BARFORD

in the County of BEDFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT (always) IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·12					·07		·30		·04		·44		1
2	·04		·07			·15			·47	·06		·15		2
3		·08		·13		·04				·22		·02		3
4	·02	·02	·11						·04	·31	·07	·16		4
5			·06	·02	·01					·02	·14	·22		5
6	·06		·08	·01	·33			·01		·10		·40		6
7					·01			·11				·12		7
8					·11			·06	·01	·06	·11	·02		8
9			·05					·02			·30	·12		9
10	·04		·09	·13				·09			·36	·01		10
11	·16		·34	·03			·07				·04	·10		11
12			·09	·01	·02		·02	·37				·01		12
13					·06		·50			·01	·01	·48		13
14		·01	·13		·02					·11	·30	·16		14
15	·02		·07		·01				·37		·16	·02		15
16		·01	·16		·04					·13	·01	·07		16
17	·03	·01			·02					·12	·04	·11		17
18	·04			·16			·16		·03			·01		18
19			·09	·15					·06			·03		19
20			·04	·03		·01			·03					20
21			·02	·02		·18				·08				21
22				·15			·18	·06	·25			·02		22
23			·09		·08	·10	·05	·07			·02	·11		23
24		·06	·15	·10		·01	·19		·34					24
25	·07			·20		·05				·04		·31		25
26	·08	·08	·01	·04		·01			·01	·03				26
27	·02	·06		·02		·20				·02		·39		27
28		·06		·08		·21		·86		·01	·11	·34		28
29							·24	·07	·17		·02	·02		29
30	·03	×										·09		30
31		×		×		×	·05		×	·21	×	·07		31
TOTAL	·73	·39	1·65	1·28	·71	1·03	1·46	2·02	1·78	1·57	1·89	4·00	Year's Total 51 18·37	
*Days with ·01 in. or more.	13	9	17	16	11	11	9	11	11	17	14	27	166	
*Days with ·04 in. or more.	8	5	15	9	5	8	8	9	7	12	10	18	114	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J Arnold Whitchurch [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at GREAT BARFORD

in the County of BEDFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 120 ft.

Drys

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·26	·04	·04			·07			·04	·04	·20	·02		1
2	·02	·02		·01		·03		·01	·01	·13	·04	·01		2
3		·13	·10	·09		·05			·11	·36	·09			3
4				·10					·10	·04	·06			4
5		·73	·10	·07		·04	·05		·04	·08	·03			5
6				·25		·14						·02		6
7	·02	·05		·37						·02	·75	·07		7
8				·11				·01		·22	·02			8
9				·13		·41				·62	·09	·06		9
10		·06		·26		·01								10
11	·13			·03		·03	·03			·03	·33	·02		11
12		·04				·12		·04			·06			12
13	·07	·15		·21		·04								13
14				·03	·02	·02			·09		·10	·05		14
15		·14		·42	·10	·49			·17	·01	·33	·04		15
16		·04	·07	·11	[illegible]	·20			·10		·40	·19		16
17					[illegible]	·18					·35			17
18				·33	[illegible]	·04	·14			·03				18
19	·05			·06	·47	·12	·05		·11	·02	·20			19
20	·02	·15		·07	·07	·11	·06		·06		·02			20
21		·14	·07						·81		·20			21
22			·08	·01				·03	·24					22
23	·02	·03	·10					·65						23
24	·07	·30	·02						1·48			·21		24
25	·13	·05		·08		38						·05		25
26	·04							·35				·25		26
27	·01	·17				·01			·21		·05	·38		27
28					·08			·01	·22	·02	·07	·05		28
29	·02		·01						·40	·01	·10	·21		29
30	·12	×		·18				·77	·12	·05	·15	·16		30
31		×		×		×		·24	×	·61	×	·08		31
TOTAL	·98	2·24	·59	2·92	·74	2·49	·33	2·11	4·31	2·29	3·64	1·87	Year's Total. 24·51	24·51
* Days with .01 in. or more.	14	16	9	20	5	19	5	9	17	16	21	17	168	
* Days with .04 in. or more.	8	14	7	16	45	14	4	5	16	9	18	13	128	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Arnold Whitchurch

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at GREAT BARFORD

in the County of BEDFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·43	·11	·35		·03	·12	·02			·07	·21		1
2	·06	·02	·27	·05		·23	1·11	·04			·27	·11		2
3		·01				·05	·03	·01	·11		·13	·		3
4	·02		·14			·15			·43		·07	·03		4
5	·07								·26		·02	·02		5
6	·08					·11	·03	·30	·04					6
7	·22		·26				·26	·03			·04	·20		7
8	·13		·11				·02				·16			8
9	·30		·07			·04	·58		·05	·07	·02	·02		9
10	·12					·02	·28	·04	·10	·03				10
11				·05			·23	·02			·31			11
12				·02		·57	·41		·04		·34	·13		12
13				·12		·36	·04			·04	·03	·09		13
14		·12		·07		·05	·58		·20	·03		·15		14
15						·04	·25		·27		·03	·07		15
16	·15	·05			·01		·01				·64	·04		16
17		·22					·				·13	·05		17
18		·10				·18				·15	·04			18
19	·26	·04	·02			·18		·06		·03				19
20			·02	·03			·12		·76					20
21		·01		·21	·02	1·08	·06		·15					21
22	·05	·61		·01	·48	·04	·13					·07		22
23			·04	·13	·02		·06			·01				23
24	·11	·01			·02		·46		·20	·33				24
25	·05	·01	·16	·09	·01	·40	·05		·17	·03	·09	·05		25
26			·17			·02	·21		·06	·09		·02		26
27	·02	·07					·02		·15	·05				27
28	·48	·05	·07			·41	·07					·07		28
29	·28	·06	·02				·11			·05	·21			29
30	·07	✕			·21	·42	·10			·11	·04			30
31	·72	✕	·11	✕		✕	·11		✕	·27	✕	·06		31
													Year's Total	
TOTAL	3·26	1·75	1·57	1·13	·77	4·32	5·45	·52	2·99	1·29	2·64	1·39	27·08	
* Days with .01 in. or more.	19	15	14	11	7	19	26	8	15	14	18	17	183	
* Days with .04 in. or more.	17	9	11	8	2	16	21	4	15	9	14	13	189	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Gt. BARFORD

in the County of BEDFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	11		01	01			01				·70	43		1
2	[illegible]2	02	03	44										2
3		20	14	02					·03			24		3
4	09	20	16					15				67		4
5	04	02												5
6	04		32	02	·02		20			01	·07			6
7		49	02											7
8		04		11	·02						·31	05		8
9				30	47		31	03	·13			11		9
10			40	05	05	·37						31		10
11		36	25		48			80	·11			10		11
12	04		14		28	·13		25	·20			06		12
13	13		40	02	01	·30		34	·10			17		13
14	05	08	15	04				96						14
15	17	03		17			60		·06			04		15
16	06	10	16	30				07	15			04		16
17	23		17	16	02	·04			80		·07			17
18	26	16	03	04	04				73		·08			18
19	08	02			53	·24	·01		21		·36			19
20	17		08	57		05			02					20
21	10	30	04		04		21	·07				·04		21
22	33		06		01	04	04			·31	·20			22
23	13		44		77		23			·57				23
24	26	26	02			·01	04			·11		·01		24
25		25	02		1·04					·22				25
26		37	03		·34					·11				26
27		15	01	14						·64	·02			27
28		06		02						·06				28
29	04					·01				·05	·2			29
30	22	×									·21	·04		30
31	25	×		×		×			×	·21	×	·05		31
													Year's Total	
TOTAL	2·82	3·11	2·78	2·41	4·14	1·19	1·65	2·67	2·54	2·26	2·02	2·35	29·94	
* Days with .01 in. or more.	21	18	22	16	15	9	9	8	11	10	9	15	163	✓
* Days with .04 in. or more.	20	14	14	11	10	7	7	7	9	9	8	14	130	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Arnold Whitehurst [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at GREAT BARFORD
in the County of BEDFORD
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 126 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02					·42				·12				1
2	·05			·02	·07	·11	·04			·11	·02			2
3					·14			·02	·05	·60				3
4	·04					·04			·32	·05		·07		4
5	·03			·02			·12			·18		·02		5
6										·11		·01		6
7	·07						·33	·21	·07	20		·02		7
8	·12					·01	·31	·25	·01	·14				8
9		·02					·01	·20				·42		9
10						·11	·01	·37				·07		10
11	·53										05			11
12		·02			·02			·60		·36	02	·21		12
13	·15	·01						·20		·24		·02		13
14	·17	·02			·04		·05		06	·02				14
15	·08						·10			·09		·21		15
16	·04						·13				·05			16
17		·12			·06		·06			·02	·03	·28		17
18				·04	·26			·02	·42		·29			18
19								·15	·02		·06			19
20								·14	·07		·31			20
21								·02	·02			·60		21
22								·02			·21	·10		22
23				·02							·28			23
24		·01	·06		·02				·14					24
25	·11	·05	·09		·03			·15	·24	·11	·14	·02		25
26	·16	·03	·10						·35	·21		·26		26
27					·29	·16	·21		·07		·33	·02		27
28	·08	·04			·72	·07		·57			·10			28
29	·04				·21			·02		·02		·30		29
30	·43	✕		·01					·11	·18	·05	·06		30
31	·05	✕		✕	·13	✕			✕		✕	·35		31
													Year's Total	
TOTAL	2·17	·32	·25	·11	1·99	·92	1·37	2·94	1·89	2·76	1·94	3·04	19·70	
* Days with .01 in. or more.	17	9	3	5	12	7	11	15	14	17	14	18	142	
* Days with .04 in. or more.	15	3	3	1	9	6	9	10	10	15	11	12	104	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Arnold Whitchurch

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at GREAT BARFORD

in the County of BEDFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 126 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	(		·06	·31	·10		·25	·02				·01		1
2	·07							·41	20					2
3				·12				·67			·19	·23		3
4	·30		·21	·30				·08		·04	·06			4
5	·07			·30	·08		·02	·61		·17	20	·26		5
6	·40		·11					·10			·16	·01		6
7	·09						·15	·03			·09			7
8			·07				·08	·20		·16		·38		8
9	·07							·04		·46	·01	·05		9
10	·26		·06			·45		·20	·03					10
11			21		·01									11
12		·04				·35			·01					12
13				03	·05	·03			·02	·54				13
14	·31			02	·12	·02			·02	·12	·14			14
15	·10				·41	·17	·04		·31	·56	·05			15
16	·17		·06		·04	·43	·03				·29			16
17	·13		·08				·22			·18				17
18	·19	·03	·06			·13	·19			·04	·50			18
19	·22					·04	·16	·08		·20	·03			19
20	·12		·07			·08	·15 x					·01		20
21	·13					·03	·24	02	·02					21
22	·07	·15	·26	·02		·04	·01							22
23	·17		·01			·05	·04			·09	·57			23
24	·72		·03	·02			·02			·03				24
25	·22	·10	·26	·09			·02	1·33			·22	·05		25
26		·06	·04	·02				·05	61	·09	·42			26
27	·01		·08				·01			·11	·05			27
28		·15	·07	·10		·02				·31	·16	·05		28
29				·52			·33	·21		·20				29
30		✕		·57		·14					·03			30
31		✕		✕		✕	·07	·15	✕	·01	✕			31
													Year's Total	
TOTAL	3·82	·53	1·74	2·42	·81	1·98	2·03	4·10	·61	3·31	3·11	1·05	25·51	✓
* Days with .01 in. or more.	20	6	17	13	7	14	18	16	7	17	17	9	161	✓
* Days with .04 in. or more.	19	5	15	8	6	10	12	13	2	15	14	6	125	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Arnold Whitchurch

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~10

Kept at GREAT BARFORD

in the County of BEDFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				·11							84			1
2				·04						·02	40			2
3		4 (·30) 4		·03						·10	81	·05		3
4				·20			·02			·20	43			4
5		·10					·03				22	·06		5
6	4	16			·10		·46			·18		·06		6
7	·34				·11		·01			02				7
8				·03			·01		·01	·04	21	·12		8
9			·09			·38		·04	·04		24	·21		9
10							·45	·01		·10	49	·36		10
11			·01				·01				13			11
12			·45		·04		·05		04		81			12
13		·02	·56		·13		·02							13
14				·11							09	·26		14
15				·04		·03	·18		·05		57			15
16	·06		·31	·01		·01	·15		·02	·49	34			16
17		·11	·39							·06				17
18		·06	·15	·41			·14					02		18
19		·24	·16	·16			·02		·28		·04			19
20		·26		·05		·01	·17	·06			·11	·01		20
21	·02				·02		·02			·05	46			21
22	·02				·14	·25			·11					22
23		·21				·10						·05		23
24		·07					·11							24
25			·12				·52							25
26	·62				·06		·43					·01		26
27	·47			·04	·02		·23				·02			27
1·27 28	·14									·02				28
29			·04		·05					·11		·21		29
30	·04	✕		·12						·45		·05		30
31		✕		✕		✕			✕		✕	·02		31
													Year's Total	
TOTAL	1·71	1·53 ~~1·23~~	2·38	1·35	·67	·78	3·03	·11	·55	1·84	6·21	1·49	~~21·35~~	21·65
* Days with .01 in. or more.	8	11~~8~~	10	13	9	6	19	3	7	13	17	14	~~128~~	130
* Days with .04 in. or more.	6	10~~8~~	9	10	7	3	11	2	5	10	16	10	~~97~~	99

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) J. Arnold Whitchurch [P.T.O.

1183

Section **A** for the entry of D

AIR MINISTRY.-

NFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGIST 1931.

1183

BEDFORD

THE CARLTON SCH

1931 ONLY

78 02 10

Kept at The Carlton Sch

in the County of Bedford

complete months

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASURE DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr.	·22	—	·08	—	—		Tr.			·02		1
2	—	·1	—	·5	·05	—		—			·03		2
3	·06	Tr.	—	·15	·26	trace		—			·08		3
4	—	—	—	·1	—	—		Tr.			·1		4
5	—	Tr.	—	·12	—	—		—			·1		5
6	—	·	—	·1	—	·1		—			·05		6
7	—	—	—	Tr.	—	Tr.		Tr.			·08		7
8	Tr.	·1	—	·06	—	·09		·44			Tr.		8
9	—	·24	—	—	—	·09		·49			·1		9
10	—	—	—	·18	—	Tr.		·1			·03		10
11	—	·16	—	Tr.	—	Tr.	RECORDS DESTROYED	·34			·29	RECORDS DESTROYED	11
12	·16	—	—	—	—	Tr.		—	RECORDS DESTROYED	RECORDS DESTROYED	·15		12
13	—	Tr.	—	—	·02	—		·06			Tr.		13
14	—	·1	—	—	·05	·05		·08			·05		14
15	—	·06	—	—	·36	Tr.		·33			·1		15
16	—	·04	—	·1	·47	·11		·35			Tr.		16
17	—	·3	Tr.	·05	Tr.	Tr.		·16			Tr.		17
18	·14	·02	—	·15	—	Tr.		—			Tr.		18
19	Tr.	—	—	·35	—	Tr.		·19			·1		19
20	—	—	—	·11	—	—		·04			·37		20
21	·22	—	—	—		—		·23			·05		21
22	·14	—	Tr.	Tr.		—		·1			·08		22
23	·12	Tr.	—	—	RECORDS DESTROYED	—		Tr.			Tr.		23
24	—	—	—	·02		—		·05			·1		24
25	—	—	—	·15		·18		—			·05		25
26	Tr.	—	—	·08		—		Tr.			Tr.		26
27	·1	—	—	Tr.		Tr.		Tr.			·43		27
28	·1	—	—	Tr.		—		Tr.			·23		28
29	·06		—	·06		Tr.		Tr.			Tr.		29
30	·1	×	—	—		—		·01			Tr.		30
31	·2	×	—	×		×		·02	×		×		31
TOTAL	1·40	1·34	trace	2·36	—	·62	—	2·99	—	—	2·59	—	YEAR'S TOTAL —
*Days with ·01 in. or more.													—
*Days with ·04 in. or more.													—

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.

1183.

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Carlton School

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft 10 in.

,, Ground ,, Sea Level 246·9 ft.

Cast complete months.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Tr.	·22	—	·08	—	—		Tr.			·02		1
2	—	·1	—	·5	·05	—		—			·03		2
3	·06	Tr.	—	·15	·26	trace		—			·09		3
4	—	—	—	·1	—	—		Tr.			·1		4
5	—	Tr.	—	·12	—	—		—			·1		5
6	—	·	—	·1	—	·1		—			·05		6
7	—	—	—	Tr.	—	Tr.		Tr.			·08		7
8	Tr.	·1	—	·06	—	·09		·44			Tr.		8
9	—	·24	—	—	—	·09		·49			·1		9
10	—	—	—	·18	—	Tr.		·1			·03		10
11	—	·16	—	Tr.	—	Tr.	RECORDS DESTROYED	·34			·29	RECORDS DESTROYED	11
12	·16	—	—	—	—	Tr.		—	RECORDS DESTROYED	RECORDS DESTROYED	·15		12
13	—	Tr.	—	—	·02	—		·06			Tr.		13
14	—	·1	—	—	·05	·05		·08			·05		14
15	—	·06	—	—	·36	Tr.		·33			·1		15
16	—	·04	—	·1	·47	·11		·35			Tr.		16
17	—	·3	Tr.	·05	Tr.	Tr.		·16			Tr.		17
18	·14	·02	—	·15	—	Tr.		—			Tr.		18
19	Tr.	—	—	·35	—	Tr.		·19			·1		19
20	—	—	—	·11	—	—		·04			·37		20
21	·22	—	—	—		—		·23			·05		21
22	·14	—	Tr.	Tr.	RECORDS DESTROYED	—		·1			·08		22
23	·12	Tr.	—	—		—		Tr.			Tr.		23
24	—	—	—	·02		—		·05			·1		24
25	—	—	—	~~·02~~ ·15		·18		—			·05		25
26	Tr.	—	—	·08		—		Tr.			Tr.		26
27	·1	—	—	Tr.		Tr.		Tr.			·43		27
28	·1	—	—	Tr.		—		Tr.			·23		28
29	·06	✕	—	·06		Tr.		Tr.			Tr.		29
30	·1	✕	—	—		—		·01			Tr.		30
31	·2	✕	—	✕		✕		·02	✕		✕		31
TOTAL	1·40	1·34	trace	2·36	—	62	—	2·99	—	—	2·59	—	YEAR'S TOTAL —
*Days with ·01 in. or more.													—
*Days with ·04 in. or more.													—

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

[P.T.O.

1183/5

PAVENHAM

1937 - 1940

78 02 10

Section **A** for the entry of Dail

AIR MINISTRY.—

Station No. 1183/5

FALL ORGANIZATION

FORM 1090

REGIST 37

Kept at .... PAVENHAM

in the County of .... Beds

Diameter of Funnel of Gauge........

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREMENT ~~SHOULD BE ENTERED~~ OUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											·60	·20		1
2		·03		·53								·15		2
3			·02									x		3
4	·14	·25										(2 days) x ·90		4
5	·12		·18					·01						5
6	·05		·41		·12		·05							6
7		·53		·09	·04									7
8		·13				·03					·28			8
9			·04	·32	·45		·34		·35			·32		9
10		·02	·45			·26		·01				·18		10
11			·31		x	·04								11
12	·04	·35	·12		(2 days) 1·04 x	·08		·70	·19			·13		12
13	·11	·06	·28			·47		·17	·01			·05		13
14		·02	·25					·54	·02					14
15	·06	·09		·27		·02	·80		x					15
16	·18	·07	·24	·26				·03	(2 days) ·22 x					16
17	·18		·38	·20		·01			·21		·03			17
18	·19	·06	·01	·02	·03				·41		·48			18
19	·10	·10	·03	·05	·04	·33	·04				·05			19
20	·21			·40	·59	·15			·04					20
21	·15	·28	·05	·03			·11							21
22	·24	·03	·03			·05	·03			·20	·32			22
23	·24				·34					·73	·03			23
24	·21	·27	·05						·08	·08				24
25	·10	·23			·95					·30				25
26		·26	·04		·35									26
27		·37		·08						·86				27
28		·03				·02	·01			·03		·18		28
29	·08									·03	·02	·05		29
30	·29	✕							·01		·14			30
31	·21	✕		✕		✕			✕	·06	✕	·04	d	31
TOTAL	2·90	3·18	2·89	2·25	3·95	1·46	1·38	1·46	1·60	2·17	1·95	2·20	Year's Total 27·39	
* Days with .01 in. or more.	19	19	17	11	11	11	7	6	11	8	9	11	140	
* Days with .04 in. or more.	19	14	13	9	10	7	5	3	8	6	6	11	111	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... C D Linnell .... [P.T.O.

N

COPY FOR ~~OFFICIAL USE~~

Section **A** for the entry of Daily Observations

Station No. 1183/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at PAVENHAM

in the County of Beds.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

„ Ground „ Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·60	·20		1
2		·03		·53								·15		2
3			·02									x		3
4	·14	·25										(2 days) x ·90		4
5	·12		·18					·01						5
6	·05		·41		·12		·05							6
7		·53		·09	·04									7
8		·13				·03					·28			8
9			·04	·32	·45		·34		·35			·32		9
10		·02	·45			·26		·01				·18		10
11			·31		x	·04								11
12	·04	·35	·12		(2 days) x 1·04	·08		·70	·19			·13		12
13	·11	·06	·28			·47		·17	·01			·05		13
14		·02	·25					·54	·02					14
15	·06	·09		·27		·02	·80		x					15
16	·18	·07	·24	·26				·03	(2 days) ·22 x					16
17	·18		·38	·20		·01			·21		·03			17
18	·19	·06	·01	·02	·03				·41		·48			18
19	·10	·10	·03	·05	·04	·33	·04				·05			19
20	·21			·40	·59	·15			·04					20
21	·15	·28	·05	·03			·11							21
22	·24	·03	·03			·05	·03			·20	·32			22
23	·24				·34					·73	·03			23
24	·21	·27	·05						·08	·08				24
25	·10	·23			·95					·30				25
26		·26	·04		·35									26
27		·37		·08						·86				27
28		·03				·02	·01			·03		·18		28
29	·08									·03	·02	·05		29
30	·29	✕							·01		·14			30
31	·21	✕		✕		✕			✕	·06	✕	·04	d	31
													Year's Total	
TOTAL	2·90	3·18	2·89	2·25	3·95	1·46	1·38	1·46	1·60	2·17	1·95	2·20	27·39	
* Days with .01 in. or more.	19	19	17	11	11	11	7	6	11	8	9	11	140	
* Days with .04 in. or more.	19	14	13	9	10	7	5	3	8	6	6	11	111	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. D. Linnell [P.T.O.

N

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1183/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at PAVENHAM

in the County of Bedford

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

monthly totals Jan–June supplied by observer in ~~notified~~ file. 16/3/39

corr. for Dec 19–28 ~~[illegible]~~ ~~J.H.~~

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										05				1
2										23				2
3										50				3
4										14		15		4
5							15	08		05		04		5
6										02				6
7							29	40		42		09		7
8							04	02		13				8
9								1·02				52		9
10							06	54	*48			02		10
11											09			11
12								92		24				12
13								08		01		03		13
14							03		05					14
15							13			04		20		15
16							09				12	24		16
17							06			08				17
18									45		28			18
19								07			14			19
20											39	4		20
21									03			4		21
22								02			27	4		22
23														23
24									25			(1·30)		24
25								19	11	08	41	4		25
26										18				26
27							19		18		26			27
28								1·02			06	~~94~~ 4		28
29							03	02			02	12		29
30		×							18		15			30
31		×		×		×			×	14	×	54		31
TOTAL	1·91	·79	·19	·19	1·75	·78	1·07	4·38	1·73	2·31	2·19	(3·25) ~~2·89~~	Year's Total ~~20·18~~	20·54
* Days with .01 in. or more.													"	
* Days with .04 in. or more.													"	

* Aug. 9: total of 1st 10 days

~~1st Half Year = 5·61~~ ~~2nd Half Year = 14·57~~

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 1183/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at PAVENHAM

in the County of Bedford

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Mr Dodge

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·22	·01		·13	·14	·19	·04				1
2				·03				·45	·29		·03			2
3				·13				·48			·14	·31		3
4	·50		·22	·31				·09			·04			4
5				·51	·17			·44		·16	·19	1·04		5
6	·46						·21							6
7	·09	·05									·14	·11		7
8		·06	·12				·06	·20		·30		·36		8
9		·04						·04		·64		·10		9
10	·38					·48		·18	·02	·04				10
11			·27			·09			·05					11
12						·09								12
13										·77				13
14	·31		·02		·47	·08	·10		·13	·08	·16			14
15	·04				·57	·13	·06		·10	·80	·11			15
16	·24		·06		·08	·52	·06			·34				16
17	·18	·01		·18	·03		·12			·23	·26			17
18	·09					·18	·15			·26	·56			18
19	·26		·04				·58					·02		19
20	·07					·02	·37	·14		·05				20
21		·05	·24			·16	1·17	·06	·07					21
22	·17	·15	·06			·02	·05				·12			22
23	·07			·05		·01	·16		·05	·08	·50			23
24	+			·16			·06			·04				24
25	1·13	·12	·73				·08	·41			·23			25
26	·45		·05					·02		·09	·43	·02		26
27		·02	·10				·03							27
28		·12	·10	·05		·02				·11	·14			28
29				·54			·19			·30	·01			29
30				·43		·01								30
31	·03				·01		·08					·11		31
TOTAL	4·47	0·62	2·01	2·61	1·34	1·81	3·66	2·65	0·90	4·33	3·06	2·07	Year's Total 29·53	
* Days with .01 in. or more.	16	9	12	11	7	13	18	12	8	17	15	7	145	
* Days with .04 in. or more.	16	7	11	10	4	8	17	11	7	14	13	5	126	

Half-Year = 12·86

Half-Year = 16·67

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1183/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at PAVENHAM

in the County of Bedford

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·02			1
2				·08	·02						·86	=86		2
3		·38		·18						·10	·53	=53		3
4				·08			·05			·15	·61	=61		4
5		·05			·06		·05			·04	·59	=59 ·17	– several days (5	5
6		·16					·11			·12	·16	=16		6
7	·13				·06		·08				~~·16~~			7
8	·27									·05	·02			8
9						·14			·07			·34	several days (4	9
10							·39	·02		·04	·20	·20		10
11							·08				·63			11
12			·08				·04	·02	·04					12
13			·79			·18					·70			13
14			·07		·17				·04	·01		·25		14
15			·04		·03		·11		·09					15
16	·13	·33	·25				·29		·08	·63	·70			16
17			·28								·04			17
18		·47	·17	·72			·26	·07		·03				18
19				·11			·24		·15		·10	·10		19
20		·17					·02			·04				20
21	·02				·07		·04				·60			21
22	·13	·01	·14		·23	·30		·03	·21					22
23	·02	·16		·09	·19	·15								23
24				·04			·13					·05		24
25			·08				·58							25
26	·87	·04		·07	·02	x	·50							26
27	·46	·03		·59	·12		·16			·20				27
28	·27	·10			·33									28
29			·04		·19							·24		29
30	·11	×		·30		·01				·11				30
31		×		×	·01	×			×	·40	×			31
TOTAL	2·41	1·90	1·94	2·26	1·50	·78	3·13	·14	·68	1·92	5·76	1·35	Year's Total 23·77	
* Days with .01 in. or more.										12·98			23·77	
* Days with .04 in. or more.			10·79											

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C D Linnell

[P.T.O.

BLETSOE RECTO

65/28

1183/7

BLETSOE RECTORY

1934 -35

78 02 10

Section **A** for the entry of Dail

AIR MINISTRY.—M

ALL ORGANIZATION.

Station No. 1183/7

FORM 1090.

REGISTE 34.

111/Beds/3

Kept at Bletsoe Rectory

in the County of Bedford

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									nil	trace	0.03	0.36		1
2									0.48	0.07	nil	0.22		2
3									nil	0.20	nil	trace		3
4									0.05	0.32	0.11	0.23		4
5									nil	trace	0.04	0.15		5
6									nil	0.09	0.02	0.38		6
7									nil	0.04	nil	0.12		7
8									0.03	nil	0.07	0.01		8
9									nil	nil	0.64	0.17		9
10									nil	trace	0.20	nil		10
11									nil	nil	trace	0.20		11
12									nil	nil	nil	0.08		12
13								0.04	nil	trace	0.01	0.36		13
14								0.02	nil	0.07	0.26	0.21		14
15								nil	0.82	nil	0.15	0.13		15
16								nil	0.01	0.08	0.02	trace		16
17								nil	0.01	0.08	0.05	0.12		17
18								nil	0.01	nil	nil	0.04		18
19								nil	0.03	0.02	trace	0.04		19
20								nil	0.01	nil	nil	nil		20
21								0.01	nil	0.05	nil	trace		21
22								0.02	0.15	nil	nil	nil		22
23								0.07	nil	nil	trace	0.06		23
24								nil	0.34	nil	nil	nil		24
25								nil	trace	0.01	nil	0.30		25
26								nil	0.02	trace	nil	0.06		26
27								nil	nil	0.05	nil	0.22		27
28								0.45	nil	0.03	0.03	0.31		28
29								nil	0.09	trace	0.07	trace		29
30		×						nil	nil	trace	nil	0.02		30
31		×		×		×		0.06	×	0.18	×	0.15		31
TOTAL								[illegible]	2.05	1.29	1.70	3.94	Year's Total [illegible]	
*Days with ·01 in. or more.								—	13	14	14	23	—	
*Days with ·04 in. or more.								—	6	11	9	21	—	

40-9999

*See Instruction 2 (*f*) on other side.

N

† Spare column, no entries required.

(*Signed*) REV. W. FRANCIS HICKS

[P.T.O.

BLETSOE RECTO[redacted] 365/28

Section **A** for the entry of Daily Observations. Station No. 1183/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

111/Beds/3

Kept at Bletsoe Rectory

in the County of Bedford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 195 ft.

g. from 1215/5 13/8/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									nil	trace	0.03	0.36		1
2									0.48	0.07	nil	0.22		2
3									nil	0.20	nil	trace		3
4									0.05	0.32	0.11	0.23		4
5									nil	trace	0.04	0.15		5
6									nil	0.09	0.02	0.88		6
7									nil	0.04	nil	0.12		7
8									0.03	nil	0.07	0.01		8
9									nil	nil	0.64	0.17		9
10									nil	trace	0.20	nil		10
11									nil	nil	trace	0.20		11
12									nil	nil	nil	0.08		12
13								0.04	nil	trace	0.01	0.36		13
14								0.02	nil	0.07	0.26	0.21		14
15								nil	0.82	nil	0.15	0.13		15
16								nil	0.01	0.08	0.02	trace		16
17								nil	0.01	0.08	0.05	0.12		17
18								nil	0.01	nil	nil	0.04		18
19								nil	0.03	0.02	trace	0.04		19
20								nil	0.01	nil	nil	nil		20
21								0.01	nil	0.05	nil	trace		21
22								0.02	0.15	nil	nil	nil		22
23								0.07	nil	nil	trace	0.06		23
24								nil	0.34	nil	nil	nil		24
25								nil	trace	0.01	nil	0.30		25
26								nil	0.02	trace	nil	0.06		26
27								nil	nil	0.05	nil	0.22		27
28								0.45	nil	0.03	0.03	0.31		28
29								nil	0.09	trace	0.07	trace		29
30		×						nil	nil	trace	nil	0.02		30
31		×		×		×		0.06	×	0.18	×	0.15		31
TOTAL								–	2.05	1.29	1.70	3.94	Year's Total [illegible]	✓
*Days with ·01 in. or more.								–	13	14	14	23	–	
*Days with ·04 in. or more.								–	6	11	9	21	–	

40-9999

*See Instruction 2 (*f*) on other side.

N

† Spare column, no entries required.

(Signed) REV. W. FRANCIS HICKS

P.T.O.

X BLETSOE RECTORY X

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 1183/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

866965/28

Kept at Bletsoe Rectory

in the County of Bedford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 195 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·10	—	—	0·02	0·08	0·03	0·04	—	trace	0·04	0·22	trace		1
2	0·03	—	0·10	0·01	—	0·11	—	—	—	0·09	0·03	0·02		2
3	—	0·12	0·04	0·04	—	trace	—	0·01	0·06	0·23	0·16	—		3
4	—	—	—	0·14	—	0·06	—	—	0·15	0·05	0·01	trace		4
5	—	0·82	0·04	0·06	—	—	—	—	0·05	0·02	0·10	—		5
6	—	0·01	0·01	0·31	—	0·09	—	—	—	—	0·02	—		6
7	0·04	0·02†	—	0·44	—	0·04	—	—	—	0·03	0·54	0·10		7
8	—	—	—	0·15	0·02	trace	—	0·06	—	0·13	0·05	0·08		8
9	—	—	—	0·25	—	0·26	—	—	—	0·62	0·11	0·02		9
10	—	0·01	—	0·13	—	0·02	—	—	—	—	0·03	0·02		10
11	0·15	nil	—	—	—	0·10	0·17	—	—	0·08	0·21	0·01		11
12	trace	trace	—	—	—	0·10	—	trace	—	—	0·02	—		12
13	0·07	0·07	—	0·10	0·15	0·08	[illegible]	—	—	trace	0·01	trace		13
14	—	—	—	0·01	0·20	0·02	—	—	0·23	trace	0·13	0·04		14
15	—	0·11	—	0·45	0·03	0·08	—	—	0·11	—	0·12	0·14		15
16	—	0·04	0·08	0·11	trace	0·39	—	—	0·28	0·03	0·50	0·20		16
17	trace	—	—	0·01	nil	0·14	—	—	0·02	—	0·39	—		17
18	—	—	—	0·20	trace	0·07	0·52	—	0·16	0·02	—	—		18
19	trace	—	—	0·09	0·26	0·09	—	—	0·02	—	0·22	—		19
20	0·03	0·06	—	0·10	—	0·08	0·02	—	trace	—	0·05	—		20
21	trace	0·13	0·02	0·02	—	—	—	—	0·37	0·02	0·26	—		21
22	—	0·02	0·02	0·23	—	—	—	0·09	0·26	—	trace	—		22
23	—	0·02	0·09	—	—	—	—	0·49	—	0·01	—	0·03†		23
24	0·05	0·29	0·02	—	—	—	—	trace	1·43	—	—	0·19		24
25	0·08	0·04	—	0·15	—	0·39	—	trace	—	—	—	0·06		25
26	0·01†	0·03	—	trace	—	—	—	0·16	0·06	0·01	—	0·29		26
27	0·02†	0·15	—	—	0·14	—	—	trace	0·10	0·01	0·15	0·62		27
28	—	0·11	—	—	0·09	—	—	0·03	0·07	0·01	0·02	0·05		28
29	0·01	×	0·03	—	—	—	—	—	0·68	—	trace	0·12		29
30	0·06	×	—	—	—	—	—	0·49	0·03	0·04	0·21	0·18		30
31	—	×	—	×	—	×	—	0·02	×	0·56	×	0·14		31
TOTAL	0·65	2·05	0·45	3·02	0·97	2·15	0·75	1·35	4·08	2·00	3·56	2·31	Year's Total 23·34	
*Days with ·01 in. or more.	12	17	10	21	8	18	4	8	17	18	23	18	174	
*Days with ·04 in. or more.	7	11	5	16	6	15	3	5	14	9	16	13	120	

† melted snow.

o.k. [illegible]

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W Francis Hicks

X REV. W. FRANCIS HICKS ~~X~~ M.A. ~~X~~ M.A. The Revd

[P.T.O.

1184

SHARNBROOK

1931- 1939

780210

FORM 1090. **B** Monthl Summa

1184

*** The following register of monthly to &c., is NOT required if daily or we values are given on the other side.

tion and also the space for his register should be sent:—

M.A: D.L.

Beds.

RAINFALL IN 1931

At Sharnbrook.

In the County of Bedfo

in Summer 9

ance 1 m Direction from gauge E

ance 1/4 Direction from gauge E

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground ft. 12 in.
Height of Ground above Sea Level 210 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·30	·15	30	17	12
FEB.	2·33	·67	27	21	14
MAR.	·26	·17	8	6	2
APRIL	3·15	·47	2	22	16
MAY	3·07	·72	21	22	11
JUNE	1·59	·53	5	16	10
JULY	3·13	·61	14	23	16
AUG.	3·63	·86	8	20	13
SEPT.	2·39	·72	2	16	11
OCT.	·47	·18	6	9	3
NOV.	2·57	·42	11	22	14
DEC.	·78	·38	5	10	4
Total	24·67			204	126

Signature L. Stileman-Gibbard.

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge	House			
Heights of objects				
Distances ..		21 ft		
Directions from gauge ..			N	

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1184

FORM 1090. **B** Monthl
Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Sharnbrook.

In the County of Bedford

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ft. 12 *in.*
- *Height of Ground above Sea Level* 210 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·30	·15	30	17	12
FEB.	2·33	·67	27	21	14
MAR.	·26	·17	8	6	2
APRIL	3·15	·47	2	22	16
MAY	3·07	·72	21	22	11
JUNE	1·59	·53	5	16	10
JULY	3·13	·61	14	23	16
AUG.	3·63	·86	8	20	13
SEPT.	2·39	·72	2	16	11
OCT.	·47	·18	6	9	3
NOV.	2·57	·42	11	22	14
DEC.	·78	·38	5	10	4
Total	24·67			204	126

Signature L. Stileman-Gibbard.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
L. Stileman-Gibbard. M.A: D.L.
Sharnbrook. Beds.

Hour of observation by the clock—in Winter 9 in Summer 9

Nearest Railway Station Sharnbrook Distance 1 m Direction from gauge E

Nearest Parish Church at 〃 Distance 1/4 Direction from gauge E

Nature of objects nearest to gauge	House			
Heights of objects				
Distances ..		21 ft		
Directions from gauge ..			N	

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

Glen Lui. Sharnbrook 184
Beds.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932.

At Castle Close & Glen Lui. Sharnbrook

In the County of Bedford

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground ft. 12 *in.*
Height of Ground above Sea Level 220 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1.15	·23	6 & 16	16	9
FEB.	·49	·20	16	12	4
MAR.	1.69	·45	22	12	10
APRIL	2.88	·42	16	27	22
MAY	3.86	·72	21	26	16
JUNE	·65	·33	11	4	3
JULY	3.68	·81	11	21	13
AUG.	2.99	·87	21	11	6
SEPT.	2.28	·88	8	22	13
OCT.	3.36	·49	13	24	18
NOV.	1.33	·32	22	16	9
DEC.	·57	·16	30	10	3
				201	126
Total	24.93				

Signature L. Stileman-Gibbard.

Glen Lui
Sharnbrook
Beds.

M.O. 7
5 JAN 1933

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
L. Stileman-Gibbard. D.L.: from Jan to March was at Castle Close; since at Glen Lui. Sharnbrook: Beds.

Hour of observation by the clock—~~in Winter~~ Jan to March 9 o'c; ~~in Summer~~ since then at 10 o'c.

Nearest Railway Station Sharnbrook L.M.S. Distance 1 m Direction from gauge E

Nearest Parish Church at Sharnbrook Distance ½ m Direction from gauge E

Nature of objects nearest to gauge	House	Bungalow	with Slanting	Roof.
Heights of objects	—	—		
Distances ..	10 ft			
Directions from gauge ..	N			

If gauge has been moved during the year state—

Date of move March Distance 300 yards Direction NW.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

1184

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.*

RAINFALL IN 1933

At Sharnbrook

In the County of Bedford

Rain Gauge
- Diameter of Funnel 5" in.
- *Height of Top above Ground* ft. 12 in.
- *Height of Ground above Sea Level* 220 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·56	·35	15	16	12
FEB.	1·53	·48	25	14	8
MAR.	2·07	·42	16	14	11
APRIL	·72	·28	25	7	5
MAY	1·44	·54	7	14	10
JUNE	2·04	·83	20	11	9
JULY	1·38	·50	15	10	7
AUG.	·79	·49	22	6	4
SEPT.	1·83	·66	23	11	8
OCT.	1·27	·31	10	15	8
NOV.	1·88	·66	14	20	10
DEC.	·59	·19	30	15	4
Total	17·10 ✓			153	96

Signature L. Stileman-Gibbard

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 10.a.m in Summer 10.a.m.

Nearest Railway Station Sharnbrook Distance 1 mile Direction from gauge E

Nearest Parish Church at " Distance ½ m Direction from gauge E

Nature of objects nearest to gauge	House			
Heights of objects	Bungalow with Slanting Roof			
Distances ..		10 ft		
Directions from gauge ..	S.E.			

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

Average 25·20

Deficiency 8·10

17·10

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

- (*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*
- (*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  - (A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  - (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- (*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.
- (*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.
- (*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.
- (*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*
- (*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

FORM 1090.

B Monthly Summary.

C Particulars of Station.

1184

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Sharnbrook

In the County of Bedford

Rain Gauge {
Diameter of Funnel 5 in.
Height of Top above Ground ft 12 in.
Height of Ground above Sea Level 210 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1.28	·13	11 & 13	18	11
FEB.	·69	·24	24	21	6
MAR.	1·33	·26	11	21	13
APRIL	1·12	·23	18	20	11
MAY	·69	·23	6	12	3
JUNE	1·01	·17	27	12	9
JULY	2·78	1·61	13	8	7
AUG.	2·12	·55	28	17	13
SEPT.	3·02	1·38	16	16	8
OCT.	1·61	·27	4	23	15
NOV.	1·87	·51	9	26	10
DEC.	4·27	·43	13	31	21
Total	21·79			225	127

Signature L. Stileman-Gibbard

Glen Lee. Sharnbrook. Beds.
Jan 1st 35

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 10·a·m· in Summer 10. a m.

Nearest Railway Station Sharnbrook. L.M.S. Distance 1 Mile Direction from gauge E

Nearest Parish Church at .... Distance .... Direction from gauge E

Nature of objects nearest to gauge	House. Bungalow with Slanting Roof			
Height of objects				
Distances ..	10 ft			
Directions from gauge ..	S-E			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1184

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Sharnbrook

In the County of Bedford

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 210 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·94	0.17	1&25	7	20
FEB.	2·09	0.70	5	11	19
MAR.	0·48	0.10	23	6	12
APRIL	3·01	0.42	7&15	18	22
MAY	0·99	0·29	14	5	9
JUNE	2·75	0·52	25	15	22
JULY	0·75	0·48	18	16	8
AUG.	1·77	0·63	23	7	9
SEPT.	4·20	1·35	24	16	18
OCT.	2·38	0·70	9	12	25
NOV.	3·92	0·54	7	17	28
DEC.	2·79	0·36	27	15	22
TOTAL	26·07			145	214

~~Average *23.20~~

Signature L. Stileman-Gibbard

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
L. Stileman-Gibbard Esq. D.L.
Glen Lui Sharnbrook. Beds

Hour of observation by the clock—in Winter 10 a.m. in Summer 10 a.m.

Nearest Railway Station Sharnbrook. L.M.S. Distance 1 Mile Direction ~~from~~ gauge E

Nearest Parish Church at Do Distance $\frac{1}{2}$ mile Direction ~~from~~ gauge E

Nature of objects nearest to gauge	Bungalow	with	Slanting	Roof.
Height of objects				
Distances ...	10 ft			
Directions from gauge ...	S.E			

If gauge has been moved during the year state –

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—
(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
6 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

1184

FORM 1090.

B Monthly Summary.

₊ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Sharnbrook

In the County of Bedford

Rain Gauge
- Diameter of Funnel 5" in.
- *Height of Top above Ground* ft. 12 in.
- *Height of Ground above Sea Level* 210 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·70	·54	28	23	16
FEB.	1·85	·48	22	19	12
MAR.	1·26	·19	26	22	11
APRIL	1·78	·55	1	17	8
MAY	·98	·49	23	6	4
JUNE	4·46	1·38	21	18	13
JULY	5·45	·96	7	24	19
AUG.	·45	·16	6	8	5
SEPT.	2·40	·41	14	19	16
OCT.	1·43	·27	24	15	11
NOV.	2·29	·66	16	20	9
DEC.	1·62	·41	14	26	13
TOTAL	27.65 ✓			211 ✓	135 ✓

Signature L. Stileman-Gibbard. M.A: D.L.

* See Instruction 3 *(f)* below.

~~C~~ Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :— L. Stileman-Gibbard
Glen Lui. Sharnbrook. Beds.

Hour of observation by the clock—in Winter Rather in Summer Erratic.

Nearest Railway Station Sharnbrook. L.M.S. Distance 1 mile Direction from gauge E

Nearest Parish Church at Sharnbrook Distance ½ m. Direction from gauge E

Nature of objects nearest to gauge	Bungalow with Slanting Roof			
Height of objects	?			
Distances ...	10 ft			
Directions from gauge ...	S. E			

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
14 JAN. 1937

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1184

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

ENGINEER 1938

Kept at Sherbrook (Ebn Lin)

in the County of ....

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Estimations

Etim & Adjusted by surr. stns KJ

Days + Ins.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY KJ

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·00	✓ No Returns	·00	·00	·00	·00	No Rain	·00	·00	·60	·22		1
2	·02	·06	✓	·39	·00	·00	·00		·05	·00	·00	·10		2
3	·02	·09	✓	·00	·00	·00	·00		·02	·00	·00	·13		3
4	·04	·15	·70 –	✗ No Returns	·03	·00	·00	·70 ✗	·00	·00	·00	·45		4
5	·13	·00	✗		·00	·00	·00		·00	·00	·00	·30		5
6	·05	·05	✗		·14	·00	·10		·00	·03	·02	·00		6
7	·00	✗ No Returns	·00	✗	·03	·00	·00	·00	·00	·00	·00	·00		7
8	·00	✓	·32	·45 –	·30	·40	·00	·00	·00	·00	·20	·03		8
9	·01		·00		·13	·00	·35	·03	·00	·00	·00	·00		9
10	·00	✓	·60	✓	·35	·26	·00	·00	·12	·00	·00	·45		10
11	·03		·44	·00	·15	·15	·00	·30	·00	·00	·00	·06		11
12	·00	✗	·04	·08	·34	·30	·00	·80	·17	·00	·00	·11		12
13	·11	✓	·60	·00	·02	·22	·00	·27	·00	·00	·00	·07		13
14	·00	✓	·00	·05	·00	·04	·80	·35	·05	·00	·00	·00		14
15	·26	✓	·00	·00	·00	·00	·00	·03	·15	·00	·00	·05		15
16	·12	✗ 5	·00	·00	·00	·00	·00	·00	·17	·00	·00	·07		16
17	·18	8 ✓	·38	·22 ~~·00~~	·00	·03	·00	·00	·21	·00	·02	·00		17
18	·22	7 ✗	·44	·19	·00	·00	·00	·00	·55	·00	·42	·00		18
19	·14	✗	·00	·25	·05	·25	·04	·00	·00	·00	·10	·00		19
20	·05		·17	·44	·60	·10	·00	·00	·05	·00	·00	·00		20
21	·15	✗ No Returns	·00	·21	·00	·00	·13	·00	·00	·00	·00	·04		21
22	·33	✓	·00	·16	·02	·03	·00	·00	·00	·24	·32	·03		22
23	·10		·10	·00	·38	·00	·20	·00	·00	·79	·03	·00		23
24	·00	✗	·12	·00	·00	·00	·00	·00	·07	·10	·00	·00		24
25	·07	✗	·06	·00	·98	·00	No Rain	·00	·02	·28	·00	·00		25
26	·00	✗	·00	·00 No Returns	·33	·00		·00	·00	·03	·00			26
27	·00	✗	·07	·12	·00	·00		·00	·00	·74	·00	No Returns		27
28	·03	✗	·00	·00	·00	·00		No Returns	·00	·04		✗		28
29	·00		·00	·02	·00	·00			·00	·04	✓ ·10	✗		29
30	·39	✕	·00	·00	·00	·00			·00	·02	✗	·15 –		30
31	·24	✕	·00	✕	·00	✕			✕	·10	✕	✗		31
TOTAL	2·73	3·20	4·04	2·57	3·85	1·78	1·62	2·48	1·63	2·41	1·82	2·26	Year's Total 30·38	
* Days with .01 in. or more.	22	22	17	15	15	10	6	7	12	11	10	17	164	
* Days with .04 in. or more.	17	15	14	13	11	8	6	5	10	8	6	14	127	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) L. Stileman-Gibbard Esq

P.T.O.

footnote for BR 1937 — per River Great Ouse Catchment Board

74

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1184

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Sharnbrook, Glen [illegible]

in the County of Bedfordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

may entries estimated from nearby stns, Nov. GB. 14/VII

TRANSCRIBING FORM

VALUES FOR [illegible] COUNTY

R D Nov. 27-30th compiled by Obsr. - see file. w.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·00		·00	·02	·00	·18	·00	·00	–	·05	·02	·12		1
2	·10		·00	·00	·12	·17	·00	·00	–	·24	·03	·00		2
3	·00		·00	·00	·04	·00	·00	·00	·03	·18	·00	·00		3
4	·08		·00	tr	·00	·00	·00	·00	–	·12	·02	·07		4
5	·02		·00	tr	·00	·00	·11	·07	·02	·05	·00	·04		5
6	·05		·00	·00	·00	·00	·03	·00	·26	·03	·00	·00		6
7	·08		·00	·00	·00	·00	·32	·98	·12	·34	·00	·11		7
8	·13		·00	·00	·00	·12	·03	·03	–	·15	·00	·02		8
9	·05		·00	·00	·00	·00	·00	·51	–	·00	·00	·58		9
10	·00		·00	·00	·00	·07	·10	·23	–	·00	·05	·04		10
11	·45		·00	·00	·00	·06	·00	·00	–	·00	·00			11
12	·10	~~·04~~	·00	·00	·02	·00	·00	·76	–	·28	·04			12
13	·00	·04	·00	·00	·00	·00	·00	·02	·05	·03	·00	✓		13
14	·20	·05	·00	·00	·04	·00	·05	·00	–	·00	·00			14
15	·05	·00	·00	·00	·00	·00	·12	·00	–	·03	·04	✓		15
16	·18	·00	·00	·00	·00	·00	·14	·00	–	·02	·00	✓		16
17	·00	·06	·00	·00	·15	·00	·06	·00	·60	·07	·26			17
18	·03	·00	·00	·00	·18	·00	·00	·00	·10	·00	·12			18
19	·00	·00	·00	·00	·00	·00	·00	·05	·02	·00		✓		19
20	·00	·00	·00	·00	·00	·00	·00	·09	–	·00	(·40)	✓		20
21	·00	·00	·00	·00	·00	·00	·00	·00	–	·00	–	✓		21
22	·00	·00	·00	·00	·00	·50	·00	·00	–	·00	(·25)	✓		22
23	·00	·00	·00	·00	·00	·00	·00	·00	·29	·00	–	✓		23
24	·00	·00	·04	·00	·03	·00	·00	·00	–	·08	–	✓		24
25	·06	·12	·05	·00	·07	·00	·00	~~·0~~·12	–	·21	(·40)	·00 ✓		25
26	·17	·30	·10	·02	·00	·00	·00	·00	·21	·26	–	·00		26
27	·05		·00	·03	·12	·12	·18		·12	·02	·23	·92	✓	27
28	·14		·00	·00	·75	·10	·00	·93	·05	·00	·10	·05		28
29	·42		·00	·04	(·15)	·00	·03	·02	·00	·00	·05	·14		29
30	·00	✕	·00	·02		·00	·00	·00	·13	·03	·21	·12		30
31	·01	✕	·00	✕	(·10)	✕	·00	·00	✕	·15	✕	·55		31
TOTAL	2·37	·57	·19	·13	1·77	·79	1·17	3·80	2·00	2·34	(2·22) ~~1·17~~	2·76	Year's Total 20·11 ~~19·06~~	Print
* Days with .01 in. or more.	19	5	3	5	12	7	11	12	13	19	15 ~~12~~	21	142 ~~139~~	GB
* Days with .04 in. or more.	16	5	3	1	10	7	8	9	10	13	12	16	110 ~~107~~	22/3/39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1184

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

Kept at Sharnbrook, Glen Lui
in the County of Bedfordshire
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

Observer ill
T. 9/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03		·14											1
2	·05		·06											2
3	·00		·00											3
4	·33		·00											4
5	·00		·25											5
6	·45		·02											6
7	·15		·03											7
8			·00											8
9	+		·12											9
10	+		·00											10
11			·00											11
12			·10											12
13			·00											13
14	+		·10											14
15	+		·00											15
16	+		·18											16
17	+		·05											17
18	+ (3·00)		·00											18
19	+		·09											19
20	+		·00											20
21	–		·32											21
22	*		·10											22
23	+		·00											23
24	+		·05											24
25	+		·45											25
26	–		+											26
27	–		+											27
28	–		+ ·30											28
29	–		–											29
30	+	✕	–											30
31	+	✕	–	✕		✕			✕		✕			31
TOTAL	(4·01)		2·36 ~~[illegible]~~	#									Year's Total	
* Days with .01 in. or more.	18		18											
* Days with .04 in. or more.	17		16											

This station must be regarded as finished as the observer is too old (W. [illegible] Gibbons)
f81674/28

30.1.40

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

1185

Section **A** for the entry of Daily Obs

AIR MINISTRY.—METEO

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGISTER 1931.

1185

ASHWELL - ODSEY

1931 - 1940

780210

Kept at Odsey

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

,, Ground ,, Sea Level 256 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·03	Snow ·02	·03	·04	Thunder Storm ·14	·01	-	·06	-	-	-	1
2	·07	·07	-	·27	-	·01	-	·01	Thunder Storm ·42	-	-	·04	2
3	·03	-	-	·15	·42	-	-	Thunder Storm ·27	·69	-	·01	·08	3
4	-	Snow -	-	·05	-	-	·03	Thunder Storm ·31	·08	-	·15	-	4
5	-	-	-	·08	·01	·34	·14	Thunder Storm ·12	·08	-	·01	·34	5
6	-	Snow -	-	Thunder ·03	-	Thunder Storm ·42	-	-	-	·26	·57	-	6
7	-	·01	Snow -	-	-	·02	-	·40	-	Thunder Storm ·08	·11	·03	7
8	Snow ·05	·07	Snow -	-	-	·10	-	Thunder Storm ·29	-	-	·02	-	8
9	-	·03	Snow -	·02	-	·12	·06	·05	·18	-	·33	·03	9
10	·02	·07	Snow -	-	-	·01	·28	·30	-	-	·23	-	10
11	·17	·15	-	-	-	·01	·02	-	·05	-	Thunder, Hail ·27	-	11
12	-	Snow ·02	-	-	-	-	-	·02	·25	-	-	-	12
13	Snow ·01	Snow ·01	-	-	-	-	Thunder ·31	·08	-	-	-	-	13
14	Snow ·03	Snow ·12	-	-	·02	Thunder Storm ·01	1·14	·40	-	-	·01	-	14
15	·07	Snow ·05	-	·33	·16	-	·25	Thunder ·28	-	-	-	·07	15
16	·01	Snow ·11	-	·12	·20	-	-	Thunder ·31	·07	-	-	-	16
17	·01	Snow ·01	-	Hail, Snow ·29 Thunder	·32	-	·17	Thunder ·12	·12	·01	·01	-	17
18	·03	Snow ·08	-	Snow ·24	·01	·11	-	·19	-	-	·44	-	18
19	·08	-	-	·53	-	Thunder Storm ·07	Thunder ·32 storm	·01	·10	-	·01	-	19
20	-	-	-	·03	-	-	·04	·39	-	-	-	-	20
21	·03	-	-	-	·71	-	-	·06	·04	-	-	·01	21
22	15	-	-	·01	-	-	-	-	·03	-	·01	-	22
23	·21	Snow ·03	-	-	·38	Thunder ·03	-	-	·02	·01	·14	·04	23
24	·07	-	-	Hail ·28	·13	·01	·05	-	·04	-	-	-	24
25	-	-	-	·30	10	-	·87	-	-	-	·02	-	25
26	-	·01	-	·22	-	-	·75	-	-	-	Thunder ·15	-	26
27	·11	·42	-	·02	Thunder ·03	-	·07	-	-	-	·21	-	27
28	·15	Snow ·14	-	·03	·02	-	-	-	-	·07	·01	Snow ·15	28
29	·10	X	-	·17	·04	-	·11	-	-	·23	·02	Snow ·04	29
30	Snow ·12	X	-	-	·04	-	·01	·20	-	-	-	-	30
31	·14	X	-	X	-	X	-	·01	X	-	X	·01	31
TOTAL	1·66	1·43	0·02	3·20	2·63	1·40	4·63	3·82	2·23	0·66	2·73	0·84	YEAR'S TOTAL 25·25
*Days with ·01 in. or more.	~~21~~	~~18~~	~~1~~	~~20~~	~~16~~	~~14~~	~~18~~	~~20~~	~~15~~	~~6~~	~~20~~	~~11~~	180
*Days with ·04 in. or more.	~~13~~	~~10~~	-	~~13~~	~~11~~	~~7~~	~~14~~	~~16~~	~~13~~	~~4~~	~~10~~	~~7~~	~~118~~

40-9999 M

*See Instruction 2 (*f*) on other side.

(Signed) W H Fordham

P.T.O.

1185

Section **A** for the entry of Daily Obs[redacted] COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Odsey

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

,, Ground ,, Sea Level 256 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·03	Snow ·02	·03	·04	Thunder Storm ·14	·01	-	·06	-	-	-	1
2	·07	·07	-	·27	-	·01	-	·01	Thunder Storm ·42	-	-	·04	2
3	·03	-	-	·15	·42	-	-	Thunder Storm ·27	·69	-	·01	·08	3
4	-	Snow -	-	·05	-	-	·03	Thunder Storm ·31	·08	-	·15	-	4
5	-	-	-	·08	·01	·34	·14	Thunder Storm ·12	·08	-	·01	·34	5
6	-	Snow -	-	Thunder ·03	-	Thunder Storm ·42	-	-	-	·26	·57	-	6
7	-	·01	Snow -	-	-	·02	-	·40	-	Thunder Storm ·08	·11	·03	7
8	Snow ·05	·07	Snow -	-	-	·10	-	Thunder Storm ·29	-	-	·02	-	8
9	-	·03	Snow -	·02	-	·12	·06	·05	·18	-	·33	·03	9
10	·02	·07	Snow -	-	-	·01	·28	·30	-	-	·23	-	10
11	·17	·15	-	-	-	·01	·02	-	·05	-	Thunder, Hail ·27	-	11
12	-	Snow ·02	-	-	-	-	-	·02	·25	-	-	-	12
13	Snow ·01	Snow ·01	-	-	-	-	Thunder ·31	·08	-	-	-	-	13
14	Snow ·03	Snow ·12	-	-	·02	Thunder Storm ·01	1·14	·40	-	-	·01	-	14
15	·07	Snow ·05	-	·33	·16	-	·25	Thunder ·28	-	-	-	·07	15
16	·01	Snow ·11	-	·12	·20	-	-	Thunder ·31	·07	-	-	-	16
17	·01	Snow ·01	-	Hail, Snow ·29 Thunder	·32	-	·17	Thunder ·12	·12	·01	·01	-	17
18	·03	Snow ·08	-	Snow ·24	·01	·11	-	·19	-	-	·44	-	18
19	·08	-	-	·53	-	Thunder Storm ·07	Thunder ·32 Storm	·01	·10	-	·01	-	19
20	-	-	-	·03	-	-	·04	·39	-	-	-	-	20
21	·03	-	-	-	·71	-	-	·06	·04	-	-	·01	21
22	15	-	-	·01	-	-	-	-	·03	-	·01	-	22
23	·21	Snow ·03	-	-	·38	Thunder ·03	-	-	·02	·01	·14	·04	23
24	·07	-	-	Hail ·28	·13	·01	·05	-	·04	-	-	-	24
25	-	-	-	·30	·10	-	·87	-	-	-	·02	-	25
26	-	·01	-	·22	-	-	·75	-	-	-	Thunder ·15	-	26
27	·11	·42	-	·02	Thunder ·03	-	·07	-	-	-	·21	-	27
28	·15	Snow ·14	-	·03	·02	-	-	-	-	·07	·01	Snow ·15	28
29	·10	×	-	·17	·04	-	·11	-	-	·23	·02	Snow ·04	29
30	Snow ·12	×	-	-	·04	-	·01	·20	-	-	-	-	30
31	·14	×	-	×	-	×	-	·01	×	-	×	·01	31
TOTAL	1·66	1·43	0·02	3·20	2·63	1·40	4·63	3·82	2·23	0·66	2·73	0·84	YEAR'S TOTAL 25·25
*Days with ·01 in. or more.	~~21~~	~~18~~	~~1~~	~~20~~	~~16~~	~~14~~	~~18~~	~~20~~	~~15~~	~~6~~	~~20~~	~~11~~	~~180~~
*Days with ·04 in. or more.	~~13~~	~~10~~	~~-~~	~~13~~	~~11~~	~~7~~	~~14~~	~~16~~	~~13~~	~~4~~	~~10~~	~~7~~	~~118~~

40-9999 M

(Signed) W H Fordham

[P.T.O.

*See Instruction 2 (*f*) on other side.

1185

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 1185

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Odsey

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 0 in.

,, Ground ,, Sea Level 256 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·03	–	·05	·76	·07	·07	·20	·08	·25	–	·02	1
2	–	–	–	·14	·11	–	–	–	·21	·06	·03	·15	2
3	–	–	–	·27	·24	–	–	·01	·02	·03	–	–	3
4	–	–	–	·03	–	–	–	–	–	–	·21	–	4
5	·11	·02	–	–	·06	–	·17	–	·08	–	–	–	5
6	·31	–	·06 Hail	·01	·01	–	[illegible]	–	·07	–	–	–	6
7	·02	–	·16	·06	–	–	·01	–	·02	–	–	–	7
8	–	–	·04	·02	–	–	–	–	·06	·15	–	·01	8
9	·03	·05	–	·02	·43	–	–	–	–	·15	–	–	9
10	·26	·02	–	·11	·07	–	–	–	·05	·02	·02	–	10
11	–	·02	–	·10	·05	·05	·08	·63	–	·11	·07	–	11
12	·04	–	–	–	·07	–	–	·03	·01	·31	·04	–	12
13	–	·04	–	·13	–	–	·15	–	·01	·01	·07	·01	13
14	·23	–	–	·02	·02	–	–	·01	–	·08	·03	–	14
15	–	·04	–	·07	·01	–	·07	·01	–	·12	·01	·01	15
16	·19	–	–	·23	·45	–	–	–	–	–	·01	–	16
17	–	–	–	·01	–	–	·11	–	·40	·09	·01	–	17
18	–	–	–	–	–	–	·03	–	–	–	–	–	18
19	–	–	–	–	–	–	–	–	·01	·13	–	–	19
20	–	–	–	·07	·01	–	·11	·75	–	·57	·04	–	20
21	–	–	·01	·24	·47	–	–	·88	–	·43	·02	·02	21
22	–	–	·32	–	·06	–	·09	–	·27	·12	·23	·03	22
23	–	·09	–	–	·01	–	–	–	·09	·57	·03	·01	23
24	–	·01	–	·07	[illegible]	–	·35	–	·02	·05	·34	–	24
25	–	·02	–	–	·02	–	·20	–	·20	·34	·07	–	25
26	–	–	–	·34	·13	–	·05	–	·08	–	–	–	26
27	–	–	·36	·08	·70	–	·10	–	–	·03	·15	–	27
28	–	–	·24	·01	·50	·02	·18	–	–	·22	·01	–	28
29	·02	–	·16	·04	·02	·01	–	·58	·02	·31	·02	·02	29
30	–	✕	·12	–	·04	·59	–	·11	·03	·13	·15	·11	30
31	–	✕	·16	✕	·02	✕	–	·01	✕	–	✕	·02	31
TOTAL	1·27	0·34	1·63	2·12	4·26	0·74	1·77	3·22	1·73	4·28	1·56	0·41	YEAR'S TOTAL 23·33
*Days with ·01 in. or more.	~~10~~	~~10~~	~~10~~	~~22~~	~~23~~	~~5~~	~~15~~	~~11~~	~~19~~	~~23~~	~~20~~	~~11~~	~~179~~
*Days with .04 in. or more.	~~7~~	~~4~~	~~9~~	~~15~~	~~15~~	~~3~~	~~13~~	~~6~~	~~11~~	~~19~~	~~10~~	~~2~~	~~114~~

40-9999

*See Instruction 2 (f) on other side.

M

(Signed) W H Fordham

P.T.O.

Examined by Cards for T.V. /KD

Station No ~~485~~ 1185

Section **A** for the entry of Daily Observations. Copy FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

TV

Kept at Odsey

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

,, Ground ,, Sea Level 256 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·15	·11	–	·01	–	–	–	–	–	·07	–	1
2	·21	–	·15	–	·04	–	–	–	–	–	–	–	2
3	–	·17	·07	–	·05	–	–	–	–	–	–	–	3
4	·05	–	·13	–	·04	–	–	–	–	–	·06	–	4
5	·02	–	·07	–	·29	–	–	–	–	–	–	–	5
6	–	·07	·04	–	·64	–	–	–	–	·03	·04	–	6
7	·06	·10	–	–	·14	–	–	–	–	·02	·01	·01	7
8	·09	–	·08	–	·10	–	–	–	–	·03	–	–	8
9	–	–	–	–	·02 T	–	·05	–	–	·01	·20	–	9
10	–	–	–	–	·01	·12	·09	–	–	·15	–	–	10
11	·06	–	–	–	·07	·03	·07	·15	–	·02	–	–	11
12	–	–	–	·02	·02	·17	·06	–	·37	·01	–	·01	12
13	·03	–	–	–	·08	·06	·02	–	·02	–	·14	–	13
14	·01	–	–	–	·03	–	·07	·04	–	·43	·44	·01	14
15	·26	–	·05	–	–	–	–	·04	–	·02	·14	–	15
16	·10	–	·46	–	·02	·15	·45	–	–	·04	·08	–	16
17	·02	~~·14~~	·24	–	–	·16	–	–	·05	–	·03	–	17
18	–	·13	·01	–	–	·03	–	–	–	–	·01	–	18
19	–	·06	·15	–	–	·01	–	–	·20	–	·01	–	19
20	–	·01	–	·16	–	·20	–	–	·04	–	·02	·01	20
21	–	·03	–	–	–	–	–	·03	·51	–	·01	–	21
22	–	–	–	–	–	–	–	·67	–	·17	·01	–	22
23	–	–	–	·19	–	·03	–	–	·87	·01	·02	–	23
24	–	·25	–	·10	·10	·06	–	–	·13	–	·06	–	24
25	–	·28	–	·32	·01	·42	–	–	–	·02	·02	·10	25
26	–	·64	–	·01	·04	·07	–	–	·28	·07	·01	·11	26
27	–	–	–	–	·27	–	–	–	·06	·11	–	·02	27
28	–	·01	–	–	·06	–	–	–	–	·53	–	·02	28
29	·01	X	–	·54	–	–	–	–	–	·13	–	·02	29
30	·18	X	·04 H	–	–	–	–	–	·01	·01	–	·10	30
31	·02	X	·07	X	–	X	–	·10	X	·05	X	–	31
TOTAL	1·14	1·90	1·67	1·34	2·04	1·51	·81	1·03	2·54	1·86	1·38	·41	YEAR'S TOTAL 17·63
*Days with ·01 in. or more.	~~15~~	~~12~~	~~14~~	~~7~~	~~20~~	~~13~~	~~7~~	~~6~~	~~10~~	~~19~~	~~19~~	~~10~~	~~152~~
*Days with ·04 in. or more.	~~8~~	~~9~~	~~13~~	~~5~~	~~13~~	~~9~~	~~6~~	~~5~~	~~8~~	~~9~~	~~9~~	~~8~~	~~9[illegible]~~

40-9999

D M

(*Signed*) W H Fordham

[P.T.O.

*See Instruction 2 (*f*) on other side.

Exc. by Cards for T.V.

1185

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ashwell, Odsey

in the County of Cambridgeshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

Duplicate

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·15	·11	–	·01						·07		1
2	·21		·15		·04								2
3		·17	·07		·05								3
4	·05		·13		·04						·06		4
5	·02		·07		·29								5
6		·07	·04		·64					·03	·04		6
7	·06	·10			·14					·02	·01	·01	7
8	·09		·08		·10					·03			8
9					·02		·05			·01	·20		9
10					·01	·12	·09			·15			10
11	·06				·07	·03	·07	·15		·02			11
12				·02	·02	·17	·06		·37	·01		·01	12
13	·03				·08	·06	·02		·02		·14		13
14	·01				·03		·07	·04		·43	·44	·01	14
15	·26		·05					·04		·02	·14		15
16	·10		·46		·02	·15	·45			·04	·08		16
17	·02		·24			·16			·05		·03		17
18		·13	·01			·03					·01		18
19		·06	·15			·01					·01		19
20		·01		·16		·20			·24		·02	·01	20
21		·03						·03	·51		·01		21
22								·67		·17	·01		22
23				·19		·03			·87	·01	·02		23
24		·25		·10	·10	·06			·13		·06		24
25		·28		·32	·01	·42				·02	·02	·10	25
26		·64		·01	·04	·07			·28	·07	·01	·11	26
27					·27				·06	·11		·02	27
28		·01			·06					·53		·02	28
29	·01			·54						·13		·02	29
30	·18	×	·04						·01	·01		·10	30
31	·02	×	·07	×		×		·10	×	·05	×		31
TOTAL	1·14	1·90	1·67	1·34	2·04	1·51	·81	1·03	2·54	1·86	1·38	·41	YEAR'S TOTAL 17·63
*Days with ·01 in. or more.	15	12	14	7	20	13	7	6	10	19	19	10	152
*Days with ·04 in. or more.	8	9	13	5	13	9	6	5	8	9	9	3	97

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. H. Fordham

[P.T.O.

Exe 9L

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 1185

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Odsey

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 0 in.

,, Ground ,, Sea Level 256 ft.

T.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	– ✱	–	–	–	–	–	·13	·01	–	–	·29		1
2	·07	–	·08	–	–	–	–	–	·53	·10	–	·11		2
3	·01	·09	–	·18	–	–	–	–	–	·68	–	·01		3
4	·09	·03	·02	–	–	–	–	–	–	·12	·10	·21		4
5	–	–	·05	·01	·04	–	–	·01	–	–	·01	·15		5
6	–	·01	·07	·02 ✱	·39	·12	–	·02	–	·11	–	·33		6
7	·01	·01	– ✱	–	–	·07 T.	–	·06	–	·02	–	·08		7
8	–	–	–	–	·10	–	–	·08	–	–	·08	·02		8
9	·01	–	–	·03	–	–	–	·04	–	–	·40	·40		9
10	–	–	Hail ·11	·09	–	–	–	·01	–	–	·62	·01		10
11	·30	–	·23	·03	–	–	·02	·13	–	–	·08	·07		11
12	–	–	·11	–	–	–	·02	·17 T.S	–	–	·01	·02		12
13	·29	–	·02 ✱	–	–	–	1·31 T.S.S.	·16 TS	–	–	·01	·05		13
14	·01	·01	·33	–	·01	–	–	–	– T	·07	·20	·13		14
15	–	–	·03 ✱	–	·08	–	–	–	·06	·03	·10	·08		15
16	·10	·01	·21	–	·04	–	–	–	–	·09	·01	·01		16
17	–	·01	–	–	–	–	–	·03	–	·07	·02	·13		17
18	·17	–	– ✱	·34	–	–	·12 T.S.S.	–	–	–	–	·02		18
19	–	–	·08	·06	–	–	–	–	·11	·01	–	–		19
20	–	–	·24	–	–	–	–	–	·03	–	·01	–		20
21	–	–	·03	–	–	·09	·02	·05	–	·03	–	–		21
22	–	–	–	–	–	–	–	·07	·18	–	–	–		22
23	–	–	–	·11	–	·13	·01	·03 T	–	–	·01	·02		23
24	–	·02	·07	·13 T.H.	–	·06	·20 TSS	–	·13	–	–	–		24
25	·06	·16 ✱	–	·09	–	·35 T.S.	–	–	–	·01	–	·18		25
26	·03	–	–	·31 TS	–	·02	–	–	·01	–	–	·16		26
27	·06	·08	–	·03 H.	–	·11 T.	–	–	–	–	–	·23		27
28	–	·07	–	·21 TS	–	·25 T.H.	–	·70	–	–	·03	·37		28
29	–	×	–	–	–	–	·10	·07	·10	–	·14	·02		29
30	·12	×	–	–	–	–	–	–	–	– S	–	·03		30
31	·01	×	–	×	–	×	·01	–	×	·32 S	×	·08	✓	31
TOTAL	1·43	·50	1·68	1·64	·66	1·20	1·81	1·76	1·16	1·66	1·83	3·21	Year's Total. 18·54	
* Days with .01 in. or more.	~~16~~	~~11~~	~~15~~	~~14~~	~~6~~	~~9~~	~~9~~	~~16~~	~~9~~	~~13~~	~~16~~	~~26~~	~~160~~	
* Days with .04 in. or more.	~~10~~	~~4~~	~~11~~	~~9~~	~~5~~	~~8~~	~~4~~	~~11~~	~~6~~	~~8~~	~~8~~	~~17~~	~~101~~	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) W H Fordham

[P.T.O.

adjusted by surr. Stas. Avg. corr. of Obs.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 1185

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ashwell, Odsey
in the County of Cambridge
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

TV

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·36	·02		·02	–	·06	·11		·01	·07	·12	·03		1
2	·06	~~·278~~	·02	·04					·02	·13	·03			2
3		·27	·12	·07		·12				·50	·11			3
4				·20		·06			·20	·32				4
5		·49	·08	·08		·11	·01		·23		·01			5
6	·10	·01		·25		·20					·04			6
7	·20			·33		·02				·02	·87	·10		7
8				·11						·20	·06	·14		8
9				·15		·45				·58	·07	·01		9
10		·03		·08							·17	·04		10
11	·19					·02	·21			·10	·23	·01		11
12		·03				·22		·02			·22			12
13	·10	·16		·22	·24									13
14				·03	·12	·01			·04		·07	·06		14
15		·13		·29		·06			·17		·22	·12		15
16		·03		·02		·16			·10	·03	·58	·16		16
17				·01		·07			·01		·64			17
18				·28	·12	·05	·17		·23	·03				18
19	·01			·09	·60	·15	·18		·08	·02	·09	·02		19
20	·02	·07		·10	·47	·06	·03		·01		·01			20
21		·15	·01						·04	·03	·13			21
22		·01	·11					·18	·34		·04			22
23	·02	·01	·10					·08	·01			·01		23
24	·09	·36	·01						·45			·20		24
25	·15	·07		·24		·46					·01	·05		25
26	·38	·01		·01				·14	·11	·03		·32		26
27	·04	·20			·11				·06		·13	·23		27
28		·04							·23	·02		·08		28
29	·01	×						~~·02~~	·64		·02	·14		29
30	·06	×		·15	·03			1·03		·01	·30	·18		30
31		×		×		×		·02 ~~1·03~~	×	·51	×	·16		31
TOTAL	1·79	2·09	·45	2·77	1·69	2·28	·71	1·47	2·98	2·60	4·17	2·06	Year's Total 25·06	
*Days with ·01 in. or more.	~~15~~	~~18~~	~~7~~	~~21~~	~~7~~	~~17~~	~~6~~	~~6~~	~~19~~	~~16~~	~~23~~	~~19~~	~~174~~	
*Days with ·04 in. or more.	~~11~~	~~10~~	~~4~~	~~16~~	~~6~~	~~14~~	~~4~~	~~4~~	~~15~~ 4	~~8~~	~~18~~	~~14~~	~~123~~	

M

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. H. Fordham

[P.T.O.

File No. 908735/29

COPY FOR OFFICIAL USE.

Station No. 1185

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

TV

Kept at Odsey

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. – in.

" Ground " Sea Level 256 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·36	·02	–	·02	–	·06	·11	–	·01	·07^{T}	·12	·03$^{T.H.}$		1
2	·06	·27	·02	·04^{S}	–	–	–	–	·02	·13	·03	–		2
3	–	–	·12	·07^{S}	–	·12	–	–	–	·50	·11	–		3
4	–	–	–	·20^{S}	–	·06	–	–	·20$^{T.}$	·32^{TSS}	–	–		4
5	–	·49^{S}	·08	·08^{S}	–	·11^{T}	·01	–	·23	–	·01	–		5
6	·10^{S}	·01	–	·25	–	·20	–	–	–	–	·04	–		6
7	·20^{S}	–^{S}	–	·33	–	·02	–	–	–	·02	·87	·10		7
8	–	–^{S}	–^{S}	·11	–	–	–	–	–	·20^{H}	·06	·14		8
9	–	–	–^{S}	·15	–	·45	–	–	–	·58	·07	·01		9
10	–	·03	–	·08	–	–	–	–	–	–	·17	·04		10
11	·19	–	–	–	–	·02	·21^{TS}	–	–	·10	·23	·01		11
12	–^{S}	·03	–	–	–	·22^{T}	–	·02	–	–	·22	–		12
13	·10	·16	–	·22	·24^{H}	–	–	–	–	–	–	–		13
14	–	–	–	·03^{T}	·12^{H}	·01	–	–	·04	–	·07	·06^{S}		14
15	–	·13	–	·29	–	·06^{T}	–	–	·17	–	·22	·12^{S}		15
16	–	·03	–	·02		·16^{T}	–	–	·10	·03	·58	·16		16
17	–^{S}	–	–	·01	–	·07	–	–	·01	–	·64	–		17
18	–	–	–	·28	·12$^{H.T.}$	·05	·17^{T}	–	·23	·03	–	–		18
19	·01	–	–	·09	·60	·15	·18	–	·08	·02	·09	·02^{S}		19
20	·02	·07	–	·10	·47	·06	·03	–	·01	–	·01	–		20
21	–	·15	·01	–	–	–	–	–	·04	·03	·13	–		21
22	–	·01^{S}	·11	–	–	–	–	·18$^{T.}$	·34$^{T.}$	–	·04	–		22
23	·02	·01	·10	–	–	–	–	·08	·01	–	–	·01^{S}		23
24	·09	·36	·01	–	–	–	–	–	·45	–	–	·20^{S}		24
25	·15^{S}	·07	–	·24	–	·46^{TS}	–	–	–	–	·01	·05		25
26	·38^{S}	·01^{S}	–	·01	–	–	–	·14	·11	·03	–	·32		26
27	·04^{S}	·20^{S}	–	–	·11	–	–	–	·06	–	·13	·23		27
28	–^{S}	·04	–	–	–	–	–	–	·23	·02	–	·08		28
29	·01	X	–^{S}	–	–	–	–	–	·64	–	·02	·14		29
30	·06		–^{S}	·15	·03	–	–	1·03	–	·01	·30	·18		30
31	–		–		–		–	·02		·51		·16		31
TOTAL	1·79 ✓	2·09 ✓	·45 ✓	2·77 ✓	1·69 ✓	2·28 ✓	·71 ✓	1·47 ✓	2·98 ✓	2·60 ✓	4·17 ✓	2·06 ✓	Year's Total 25·86 ✓	✓
* Days with .01 in. or more.	15 ✓	18 ✓	7 ✓	21 ✓	7 ✓	17 ✓	6 ✓	6 ✓	19 ✓	16 ✓	23 ✓	19 ✓	174 ✓	✓
* Days with .04 in. or more.	11 ✓	10 ✓	4 ✓	16 ✓	6 ✓	14 ✓	4 ✓	4 ✓	14 ✓	8 ✓	18 ✓	14 ✓	123 ✓	✓

40-9999.

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) W. H. Fordham

[P.T.O.

41

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1185

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ashwell, Odsey

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft ...... in.

,, Ground ,, Sea Level 256 ft.

T. V.

from 1090

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·23	·12	·27		·02	·08	·01		–	07	·11		1
2	·10	·01		·03		·22	·85	·08		–	·13	·27		2
3					·01	·08			·08	–	·20	·03		3
4			·07			·02			·24	·01	06	·09		4
5	·09							·01	·20	–	·02	·07		5
6	·16					·12		·21	·07	–	·02	–		6
7	·29		·02			·04	·63	·01	·02	·04	·01	–		7
8	·17		·03		·02					–	·20	·23		8
9	·25				·04		1·71			·01	·01	–		9
10					·01	·01	·14	·15	·02	·05	–	·01		10
11				·04			·27	·02	·08	–	·53	–		11
12				·14		·36	·36		·17	–	·62	·12		12
13				·18		·56	·02			·03	·09	·11		13
14		·10				·06	·66		·09	·02	·02	·21		14
15		·06		·01		·01	·12		·02	–	–	·07		15
16	·35	·04		·03			·02			–	·46	·01		16
17	·06	·45								–	·22	·07		17
18		·04				·30	·09			·03	·03	·01		18
19	·26	·04		·03		·20		·03		·03	–	–		19
20	·02	·10		·25			·03		·75	–	–	–		20
21				·17	·01	1·12	·02		·19	–	–	–		21
22	·09	·35	·03		·22	·04	·15		·01	–	–	·11		22
23				·08			·01			·09	·02	·01		23
24	·10	·37					·18		·08	·20	–	·01		24
25	·07	·02	·14	·13		·19	·08		·21	·02	·05	·02		25
26	·01	·10	·12			·01	·01		·02	·03	01	–		26
27	·02		·01	·19			·02		·24	·19	–	–		27
28	·53	·02	·02			·75	·53			·02	–	·07		28
29	·11	·22	·03			·09	·02			·03	·18	·02		29
30	·03	✕			·38	·16	·11			·28	·01	–		30
31	·50	✕	·13	✕	·09	✕	·18		✕	·63	✕	·11		31
TOTAL	3·38	2·15	·72	1·55	·78	4·36	6·29	·52	2·49	1·71	2·96	1·76	Year's Total. 28·67	
* Days with .01 in. or more.	~~20~~	~~15~~	~~11~~	~~13~~	~~8~~	~~20~~	~~24~~	~~8~~	~~17~~	~~17~~	~~21~~	~~21~~	~~195~~	
* Days with .04 in. or more.	~~16~~	~~12~~	~~5~~	~~9~~	~~7~~	~~15~~	~~16~~	~~3~~	~~12~~	~~7~~	~~12~~	~~13~~	~~[illegible]~~	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) W. H. Fordham

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1185

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

T.V.

Copy by B.R.O.

Kept at Ashwell, Odsey

in the County of Cambridge

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	–	·02	–		–	–	–	·03	–	·68	·42		1
2	–	·03	·01	·27		–	–	–	·06	–	·01	·08		2
3	–	·07	·03	–		–	–	–	–	–	–	·05		3
4	·07	·38	–	·13	·01	–	–	·50	–	–	–	·59		4
5	·12	·03	·19	–		–	·03	–	–	–	·01	·10		5
6	·02	–	·62	–	·10	–	·15	–	–	–	·06	·01		6
7	–	·57	·10	·09	·05	–	–	–	·01	–	–			7
8	·01	·01	–	–	·02	·10	–	–	–	–	·19	·10		8
9	–	–	–	·23	·22	–	·15	·02	·12	–	–	·14		9
10	·01	·02	·58	·03	·06	·36	·01	–	–	–	·01	·33		10
11	–	–	·25	–	·43	–	–	·08	–	–	–	·18		11
12	·07	·36	·13	–	·37	·55	·01	·66	·19	·01	–	·10		12
13	·12	·02	·29	·02	·01	·50	–	·07	·10	–	–	·54		13
14	·03	·02	·68	·19		·03	–	·74	·01	–	–	·01		14
15	·09	·02	–	·16		·01	1·35	–	·13	–	–	·03		15
16	·16	·11	·31	·68		–	–	·06	·12	–	–	·04		16
17	·46	·01	·28	·45		·05	–	–	·16	–	·12	·01		17
18	·53	·12	·01	·02	·25	–	–	–	·01	–	·30			18
19	·09	·07	·08	·03	·02	·19	·36	–	·49	·02	·07			19
20	·34	–	–	·33	·64	–	–	–	·02	·01	–			20
21	·13	·34	·14	·04		–	·10	–	–	·01	·02	·01		21
22	·25	·02	–	–	·01	·03	·05	–	–	·35	·18	·01		22
23	·21	–	·09	–	·25	–	·19	–	–	·84	·01			23
24	·39	·43	·01	–		–	–	–	·14	·11	–			24
25	·03	·34	–	–	·61	–	–	–	·01	·21	–	·02		25
26	–	·15	·09	–	·18	–	–	–	–	·03	–			26
27	·01	·17	–	·18		–	–	–	·01	·79	–			27
28	–	·07	–	·03		·04	–	–	–	·09	–	·05		28
29	·09	X	–	–		–	–	–	–	·04	·06	·03		29
30	·28	✕	–	–		·01	–	–	–	·01	·10			30
31	·27	✕	–	✕		✕	–	–	✕	·05	✕	·07		31
Total	3·96	3·36	3·91	2·88	3·23	1·87	2·40	2·13	1·61	2·57	1·82	2·92	Year's Total 32·66	
* Days with .01 in. or more.	~~24~~	~~22~~	~~19~~	~~16~~	~~16~~	~~11~~	~~10~~	~~7~~	~~16~~	~~14~~	~~14~~	~~22~~	~~191~~	
* Days with .04 in. or more.	~~18~~	~~13~~	~~14~~	~~11~~	~~11~~	~~7~~	~~7~~	~~6~~	~~9~~	~~8~~	~~9~~	~~14~~	~~127~~	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1185

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 10

REGISTER OF RAINFALL IN 1938

Kept at Ashwell, Odsey
in the County of Cambridge
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" Ground " Sea Level 256 ft.

TV

Copy by D.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	–	–	–	·02	·11	·12	–	·01	·01	–	·03		1
2	·13	–	–	·01	·03	·04	·15	–	–	·22	–	–		2
3	·01	–	–		·15		·04	–	·08	·49	·02	–		3
4	·06	–	–			·02	·01	–	–	·22	–	·10		4
5	·02	–	–				·26	–	·01	·08	·01	–		5
6	·04	–	–				·03	·01	·38	·02	–	–		6
7	·04	–	–				·07	·07	·02	·22	–	·01		7
8	·13	–	–				·20	·02	·01	·13	–	·01		8
9	·09	–	–				·02	–	–	–	–	·58		9
10	–	–	–				·06	·33	–	–	–	·03		10
11	·36	–	–				–	–	–	–	·14	·01		11
12	·09	·02	–				·07	·17	–	·37	·01	·01		12
13	·01	·02	–				–	–	–	–	·05	·10		13
14	·11	·02	–		·10		–	–	·08	–	–	·01		14
15	·04	–	–				·04	–	–	·09	·01	·10		15
16	·16	·02	–				·06	–	–	·05	·01	·28		16
17	–	·08	–		·47		·10	–	–	·03	–	–		17
18	·03	–	–		·28		–	–	–	–	·31	–		18
19	–	–	–		·01		–	·04	·05	–	·13	–		19
20	–	·01	–				–	–	·01	–	·41	·05		20
21	–	–	–				–	·18	·02	–	·01	·72		21
22	–	–	–				–	·02	–	–	·19	·26		22
23	–	–	–	·08			–	–	–	–	·05	·01		23
24	–	–	·14	·01	·02		–	·01	·45	–	·06	–		24
25	·09	·03	·09	·01	·03		·01	–	·01	·05	·52	·11		25
26	·06	·13	·13				–	–	·08	·21	–	·21		26
27	·08	·03	–		·21	·19	·18	–	·70	·09	·38	–		27
28	·26	·01	–		·55	·04	–	·41	·05	–	·04	·02		28
29	·45		–		·20		–	–	–	–	·10	·22		29
30	–		–	·03	·01	·13	–	–	·06	·02	·13	·05		30
31	·13		–		·06		–	–		·12		·23		31
TOTAL	2·49	·37	·36	·14	2·14	·53	1·42	1·26	2·02	2·42	2·58	3·15	Year's Total 18·79	
* Days with .01 in. or more.	~~22~~	~~10~~	~~3~~	~~5~~	~~14~~	~~6~~	~~16~~	~~10~~	~~16~~	~~17~~	~~19~~	~~22~~	~~160~~	
* Days with .04 in. or more.	~~17~~	~~2~~	~~3~~	~~1~~	~~8~~	~~5~~	~~12~~	~~6~~	~~9~~	~~13~~	~~13~~	~~13~~	~~102~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. H. Fordham

P.T.O.

June, Obs. confirms figure on 17th see file

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1185

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ashwell, Odsey

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

,, Ground ,, Sea Level 256 ft.

Copy by B.R.O. JV

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	—	—	·22	·21	—	·15	·03	·41	—	—	—		1
2	·04	—	—	—	—	—	—	·46	·30	—	·01	—		2
3	47	—	—	·04	—	—	—	·45	—	·01	·18	·25		3
4	·03	—	·16	·26	—	—	·02	·75	—	·14	·01	·04		4
5	—	—	—	·34	·02	—	·01	·77	—	·03	·21	·04		5
6	·31	—	—	·04	—	—	·18	·03	—	—	·04	·02		6
7	·05	·02	—	—	—	—	·01	·10	—	—	·10	·09		7
8	—	·02	·11	—	—	—	·06	·10	—	·06	·02	·31		8
9	—	·03	—	—	—	—	—	·05	—	·29	·05	·14		9
10	·19	—	—	—	·01	·34	—	·18	·02	—	·01	—		10
11	—	—	·26	—	·03	—	—	—	—	·04	—	·02		11
12	—	·07	—	—	·01	·24	—	—	·05	·01	—	—		12
13	—	—	·02	·01	—	·04	·01	—	·05	·83	—	—		13
14	·25	—	—	—	·52	—	—	—	·02	·13	·15	·01		14
15	·45	—	·07	·01	·69	·28	·07	—	·07	·83	·05	·01		15
16	·30	—	·22	·02	·09	·18	·01	—	·01	·14	·23	—		16
17	·13	·01	·01	·10	·06	·21	·14	—	—	·01	·03	—		17
18	·10	—	·04	—	—	·09	·10	—	·02	·19	·50	—		18
19	·22	—	·02	—	—	·03	·04	—	—	·15	—	·01		19
20	·07	—	—	—	—	·15	·35	·71	—	—	—	·07		20
21	·08	—	·37	—	—	·35	·03	·05	·15	·01	—	—		21
22	·05	·15	·08	—	—	·02	·03	—	·08	·01	·04	—		22
23	·03	—	·01	·13	—	·02	—	—	—	·10	·54	·02		23
24	·10	—	·05	·03	—	·01	·13	—	—	·02	—	—		24
25	1·05	·06	·26	·05	—	—	·05	·17	—	—	·29	·02		25
26	·49	—	·02	·04	—	—	—	·01	—	·20	·61	·06		26
27	·02	·03	·16	·10	—	—	·02	—	—	·12	·10	—		27
28	·02	·22	·14	—	—	—	—	—	—	·32	·11	·07		28
29	—	X	—	·69	—	—	·02	·11	—	·24	—	—		29
30	—	✕	—	·75	—	·06	—	—	—	—	·01	·01		30
31	—	✕	—	✕	—	✕	·07	—	✕	·01	✕	—		31
TOTAL	4·48	·61	2·00	2·83	1·64	2·02	1·50	3·97	1·18	3·89	3·29	1·19	Year's Total 28.60	
* Days with .01 in. or more.	~~22~~	~~9~~	~~17~~	~~16~~	~~9~~	~~14~~	~~20~~	~~15~~	~~11~~	~~23~~	~~21~~	~~17~~	~~194~~	
* Days with .04 in. or more.	~~17~~	~~4~~	~~12~~	~~12~~	~~4~~ ~~5~~	~~10~~	~~11~~	~~12~~	~~7~~	~~15~~	~~16~~	~~9~~	~~129~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1185

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Ashwell (Odsey)
in the County of Cambridge
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 0 in.
,, Ground ,, Sea Level 256 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·06	-	-	-	-	-	-	-	-	·12	-		1
2	-	·06	-	·07	-	-	·04	-	-	·15	·87	-		2
3	-	·15	-	·16	-	-	-	-	-	·11	·77	·02		3
4	-	·11	-	·13	-	-	·15	-	-	·15	·43	·02		4
5	-	·03	-	-	-	-	·03	-	-	·01	·49	·02		5
6	·12	·10	-	-	·07	-	·44	-	-	·05	·24	·01		6
7	·37	·08	-	-	·09	-	·04	-	·01	-	-	·02		7
8	-	·01	-	-	-	-	·04	-	-	·07	-	·23		8
9	-	-	·01	-	-	-	-	·01	·01	·02	·08	·13		9
10	-	-	-	-	-	·70	·47	-	-	·08	·18	·22		10
11	-	-	-	·03	-	-	-	-	-	-	·63	·05		11
12	-	·07	·02	-	-	-	·01	-	·05	-	·06	-		12
13	-	·02	1·21	-	-	-	-	·01	·08	-	1·18	·01		13
14	-	-	·11	·12	·02	-	-	-	-	·01	-	·13		14
15	·02	-	·04	-	·08	·06	·16	-	·03	·01	·08	-		15
16	·06	·12	·24	·01	-	·02	·52	-	·06	·68	·51	-		16
17	-	·02	·34	-	-	-	·03	-	·01	·01	·24	-		17
18	·01	·34	·25	·42	-	-	·01	·05	-	·09	·02	·12		18
19	-	·10	·02	·15	-	-	·10	-	·03	-	·12	·06		19
20	-	·01	·01	·01	-	-	-	-	-	-	·01	-		20
21	·05	-	-	-	·03	-	·29	·03	-	·11	·31	-		21
22	·01	-	·03	-	·13	·28	-	·03	·30	-	·02	-		22
23	-	·10	-	·11	·24	·02	-	·01	-	·01	·10	·02		23
24	-	-	-	·14	-	-	·20	-	-	-	·01	-		24
25	-	-	·24	-	-	-	·61	-	-	-	-	-		25
26	·74	·03	·16	·03	·30	-	·27	-	-	-	-	-		26
27	·39	·08	-	-	·28	-	·01	·01	-	-	·02	-		27
28	·12	·07	-	-	·03	-	-	-	-	-	-	-		28
29	-	-	·05	-	·01	-	-	-	-	-	-	·21		29
30	·02	✕	-	·09	-	-	-	-	-	·12	-	·09		30
31	·01	✕	-	✕	-	✕	-	-	✕	·61	✕	·01		31
TOTAL	1·92	1·56	2·73	1·47	1·28	1·08	3·42	·15	·58	2·29	6·49	1·37	Year's Total 24·34	
* Days with .01 in. or more.	~~12~~	~~19~~	~~14~~	~~13~~	~~11~~	~~5~~	~~18~~	~~7~~	~~9~~	[illegible]	~~22~~	~~17~~	~~164~~	
* Days with .04 in. or more.	~~7~~ ✓	~~13~~ ✓	~~9~~ ✓	~~9~~ ✓	~~7~~ ✓	3 ✓	~~13~~ ✓	~~1~~ ✓	~~4~~ ✓	10 ✓	~~17~~	~~9~~	~~103~~	

1·28
13

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Herbert Fordham, Esq. [P.T.O.

1186

1186

LITLINGTON

1931– 1940

1936 MISSING 780210

Section **A** for the entry of
AIR MINISTRY

COPY FOR OFFICIAL USE.
AINFALL ORGANIZATION.

FORM 1090.

REGIST 1931.

Kept at LITLINGTO

in the County of CAMI

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU US DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
/

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·01	·03	·05	·05	·13	–	–	·06	–	–	–	1
2	–	·08	–	·29	–	–	–	·01	·47	–	·02	–	2
3	·10	–	–	·09	·34	–	–	·08	·93	–	–	–	3
4	–	–	–	04	–	–	–	·47	·08	–	·15	·12	4
5	–	–	–	·07	–	·35	·15	·16	·03	–	–	·41	5
6	–	·67	–	·03	–	·27	–	–	·07	·25	·62	–	6
7	–	–	–	–	–	–	–	·46	–	–	·08	·02	7
8	·01	·05	·03	–	–	·10	–	·42	–	·16	–	–	8
9	–	·11	·05	·02	–	·11	·02	·03	–	–	·28	·03	9
10	·04	·03	–	–	–	·03	·12	·33	–	–	·20	–	10
11	·20	·18	–	–	–	·02	–	–	·05	–	·42	–	11
12	–	–	–	–	–	–	–	·04	·24	–	–	–	12
13	–	·01	–	–	–	–	·38	·08	–	–	–	–	13
14	·06	·08	–	–	·14	–	1·21	·36	–	–	–	–	14
15	·07	·05	·03	·33	·23	–	·17	·17	–	–	–	·05	15
16	–	–	–	·12	·40	–	–	·23	·10	–	–	–	16
17	–	·21	–	·37	·01	–	·12	·28	·03	–	–	–	17
18	·03	·07	–	·19	–	–	·01	·20	–	–	·48	–	18
19	·08	–	–	·60	–	·18	·39	·02	·12	–	–	–	19
20	·01	–	–	·04	–	–	·19	·31	·03	–	–	–	20
21	·03	–	–	·01	·75	–	–	–	–	–	–	–	21
22	·11	–	–	·03	–	·03	–	–	·02	–	·02	–	22
23	·22	·03	–	·01	·42	–	–	–	–	–	·12	·09	23
24	–	–	–	·32	·16	·01	·08	–	–	–	–	–	24
25	·07	–	–	·35	–	–	·80	–	·02	–	–	–	25
26	–	–	–	·18	·09	–	·88	–	–	–	·19	–	26
27	·17	·06	–	–	·03	–	·04	–	–	–	·18	–	27
28	·18	·50	–	·03	–	–	·10	–	–	·07	–	·09	28
29	·14	·06	–	·01	·07	–	–	–	–	·28	–	–	29
30	·06	×	–	–	–	–	·01	·10	–	–	–	–	30
31	·11	×	–	×	–	×	–	–	×	–	×	–	31
TOTAL	1·69	1·55	·14	3·17	2·69	1·23	4·67	3·76	2·25	·75	2·76	·81	YEAR'S TOTAL 25·46
*Days with ·01 in. or more.	18	16	4	21	12	10	16	18	14	4	12	7	152
*Days with ·04 in. or more.	14	12	1	14	10	6	13	15	9	–	10	5	109

40-9999

(Signed) J. Simons [P.T.O.

*See Instruction 2 (*f*) on other side.

1186

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at LITLINGTON

in the County of CAMBRIDGE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ~~80~~ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following /

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·01	·03	·05	·05	·13	–	–	·06	–	–	–	1
2	–	·08	–	·29	–	–	–	·01	·47	–	·02	–	2
3	·10	–	–	·09	·34	–	–	·08	·93	–	–	–	3
4	–	–	–	04	–	–	–	·47	·08	–	·15	·12	4
5	–	–	–	·07	–	·35	·15	·16	·03	–	–	·41	5
6		·07	–	·03	–	·27	–	–	·07	·25	·62	–	6
7	–	–	–	–	–	–	–	·46	–	–	·08	·02	7
8	·01	·05	·03	–	–	·10	–	·42	–	·15	–	–	8
9	–	·11	·05	·02	–	·11	·02	·03	–	–	·28	·03	9
10	·04	·03	–	–	–	·03	·12	·33	–	–	·20	–	10
11	·20	·13	–	–	–	·02	–	–	·05	–	·42	–	11
12	–	–	–	–	–	–	–	·04	·24	–	–	–	12
13	–	·01	–	–	–	–	·38	·08	–	–	–	–	13
14	·06	·08	–	–	·14	–	1·21	·36	–	–	–	–	14
15	·07	·05	·03	·33	·23	–	·17	·17	–	–	–	·05	15
16	–	–	–	·12	·40	–	–	·23	·10	–	–	–	16
17	–	·21	–	·37	·01	–	·12	·28	·03	–	–	–	17
18	·03	·07	–	·19	–	–	·01	·20	–	–	·48	–	18
19	·08	–	–	·60	–	·18	·39	·02	·12	–	–	–	19
20	·01	–	–	·04	–	–	·19	·31	·03	–	–	–	20
21	·03	–	–	·01	·75	–	–	–	–	–	–	–	21
22	·11	–	–	·03	–	·03	–	–	·02	–	·02	–	22
23	·22	·03	–	·01	·42	–	–	–	–	–	·12	·09	23
24	–	–	–	·32	·16	·01	·08	–	–	–	–	–	24
25	·07	–	–	·35	–	–	·80	–	·02	–	–	–	25
26	–	–	–	·18	·09	–	·88	–	–	–	·19	–	26
27	·17	·06	–	–	·03	–	·04	–	–	–	·18	–	27
28	·18	·50	–	·03	–	–	·10	–	–	·07	–	·09	28
29	·14	·06	–	·01	·07	–	–	–	–	·28	–	–	29
30	·06	×	–	–	–	–	·01	·10	–	–	–	–	30
31	·11	×	–	×	–	×	–	–	×	–	×	–	31
TOTAL	1·69	1·55	·14	3·17	2·69	1·23	4·67	3·76	2·25	·75	2·76	·81	YEAR'S TOTAL 25·46
*Days with ·01 in. or more.	18	16	4	21	12	10	16	18	14	4	12	7	152
*Days with ·04 in. or more.	14	12	1	14	10	6	13	15	9	–	10	5	109

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. Simons

[P.T.O.

FORM 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1932

At Sitlington Vicarage

In the County of Cambs

Rain Gauge

Diameter of Funnel 10 in.

Height of Top above Ground 1 *ft* 0 *in.*

Height of Ground above Sea Level 80 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·08	·30	6	12	6
FEB.	·24	·06	23	7	3
MAR.	2.28	·48	31	11	10
APRIL	2.86	·45	26	21	15
MAY	5·70	·66	28	22	15
JUNE	·77	·62	~~24~~ ~~29~~ 30	3	3
JULY	2·35	·68	~~#~~24 ~~30~~ 29	14	13
AUG.	4·09	·75	~~18~~ 11 20	10	6
SEPT.	2·05	·67	18	18	11
OCT.	5·29	·80	23	22	19
NOV.	1·95	·65	24	13	10
DEC.	·47	·18	30	9	3
Total	29.13			162	114

Signature Rev. M de Courcy-Ireland.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O.
JAN 193

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Litlington Vicarage

In the County of Cambridge

Rain Gauge
- Diameter of Funnel 10 in.
- *Height of Top above Ground* 1 *ft* – *in.*
- *Height of Ground above Sea Level* 98 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·16	·26	30	14	8
FEB.	1·88	·98	26	11	8
MAR.	1·91	·49	16	15	13
APRIL	1·72	·67	29	7	5
MAY	2·37	·95	6	15	11
JUNE	1·89	·40	20	14	10
JULY	1·28	·57	15	8	7
AUG.	1·41	1·06	22	6	5
SEPT.	2·05	1·06	23	9	8
OCT.	2·05	·85	28	12	9
NOV.	1·76	·62	14	15	9
DEC.	·51	·18	26	5	3
Total	19·99			131	96

Signature Rev M. de Courcy-Ireland.

*See Instruction 2 (*f*) below.

1186

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— Rev M. de Courcy-Ireland

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from original on back of Circ. J 13/4/34 J.W.D.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

M.O.
13 APR 1934

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

D

1186

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Litlington Vicarage

In the County of Cambs

Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground 1 *ft.* – *in.*
Height of Ground above Sea Level 98 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1.17			15	
FEB.	.57			7	
MAR.	1.69			13	
APRIL	1.72			14	
MAY	.61			4	
JUNE	1.41			10	
JULY	1.92			9	
AUG.	1.71			12	
SEPT.	1.05			10	
OCT.	1.82			12	
NOV.	2.13			11	
DEC.	3.78			24	
Total	19.58			141	

Signature M. de Courcy-Ireland

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

copied from original 3/1/35 JWD

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1186

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ......

in the County of Cambs

Diameter of Funnel of Gauge ...... in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level ...... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL													Year's Total.	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

at Litlington. County of Cambridge. Funnel 5"

Height 1 ft. Sea Level ~~80~~ 98 ft

Month.	Total depth	Greatest Fall	Days
Jany.	1·78	26th ·45 Snow	14
Feby.	2·01	5th ·61	15
March	·52	22nd ·16	7
April	2·75	7th ·36	17
May	1·38	20th ·59	7
June	2·25	9th ·44	16
July	·62	18th ·38	5
August	1·46	29th ·77	4
September	3·21	29th ·82	18
October	2·40	9th ·67	14
November	4·00	17th ·66	18
December	1·94	14th ·65	16
	24·82 inches		151 days

Signed

M de Courcy-Ireland

M.O. 7
3 JAN 1936

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ......

[P.T.O.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Litlington Vicarage

In the County of Cambridge

Rain Gauge
- Diameter of Funnel……………………in.
- *Height of Top above Ground………ft…………in.*
- *Height of Ground above Sea Level……………ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·46	·46	18	22	19
FEB.	3·03	·65	7	19	14
MAR.	4·54	1·52	6	15	14
APRIL	2·83	·60	17	18	13
MAY	3·27	·67	17	14	11
JUNE	1·69	·62	13	9	6
JULY	1·86	1·12	14	9	8
AUG.	2·86	1·12	11	6	5
SEPT.	1·85	·66	19	13	10
OCT.	2·53	·87	23	10	9
NOV.	1·54	·62	1	11	8
DEC.	2·74	·50	13	18	15
TOTAL	32·20 ✓			164 ✓	132 ✓

Part of

Signature Rev. M. de Courcy-Ireland

* See Instruction 3 *(f)* below.

C Particulars of Station.

~~Age~~

1186

665994/26

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

……………………………………………………………………………

……………………………………………………………………………

Hour of observation by the clock—in Winter……………………in Summer……………

Nearest Railway Station……………………… Distance……… Direction from gauge…………

Nearest Parish Church at……………………… Distance……… Direction from gauge…………

Nature of objects nearest to gauge				
Height of objects				
Distances …				
Directions from gauge …				

If gauge has been moved during the year state—

Date of move……………………… Distance…………… Direction…………

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

……………………………………………………………………………

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

N.P. 1936
Obs kept incorrectly & not sent.

Copy by B.R.O.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

Copied by B.R.O. 1186

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Litlington

In the County of Cambridge

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* – *in.*
Height of Ground above Sea Level – *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·28	·50	29	20	
FEB.	·31	·09	26	8	
MAR.	·34	·13	26	3	
APRIL	·22	·10	25	6	
MAY	2·06	·39	28	13	
JUNE	·29	·15	27	4	
JULY	1·26	·41	8	15	
AUG.	1·29	·35	28	5	
SEPT.	2·01	·85	27	12	
OCT.	2·54	·46	12	17	
NOV.	2·21	·48	25	11	
DEC.	2·59	·67	21	15	
TOTAL	17·50 ✓			~~130~~ 129 ✓	

Signature ....

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :— M. de Courcy

Hour of observation by the clock—in Winter............in Summer............

Nearest Railway Station............ Distance............ Direction from gauge............

Nearest Parish Church at............ Distance............ Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each **month** should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91 S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

[illegible]

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939..

At ...Litlington...............................

In the County of ...Cambridge.........

Rain Gauge
Diameter of Funnel.........................in.
Height of Top above Ground.........ft.............in.
Height of Ground above Sea Level...110......ft. 98

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·83			19	16
FEB.	·87			8	5
MAR.	2·06			16	12
APRIL	2·88			14	16
MAY	1·42			6	2
JUNE	2·04			11	10
JULY	·72			9	7
AUG.	3·52			12	9
SEPT.	·89			8	5
OCT.	3·88			18	11
NOV.	3·13			14	12
DEC.	·89			7	6
TOTAL	~~27·23~~ 27·13			142	109

Signature ....Copied...by...B.R.D

corrected for arith. LMP

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter.........................in Summer.....................

Nearest Railway Station.. Distance.................. Direction from gauge..............

Nearest Parish Church at.. Distance.................. Direction from gauge.............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move... Distance.............. Direction...........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\begin{matrix}17\\18\end{matrix}\Big\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W.H.&S. 668/91 S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

C Particulars of Station.

1186.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~3~~40

At Litlington

In the County of Cambridge

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 80 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	(1·80 ~~1·50~~	·66	26	8	
FEB.	1·90 ~~2·20~~	·62	3	14	
MAR.	3·10	1·30	17	7	
APRIL	1·76	·46	18	15	
MAY	1·11	·31	26	8	
JUNE	·58	·31	11	4	
JULY	4·04	·99	26	16	
AUG.	·08	·04	18	3	
SEPT.	·55	·34	22	6	
OCT.	2·12	·82	16	11	
NOV.	6·74	1·35	13	17	
DEC.	1·43	·31	10	13	
TOTAL	25·21			122	

Signature M. de Courcey Ireland

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan & Feb. apportioned by ref. to nearby stns

Copy by B.R.O.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

1187

Section **A** for the entry of Dail

AIR MINISTRY.—M

ALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTE

31 .

1187

CAMBRIDGE

CASTLE CAMPS SCH

1931- 1932

Kept at Castle Cam

in the County of Camb

amendments as below 27/4/32

endments. 29/4/32.

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

„ Ground „ Sea Level

THE MORNING MEASUREM AY.

An observer who does not conform to this ru the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·25				·02				·01		–	1
2	·01	·08				·02					·01	·01	2
3	·02	·04	[illegible]		·59	·01	·03				·01	·02	3
4	·02	·01	·02		·02			·15		·01	·01	·02	4
5	·01	·01	·05		·07			·3		·01	·01	(+·30)	5
6	·01	·05			·01		·01			·12			6
7	·01	·03		(+·30)	·01	·47	·02			·01		·01	7
8	·05	·07	·01			·05	·01			·01	·29	·01	8
9		·02	·02			·12	·01				·19	·18	9
10		·09	·01			·04					·18	·01	10
11	·31	·12	·01		·00	·01				·01	·01		11
12	·03	·04	·01	·44	·01		·11			·01			12
13	·04	·03		·01	·01		·05			·01		·01	13
14	·07	·08	·00	·01	·01	·01	·81				·02	·01	14
15	·08	·1	·01	·14	·01	·01	·44				·01	·04	15
16		·19	·01			·01	·01					·01	16
17		·02	·01			·08						·02	17
18	·04	·08	·02	·96	·99	·11				·01	·13	·01	18
19	·06	·02	·01	·05	·02		·28			–	·01		19
20	·02	·01	·01	·02	·02		·03			·01			20
21	·03	·01	·01	·04	·34	·63	·01		2·07	·01		·05	21
22	·08	·01	·00	·04		·01	–		·01		·02	·02	22
23	·2	·04	·01	·02		·07	·01		·05		·08	·01	23
24		·04	·01			·03	·1		·06		·01		24
25		·01	·01			·01					·02		25
26	·02	·02	·01	·8	·74	·02	(+1·25)			·13	·01		26
27	·19	·02		·02	·06	·02	·12		·02				27
28	·31			·1	·06		·01		–		(+·30)	(+·40)	28
29		·88 ~~[illegible]~~	·01	·08			·12		·01	·01	·19		29
30		×	·01	·01		·01	·02		·01		·02		30
31		×		×	·08	×		(+3·00)	×		×		31
TOTAL	1·74	~~[illegible]~~ 2·37	·27	(3·04)	3·05	1·76	(3·45)	(3·45)	(2·23)	·37	(1·53)	(1·14)	YEAR'S TOTAL (24·40)
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) ~~W. A. Hodgkinson~~

The Headmaster

P.T.O.

1187

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Castle Camps School
in the County of Cambridge
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 400. ft.

906 sent suggesting amendments as below
27/4/32

observer agrees all amendments. 29/4/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·25				·02				·01		–	1
2	·01	·08				·02					·01	·01	2
3	·02	·04	~~[illegible]~~		·59	·01	·03				·01	·02	3
4	·02	·01	·02		·02			·15		·01	·01	·02	4
5	·01	·01	·05		·07			·3		·01	·01	(+·30)	5
6	·01	·05			·01		·01			·12			6
7	·01	·03		(+·30)	·01	·47	·02			·01		·01	7
8	·05	·07	·01			·05	·01			·01	·29	·01	8
9		·02	·02			·12	·01				·19	·18	9
10		·09	·01			·04					·18	·01	10
11	·31	·12	·01		·00	·01				·07	·07		11
12	·03	·04	·01	·44	·01		·11			·01			12
13	·04	·03		·01	·01		·05			·01		·01	13
14	·07	·08	·00	·01	·01	·01	·81				·02	·01	14
15	·08	·1	·01	·14	·01	·01	·44				·01	·04	15
16		·19	·01			·01	·01					·01	16
17		·02	·01			·08						·02	17
18	·04	·08	·02	·96	·99	·11				·01	·13	·01	18
19	·06	·02	·01	·05	·02		·28			–	·01		19
20	·02	·01	·01	·02	·02		·03		✓	·01			20
21	·03	·01	·01	·04	·34	·63	·01		2·07	·01		·05	21
22	·08	·01	·00	·04		·01	–		·01		·02	·02	22
23	·2	·04	·01	·02		·07	·01		·05		·08	·01	23
24		·04	·01			·03	·1		·06		·01		24
25		·01	·01			·01					·02		25
26	·02	·02	·01	·8	·74	·02	(+1·25)			·13	·01		26
27	·19	·02		·02	·06	·02	·12		·02				27
28	·31			·1	·06		·01		–		(+·30)	(+·40)	28
29		·88 ~~[illegible]~~	·01	·08			·12		·01	·01	·19		29
30		×	·01	·01		·01	·02		·01		·02		30
31		×		×	·08	×		(+3·00)	×		×		31
TOTAL	1·74	~~[illegible]~~ 2·37	·27	(3·04)	3·05	1·76	(3·45)	(3·45)	(2·23)	·37	(1·53)	(1·14)	YEAR'S TOTAL (24·40)
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. A. Hodgkinson
The Headmaster

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1187

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Castle Camps School

in the County of Cambridge

Diameter of Funnel of Gauge 5 in. Barton

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 400 ft.

Allocate monthly totals.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·58	·05		·46			·03	·04	1
2				(·25)	·06	·01		·01		·28	·02		2
3					·14		·05	·02		·05	·01		3
4					·01		·01	·03		·02		·13	4
5				·09	·04	·01	·1			·01		·01	5
6				·06		·01	·04			·01	·25	·02	6
7				·07		·01	·03				·02	·01	7
8					·04	–					·02	·01	8
9					·80	–				·52	·01		9
10				·13	·06		·01			·04	·01		10
11				·10	·11		·01			·05		·02	11
12				·04	·06	·01	·01			·13		·01	12
13				·10		–	·01			·03	·15	·01	13
14				·03		–	·02				·06	·01	14
15						–					·02	·01	15
16						–				·16	·01		16
17				·33	·80		·11		(2·80	·08	·01		17
18				·01	·02		·1		~~6·05~~	·01		·01	18
19				–	·01	·01	·05		·02	·13		·01	19
20				·15		–	·1		·01	·63	·28	·01	20
21				·08		–	·02		·01		·02	·01	21
22					·66	·01			·02		·28		22
23					·02	–				·92	·06		23
24				·01	·01	–	·24			·02	·5		24
25				·01	·05	·01	·5		·17	·53			25
26				·28	·14	·01	·05		·08	·04			26
27				·08		·02	·48		·02	·02	·25		27
28				·01		·3	·18		·01		·01		28
29				·01	·89	·08			·01		·03		29
30		×			·01	·37				·84	·1		30
31		×		×	·04	×		(3·75)	×	·03	×	+ (·25)	31
TOTAL	~~(1·25)~~	~~(·25)~~	~~(2·00)~~	(1·84)	4·55	·91	2·12	(4·27)	(2·65)	4·55	2·15	(·57)	YEAR'S TOTAL [illegible] 1 imp
*Days with ·01 in. or more.													
*Days with .04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. A. Hodgkinson

P.T.O.

1188

Section **A** for the entry of Daily O

AIR MINISTRY.—METI

OPY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTER

1188

GUILDEN MORDEN

1931 - 1940

48 02 10

Kept at Guilden Morden

in the County of Cambridge

Diameter of Funnel of Gauge 5 in

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level 16

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·01	·01	·13	·06	·02	—	—	·06	—	—	—	1
2	—	·08	~~2~~	~~·26~~	—	tr	—	·01	·36	—	tr	·02	2
3	—	·01	—	·13	·40	—	—	·02	·68	—	tr	·14	3
4	·09	·01	—	·04	tr	—	·01	·42	·11	—	·15	tr	4
5	—	—	—	·06	·01	·34	·07	·05	·07	—	—	·40	5
6	—	·08	—	·02	—	·20	—	—	—	·22	·56	—	6
7	·01	—	—	—	—	·05	—	·43	—	·14	·05	·02	7
8	·04	·07	·05	—	—	·06	—	·34	—	—	tr	tr	8
9	—	·08	·05	·01	—	·22	tr	·02	·09	—	·18	·03	9
10	·02	·09	—	—	—	·04	·08	·31	—	—	·23	—	10
11	·17	·13	—	—	—	·02	—	—	·05	·01	·03	—	11
12	—	·01	—	—	—	—	·02	·03	·20	—	—	—	12
13	·04	—	—	—	—	—	·32	·14	—	—	—	—	13
14	·04	·10	·03	—	·03	tr	1·04	·31	—	—	—	—	14
15	·07	·06	tr	·32	·08	—	·08	·14	—	—	—	·04	15
16	—	·17	—	·11	·22	—	—	·10	·05	—	—	—	16
17	tr	·01	—	·28	·35	—	·13	·17	·05	·01	—	—	17
18	·01	·06	—	·20	·01	·08	—	·25	—	—	·46	—	18
19	·09	·01	—	·42	tr	·03	·33	·02	·09	—	tr	—	19
20	·01	·02	—	·06	—	tr	·05	·19	—	·02	·01	·01	20
21	·03	—	—	·01	·69	—	—	·01	·02	—	—	—	21
22	·11	—	—	·08	—	—	—	—	·04	—	—	—	22
23	·18	—	—	·03	·38	·03	—	—	·02	—	·13	·06	23
24	—	—	—	·20	·17	·02	·07	—	·02	—	tr	—	24
25	·05	·01	—	·34	·05	—	·78	—	—	—	·02	—	25
26	—	·01	—	·23	·02	—	·58	—	—	—	·14	—	26
27	·05	·45	—	·01	·02	—	·04	—	—	—	·18	—	27
28	·20	·15	—	·02	—	—	—	—	—	—	·01	·08	28
29	·10	×	—	·09	·01	—	·13	—	—	·24	·02	·03	29
30	·08	×	—	—	·05	—	·01	·01	—	tr	—	—	30
31	·07	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1·47	1·62	0·14	3·05	2.55	1·11	3·74	2·97	1·91	0·64	2·17	0·83	YEAR'S TOTAL 22·20
*Days with ·01 in. or more.	21	21	4	22	16	12	16	19	15	6	14	10	176
*Days with ·04 in. or more.	15	12	2	16	10	7	13	12	12	3	9	5	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ll. G. S. Price (Rev.)

P.T.O.

1188

Section **A** for the entry of Daily O COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Guilden Morden

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·01	·01	·13	·06	·02	—	—	·06	—	—	—	1
2	—	·08	—	·26	—	tr	—	·01	·36	—	tr	·02	2
3	—	·01	—	·13	·40	—	—	·02	·68	—	tr	·14	3
4	·09	·01	—	·04	tr	—	·01	·42	·11	—	·15	tr	4
5	—	—	—	·06	·01	·34	·07	·05	·07	—	—	·40	5
6	—	·08	—	·02	—	·20	—	—	—	·22	·56	—	6
7	·01	—	—	—	—	·05	—	·43	—	·14	·05	·02	7
8	·04	·07	·05	—	—	·06	—	·34	—	—	tr	tr	8
9	—	·08	·05	·01	—	·22	tr	·02	·09	—	·18	·03	9
10	·02	·09	—	—	—	·04	·08	·31	—	—	·23	—	10
11	·17	·13	—	—	—	·02	—	—	·05	·01	·03	—	11
12	—	·01	—	—	—	—	·02	·03	·20	—	—	—	12
13	·04	—	—	—	—	—	·32	·14	—	—	—	—	13
14	·04	·10	·03	—	·03	tr	1·04	·31	—	—	—	—	14
15	·07	·06	tr	·32	·08	—	·08	·14	—	—	—	·04	15
16	—	·17	—	·11	·22	—	—	·10	·05	—	—	—	16
17	tr	·01	—	·28	·35	—	·13	·17	·05	·01	—	—	17
18	·01	·06	—	·20	·01	·08	—	·25	—	—	·46	—	18
19	·09	·01	—	·42	tr	·03	·33	·02	·09	—	tr	—	19
20	·01	·02	—	·06	—	tr	·05	·19	—	·02	·01	·01	20
21	·03	—	—	·01	·69	—	—	·01	·02	—	—	—	21
22	·11	—	—	·08	—	—	—	—	·04	—	—	—	22
23	·18	—	—	·03	·38	·03	—	—	·02	—	·13	·06	23
24	—	—	—	·20	·17	·02	·07	—	·02	—	tr	—	24
25	·05	·01	—	·34	·05	—	·78	—	—	—	·02	—	25
26	—	·01	—	·23	·02	—	·58	—	—	—	·14	—	26
27	·05	·45	—	·01	·02	—	·04	—	—	—	·18	—	27
28	·20	·15	—	·02	—	—	—	—	—	—	·01	·08	28
29	·10	×	—	·09	·01	—	·13	—	—	·24	·02	·03	29
30	·08	×	—	—	·05	—	·01	·01	—	tr	—	—	30
31	·07	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1·47	1·62	0·14	3·05	2·55	1·11	3·74	2·97	1·91	0·64	2·17	0·83	YEAR'S TOTAL 22·20
*Days with ·01 in. or more.	21	21	4	22	16	12	16	19	15	6	14	10	176
*Days with ·04 in. or more.	15	12	2	16	10	7	13	12	12	3	9	5	116

40-9999

(Signed) Ll. G. S. Price (Rev.)

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 1188

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932 .

Kept at Guilden Morden

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 140 ft.

Totle

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·03		·08	·32	·04	·04	·71	·10	·36	·01	·04	1
2	·01	~~·03~~		·18	·06			·02	·13	·05	·02	·10	2
3				·27	·20				·03	·03			3
4				·01	tr			·01			·19		4
5	·13				·04		·20	·01	·08		tr		5
6	·20		·09	·01	·02		tr		·15				6
7			·17	·08					·02			·02	7
8		·02	·06	·04					·08	·11			8
9	·02			·03	·42				tr	·15			9
10	·07	·01		·10	·10	·01			·07	·01	·05		10
11		·02		·11	·09	·19	·05	·40	·05	·04	·05		11
12	·03				·10			·10	·01	·42	·03		12
13	·02	·02		·12	·01		·03		·02		·02		13
14	·15	·01	·01	·24			·01			·10	·01	·01	14
15		tr		·04	·02		·11			·14	tr		15
16	·17			·27	·60					·01			16
17				·01			·06			·07			17
18					tr				·51				18
19		·01							·01	·13	tr		19
20		tr		·06	·04		·16	·30		·41	·07		20
21			·04	·18	·48		·05	1·35		·37		·02	21
22	tr		·32	·01	·06		·08		·20	·08	·23		22
23		·08	·01		·04				·04	·59	·05	·03	23
24				·02			·56		·04	·07	·44	·01	24
25	tr				·01		·30		·11	·33	·05	·01	25
26		·01		·32	·16		·20		·07	tr	tr		26
27			·24	·05	·57		·32		·02	·02	·15		27
28			·17		·49	·25	·22			·24			28
29	·01		·10	·04	·03	·01		·55	·01	·20	·01	·02	29
30		×	·17		·25	·37		·14	·06	·14	·11	·20	30
31		×	·38	×	tr	×		·03	×	·01	×	·02	31
TOTAL	0.88	0.21	1.76	2.27	4.11	0.87	2.39	3.62	1.81	4.08	1.49	0.48	YEAR'S TOTAL 23·97
*Days with ·01 in. or more.	11	9	12	22	22	6	15	11	24	24	16	11	180
*Days with ·04 in. or more.	6	1	10	16	17	4	14	7	19	x19	10	3	121

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Lt. G. S. Price

P.T.O.

File No 739580/27

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. ~~[illegible]~~ 1188

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Guilden Morden
in the County of Cambridge
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	·16	·10	·01	·04	—	—	—	—	—	·07	—		1
2	·15	—	·09	—	—	—	—	—	—	—	—	—		2
3	—	·14	·05	—	·06	—	—	—	—	—	—	—		3
4	·06	tr	·14	—	·03	—	—	—	—	—	·07	—		4
5	·02	—	·06	—	·34	—	—	—	—	—	—	—		5
6	—	·06	·15	—	·61	—	—	—	—	·01	·05	·02		6
7	·06	·09	—	—	·15	—	—	—	—	—	—	—		7
8	·09	—	·10	—	·03	—	·05	—	—	·05	—	—		8
9	—	—	—	—	·03	—	·12	—	—	tr	·21	—		9
10	·01	—	—	—	·01	·13	·32	—	—	·11	—	—		10
11	·07	—	—	—	·07	·01	·02	·17	—	—	—	—		11
12	—	—	—	·03	tr	·07	—	—	·30	—	—	—		12
13	·03	—	—	—	·04	·18	·30	—	·02	—	·20	—		13
14	—	—	—	—	·04	·01	—	·01	—	·25	·39	·02		14
15	—	} —	·03	—	—	—	·40	·05	—	·02	·12	—		15
16	·16	} tr	·45	—	·05	·19	·02	—	—	tr	·02	—		16
17	·04	—	·22	—	—	·12	—	—	·08	—	·02	—		17
18	—	·07	·01	—	—	·04	—	—	—	—	—	—		18
19	—	·04	·18	·02	—	·10	—	—	·13	—	·01	—		19
20	—	·02	·01	·10	—	·28	—	tr	·08	·	·01	·01		20
21	—	·04	—	—	—	tr	—	·08	·37	·01	—	—		21
22	—	—	—	—	—	·03	—	·87	—	·16	·04	—		22
23	—	—	—	·13	—	·01	—	—	1·05	—	·03	—		23
24	—	·25	—	·12	·17	·64	—	—	·21	—	·06	—		24
25	—	·24	—	·37	·01	·03	—	—	—	·01	·03	—		25
26	—	·49	—	·02	·10	·05	—	—	·18	·07	—	·13		26
27	—	—	—	—	·49	—	—	—	·02	·11	—	tr		27
28	—	—	—	—	·02	tr	—	—	·01	·53	—	·02		28
29	·03	—	~~·37~~	·37	—	—	—	—	—	·15	—	—		29
30	·17	×	·04	—	—	—	·02	—	—	·01	—	·11		30
31	·03	×	·12	×	—	×	—	·11	×	·02	×	—		31
TOTAL	·97	1·60	1·75	1·17	2·29	1·89	1·25	1·29	2·45	1·51	1·31	·31	Year's Total 17·79	
*Days with ·01 in. or more.	15	11	15	9	18	15	8	6	11	14	15	6	145	
*Days with ·04 in. or more.	10	10	12	5	12	10	5	5	8	10	9	1	97	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Ll. G. S. Price.

[P.T.O.

Ref. No. 739580/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1188

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at the Vicarage Guilden Morden

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.08	–	–	–	–	–	–	.20	.02	–	–	.35		1
2	.03	–	.10	–	–	–	–	.04	.45	.11	–	.13		2
3	.01	.09	–	.17	–	–	–	–	–	.34	–	tr		3
4	.09	.02	.05	–	–	–	–	–	–	.16	.11	.15		4
5	–	–	.10	–	.02	–	–	.01	–	.01	.04	.11		5
6	.01	–	.10	.02	.39	.11	–	~~.07~~ –	–	.12	–	.34		6
7	.03	.01	–	–	tr	.17	–	~~.06~~ .07	–	.02	–	.05		7
8	–	–	–	–	.12	–	–	~~.09~~ .06	.01	–	.09	tr		8
9	–	–	–	.07	–	–	–	.09	–	–	.28	.27		9
10	.01	–	.04	.01	–	–	–	.06	–	–	.43	–		10
11	.14	–	.25	.02	–	–	.04	.08	–	–	.02	.07		11
12	–	.01	.12	–	–	–	.04	.19	–	–	–	.02		12
13	.24	–	.01	–	–	–	.88	.09	–	–	.01	.05		13
14	.01	–	.24	–	–	–	–	–	–	.10	.20	.10		14
15	.01	–	.04	–	.07	–	–	–	.04	.03	.19	.07		15
16	.11	.02	.11	–	.03	–	–	–	–	.12	tr	–		16
17	.04	–	–	–	–	–	–	–	–	.08	.01	.12		17
18	.08	–	–	.31	–	–	.11	–	–	–	–	.03		18
19	–	–	.05	.02	–	.06	–	–	.07	.01	tr	.01		19
20	–	–	.16	.01	–	–	–	–	.02	–	tr	–		20
21	–	–	–	.07	–	.08	–	.02	–	.05	–	.01		21
22	–	–	–	–	–	–	–	.11	.22	–	–	–		22
23	–	–	.01	.18	.04	.13	.03	[illegible]		–	–	.03		23
24	–	.04	.07	.08	–	.08	.15	–	.15	–	.01	–		24
25	.08	.13	–	.04	–	–	tr	–	.01	–	–	.15		25
26	–	–	–	.26	–	.03	.02	–	–	–	–	.18		26
27	.03	.10	–	.09	–	.16	–	–	–	.05	–	.23		27
28	–	.05	–	.23	–	.19	–	.80	–	–	.06	.33		28
29	–	×	–	–	–	–	.36	.03	.08	–	.10	tr		29
30	.09	×	–	–	–	–	–	–	–	–	tr	.04		30
31	–	×	–	×	–	×	–	–	×	.27	×	.07		31
TOTAL	1.09	.47	1.45	1.58	.67	1.01	1.63	1.85	1.07	1.47	1.46	2.91	Year's Total. 16.66	
* Days with .01 in. or more.	17	9	15	15	6	9	8	14	10	14	13	23	153	
* Days with .04 in. or more.	9	5	13	10	4	8	6	11	6	10	9	17	108	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Ll. G. S. Price.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1188

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Guilden Morden Vicarage

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·38	tr	tr	·02	—	·11	·07	—	·03	—	·09	—		1
2	·04	—	—	·03	—	—	—	—	—	·15	·03	—		2
3	—	·22	·13	·07	—	·03	—	—	·29	·42	·10	—		3
4	—	—	·01	·16	—	·07	—	—	·23	·29	—	—		4
5	—	·58	·10	·13	—	·14	·02	—	·08	tr	—	—		5
6	·05	·01	tr	·14	—	·20	—	—	—	—	·03	—		6
7	·16	—	—	·37	—	—	—	—	—	·02	·88	·10		7
8	—	—	—	·17	—	—	—	—	—	·20	·10	·16		8
9	—	—	—	·15	—	·45	—	—	—	·51	·03	·04		9
10	—	·03	—	·08	—	—	—	—	—	—	·14	·03		10
11	—	—	—	—	—	·02	·27	—	—	·04	·16	—		11
12	·16	·02	—	—	—	·30	—	tr	tr	—	·21	—		12
13	·10	·21	—	·16	·20	·01	—	—	—	—	tr	—		13
14	—	—	—	·08	—	·01	—	—	·01	—	·06	·05		14
15	—	·14	—	·22	·01	·22 ~~·04~~	—	—	·13	—	·22	·26		15
16	—	·05	tr	·04	—	·09 ~~·22~~	—	—	·08	·02	·53	·19		16
17	—	—	—	·01	—	·13 ~~·09~~	—	—	·03	—	·57	·03		17
18	—	—	—	·38	·03	·07 ~~·18~~	·59	—	·27	·03	—	—		18
19	·02	—	—	·04	·30	·11 ~~·07~~	·07	—	·07	·01	·11	—		19
20	·02	·06	—	·13	·49	·10	tr	—	·02	—	—	—		20
21	—	·07	·03	—	—	~~·10~~	—	—	·01	·03	·15	—		21
22	—	—	·02	—	—	—	—	·08	·31	—	—	—		22
23	·02	·02	·09	—	—	—	—	·20	—	—	·01	—		23
24	·10	·28	·01	—	—	—	—	tr	·60	—	tr	·21		24
25	·19	·16	—	·13	—	·69	—	—	—	—	—	·08		25
26	·18	·01	—	—	—	tr	—	·38	·13	·02	—	·19		26
27	·04	·19	—	—	·07	—	—	—	·13	tr	·14	·17		27
28	—	·06	—	—	—	—	—	·11	·11	·01	—	·65		28
29	—	—	—	—	—	—	—	—	·53	—	·01	·12		29
30	·09	×	—	·17	—	—	—	·75	tr	·02	·20	·14		30
31	—	×	—	×	—	×	—	·08	×	·43	×	·13		31
TOTAL	1·55	2·11	·39	2·68	1·10	2·75	1·02	1·60	2·97	2·11	3·77	2·55	Year's Total. 24·60	
* Days with .01 in. or more.	14	16	7	20	5	17	5	6	17	15	20	16	158	
* Days with .04 in. or more.	11	11	3	17	4	13	4	6	13	7	15	14	118	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Ll. G. S. Price

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1188

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at GUILDEN MORDEN VICARAGE

in the County of CAMBRIDGE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·36	·09	·34	—	—	·09	·01	—	—	·04	·10		1
2	·05	—	—	·02	—	·15	·83	·04	—	—	·12	·24		2
3	—	—	—	—	—	·14	—	tr	·01	—	·18	·01		3
4	—	—	·07	—	—	·02	—	·01	·42	—	·04	·10		4
5	·05	·02	—	—	—	—	—	·01	·16	—	·03	·05		5
6	·07	—	·01	—	—	·11	—	·11	·04	—	·02	—		6
7	·15	—	·05	—	—	·03	·49	tr	·01	·04	tr	·01		7
8	·18	—	·03	—	—	—	—	—	—	tr	·21	·25		8
9	·20	—	·01	—	·02	·02	1·51	—	·01	·04	·02	·01		9
10	·01	—	—	—	—	tr	·18	·10	·05	·07	tr	—		10
11	—	—	—	·03	—	—	·34	·06	—	—	·43	—		11
12	—	—	—	·11	—	·32	·38	—	·16	—	·25	·15		12
13	—	—	—	tr	—	·82	·02	—	—	·05	·05	·10		13
14	—	—	—	·04	—	·04	·94	—	·01	·01	—	·19		14
15	—	·09	—	tr	—	·03	·13	—	·03	—	—	·08		15
16	·29	·04	—	—	—	—	·12	—	—	—	·56	—		16
17	·06	·33	—	—	—	—	—	—	—	·04	·23	·08		17
18	—	·02	—	—	—	·39	·08	—	—	·04	·02	·02		18
19	·16	·04	—	·04	—	·21	—	·03	—	·02	—	—		19
20	tr	—	—	·28	—	—	·01	—	·74	—	—	—		20
21	—	—	—	·09	—	—	·02	—	·39	—	—	—		21
22	·09	·40	·03	tr	·25	tr	·18	—	—	—	·02	·12		22
23	·16	—	—	·10	·01	—	tr	—	—	·07	·01	—		23
24	·06	·13	—	—	—	—	·45	—	·05	·23	—	·01		24
25	—	—	·11	·11	—	·29	·07	—	·17	·02	·03	·03		25
26	—	·10	·13	·13	—	—	—	—	·01	·05	·01	—		26
27	·02	—	·02	·20	—	—	·01	—	·23	·10	—	—		27
28	·46	·03	·01	—	—	·67	·19	—	·01	[illegible]	—	·08		28
29	·13	·19	·04	—	—	·09	·04	—	—	·05	·17	·01		29
30	·03	✕	—	—	·29	·19	·10	—	—	·15	·02	—		30
31	·58	✕	·14	✕	·01	✕	·14	—	✕	·50	✕	·10		31
													Year's Total	
TOTAL	2·93	1·75	·74	1·49	·58	3·52	6·22	·37	2·50	1·45	2·45	1·74	25·74 ✓	
* Days with .01 in. or more.	19	12	13	12	5	16	22	8	17	16	20	20	180 ✓	
* Days with .04 in. or more.	16	9	7	10	2	12	17	4	11	12	11	13	124 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ll. G. S. Price [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 1188

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Guilden Morden Vicarage

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·19	·02	—	—	—	—	—	tr	—	·52	·50		1
2	—	·02	—	·34	—	—	—	—	·03	—	·01	·49 49		2
3	—	·08	·04	tr	—	—	—	—	—	—	—	·13 13		3
4	·09	·28	—	·02	—	—	—	1·00	—	—	—	·79 79		4
5	·09	·02	·14	—	—	—	·01	—	—	—	—	—		5
6	·02	—	·50	·01	·10	—	·15	—	—	—	·02	—		6
7	—	·45	·09	·08	·10	—	—	—	—	—	—	[illegible]		7
8	—	—	—	—	—	·10	—	—	—	—	·19	·08		8
9	—	—	~~·54~~	·23	·42	—	·17	·02	·11	—	—	·13		9
10	·02	—	·54	·09	·04	·53	·02	—	—	—	·01	·23		10
11	—	—	·21	—	·35	—	·03	·84	—	—	—	·10		11
12	·05	·33	·12	—	·30	·14	—	·33	·18	tr	—	·09		12
13	·15	·02	·25	·04	·01	·84	—	·15	·08	—	—	·48		13
14	·01	·01	·56	·08	—	·03	—	·49	—	—	—	·01		14
15	·16	—	—	·13	—	·01	1·01	—	·11	—	—	·02		15
16	·05	·10	·26	·44	—	—	—	·05	·06	—	—	·06		16
17	·28	—	·11	·50	—	·05	—	—	·36	—	·11	·02		17
18	·45	·12	·01	·02	·16	—	—	—	·02	—	·40	·09		18
19	—	·09	·02	·05	·02	·16	—	—	·83	—	·07	—		19
20	·33	—	—	·39	·60	·02	—	—	·02	·02	—	·01		20
21	·09	·32	·10	·04	—	—	·13	—	—	—	·01	·04		21
22	·23	—	—	—	·02	·04	·05	—	—	·35	·15	tr		22
23	·18	—	·08	—	·49	—	·20	—	—	·68	tr	tr		23
24	·31	·17	·01	—	—	—	—	—	·09	·10	—	·01		24
25	·06	·36	—	—	·77	—	—	—	·02	·18	—	·02		25
26	—	·15	·06	—	·09	—	—	—	—	·04	·01	—		26
27	—	·22	—	·16	—	—	—	—	—	·66	—	—		27
28	—	·05	—	·01	—	—	—	—	—	·08	tr	·05		28
29	·05	✕	—	—	—	—	—	—	—	·04	·03	·01		29
30	·19	✕	—	—	—	—	—	—	—	—	·10	·01		30
31	·21	✕	—	✕	—	✕	—	—	✕	·04	✕	·04		31
													Year's Total	
TOTAL	3·16	2·98	3·12	2·63	3·47	1·92	1·77	2·88	1·91	2·19	1·63	3·41	31·07	✓ ✓
* Days with .01 in. or more.	21	18	18	17	14	10	9	7	12	10	13	23	172	✓ ✓
* Days with .04 in. or more.	18	14	14	13	11	7	5	6	8	9	7	14	126	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ll. G. S. Price

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1188

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at GUILDEN MORDEN VICARAGE

in the County of CAMBRIDGE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	·08	·02	—	·03	·09	—	·05		1
2	·13	—	—	·02	·01	—	·14	—	—	·15	—	—		2
3	·07	—	—	—	·11	—	·01	—	·06	·39	·01	—		3
4	·04	—	—	—	—	—	—	—	—	·25	tr	·05		4
5	·015	—	—	—	—	—	·06	—	·01	·15	—	—		5
6	·02	—	—	—	—	—	·03	—	·18	·09	—	—		6
7	·02	tr	—	—	—	—	·07	·20	·02	·21	—	tr		7
8	·12	—	—	—	—	—	·57	—	·02	·14	—	·01		8
9	·07	tr	—	—	—	—	·02	·02	—	—	—	·43		9
10	—	tr	—	—	—	·04	·04	·30	—	—	—	·03		10
11	·43	—	tr	—	—	—	—	—	—	—	·13	—		11
12	·07	·02	—	—	tr	—	·02	·89	—	·41	tr	—		12
13	—	·02	—	—	—	—	—	tr	—	—	—	·05		13
14	·16	·03	—	—	·07	—	—	—	·05	—	·03	·01		14
15	·04	tr	—	—	—	—	·01	—	—	·06	—	·06		15
16	·07	·01	—	—	—	—	·12	·02	—	·06	·02	·33		16
17	—	·06	—	—	·26	—	·11	—	—	·03	—	—		17
18	·01	tr	—	tr	·32	—	tr	—	·02	—	·25	—		18
19	—	—	—	—	—	—	—	·01	·04	—	·13	—		19
20	—	—	—	—	—	—	—	—	·01	—	·30	·03		20
21	—	—	—	—	—	—	—	·21	·01	—	—	·55		21
22	—	—	—	—	—	tr	—	·02	—	—	·13	·13		22
23	—	—	—	—	—	—	—	—	—	—	·02	—		23
24	—	—	·08	·04	·015	—	—	—	·34	—	·04	—		24
25	·10	·05	·11	—	—	—	·01	·05	tr	—	·45	·07		25
26	·05	·10	·13	—	—	—	—	·01	·08	·25	—	·20		26
27	·08	·03	—	—	·12	·22	·14	tr	·76	·16	·49	·03		27
28	·16	·01	—	—	·36	·03	—	·43	·04	tr	·02	—		28
29	·45	—	—	—	·22	—	—	—	—	—	·04	·21		29
30	tr	✕	—	·02	—	·02	—	—	·06	·02	·05	·15		30
31	·15	✕	—	✕	·07	✕	—	—	✕	·12	✕	·30		31
TOTAL	2·355	·33	·32	·08	1·55	·39	1·37	2·16	1·73	2·56	2·11	2·69	Year's Total 17·64	✓
* Days with .01 in. or more.	20	9	3	3	10	5	15	11	16	16	15	18	141	✓
* Days with .04 in. or more.	15	2	3	2	9	3	8	6	9	14	10	13	94	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. S. Price

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1188

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Guilden Morden Vicarage

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 140 ft.

FILE Nº 739580/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	–	–	·21	·22	–	·18	·01	·30	–	–	–		1
2	·04	–	–	–	·01	–	–	·28	·19	–	·02	–		2
3	·39	–	–	·05	–	–	–	·43	–	·02	·14	·22		3
4	·03	–	·01	·51	–	–	tr	·21	–	·10	·02	·02		4
5	–	–	–	·5	–	–	–	·79	–	·02	·13	·07		5
6	·36	–	–	·02	tr	–	·14	·06	–	–	·01	·02		6
7	·12	·01	–	–	–	–	·06	·01	–	–	·05	·08		7
8	–	·02	·08	–	–	–	·04	·06	–	·08	·04	·27		8
9	·01	·03	–	–	–	–	–	·04	–	·20	·04	·18		9
10	·16	–	–	–	·01	·36	–	·36	·01	–	–	–		10
11	–	–	·25	–	–	tr	–	–	·02	·11	–	·01		11
12	–	·02	–	–	–	·22	–	–	·04	tr	–	–		12
13	–	–	·02	–	–	·04	·02	–	·05	·91	–	–		13
14	·37	–	–	–	·47	–	–	–	·03	·13	·19	–		14
15	·20	–	·07	–	·78	·29	·06	–	·17	·63	·01	tr		15
16	·15	–	–	·21	·05	·24	–	–	–	·15	·30	–		16
17	·09	–	–	·08	·07	–	·35	–	–	·02	·02	–		17
18	–	–	·03	–	–	·12	·10	–	·01	·12	·49	–		18
19	·20	–	·01	–	–	·06	·04	–	–	·15	–	–		19
20	·06	–	–	–	–	·15	·12	·41	–	–	–	·03		20
21	·05	–	·36	–	–	·38	–	·03	·08	·01	–	–		21
22	·02	·15	·07	–	–	·01	·01	–	·11	–	·07	–		22
23	·02	–	–	·08	–	–	·01	–	–	·12	·50	–		23
24	·04	–	·06	·05	–	–	·92	tr	–	–	·02	–		24
25	snow ·91	·08	–	·03	·01	–	·04	·36	–	·01	·25	·04		25
26	·31	–	–	·03	–	–	–	tr	–	·25	·45	–		26
27	–	·02	·10	·04	–	–	·02	–	–	·13	·10	–		27
28	·02	·22	·09	tr	–	–	–	–	–	·15	·13	·06		28
29	–	–	–	·56	–	–	·07	·17	–	·33	tr	–		29
30	–		–	·97	–	·11	–	–	–	–	·13	–		30
31	–		–		–		·08	–		–		–		31
TOTAL	3·59	·55	1·26	3·34	1·62	1·98	1·36	3·22	1·01	3·64	3·11	1·00	Year's Total 25·68	✓
* Days with .01 in. or more.	21	8	12	14	8	11	17	14	11	20	21	11	168	✓
* Days with .04 in. or more.	16	3	9	11	5	10	12	11	7	15	15	7	125	✓

† Spare column, no entries required.

(*Signed*) A. G. S. Price

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1188

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Guilden Morden

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·06	–	–	–	–	–	–	–	–	·10	–		1
2	–	·09	–	·08	–	–	·01	–	–	·05	·94	–		2
3	–	·12	–	·16	–	–	–	–	–	·10	·52	·06		3
4	–	·10	–	·11	–	–	·11	–	–	·22	·82	·02		4
5	–	·01	–	–	–	–	·12	–	–	·01	·36	·02		5
6	·11	·16	–	–	·05	–	·26	–	–	·06	·22	tr		6
7	·36	·15	–	–	·10	–	·11	–	–	–	–	–		7
8	–	tr	–	–	–	–	–	–	–	–	·01	·23		8
9	–	–	·06	–	–	–	–	–	·02	–	–	·12		9
10	–	–	–	–	–	tr	·53	–	–	·17	·20	·26		10
11	–	–	–	·05	–	·43	–	–	–	tr	·69	·05		11
12	–	·01	·04	–	–	–	·02	–	·05	–	·07	–		12
13	–	–	1·06	·06	–	–	–	–	·03	–	·94	·01		13
14	–	–		·13	·05	–	–	–	–	–	·02	·17		14
15	–	–	·05	–	·07	·04	·09	–	·02	·01	·07	tr		15
16	·03	·15	·15	·02	–	–	·41	–	·05	·68	·46	·28		16
17	–	–	·56	–	–	–	·05	–	–	–	·24	–		17
18	·02	·30	·20	·47	–	–	·20	·03	–	·10	·01	·18		18
19	–	·09	·05	·18	–	–	·06	–	·21	–	·09	·05		19
20	–	–	·05	·02	–	–	–	·02	–	–	–	–		20
21	·02	·04	·04	–	·01	–	·02	–	–	·10	·28	–		21
22	·02	–	–	–	·11	·27	–	tr	·43	–	–	–		22
23	–	·17	–	·11	·16	–	–	·04	–	·01	·05	·01		23
24	–	–	–	·12	–	–	·25	–	–	–	–	–		24
25	–	–	·19	–	–	–	·58	–	–	–	–	–		25
26	·78	[illegible]	·19	·05	·38	·06	·77	tr	–	–	–	–		26
27	·29	·05	–	–	·07	–	·05	–	–	–	–	–		27
28	·07	·08	–	–	·05	–	–	–	–	–	–	–		28
29	–	·01	·01	–	·17	–	–	–	–	–	–	–		29
30	·03	✕	–	·07	–	–	–	–	·01	·11	–	·19		30
31	–	✕	–	✕	–	✕	–	–	✕	·47	✕	·08		31
TOTAL	1·73	1·56	2·68	1·63	1·22	·80	3·64	·09	·82	2·09	6·09	1·73	Year's Total 24·08	✓
* Days with .01 in. or more.	10	17	13	14	11	4	17	3	8	13	19	15	144	✓
* Days with .04 in. or more.	5	13	13	12	10	4	14	2	4	10	16	11	109	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Lt. G. S. Price [P.T.O.

1189

Section **A** for the entry of I

AIR MINISTRY.

COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090.

REGIST 1931.

Kept at ABINGTON PIGO

in the County of C

Diameter of Funnel of Gauge

Height of top of Gauge above Ground.

,, Ground ,, Sea Le

ly at Rectory

1189

ABINGTON
PIGOTTS HALL
1931- 1940

480210

THE MORNING MEASUR **S DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL													YEAR'S TOTAL
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

Rainfall 1931

Abington Pigotts - Cambs [illegible]

Jany.	1·66 in	17 days	11th	·23
Feb	1·82 "	13 "	27	·46
March	·14 "	2 "	—	
April	3·29 "	20 "	17	·40
May	2·74 "	12 "	3	·47
June	1·10 "	10 "	5	·35
July	3·88 "	11 days	14	·97
August	3·08 "	15 "	4	·57
Sept	1·27 "	14 "	2	·45
Oct	·75 "	6	29	·32
Novr	2·63 "	17 "	6	·76
Dec	·86 "	10 "	6	·35

23·25 inches on 151 days

Per. de Crespigny Freeland

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

1189

Section A for the entry of D

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL ... INFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at X ABINGTON PIGOTTS HALL X

in the County of CAMBS.

Footnote
Formerly at Rectory

Diameter of Funnel of Gauge.......................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL													YEAR'S TOTAL
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

Rainfall 1931

Abington Pigotts – [illegible]

	in		[illegible]	
Jany.	1·66	– 17 days	11th	·23
Feb	1·22	" 13 "	27	·46
March	·14	" 2 "	–	
April	3·29	" 20 "	17	·20
May	2·74	" 12 "	3	·27
June	1·10	" 10 "	5	·35
July	3·85	" 11 days	14	·97
August	3·05	" 14 "	4	·51
Sept	1·27	" 14 "	2	·45
Oct	·75	" 6	29	·32
Nov	2·69	" 17 "	6	·76
Dec	·86	" 10 "	6	·35

23·25 inches on 151 days

[illegible] de Courcy [illegible]

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)..

P.T.O.

1189

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1932

At Abington Pigotts Hall

In the County of Cambridge

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 ft. ... in.
- *Height of Ground above Sea Level* 87 ft. ?78

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·13	·35	6	8	5
FEB.	·23	·09	23	6	2
MAR.	1·78	·39	31		8
APRIL	2·70	·42	14	19	15
MAY	4·96	·64	27	25	17
JUNE	·62	·44	30	5	3
JULY	2·29	·48	24	13	12
AUG.	4·03	1·09	21	10	7
SEPT.	1·73	·50	18	21	14
OCT.	4·36	·63	23	22	19
NOV.	1·93	·61	24	15	10
DEC.	·60	·20	30	7	6
Total	26·46			151	118

Signature M. de Courcy-Ireland.

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

M. de Courcy-Ireland
Abington Pigotts - Royston Herts

Hour of observation by the clock—in Winter 9 a m in Summer 9 a m

Nearest Railway Station Royston Distance 5 Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | } ·14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

JAN 1933

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

1189

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Abington Pigotts

In the County of Cambridge

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* ...... *in.*
- *Height of Ground above Sea Level* 87 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·28	·25	2	14	11
FEB.	1·98	·62	26	10	9
MAR.	2·06	·45	16	15	13
APRIL	1·44	·39	25	8	6
MAY	2·28	·87	6	17	12
JUNE	2·05	·83	24	14	8
JULY	1·44	·45	14	8	6
AUG.	1·43	·96	22	7	3
SEPT.	2·56	1·07	23	13	7
OCT.	1·86	·67	28	17	8
NOV.	1·42	·49	14	13	8
DEC.	·45	·15	29	7	3
Total	20·55 ✓			147	94

Signature M. de Courcy-Ireland

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Royston Distance 5 Direction from gauge

Nearest Parish Church at Abington P^m Distance Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Days

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | } ·14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O. 7
2 JAN 1934

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

1189

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193~~3~~4

At abington Pigotts

In the County of Cambridge

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* *in.*
Height of Ground above Sea Level 87 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·21	·25	13	14	11
FEB.	·50	·14	25	6	5
MAR.	1·61	·28	11	14	13
APRIL	1·47	·47	28	14	9
MAY	·66	·35	6	6	5
JUNE	1·63	·66	28	10	9
JULY	1·64	·85	13	7	6
AUG.	1·88	·86	28	11	9
SEPT.	1·15	·49	2	9	6
OCT.	1·99	·65	3	14	11
NOV.	1·83	·47	10	14	9
DEC.	3·44	·41	1	27	19
Total	~~19·05~~ 19·01 ✓			146	112

Signature M. de Courcy-Ireland

*See Instruction 2 (*f*) below.

C Particulars of Station.

File NO 665994/26

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
M. de Courcy-Ireland
Abington Pigotts ~~Hall~~ Royston

Hour of observation by the clock—in Winter 9 am in Summer 9 am

Nearest Railway Station Royston Distance 5 mls Direction from gauge SSE

Nearest Parish Church at Abington Pigotts Distance 200 yds Direction from gauge W

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\ \cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1189

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Abington Pigotts

In the County of Cambridge

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* ~~70~~ 87 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·04	·50	26	15	10
FEB.	2·26	·64	5	15	13
MAR.	·50	·15	3	11	4
APRIL	3·02	·42	7	21	17
MAY	1·69	·82	20	7	5
JUNE	3·25	1·04	25	17	5
JULY	1·07	·75	18	7	4
AUG.	1·69	·87	27	5	4
SEPT.	3·49	·69	29	19	13
OCT.	2·63	·65	9	14	11
NOV.	4·50	1·05	7	23	17
DEC.	2·10	·29	24	16	14
TOTAL	28·30			170	117

Signature M. de Courcy-Ireland.

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
M. de Courcy-Ireland
Abington Pigotts Royston Herts

Hour of observation by the clock—in Winter 9 am in Summer time 9 am

Nearest Railway Station Royston Distance 5 miles Direction from gauge S E

Nearest Parish Church at Abington Pigotts Distance 200 yds Direction from gauge E

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.*—When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1690 15,000 2/35 W. H. & S. 668/91.

1189

FORM 1090. **B** Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Abington Pigotts

In the County of Cambridge

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 70 *ft.* 87

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·52	·71	31st	21	16
FEB.	2·02	·57	17	13	10
MAR.	·86	·16	25	11	7
APRIL	1·84	·35	20	13	11
MAY	·74	·37	30	6	2
JUNE	6·13	1·61	28	18	15
JULY	8·73	2·36	9	26	15
AUG.	·49	·13	10	9	3
SEPT.	2·96	1·01	20	13	8
OCT.	2·08	·72	30	16	11
NOV.	3·10	·72	16	17	12
DEC.	2·03	·24	2	16	16
TOTAL	34·50 ✓			179 ✓	126 ✓

Signature Mr. deCourcy-Ireland

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Mr. deCourcy-Ireland
Abington Pigotts, Royston Herts

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Royston Distance 6 miles Direction from gauge S

Nearest Parish Church at Abington Pigotts Distance 100 yds Direction from gauge N

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
6 JAN 1937

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090.

1189

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Abington Pigotts Hall

In the County of Cambridge

Rain Gauge

Diameter of Funnel........................in.

Height of Top above Ground.........ft.............in.

Height of Ground above Sea Level.................ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·69	·48	18	21	20
FEB.	3·07	·59	7	19	13
MAR.	4·44	1·19	6	16	13
APRIL	3·32	·74	17	17	14
MAY	3·71	·73	20 25	13	11
JUNE	2·07	·70	13	8	8
JULY	1·98	1·15	14	9	6
AUG.	3·38	1·15	4	6	5
SEPT.	1·84	·75	19	13	10
OCT.	2·81	·94	23	10	10
NOV.	2·00	·70	1	12	8
DEC.	3·19	·58	13	20	16
TOTAL	35·50 ✓			164 ✓	134 ✓

Signature ....

Copy by B.R.O.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter........................in Summer..........

Nearest Railway Station.............................. Distance.......... Direction from gauge............

Nearest Parish Church at.............................. Distance.................. Direction from gauge...........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Abington Pigotts

In the County of Cambridge

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* in.
- *Height of Ground above Sea Level* 70 *ft.* 87

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with 01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·65	·59	29	21	16
FEB.	·40	·10	7-26	7	4
MAR.	·33	·14	26	3	3
APRIL	·29	·10	23	7	2
MAY	2·66	·48	17	10	8
JUNE	·43	·24	27	8	2
JULY	1·27	·38	8	15	8
AUG.	2·00	·68	12	12	5
SEPT.	2·11	·95	27	14	8
OCT.	2·93	[illegible]	3-12	17	15
NOV.	2·41	·51	27	14	10
DEC.	2·95	·49	9-20 snow	20	16
TOTAL	~~19·53~~ ✓ 20·43			~~149~~ ✓ 8	97 ✓

Signature M. de Courcy Ireland

Annual total corr. for arithmetic R

*See Instruction 3 (*f*) below.

C Particulars of Station.

1189

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

M. de Courcy-Ireland
Abington Pigotts Royston Herts

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Royston Distance 5 Direction from gauge S.W.

Nearest Parish Church at Abington Pgtts Distance 100 yds Direction from gauge N

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
-6 JAN. 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 *a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W.H.&S. 668/91 S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1189

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Abington Pigotts Hall

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04			·21	·25		·16	·02	·30					1
2							·03	·22	·28	·02				2
3	·38			·04				·51		·01	·21	·26		3
4			·10	·26				·17		·11	·01	·03		4
5				·41				1·08		·03	·15	·07		5
6	·41			·01			·09	·04			·02	·01		6
7		·02					·01	·05		·01	·06	·08		7
8		·04	·11				·03	·04		·09	·03	·32		8
9		·05						·05		·28	·09	·18		9
10	·25					·36		·46	·01			·01		10
11		·01	·33		·04					·25		·01		11
12						·32			·02					12
13			·01			·24			[illegible]	·94				13
14	·38				·49		·01			·08	·21			14
15	·29		·05		·91	·31	·01		·15	·78	·08			15
16	·19		·39	·16	·06	·30				·14	·29			16
17	·12			·13	·05		·36			·03	·02			17
18	·03		·06			·12	·09		·01	·23	·57			18
19	·25					·05	·03			·16				19
20	·05					·35		·24				·03		20
21	·04		·53			·33	·15	·03	·14					21
22	·05	·16	·09			·02	·01		·14		·09			22
23	·02			·07			·04			·13	·58			23
24			·06	·04			·07			·01	·01			24
25	1·16	·05	·24	·06			·02	·19			·30	·05		25
26			·03	·04			·01			·29	·59	·02		26
27	·42	·03	·14	·08						·16	·05			27
28		·32	·10							·19	·15	·09	snow	28
29	·01	–		·71			·04	·02		·40				29
30		✕		1·19		·13					·12			30
31		✕		✕		✕	·20		✕		✕			31
TOTAL	4·09	·68	2·24	3·41	1·80	2·54	1·46	3·22	1·05	4·34	3·63	1·16	Year's Total 29·63	2
* Days with .01 in. or more.	17	8	14	14	[illegible]	11	18	14	8	21	20	13	164	✓
* Days with .04 in. or more.	14	5	12	13	6	10	9	11	5	15	15	7	116	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. de Courcy-Ireland

[P.T.O.

FORM 1090.

B Monthly Summary.

**.* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.*

RAINFALL IN 19~~..~~40

At Abington Pigotts

In the County of Cambridge

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 70 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·87	Snow ·85	26	9	6
FEB.	1·93	·56	18	16	13
MAR.	3·40	1·40	13	13	11
APRIL	1·42	Snow ·57	18	14	12
MAY	1·11	·27	29	10	8
JUNE	·67	·31	11	5	2
JULY	4·43	·92	25	17	14
AUG.	·09	·06	18	2	1
SEPT.	·90	·60	22	5	5
OCT.	2·61	1·04	16	12	11
NOV.	7·80	1·42	13	19	16
DEC.	1·73	·33	10	14	12
TOTAL	28·36 ✓			136 ✓	111 ✓

Signature M. de Courcy-Ireland

* See Instruction 3 (*f*) below.

C Particulars of Station.

1189

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
M. de Courcy-Ireland
Abington Pigotts Hall - Royston Herts

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Royston Distance 5 Direction from gauge N.

Nearest Parish Church at Abington Pigotts Distance Of Church Direction from gauge NE

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.................. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M. O
6 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W.H.&S. 668/91 S.O. Code No. 40-9999

Section **A** for the entry of Daily Ob

AIR MINISTRY.—METE

FORM 1090.

REGISTER

Kept at Melbourn Bury

in the County of Cambridge

Diameter of Funnel of Gauge 5 in

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREMEN

An observer who does not conform to this rule
year in the space on the right of this paragr

Please

1190

MEBOURNE BURY

1931 - 40

480210

Y FOR OFFICIAL USE.
ORGANIZATION.

001190

owing

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		12	snow 04	04	03			61	06				1
2	08	08		21				03	37			05	2
3	03	01		15	36			04	85		01	04	3
4		01		06				32	04		10		4
5		snow 0[illegible]		05	03	32	10	17	15			28	5
6		snow [illegible]0		03		84				24	34		6
7		0[illegible]				03	03	66		14	11	03	7
8	snow 04	05	snow 04			06		30			01	01	8
9		07	snow 05	01		10	03	07	04		36	02	9
10	02	04	snow 01			02	07	26		fog 01	21		10
11	21	11				02			05		38		11
12	01	03		01			01		24		01	01	12
13	snow 06						33	15					13
14		snow 09	02		04	01	93	32					14
15	07	08		24	10		25	24				05	15
16		snow 11		10	25	02	01	20	03		01		16
17	06	01		snow 35	50		11	22	07				17
18	02	08		29	01	10	14	18	06		41		18
19	08			48		26	11	02	01		01		19
20	01	01		01			17	14		02			20
21	03				57			02	08		01		21
22	11			07	01	04			05				22
23	15	08			32				02		10	05	23
24				44	11		05		02				24
25	05			24	09		61			02	02	02	25
26		02		19	01		69		01		21		26
27	10	35		02			04				13		27
28	14	snow 25		06			08			04	03	14	28
29	snow 25	X		02	01		03			23	fog 02	05	29
30	04	X			12			08					30
31	16	X		X		X			X		X	02	31
TOTAL	1·72	1·70	·16	3·07	2·56	1·82	378	3·43	2·25	·70	247	·77	YEAR'S TOTAL 24-43
*Days with ·01 in. or more.	21	22	5	21	16	12	19	19	17	7	19	13	191
*Days with ·04 in. or more.	15	14	3	15	10	7	14	15	12	4	10	7	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A R Fordham

P.T.O.

Section **A** for the entry of Daily Ob

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

001190

Kept at Melbourn Bury

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		12	snow 04	04	03			61	66				1
2	08	08		21				03	37			05	2
3	03	01		15	36			04	85		01	04	3
4		01		06				32	04		10		4
5		snow 06		05	03	32	10	17	15			28	5
6		snow 10		03		84				24	34		6
7		08				03	03	66		14	11	03	7
8	snow 04	05	snow 04			06		30			01	01	8
9		07	snow 05	01		10	03	07	04		36	02	9
10	02	04	snow 01			02	07	26		fog 01	21		10
11	21	11				02			05		38		11
12	01	03		01			01		24		01	01	12
13	snow 06						33	15					13
14		snow 09	02		04	01	93	32					14
15	07	08		24	10		25	14				05	15
16		snow 11		10	25	02	01	20	03		01		16
17	06	01		snow 35	50		11	22	07				17
18	02	08		29	01	10	14	18	06		41		18
19	08			48		26	11	02	01		01		19
20	01	01		01			17	14		02			20
21	03				57			02	08		01		21
22	11			07	01	04			05				22
23	15	08			32				02		10	05	23
24				44	11		05		02				24
25	05			24	09		61			02	02	02	25
26		02		19	01		69		01		21		26
27	10	35		02			04				13		27
28	14	snow 25		06			08			04	03	14	28
29	snow 25	×		02	01		03			23	fog 02	05	29
30	04	×			12			08					30
31	16	×		×		×			×		×	02	31
TOTAL	1·72	1.70	·16	3·07	2·56	1·82	3 78	3·43	2·25	·70	2 47	·77	YEAR'S TOTAL 24-43
*Days with ·01 in. or more.	21	22	5	21	16	12	19	19	17	7	19	13	191
*Days with ·04 in. or more.	15	14	3	15	10	7	14	15	12	4	10	7	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A R Fordham

P.T.O.

COPY FOR OFFICIAL USE.

Station No. 1190

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

001190

Kept at Melbourn Bury - Melbourn

in the County of Cambs.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	03		07	35	05	05	37	05	34		02	1
2	02			15	09			02	14	02	02	10	2
3				33	25				02	05			3
4		01						01	06		25		4
5	11	01		01	08		27		06				5
6	20		03						01				6
7			15	02					03				7
8		02	01	12	02					20	01		8
9	02	ma 03		02	40					12			9
10	20	sno 01	02	10	10				07		01		10
11			sno 02	03	06		02	44	03	09	06		11
12	04			07	07			01	01	30	03		12
13	03	03		13	01			02	01	01	04	02	13
14	16	01		08	03						02		14
15				07	10		13	01		12			15
16	19	02		28	28								16
17				01	01		10			07	01		17
18			01				02		76		02		18
19									01	10			19
20				06	03		19	70		42	04		20
21		01		33	51			36	21	33	22		21
22			32		03		10		08	10	12		22
23		11	01	03	04				01	53		04	23
24				01			24		25	04	48	01	24
25					01		24		16	33	04		25
26				36	28		03		01	02	16		26
27			23	07	43		31			02	01		27
28			26		49	16	15	04		25			28
29	03		11	02	11	03		33		27	01		29
30		×	14	04	01	50		13	02	15	09	11	30
31		×	25	×	62	×		01	×		×	02	31
TOTAL	1.05	·29	1·56	2-41	381	·74	1·85	2·45	2·00	3·88	1·64	·32	YEAR'S TOTAL 22·00
*Days with ·01 in. or more.	11	11	13	23	25	4	13	13	20	22	19	7	181
*Days with .04 in. or more.	7	1	7	14	16	3	10	7	10	18	10	3	106

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A R Fordham

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1190

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

001190

Kept at Melbourn Bury

in the County of Cambs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	03	·15	07		20						·11			1
2	13		12		05									2
3	·	13	03		01						~~05~~			3
4	03	01	10		14						05			4
5	02		08		20						01			5
6		04	03		52					03	05	03 2	~~·03~~	6
7	·16	08			06					08	01			7
8	·02		06		03		12							8
9					06		08			·03	18			9
10						·15	08			12	03 2			10
11	07					01	04	·14			03			11
12				10		10			·29			01		12
13					03	07	10	05	03 2		15			13
14	04				07	13		05		23	31	01		14
15	21		15		03		28			02 2	05			15
16	10		36			14			03		04		3	16
17	01		16			15			05	02 2	02 2			17
18		·14	02			18								18
19		·07	14			08			22			01		19
20		02	06			42	02				02			20
21		10				41		05	50	01				21
22						01		76		20	04			22
23				·16	10	01			53		02			23
24				12	20	44			16		04			24
25		12		24	04	19			31	01	01	08		25
26		15		02	01	01			01	11	01	·12		26
27		·52							01	07		01		27
28					01					70		02		28
29	15	×		35						19				29
30	02	×								01		·11		30
31		×	·11	×		×			×	03	×			31
TOTAL	100	153	1·49	1·08	176	247	·72	1·13	2·12	1·85	1·17	·39	Year's Total 16·71	
*Days with ·01 in. or more.	13	12	14	7	17	16	7	5	11	16	19	9	148	
*Days with .04 in. or more.	7	10	11	6	11	12	6	5	7	8	~~10~~	3	96	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) A R Fordham.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1190

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Melbourn Bury

in the County of Cambs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 90 ft.

Totals ✓

ab

001190

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	08							17	09		01	35		1
2	03		67					01	42	09		06		2
3	01	08		06						46		01		3
4	10	02	06							14	09	18		4
5			12		01			01		01	01	13		5
6			09		33			08		11		28		6
7	04	03	01	03		14		04		03		09		7
8					13	21		08	02		10	03		8
9	01		02	03				09			27	31		9
10			12	07				02			56	01		10
11	20		20	02				04			06	10		11
12			07				06	46			11	03		12
13	26		04	01			1.04	15			01	06		13
14	02		24		03	02	02			06	24	11		14
15	02		03		07				05	03	10	12		15
16	10		18		07			03		06	01			16
17	03	02	01	06						05	04	12		17
18	12			24			15					02		18
19			05	01		08			07	01	01	01		19
20			15						02					20
21			01	04		06		04		05		01		21
22				21				05	24					22
23				02	04	13						01		23
24		02	06			11	12		11					24
25	06	13		08		50						17		25
26				36		03	01		02	01		14		26
27	07	02		11		09				08		25		27
28		09		32		41		68				25		28
29		×					36	03	12	01	09	02		29
30	07	×								02	11	02		30
31	01	×		×		×			×	47	×	04		31
TOTAL	1.23 ✓	.41 ✓	1.59 ✓	1.67 ✓	.67 ✓	1.78 ✓	1.76 ✓	1.98 ✓	1.16 ✓	1.69 ✓	1.81 ✓	3.07 ✓	Year's Total. 18.72 ✓	
* Days with .01 in. or more.	17	8	16	16	7	11	7	16	10	17	16	27	190	
* Days with .04 in. or more.	9	3	13	10	5	9	5	10	7	10	11	17	109	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

Average last 10 Years 22·39

ditto 20 Years 23·02

(Signed) A R Mitcham

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1190

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Melbourn Bury - Melbourn

in the County of Cambs.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 90 ft.

001190

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	40	06		02		12	34		01	11	03	02		1
2	07		01	05						10	04			2
3		17	08	10		08			14	45	10	01		3
4				18		13			52	24				4
5		50		10		24	04		08					5
6	07	01		16		16								6
7	16			31						09	74	10		7
8			08	13	02					08	05	11		8
9				10		45				48	11	03		9
10	01	02		07		01					06			10
11	06					04	23			07	14			11
12	01	02				16		01	01		13			12
13	09	25		28	21						01			13
14				03	17				05			04		14
15		14		24	01	04			39		13	25		15
16		04	02			15			08	03	43	15		16
17				03		08	02		04		63			17
18	02			30	07	05	44		23	07	01			18
19	01			10	28	09	17		06	02	09			19
20	03	09		05	42	07	10		01		01			20
21		13	02	01						05	19			21
22		01						18	46					22
23	02		10		01			17			01	07		23
24	10	27	13					01	50	~~[illegible]~~		15		24
25	13	07	01	18		41						12		25
26	51	·10		01				14	09	02		23		26
27	05	09							11		15	14		27
28					07				15	02	02	07		28
29	01	✕	02						67	~~02~~	03	11		29
30	04	✕		41				56	01	03	22	19		30
31	01	✕		✕		✕		01	✕	51	✕	15		31
TOTAL	180	1·97	·47	2·86	1·26	2·28	1·34	1·08	3·62	2·37	3·26	2·00	Year's Total 24·81	
* Days with .01 in. or more.	19	16	9	21	9	16	7	7	20	16	21	18	179	
* Days with .04 in. or more.	10	12	4	16	6	15	6	4	15	11	14	15	128	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) A R Fordham

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1190.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Melbourn Bury
in the County of Cambs.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 90 ft.

~~Totals~~

~~Days.~~

Fh No 813305/27

001190

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·25	·10	·31		·02				01	03	·12		1
2	·11	03		03		04	·69	01			12	14		2
3		02	01				01	03	07		16			3
4			04					01	30	01	08	14		4
5	14	02					01	02	29			06		5
6	08					02		14	06	02	02			6
7	22		03			10	50	01		02				7
8	16		03								24	22		8
9	20		02		03	05	81		02		03	02		9
10				01			20	17	03	04				10
11				02			18	02			38			11
12				16		33	28		18		59			12
13				09		60	01			04	06	18		13
14		15		01		07	64		04	02	01	18		14
15		03				03	22		01			05		15
16	29	04		04	02		04				53	06		16
17	06	42			02	06	01				17	05		17
18		07				06	07			08	01	01		18
19	18	04		06		-30		04		05				19
20	03	07		26			02		1·25	01				20
21				11		48	01		41		01			21
22	09	32	02	01	14	02	15		01			10		22
23		01		07	01		01			08		01		23
24	12	25		15			17		06	20				24
25	09	01	11	15		38	14		16	03	05	05		25
26	01	09	12	06		01	01		05	05				26
27	02		01	03			01		21	17				27
28	49	04	04			44	55					07		28
29	02	19	01		01	07	02			03	15			29
30	04	✕			48	21	08		01	21		01		30
31	60	✕	15	✕	03	✕	09		✕	53	✕	18		31
													Year's Total	
TOTAL	3·08	2·05	·69	1·57	·74	3·26	4·93	·55	3·16	1·60	2·66	1·65	25·94	✓
* Days with .01 in. or more.	20	18	13	17	8	19	26	9	17	18	17	18	200	✓
* Days with .04 in. or more.	16	12	6	11	2	14	16	4	12	10	11	14	128	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1190

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

7. Z6 N. 813305/27

001190

Kept at Melbourn Bury

in the County of Cambs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 4 ft. in.

,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	11		01	03					01		59	33		1
2	01	02	01	22					04		01	11		2
3	09	14	07									02		3
4		35						22			01	38		4
5	13	02	15				03				04	20		5
6	03	45	73	01	10		13							6
7		01	03	08	08									7
8	02				01	08					21	[illegible]		8
9				18	35		12	02	11			21		9
10	03	01	47	04	06	28	04				03	30		10
11		01	18		34	04		35		01				11
12	06	27	18		21	57		35	20		01	13		12
13	13	01	30	05	01	47		04	25			54		13
14	01	01	48	08		03		68				02		14
15	[illegible]	04	[illegible]	11			1·26		13			07		15
16	18	16	28	46			·01	06	04			03		16
17	38		26	47		03			32		11	02		17
18	40	11	03	05	18				13		24			18
19	07	09	05	03	04	17	28		40	02	08			19
20	29			36	60	13		01	10	01				20
21	11	30		09	01		12					03		21
22	25		11			02	03			48	12	01		22
23	18	[illegible]	11		04		17			80				23
24	45	20	02				01		12	09		02		24
25	05	34	03		40				01	37				25
26		09	04		06									26
27		18		25						83				27
28		03		02						07	[illegible]	05		28
29	08	X								06	04	03		29
30	19	X									08	01		30
31	23	X		X		X			X	06	X	06		31
TOTAL	3·48	2·82	3·54	2·45	2·49	1·82	2·18	178	186	280	159	257	Year's Total 2938	✓
* Days with .01 in. or more.	23	21	20	17	15	10	11	8	13	11	13	20	182	✓
* Days with .04 in. or more.	18	13	14	11	12	7	7	6	11	8	9	11	127	✓

† Spare column, no entries required.

(Signed) A R Fordham [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1190

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

File no. 8133 05/27

001190

Kept at Meldreth Bury

in the County of Cambs.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03	01				11			01	03		05		1
2	19			05	01	04	05			17		01		2
3	02				14		04		08	43	02			3
4	05					02				24		06		4
5	01						13		01	09		01		5
6	03						03	02	15	09				6
7	05						04	12	09	16		01		7
8	15						23		01	13				8
9	08	01						02				48		9
10	02					02	06	51				05		10
11	28						05			01	10	03		11
12	10	07						28		37		01		12
13	02	04			16						03	06		13
14	09	01							06			01		14
15	09						05			08	02	08		15
16	09	02					12			06	01	36		16
17		06			44		16			02				17
18	02				30				05		30			18
19		01			02			02	03		10			19
20					02						45	12		20
21								11	02			52		21
22						01		01			18	20		22
23				06							06			23
24			·11	04	02		02		74		06			24
25	09	03	·11	01	02				01	04	48	14		25
26	07	11	·13						10	21		04		26
27	07	05			12	22	20	01	1·01	15	36			27
28	16	01			73			19	03		03			28
29	56	×		03	18				01		07	22		29
30	01	×		03		10			06	02	05	19		30
31	15	×		×	03	×			×	13	×	25		31
TOTAL	2·54	·43	35	22	2·19	52	116	129	247	243	232	290	Year's Total 18·81	✓
* Days with .01 in. or more.	24	12	3	6	13	7	13	10	17	18	16	21	160	✓
* Days with .04 in. or more.	16	5	3	3	7	4	11	5	9	14	11	15	103	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A R Fordham

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 1190

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

001190

Kept at Melbourn Bury

in the County of Cambs.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03		~~15~~	18	23		04	02	1·00	01				1
2	04				02		02	·39	·56	03	02			2
3	33			06			[illegible]	·38	·01	01	23	24		3
4	04			21			[illegible]	·35		24	03	02		4
5			14	71			02	·85		07	17	09		5
6	28			02			·10	02			03			6
7	07	02					[illegible]	02			08	12		7
8		03	12				·02	05		07	04	21		8
9	01	05					[illegible]	04		24	05	15		9
10	15					29	[illegible]	·21	02		01			10
11		02	33			08			01	04		02		11
12			01			26			03	01				12
13			01		01	09	04		02	81				13
14	26		01	01	36		61		09	27	16	01		14
15	53		01	01	74	19			13	73	04			15
16	21		17	13	08	07				05	23			16
17	13	01	09	09	07		36			02	02			17
18	05		01		01	14	09		04	24	52			18
19	20					06	08			11		05		19
20	08					15	19	·12				01		20
21	04		40			23	06	02	14	01				21
22	06	10	07			01	02		06		06			22
23	04		02	09						12	43			23
24	07	01	04	06		01	07		01	01	01			24
25	97	08	15	06			02	12			28	03		25
26	36	01	02	06						26	55	04		26
27		02	12	03			02		03	20	02			27
28	01	24	11	02		03		01		37	09	·05		28
29				65			03	01		12	02			29
30				94		23				01	10			30
31							09							31
TOTAL	3·96	·59	1·76	3·33	152	184	1·29	2·61	2·15	4·05	3·19	104	Year's Total 27·33	
* Days with .01 in. or more.	22	11	19	17	8	14	18	15	14	23	23	13	197	
* Days with .04 in. or more.	20	4	11	12	5	11	10	9	7	16	15	8	125	

† Spare column, no entries required.

(Signed) A R Fordham

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 1190

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

File No 813305/27

FORM 1090

REGISTER OF RAINFALL IN 193 40

001190

Kept at Melbourn Bury Melbourn
in the County of Cambs
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		snow 04									11			1
2							01			12	89			2
3		20		07						07	87	03		3
4		13		15			04			12	50	04		4
5		02		08			05			01	35	05		5
6	·11	10			07		33			07	24	02		6
7	·33	08			04·		02							7
8										15	01	21		8
9			08				01		02	01	10	12		9
10						02	63			06	21	24		10
11				·06		03					54	04		11
12		05	02				01		07		07			12
13		02	1·07						04		1·17			13
14			07	10	11			03	01	03	10	16		14
15			01	03	02	63	08							15
16	05	·12	33	01		01	55		03	35	42			16
17			30				05			01	15			17
18		43	18	30			15	05		04	03	15		18
19		11	06	09			07		07		12	06		19
20		01	02			01	14	02						20
21	64		03				03		~~4~~	11	32			21
22	01		01		10	19		05	24	01	01			22
23		09		11	06	01					04	01		23
24				16			17							24
25			30				63					01		25
26	16	01	28	14	31		46				01			26
27	·64	07		04	15		26							27
28	·08	05		01	05				01					28
29			06		·20							22		29
30	06	✕		08						10		10		30
31	03	✕		✕		✕			✕	48	✕	01		31
TOTAL	1·51	1·53	2.82	1·43	111	·28	3·68	·14	49	1·73	6·36	1·47	Year's Total 22·55	
* Days with .01 in. or more.	10	16	15	15	10	7	19	4	8	16	21	16	157	
* Days with .04 in. or more.	8	12	10	12	9	1	14	2	4	11	17	11	111	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

1191

Section | **A** | for the entry of Daily

AIR MINISTRY.—ME

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGISTER

931 .

1191
MELDRETH
CHISWICK FARM
1931- 1940
780210

Kept at Chiswick Farm, M

in the County of Cambridge

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

7 sent 1.6.32.

THE MORNING MEASUREME PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·11	·05	·05	·03			·01	·07				1
2	·08	·09		·18		·01			·40			·02	2
3	·03			·16	·36			·05	·91			·14	3
4		·02	[illegible]	·06	[illegible]		·01	·33	·05		·14		4
5					·02	·34	·08	·15	·14			·32	5
6		·08	[illegible]			·25			·01	·23	·35		6
7						·03		·59		·11	·10	·02	7
8	·04	·06	·04			·05		·39			·01		8
9		·02	·05			·13	·03		·02		·36	·03	9
10		·14	·01			·03	·07	·38		·01	·20		10
11	·25	·11						·01	·04		·34		11
12	·01	·02		·05		·02	·04		·29		·01	·01	12
13	·04						·50	·16					13
14	·04	·10	·02		·03	·03	·84	·35					14
15	·07	·07		·24	·13		·20	·20	·01		·01	·04	15
16	·01	·08		·12	·24			·19	·05				16
17	·03	·02		·34	·40	·01	·12	·24	·08	·01			17
18	·03	·07		·26	·01	·15		·19			·40		18
19	·07			·45		·15	·08	·02	·05		·01		19
20	·01	·02		·06			·19	·17		·03	·01	·01	20
21	·03				·61			·02	·09				21
22	·09			·06	·01				·05		·02		22
23	·21	·08		·01	·30	·02			·03		·10	·04	23
24				·38	·12	·02	·04		·04				24
25	·05			·32	·09		·58		·01		·02	·02	25
26	·02	·02		·18	·01		·71		·01		·18		26
27	·11	·34		·02			·05				·18		27
28	·14	·28		·05	·01					·06	·02	·11	28
29	·24			·03	·01		·09			·23	·01	·06	29
30	·05	×			·12		·01	·07			·01		30
31	·15	×		×		×		·01	×	·01	×	·04	31
TOTAL	1·80	1·43	·17	3·02	2·50	1·24	3·64	3·53	2·35	·69	2·48	·86	YEAR'S TOTAL 2~~7~~4·01
*Days with ·01 in. or more.	23	19	5	19	17	14	17	19	19	8	20	13	193
*Days with ·04 in. or more.	15	13	2	16	9	6	14	14	13	4	10	7	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) George A. Howard P.T.O.

1191

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at [illegible] Farm, Meldreth

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 40 ft.

Corrd. for Arith.
Circ. 7 sent 1.6.32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·11	·05	·05	·03			·01	·07				1
2	·08	·09		·18		·01			·40			·02	2
3	·03			·16	·36			·05	·91	–		·14	3
4		·02	[illegible]	·06	[illegible]		·01	·33	·05		·14		4
5					·02	·34	·08	·15	·14			·32	5
6		·08	[illegible]			·25			·01	·23	·35		6
7						·03		·59		·11	·10	·02	7
8	·04	·06	·04			·05		·39			·01		8
9		·02	·05			·13	·03		·02		·36	·08	9
10		·14	·01			·03	·07	·38		·01	·20		10
11	·25	·11						·01	·04		·34		11
12	·01	·02		·05		·02	·04		·29		·01	·01	12
13	·04						·50	·16					13
14	·04	·10	·02		·03	·03	·84	·35					14
15	·07	·07		·24	·13		·20	·20	·01		·01	·04	15
16	·01	·08		·12	·24			·19	·05				16
17	·03	·02		·34	·40	·01	·12	·24	·08	·01			17
18	·03	·07		·26	·01	·15		·19			·40		18
19	·07			·45		·15	·08	·02	·05		·01		19
20	·01	·02		·06			·19	·17		·03	·01	·01	20
21	·03				·61			·02	·09				21
22	·09			·06	·01				·05		·02		22
23	·21	·08		·01	·30	·02			·03		·10	·04	23
24				·38	·12	·02	·04		·04				24
25	·05			·32	·09		·58		·01		·02	·02	25
26	·02	·02		·18	·01		·71		·01		·18		26
27	·11	·34		·02			·05				·18		27
28	·14	·28		·05	·01					·06	·02	·11	28
29	·24			·03	·01		·09			·23	·01	·06	29
30	·05	×			·12		·01	·07			·01		30
31	·15	×		×		×		·01	×	·01	×	·04	31
TOTAL	1·80	1·43	·17	3·02	2·50	1·24	3·64	3·53	2·35	·69	2·48	·86	YEAR'S TOTAL 2~~7~~4·01
*Days with ·01 in. or more.	23	19	5	19	17	14	17	19	19	8	20	13	193
*Days with ·04 in. or more.	15	13	2	16	9	6	14	14	13	4	10	7	123

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) [illegible] Howard

P.T.O.

1191

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1191

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at [illegible] Farm, Fulletby

in the County of Lincolnshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·03		·07	·32	·02	·06	·19	·07	·37	·03		1
2	·03			·15	·08			·02	·12	·02	·01	·15	2
3				·34	·23				·04	·05			3
4											·20		4
5	·11	·01		·01	·09		·28		·07		·01	·02	5
6	·18			·02	·01				·07				6
7	·01		·18	·09					·02				7
8				·07					·03	·17		·02	8
9	·01			·03	·39					·15			9
10	·23	·04	·02	·08	·08	·01			·09	·01	·01		10
11	·01			·02	·10		·04	·56	·02	·05	·05		11
12	·03			·08	·08			·02		·29	·04		12
13	·04	·04		·12					·02		·04	·01	13
14	·16	·03		·08	·04					·02	·02	·01	14
15	·01	·02		·04	·09		·17			·12		·01	15
16	·14			·24	·37								16
17				·01			·11			·06	·02		17
18					·01		·04		·82		·03		18
19										·11	·01	·01	19
20	·01	·01		·07	·02		·06	·65		·39	·05		20
21		·02	·04	·34	·50			·71		·32		·02	21
22			·30	·02	·04		·10		·23	·09	·26		22
23		·10			·03				·06	·58	·12	·04	23
24				·01	·01		·28		·02		·48		24
25		·02					·02		·13	·40	·06	·01	25
26				·38	·06		·14		·17	·03			26
27			·26	·07	·65		·35		·03	·02	·17		27
28			·21		·45	·13	·19	·04		·27			28
29	·02		·13	·02	·12	·02		·30		·30	·01	·01	29
30		×	·14	·04	·01	·50		·13		·18	·11	·13	30
31		×	·32	×	·03	×		·02	×		×	·02	31
TOTAL	1·04	·32	1·60	2·40	3·91	·68	1·84	2·64	2·01	4·03	1·43	·46	YEAR'S TOTAL 22·66
*Days with ·01 in. or more.	15	10	9	24	24	5	13	10	17	22	20	13	182
*Days with .04 in. or more.	7	3	8	16	14	2	12	7	11	17	11	3	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) [illegible]

P.T.O.

1191

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No.** ~~1191~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Chiswick Farm, Meldreth

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 70 ft.

Total + Dep ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·17	·07	·01	·19						·10			1
2	·15		·10		·06						·01			2
3		·03	·03		·01									3
4	·04		·11								·05			4
5	·02		·08		·34									5
6		·04	·04		·38					·02	·06	·02		6
7	·15	·08			·19		·03			·08				7
8	·08		·07		·04		·08			·02				8
9					·04		·12				·18			9
10						·18	·08			·13	·01			10
11	·07					·02	·02	·19			·03			11
12	·04			·15	·01	·07			·28					12
13					·03	·02	·13		·04		·16			13
14	·01				·08	·01		·08		·21	·26	·02		14
15	·04		·03				·37			·02	·08			15
16	·06		·46		·04	·27	·01		·02	·03	·05			16
17	·06		·17			·18			·10					17
18		·17	·02			·07					·01			18
19	·01	·04	·16			·09			·15					19
20			·05	·16		·51		·05	·07	·01	·02			20
21		·01				·43		·07	·49	·01	·01			21
22						·02		·42	·01	·25				22
23				·17	·12				·51		·01			23
24		·20		·13	·21	1·11			·17		·07			24
25		·14		·25	·04	·06			·21		·01	·11		25
26		·50		·03	·02	·02			·02	·09	·01	·13		26
27		·01								·13	·01	·01		27
28										·76		·03		28
29				·37						·18		·01		29
30	·15	✕		·01					·01	·02		·10		30
31		✕	·13	✕		✕		·08	✕		✕	·01	Year's Total	31
TOTAL	·92	1·39	1·52	1·28	1·80	3·36	·84	1·19	2·08	1·96	1·14	·44	17·92	
*Days with ·01 in. or more.	14	11	14	9	16	15	8	6	13	15	19	9	149	
*Days with ·04 in. or more.	11	8	11	3	12	10	5	6	9	8	9	3	95	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1191

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at [illegible]

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06							·19	·03		·01	·32		1
2	·07		·08						·43	·10		·13		2
3	·02	·07	·01	·07						·57				3
4	·09	·02	·07							·13	·11	·20		4
5	·01		·11		·02			·01				·13		5
6		·01	·10	·02	·34	·17		·06		·12		·27		6
7	·05	·01				·19				·02		·08		7
8					·15			·11	·03		·08	·02		8
9	·01		·02	·03	·01						·25	·30		9
10			·15	·07				·10			·53			10
11	·23		·24	·03			·02	·04			·03	·11		11
12	·07	·01	·06				·05	·39			·11	·02		12
13	·25		·04		·04		·99	·10			·01	·05		13
14	·03	·01	·25		·02	·02				·17	·24	·11		14
15	·01		·05		·05			·04	·04	·02	·09	·11		15
16	·09	·01	·19		·09					·02	·01			16
17	·04									·10	·02	·11		17
18	·13		·01	·27			·11					·03		18
19			·05	·04		·11			·06		·01	·02		19
20			·14	·01										20
21			·02	·06		·09		·03		·09		·02		21
22								·07	·26		·01			22
23				·17	·10	·14					·01	·02		23
24		·03	·07	·03		·08	·20		·13					24
25	·04	·13		·06		·35				·01		·02		25
26	·04			·19		·03						·29		26
27	·04	·02		·35		·12						·22		27
28		·10		·26		·61	·01	·70		·08	·06	·37		28
29				·01			·32	·02	·12		·12	·01		29
30	·07	×								·01	·01	·04		30
31	·01	×		×		×			×	·42	×	·04		31
TOTAL	1·30	·42	1·56	1·67	·82	1·91	1·70	1·86	1·10	1·86	1·71	3·04	Year's Total 18·95	
*Days with ·01 in. or more.	20	11	18	16	9	11	7	13	8	14	18	25	140	
*Days with ·04 in. or more.	13	3	14	10	6	9	5	10	6	9	9	17	111	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Alwyne A Howard

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1191

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Chiswick Farm, Meldreth

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·40	·08	·01	·02		·15	·37		·01	·10	·07	·02		1
2	·04		·02	·03						·10	·03	·02		2
3	·07	·15	·12	·14		·09			·14	·25	·10			3
4				·17					·45	·50				4
5		·51	·07	·08		·45	·01		·09			·02		5
6	·09	·01		·15		·18				·01	·04	·01		6
7	·18			·35		·01					·73	·08		7
8				·19						·15	·03	·10		8
9				·17	·01	·39				·51	·15			9
10	·02	·02		·14		·02					·02	·04		10
11	·15					·02	·18			·06	·14			11
12		·02			·01	·18		·01	·01		·13			12
13	·10	·25		·27	·21									13
14	·01			·06	·18	·04			·02		·04	·04		14
15		·14	·03	·24	·02	·05			·26		·10	·17		15
16		·04		·02		·15			·07	·03	·36	·19		16
17				·02		·08			·01		·70			17
18				·30	·05	·09	·38		·24	·03				18
19	·01			·11	·27	·11	·08		·06	·02	·09			19
20	·03	·09		·05	·43		·04		·01					20
21	·01	·14	·01	·01					·01	·06	·17			21
22			·12					·03	·43		·01			22
23	·02	·01	·11					·30			·01			23
24	·12	·26	·01					·01	·53		·01	·21		24
25	·11	·08		·17		·37						·05		25
26	·26	·01		·01				·22	·05	·02		·26		26
27	·17	·19		·01					·11		·14	·15		27
28		·01			·08				·07	·02	·02	·06		28
29	·02		·02						·66		·01	·09		29
30	·03	×		·41				·65	·10	·03	·23	·17		30
31		×		×		×		·02	×	·45	×	·16		31
TOTAL	1·84	2·01	·52	3·12	1·26	2·38	1·06	1·24	3·39	2·34	3·33	1·84	Year's Total. 24·33	
* Days with .01 in. or more.	19	17	10	23	9	16	6	7	20	16	23	18	184	
* Days with .04 in. or more.	11	11	4	16	6	13	5	3	14	9	15	14	121	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Champion A. Howard

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 1191

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at [illegible]

in the County of [illegible]

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·27	·15	·42		·04	·04	·01			·03	·13		1
2	·04	·03		·04		·21	·90	·09			·09	·15		2
3	·01	·01				·11	·02	·01			·18	·02		3
4			·05						·54	·02	·06	·14		4
5	·09	·02						·02	·29		·02	·06		5
6	·11		·01			·11	·48	·13	·06	·01	·02			6
7	·23		·02			·03		·01	·01			·01		7
8	·14		·04								·24	·21		8
9	·20		·03		·04	·09	·95					·01		9
10				·01		·02	·25	·17	·04	·04	·03			10
11				·04			·21	·02			·46			11
12				·18		·35	·32		·16	·01	·47	·10		12
13				·06		·58		·02		·05	·06	·08		13
14		·11		·01		·05	·55		·04	·03	·01	·18		14
15		·06		·01			·42					·05		15
16	·30	·04					·05				·57	·01		16
17	·06	·40			·04	·08					·24	·08		17
18		·09				·09	·07			·08	·01			18
19	·18	·04		·08		·34				·06				19
20	·02	·07		·28			·03		1·45	·01				20
21				·12	·01	·48	·02		·52					21
22	·08	·33	·02	·01	·13	·03	·15				·01	·12		22
23	·02	·02		·07	·01		·01			·07	·02			23
24	·12	·17					·25		·06	·26				24
25	·08	·02	·10	·14		·27	·08		·17	·02	·04	·04		25
26		·08	·13	·07			·08		·04	·04	·02	·01		26
27	·02		·01	·03			·01	·03	·24	·18				27
28	·43	·04	·02			·38	·46				·01	·06		28
29	·08	·15	·02			·08	·03			·04	·15	·01		29
30	·04	✕			·56	·26	·04			·20		·01		30
31	·70	✕	·05	✕	·04	✕	·09		✕	·48	✕	·13		31
TOTAL	3·08	1·95	·65	1·54	·83	3·60	5·51	·51	3·62	1·60	2·74	1·61	Year's Total 27·27	
* Days with .01 in. or more.	21	18	13	16	7	19	24	10	13	17	21	21	208	200
* Days with .04 in. or more.	17	13	6	11	5	16	18	3	12	11	11	14	137	137

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) [illegible] [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1191

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at [illegible]

in the County of [illegible]

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16								·02		·69	·34		1
2	·01	·02	·01	·27					·05		·01	·04		2
3		·07	·07	·01								·05		3
4	·08	·47						·21				·31		4
5	·13	·04	·13				·02				·01	·35		5
6	·05			·01	·10		·18				·04	·01		6
7		·45	·50	·08	·05				·01		·01			7
8		·01	·02			·08					·15	·11		8
9				·18	·43		·14	·03	·11			·09		9
10	·04		·41	·03	·05	·31					·04	·27		10
11	·03		·23		·36	·04		·16				·05		11
12	·13	·34	·15		·21	·42		·34	·22	·02		·08		12
13	·03	·01	·19	·07	·03	·93		·34	·19			·60		13
14	·04	·03	·60	·07				·55	·01			·01		14
15	·05	·03	·01	·12			1·30		·13			·05		15
16	·18	·14	·26	·46				·06	·11			·02		16
17	·33	·01	·28	·54		·06			·23		·13	·02		17
18	·42	·08	·05	·04	·16				·10		·24			18
19	·08	·10	·05	·04	·06	·16	·11		·54	·02	·08			19
20	·31			·40	·58	·15			·14	·01		·01		20
21	·11	·30	·11	·04	·01		·13	·02		·01	·01	·03		21
22	·21	·02	·01	·01		·05	·03			·43	·13	·01		22
23	·22		·11		·06		·18			·83		·01		23
24	·41	·17					·01		·08	·09				24
25	·04	·30	·01		·50				·02	·42		·02		25
26		·12	·04		·07					·04				26
27		·10		·23					·01	·75	·01			27
28		·10		·02						·08		·05		28
29	·07									·05	·04	·03		29
30	·18	✕									·09	·01		30
31	·22	✕		✕		✕			✕	·05	✕	·07		31
TOTAL	3·53	2·91	3·24	2·62	2·67	2·20	2·10	1·71	1·97	2·80	1·68	2·64	Year's Total 30·07	✓
* Days with .01 in. or more.	24	21	20	18	14	9	9	8	16	13	15	25	192	✓
* Days with .04 in. or more.	21	14	15	13	12	9	6	6	11	9	10	14	140	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) [illegible] A. Howard [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1191

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at [illegible] Farm Holbeach

in the County of Lincs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					·01	·07			·01	·04	·02	·04		1
2	·24			·05	·02	·08	·05			·17		·01		2
3	·02				·11		·03		·08	·41	·02			3
4	·07					·02				·23		·07		4
5	·02			·01			·10			·11	·01			5
6	·02						·03	·01	·15	·03				6
7	·05						·04	·09		·16		·01		7
8	·15		·02				·30			·13				8
9	·06	·02					·05					·47		9
10	·02					·01	·05	·51				·05		10
11	·35							·01			·10	·03		11
12	·12	·09					·01	·33		·36	·01	·01		12
13		·03									·02	·06		13
14	·11	·02			·15				·08					14
15	·04						·04			·08	·01	·07		15
16	·15	·02					·17			·04	·01	·41		16
17		·06			·50		·14		·01	·02				17
18	·03			·01	·30		·04	·02	·05		·32			18
19					·03				·04		·09			19
20									·01		·45	·12		20
21		·01				·03		·09	·02		·01	·36		21
22								·01			·17	·10		22
23				·08							·05			23
24			·09	·02	·03				·74		·05			24
25	·09		·12	·05	·13				·02	·04	·43	·12		25
26	·06	·04	·12						·10	·24		·10		26
27	·07	·12	·01		·13	·20	·17		·97	·14	·36			27
28	·15	·05			·67			·19	·04		·04	·02		28
29	·58			·06	·20						·05	·20		29
30	·01	✕		·03		·04			·01	·03	·05	·30		30
31	·12	✕		✕	·04	✕			✕	·12	✕	·15		31
TOTAL	2·53	·46	·36	·31	2·32	·45	1·22	1·26	2·33	2·35	2·27	2·70	Year's Total 18·56	✓
* Days with .01 in. or more.	22	10	5	8	13	7	14	9	15	17	20	20	160	✓
* Days with .04 in. or more.	16	5	3	4	9	4	11	5	9	14	12	15	104	✓

† Spare column, no entries required.

(*Signed*) Alwyne A. Howard [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1191

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Chiswick Farm Melbourn

in the County of Cambs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04			·19	·21		·04	·04	·93					1
2	·05			·01	·01		·02	·34	·46	·04	·03	·01		2
3	·01			·03				·53		·03	·22	·24		3
4	·25		·13	·19				·14		·20	·03	·03		4
5				·55	·01		·02	1·35		·10	·17	·08		5
6	·29			·02			·10	·01			·03			6
7	·07	·03	·14				·02	·11		·01	·07	·06		7
8		·04					·04	·08		·06	·02	·30		8
9		·06						·04		·25	·08	·15		9
10	·16					·29		·31	·02					10
11			·32		·01	·07				·03		·01		11
12		·02	·01		·01	·25			·04					12
13			·02			·09	·05		·03	·67				13
14	·25				·30	·01	·02			·15	·15	·01		14
15	·21	·01	·01	·03	·67	·17			·13	·85	·02	·01		15
16	·46		·11	·17	·07	·14			·01	·05	·27			16
17	·10	·01	·03	·10	·03		·30				·02			17
18	·10		·05			·13	·10		·04	·18	·51			18
19	·18					·08	·10			·23		·02		19
20	·05					·10	·13	·13				·01		20
21	·08		·42			·36	·04	·07	·16	·01				21
22	·04	·10	·07			·02	·02		·06		·06			22
23	·10		·01	·11		·01				·13	·43	·01		23
24	·05	·02	·04	·09		·01	·07		·02	·01		·01		24
25	·70	·08	·05	·06			·02	·03			·25	·02		25
26	·60		·02	·08						·21	·42	·04		26
27	·01	·02	·12	·03			·02			·19	·13			27
28		·28	·10	·03						·23	·10	·04		28
29			·01	·59	·01		·03	·01		·28	·02			29
30		✕		·90		·30				·01	·07	·03		30
31		✕		✕		✕	·13		✕		✕			31
TOTAL	3·80	·67	1·66	3·18	1·33	2·03	1·27	3·19	1·90	3·92	3·10	1·08	Year's Total 27·13	✓
* Days with .01 in. or more.	21	11	18	17	10	15	19	14	11	22	21	18	197	✓
* Days with .04 in. or more.	19	5	11	11	4	11	11	11	7	16	14	7	127	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) [illegible] A. Howard

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1191

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Chiswick Farm, Meldreth

in the County of Cambs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 70 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·09			1
2		·05		·08						·05	·89			2
3		·18		·18						·12	·59	·04		3
4		·14		·06			·04			·14	·75	·04		4
5		·08					·02			·03	·30	·06		5
6	·22	·10			·06		·41			·09	·25	·01		6
7	·44	·09		·01	·04		·02							7
8	·01									·12		·20		8
9				·02					·01	·05	·10	·17		9
10			·08			·01	·64		·01	·04	·20	·24		10
11						·02					·58	·05		11
12		·10	·04	·01			·03		·08	·01	·05			12
13		·02	·40	·02					·07		1·10			13
14			·32	·13	·07			·02		·01		·18		14
15	·01		·01	·04			·08				·08	·01		15
16	·06	·12	·18			·03	·51		·04	·33	·47			16
17			·50				·04				·15			17
18	·01	·42	·18	·37			·22	·05		·06	·04	·13		18
19		·20	·11	·11			·09		·06	·01	·09	·07		19
20		·02	·04	·02			·12	·02			·04			20
21	·06	·01	·01				·10			·11	·27			21
22	·02		·05		·14	·21			·28	·02	·02			22
23		·09	·01	·06	·07	·01		·06			·04	·01		23
24				·22			·21				·01			24
25			·20				·70							25
26	·16	·02	·37	·10	·34		·36							26
27	·64	·04		·06	·19		·19				·02			27
28	·08	·10		·01	·07				·02					28
29			·09		·43							·22		29
30		✕		·07						·12		·07		30
31	·01	✕		✕		✕			✕	·47	✕			31
TOTAL	1·72	1·78	2·59	1·57	1·41	·28	3·78	·15	·57	1·78	6·13	1·48	Year's Total 23·24	
* Days with .01 in. or more.	12	17	16	18	9	5	17	4	8	17	22	15	160	
* Days with .04 in. or more.	7	13	13	12	9	1	14	2	5	12	19	12	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

X HORSEHEATH (SHA 2160603/32

1191/7

HORSEHEATH
SHAROILOWS COTT
1934 -1937
48 0210

Section **A** **for the entry of Dail**
AIR MINISTRY.—M NFALL ORGANIZATION.

Station No. 1191/7

FORM 1090.

REGISTE 1934.

111/Cambs

e 1935

Kept at Horseheath Sha
in the County of Cambr

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												·31		1
2												·18		2
3														3
4											·10	·24		4
5											·02	·11		5
6												·33		6
7												·07		7
8														8
9											·54	·15		9
10											·32	·02		10
11											·01	·13		11
12											·04	·05		12
13												·20		13
14											·24	·17		14
15											·12	·08		15
16											·02	·05		16
17											·02	·05		17
18											·01	·05		18
19														19
20												·03		20
21														21
22														22
23											·025			23
24														24
25												·23		25
26												·07		26
27											·03	·18		27
28											·02	·33		28
29											·15	·04		29
30		×										·05		30
31		×		×		×			×		×	·20		31
TOTAL											1·665	3·32	Year's Total. n.p.	
* Days with .01 in. or more.											15	24	-	
* Days with .04 in. or more.											8	22	-	

40-9999 N † Spare column, no entries required.

* See Instruction 2 (f) on other side. (*Signed*) MAJOR E.P. KINGZETT [P.T.O.

HORSEHEATH (SH 16060/32

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 1191/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

111/Counts

Kept at Horseheath Shardilows ~~Farm~~ Cottage
in the County of Cambridgeshire
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

from 90/5

e 1935

Values from [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1												·31		1
2												·18		2
3														3
4											·10	·24		4
5											·02	·11		5
6												·33		6
7												·07		7
8														8
9											·54	·15		9
10											·32	·02		10
11											·01	·13		11
12											·04	·05		12
13												·20		13
14											·24	·14		14
15											·12	·08		15
16											·02	·05		16
17											·02	·05		17
18											·01	·05		18
19														19
20												·03		20
21														21
22														22
23											·025			23
24														24
25												·23		25
26												·07		26
27											·03	·18		27
28											·02	·33		28
29											·15	·04		29
30		×										·05		30
31		×		×		×			×		×	·20		31
TOTAL											1.665	3.32	Year's Total. mp	
* Days with .01 in. or more.											15	24	–	
* Days with .04 in. or more.											8	22	–	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) MAJOR E.P. KINGZETT

[P.T.O.

CROWN COPYRIGHT RESERVED.

1191/7

Section A **for the entry of Daily Observations.** **Station No.** 216060/31

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Shardelows Cottage. HORSEHEATH.

in the County of Cambs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 402 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·54	·16		·04		·12	·11		·01	·18	·03	·01		1
2	·20		·01	·18		·01			·02	·13	·02	·01		2
3	·02	·25	·14	·04		·02			·36	·24	·16	TR		3
4				·20		·03			·75	·04	·01	·01		4
5	·02	·40	·04	·04		·40			·10		·01	·01		5
6	·09			·22		·13					TR			6
7	·25			·33		·05		TR.			·81	·08		7
8				·14						·14	·02	·18		8
9				·04		·52				·69	·03	·09		9
10		·03		·18							·28	·05		10
11	·14	·02				·04				·03	·08	·01		11
12		·02				·10			·12		·12			12
13	·12	·23		·11	·28	·03		TR.			·02	TR		13
14	·02			·02	·25	·02		TR.	·05		·01	·06		14
15	·04	·11		·30	·02	·04			·04		·04	·19		15
16		·02	·04	·01		·12			·10	·03	·56	·21		16
17	·01			·01		·22	·02	·01	·09		·51			17
18				·22		·06	·24			·03	TR			18
19	·01			·03	·31	·12	·06		·21	·04	·04	·02		19
20	·05	·03		·04	·21	·10	·22	TR.	·06		·02			20
21	·08	·15	·01						·01	·05	·26			21
22		·02	·13					·07	·45		·01			22
23	·04	·01	·14	·01	·01			·16	·01					23
24	·04	·18	·01					·01	·43			·28		24
25	·18	·13		·18		·04					·01	·10		25
26	·30							·16	·11	·04	TR	·36		26
27	·05	·21		·02	·06						·14	·23		27
28		·06						·01	·09	·09	·02	·16		28
29	·01								·50		·04	·06		29
30	·06	×		·03				·53		·01	·24	·20		30
31		×		×		×			×	·21	×	·19		31
TOTAL	2·24	2·03	·52	2·46	1·14	2·19	·68	·95	3·50	2·01	3·48	2·51	Year's Total. ~~22·79~~	23·74
* Days with .01 in. or more.	21	14	8	23	4	19	5	7	19	15	25	21	187	
* Days with .04 in. or more.	15	10	5	15	5	14	4	4	16	12	13	15	127	

40-9999

Major E.P Kingzett

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Major.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A.** for the entry of Daily Observations. Station No. 1191 7 ~~404~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1936.

Totals

Kept at HORSE HEATH

in the County of CAMBS

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

? height above [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		0.47		0.40										1
2														2
3														3
4														4
5														5
6														6
7							0.70							7
8												·43		8
9														9
10								0.20						10
11														11
12					0.54									12
13														13
14														14
15														15
16											·72			16
17														17
18														18
19														19
20									1.20					20
21						0.37								21
22														22
23														23
24														24
25														25
26			0.14											26
27														27
28														28
29														29
30		×												30
31	·72	×		×		×			×	0.46	×			31
TOTAL	3.31	2.52	0.61	1.55	1.40	3.01	4.25	0.65	2.74	1.70	3.08	1.98	Year's Total 26.80	
*Days with ·01 in. or more.	20	(18)	14	11	10	20	21	8	16	18	19	20	195	
*Days with ·04 in. or more.	18	(13)	6	9	7	18	19	4	9	10	14	11	138	

40-9999

*See Instruction 2 (*f*) on other side.

N

† Spare column, no entries required. 78·2

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Mr 119/47

Section **A** for the entry of Daily Observations. Station No. ~~1221~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Copy by B.R.O.

Kept at Horseheath

in the County of Cambridge

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06													1
2	·05													2
3	·01													3
4														4
5	·12													5
6	·07													6
7	·31													7
8	·12													8
9	·16													9
10	tr													10
11														11
12														12
13														13
14														14
15	·01													15
16	·24													16
17	·05													17
18														18
19	·26													19
20	tr													20
21														21
22	·09													22
23														23
24	·11													24
25	·23													25
26	tr													26
27	·04													27
28	·52													28
29	·08													29
30	·06	✕												30
31	·42	✕		✕		✕			✕		✕			31
TOTAL	3·31												Year's Total	
* Days with .01 in. or more.	20													
* Days with .04 in. or more.	18													

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1191/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

10H

Kept at Horseheath

in the County of Cambs.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 402 ft.

Instruments transferred to Tamton (Stone Gallows Hill) (1st return Sept. 1937)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4														4
5														5
6														6
7		·48												7
8														8
9														9
10														10
11			·54											11
12														12
13														13
14														14
15														15
16														16
17				·71										17
18														18
19														19
20														20
21														21
22														22
23														23
24	·58													24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	3·68	2·54	2·91	2·88									Year's Total	
*Days with ·01 in. or more.	21	21	21	14	ceased									
*Days with .04 in. or more.	19	14	14	13										

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

1192

1192

WHITTLESFORD

1931 - 1935

78 02 10

Section **A** **for the entry** … **COPY FOR OFFICIAL USE.**

AIR MINIST… …H RAINFALL ORGANIZATION.

FORM 1090.

REGIS… …N 193/ .

Kept at Whittles…

in the County of Cal…

Diameter of Funnel of Gauge…

Height of top of Gauge above Grou… …fel

,, Ground ,, Sea…

THE MORNING MEAS… …VIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·12			·45							1
2		·10	~~13~~		·37				·43				2
3				·42	·42			·13	1·60			·22	3
4								·68	·04				4
5						·40		·25	·31			·28	5
6	·21			·15		·62				·20	·46		6
7								·62					7
8		·16						·69					8
9						·20					·26	·06	9
10			·13					·20					10
11	·10												11
12		·21							·27				12
13							·32	·7					13
14							·82	·45					14
15		·26		·28			·31					·07	15
16				·09				·48					16
17	·05	·14							·16				17
18		·09			·81			·27			·70		18
19				·90		·55	·30	·20					19
20	·10			·08			·25		·06				20
21					·46								21
22	·15	·07											22
23					·48						·12		23
24						·05			·31				24
25	·30			·44	·14								25
26				·30			1·36						26
27	·10										·36		27
28	·15	·60											28
29				·61						·37			29
30		×					·16	·03	·06				30
31	·36	×		×	·10	×			×		×	·26	31
TOTAL	1·52	1·63	·25	3·27	2·78	2·27	3·52	4·70	3·24	·57	1·90	·89	YEAR'S TOTAL 26·54
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) pp Robert Maynard [P.T.O.

m

1192

Section **A** for the entry ~~of Daily Observations.~~

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Whittlesford

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 5 in.

,, Ground ,, Sea Level 68 ft.

Totfel

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·12			·45							1
2		·10	~~17~~		·37				·43				2
3				·42	·42			·13	1·60			·22	3
4								·68	·04				4
5						·40		·25	·31			·28	5
6	·21			·15		·62				·20	·46		6
7								·62					7
8		·16						·69					8
9						·20					·26	·06	9
10			·13					·20					10
11	·10												11
12		·21							·27				12
13							·32	·7					13
14							·82	·45					14
15		·26		·28			·31					·07	15
16				·09				·48					16
17	·05	·14							·16				17
18		·09			·81			·27			·70		18
19				·90		·55	·30	·20					19
20	·10			·08			·25		·06				20
21					·46								21
22	·15	·07											22
23					·48						·12		23
24						·05			·31				24
25	·30			·44	·14								25
26				·30			1·36						26
27	·10										·36		27
28	·15	·60											28
29				·61						·37			29
30		×					·16	·03	·06				30
31	·36	×		×	·10	×			×		×	·26	31
TOTAL	1·52	1·63	·25	3·27	2·78	2·27	3·52	4·70	3·24	·57	1·90	·89	YEAR'S TOTAL 26·54
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) pp Robert Maynard [P.T.O.

M

1192

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 1192

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Whittlesford
in the County of Cambridge
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 5 in.
,, Ground ,, Sea Level 68 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·02	·16	·57					1
2	·03					·10	·10		·21	·37			2
3				·49	·63								3
4	·09												4
5													5
6	·14								·10			·06	6
7			·18										7
8	·11			·17									8
9					·38					·50			9
10													10
11	·13										·34		11
12		·12			·20		·26			·45			12
13													13
14	·10						·03				·09		14
15							·20						15
16	·05				·30					·16		·15	16
17							·23						17
18							·05		1·03				18
19										·19			19
20					·18					·39	·12		20
21				·77	·42			1·29		·27			21
22			·39				·18		·16		·23		22
23										·57			23
24							·21				·56		24
25		·21					·30		·30	·43			25
26				·37									26
27				·08	·65		·59		·25		·21		27
28	·03				·60		·19						28
29			·50					·53					29
30		×		·20		·30				·65	·09		30
31		×	·42	×	·10	×		·23	×		×	·19	31
TOTAL	·68	·33	1·49	2·08	3·46	·42	2·50	2·62	2·05	3·98	1·64	·40	YEAR'S TOTAL 21·65
*Days with ·01 in. or more.													
*Days with .04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Robert Maynard

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1192

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Whittlesford

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 5 in.

,, Ground ,, Sea Level 68 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·12								·12			1
2			·10											2
3					·17									3
4	·08													4
5					·37									5
6		·32												6
7					·85									7
8	·21													8
9											·33			9
10					[illegible]	·28				·21				10
11														11
12				·26										12
13	·42							·32			·25			13
14					·43									14
15										·18				15
16			·71				·95				·36			16
17														17
18														18
19	·22		·31									·17		19
20		·28				·58	·20		·36					20
21														21
22								1·02	·35					22
23				·35		·30								23
24		·36		·13	·42				·58					24
25				·27	·06									25
26		·42		·04		·25			·10		·17			26
27														27
28		·26												28
29									·03	1·24				29
30	·28	×		·30							·14			30
31		×	·20	×		×			×		×	·10		31
TOTAL	1·21	1·64	1·44	1·35	2·37	1·41	1·15	1·34	1·42	1·63	1·37	·27	Year's Total 16·60	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Robert Maynard

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1192

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Whittlesford

in the County of Cambridge

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 5 in.

,, Ground ,, Sea Level 68 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·18						1
2			·05						·36					2
3												·37		3
4			·06							·55	·11			4
5			·11											5
6			·12		·30	·14								6
7												·58		7
8	·21													8
9				·16							·43			9
10				·11								·07		10
11			·26								·55			11
12								51				·14		12
13							·55							13
14			·21								·28	·16		14
15									·38					15
16									·08	·35	·14			16
17	·35		·20									·11		17
18				·24										18
19			·05											19
20			·19						·19					20
21														21
22						·23								22
23	·11			·32	·26									23
24				·18		·15	·56		31					24
25														25
26	·09			·31								·35		26
27		·26		·24		·30								27
28		·12				·31		·86				·51		28
29														29
30	·15	×		·06			·34	·47	14		·16			30
31		×		×		×			×	·45	×	·09		31
TOTAL	·91	·38	1·25	1·62	·56	1·13	1·45	2·02	1·46	1·35	1·67	2·38	Year's Total 16·18	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Robert Maynard

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1192

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Whittlesford

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 5 in.

,, Ground ,, Sea Level 68 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·40					·12				·11				1
2	·10			·14										2
3		·36	·18						·23	·40	·27			3
4				·30					·74	·25				4
5			·06	·20		·51			·09					5
6		·35												6
7				·53		·17					·75	·16		7
8				·20						·17				8
9										·53				9
10						·44					·11	·11		10
11														11
12														12
13	·50	·27												13
14				·53										14
15		·13		·22					·62		·22			15
16					·30	·40								16
17											·95			17
18							·33		·26					18
19				·37	·34	·32	·30				·12			19
20		·10			·28	·10	·45							20
21		·12								·24	·22			21
22									·40					22
23	·11		·34					·46						23
24		·22		·25					·56					24
25						·08								25
26								·18	·09			·98		26
27	·30	·20												27
28		·02						·53						28
29	·38		·02	·19	·02				·96					29
30		×									·36	·44		30
31	·06	×		×		×			×	·37	×	·04	d	31
TOTAL	1·85	1·77	·60	2·93	·94	2·14	1·08	1·17	3·95	2·07	3·00	1·73	Year's Total. 23·23	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Robert Maynard

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1192/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hildersham

in the County of Cambridge

Diameter of Funnel of Gauge 11 in.

Height of top of Gauge above Ground ... ft. ... in.

,, Ground ,, Sea Level 108 ft.

average (1935-6-7-8)
= 24·67

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·01	—	—	—	·06	—	—	·19	·05	—	·03		1
2	·20	—	·01	·04	—	·05	·08	—	—	·10	—	·02		2
3	—	—	—	—	·14	—	·02	—	·08	·30	·04	—		3
4	·15	—	—	·02	—	·01	—	trace	—	·12	—	·04		4
5	·02	—	—	—	—	—	·08	—	·04	·10	·01	—		5
6	·04	—	·01	—	—	—	·03	trace	·14	—	—	—		6
7	·08	—	—	—	—	—	·08	·15	·02	·23	—	·02		7
8	·15	—	·01	—	—	·01	·10	·04	·02	·12	—	trace		8
9	·05	—	—	—	—	·03	·19	·04	—	trace	—	·26		9
10	—	trace	·01	—	—	—	·09	1·51	trace	—	—	·04		10
11	·37	·06	—	—	—	—	—	·80	—	—	04	·03		11
12	·09	·20	—	—	—	—	·03	·07	—	·38	·03	·01		12
13	·01	·07	—	—	—	—	—	trace	—	·01	·05	trace		13
14	·08	·01	—	—	·11	—	—	—	·09	—	—	03		14
15	·02	—	—	—	—	—	·02	trace	—	·13	·06	·10		15
16	·12	·05	—	—	—	—	·09	—	—	·03	—	·37		16
17	·01	—	—	·01	·49	—	·15	—	—	·05	—	·04		17
18	·01	—	—	·01	·37	—	·01	trace	—	—	·26	—		18
19	—	—	—	·03	·06	—	—	·03	·14	—	·09	trace		19
20	—	—	—	—	—	—	—	—	·02	—	·40	·16		20
21	trace	—	—	—	—	—	—	·10	·02	—	·01	·50		21
22	—	trace	—	—	—	·01	—	·03	·01	—	·16	·16		22
23	—	·01	—	·03	—	—	—	—	·10	—	·06	—		23
24	—	·01	·14	·03	·02	—	·01	—	1·00	—	·06	—		24
25	·08	·13	·14	·08	·04	—	·02	·01	·05	·04	·42	—		25
26	·09	—	·14	—	trace	—	—	trace	·12	·24	—	·32		26
27	·10	·05	·01	—	·02	·20	·23	trace	1·50	·30	·34	—		27
28	·10	—	—	—	·31	·02	—	·11	·05	—	·03	·24		28
29	·57		—	—	·14	—	—	trace	—	·01	·05	—		29
30	·01	✕	—	—	·04	·09	—	—	·05	·04	·12	·10		30
31	·12	✕	—	✕	·02	✕	—	—	✕	·15	✕	·28		31
TOTAL	2·59	·60	·47	·25	1·76	·48	1·33	2·89	3·64	2·40	2·23	2·75	Year's Total 21·39	✓
* Days with .01 in. or more.	23	10	8	8	12	9	16	11	18	18	18	19	170	✓
* Days with .04 in. or more.	17	6	3	2	9	4	10	8	13	15	14	13	114	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

File No. 391965/35

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1192/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hildersham

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

,, Ground ,, Sea Level 108 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	—	·17	·19	—	—	trace	1·25	·04	—	·08		1
2	—	—	—	—	·02	—	—	·45	1·27	—	·01	—		2
3	·38	—	·11	·09	—	—	—	·33	—	·02	·25	·17		3
4	·10	—	·07	·64	—	—	—	·41	—	·14	·02	—		4
5	—	—	·01	·28	—	—	—	1·04	—	·04	·15	·10		5
6	·30	—	—	·04	—	—	·03	·02	—	—	·06	·02		6
7	·12	·02	—	—	—	—	·07	·02	—	·11	·03	·06		7
8	—	·01	·09	—	—	—	—	·04	—	·08	·02	·24		8
9	·01	·06	—	—	—	—	·09	·01	·02	·40	—	·17		9
10	·13	—	—	—	trace	·20	·04	·06	·01	—	·02	—		10
11	·01	—	·33	—	·05	·05	—	—	·05	·07	—	·02		11
12	—	—	—	—	·02	·22	—	—	—	—	—	—		12
13	—	·02	·02	trace	—	·01	—	—	·07	·72	—	—		13
14	·24	—	—	·02	·19	trace	trace	—	·19	·22	·17	—		14
15	·19	—	·07	·01	·45	·06	trace	—	·15	·81	·05	—		15
16	·24	—	·10	·09	·09	·13	—	—	·01	·32	·25	·02		16
17	·09	—	—	·23	·13	—	·02	—	—	·15	·02	—		17
18	·07	—	·08	—	—	·12	·08	—	·01	·17	·74	—		18
19	·21	—	·04	—	—	·29	·78	—	—	·16	·01	·03		19
20	—	—	—	—	—	·18	·10	·21	—	—	—	·01		20
21	·07	—	·38	—	—	·25	·08	·02	·08	·02	—	—		21
22	·04	·20	·11	·05	—	·01	·42	—	·04	—	·08	—		22
23	·06	—	—	·10	—	·01	·06	—	—	·14	·34	—		23
24	·14	·07	·10	·04	—	·02	·09	—	—	·01	—	·02		24
25	1·35	·11	·12	·07	—	·02	·04	—	·01	—	·24	—		25
26	·44	·01	·05	·01	—	—	·02	—	—	·38	·48	·05		26
27	·01	—	·10	·08	—	—	·03	—	—	·19	·02	trace		27
28	·02	·24	·10	trace	trace	·03	—	trace	trace	·30	·06	—		28
29	—	X	—	·51	trace	·30	—	·02	—	·24	·07	—		29
30	—	✕	—	·77	—	—	·03	—	trace	·01	—	·03		30
31	—	✕	—	✕	—	✕	·11	·04	✕	—	✕	—		31
TOTAL	4·25	·74	1·88	3·20	1·14	1·90	2·09	2·71	not ~~4·74~~ 3·16	4·74	3·09	1·02	Year's Total 29·92	✓
* Days with .01 in. or more.	22	9	17	17	8	16	17	13	13	22	21	14	190	✓
* Days with .04 in. or more.	17	5	15	14	6	10	12	8	~~1~~8	19	13	7	130	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1192/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at HILDERSHAM

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 108 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	trace	·01	—	·01	—	—	—	—	—	·10	—		1
2	—	·01	—	·17	—	—	·03	—	—	·05	·77	—		2
3	—	·09	—	·14	—	—	—	—	—	·13	·72	·07		3
4	—	·28	—	·04	—	—	—	—	—	·14	·62	·06		4
5	—	·07	—	trace	trace	—	·15	—	—	·01	·37	·02		5
6	·18	·07	·01	·07	·06	—	·49	—	—	·10	·16	—		6
7	·43	·12	—	—	·04	—	·05	—	—	—	·06	·05		7
8	—	·07	—	trace	—	—	—	trace	—	·12	—	·20		8
9	—	—	·12	·02	·02	—	trace	—	trace	trace	·06	·27		9
10	—	—	·01	—	—	·03	1·09	—	trace	—	·13	·09		10
11	—	—	·01	·05	—	—	·03	—	·09	·03	·47	·03		11
12	—	·07	—	·04	—	—	trace	—	·03	·01	·02	—		12
13	—	·12	·83^{s}	—	—	·01	trace	—	—	—	1·21	—		13
14	—	·07	16	·16	·09	—	—	·03	—	—	·~~18~~	·25		14
15	trace	—	—	·04	·03	·08	·15	—	trace	·01	·~~37~~18	·01		15
16	·16	·20	·11	trace	—	·02	·43	—	·01	·40	37	trace		16
17	trace	—	·49	·07	—	—	·03	—	—	·01	·02	—		17
18	—	·41	·13	·37	—	—	·40	·07	—	·06	·01	—		18
19	—	·11	·05	·04	—	—	·01	—	·05	trace	·05	·04		19
20	trace	·11	·05	—	—	—	·03	—	—	—	·08	trace		20
21	·20^{s}	—	trace	·01	—	—	·03	—	—	trace	·21	—		21
22	trace	·01	·03	—	·07	·20	—	·04	·25	·10	·01	—		22
23	trace	·09	—	·04	·31	·02	—	·02	—	—	·02	—		23
24	—	·01	trace	·26	—	—	·23	—	trace	·01	—	·03		24
25	—	—	·11	·01	·10	—	·65	—	—	·01	·01	·01		25
26	·27^{s}	·01	·41	·01	trace	·08	·23	trace	—	·01	trace	—		26
27	·35^{s}	·01	·02^{s}	—	·07	—	·04	·01	—	·02	—	trace		27
28	·10	·09	—	—	·09	—	trace	—	·02	—	—	trace		28
29	—	·01	·08	·01	·35	—	—	—	—	—	—	·21		29
30	trace	×	trace	·15	—	—	—	—	·01	·08	—	·09		30
31	·15	×	[illegible]	×	—	×	—	—	×	·42	×	trace		31
TOTAL	1·84	2·03	2·63	1·70	1·24	·45	4·07	·17	·46	1·72	5·65	1·44	Year's Total 23·40	
* Days with .01 in. or more.	8	21	17	19	12	7	17	5	7	19	22	15	169	
* Days with .04 in. or more.	8	15	11	14	9	3	11	2	3	10	16	10	112	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) ....

P.T.O.

1192/2

HILDERSHAM

OLD MILL HSE

1934-1940

78 02 10

1965/35

III/Cambs/2

c.1934

C

Section **A** **for the entry of Daily**

Station No. 1192/2

AIR MINISTRY.—ME

FALL ORGANIZATION.

FORM 1090.

REGISTE

1934.

Kept at HILDERSHAM

in the County of CAMBR

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMEN

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							–	·12	–	–	–	·33		1
2							–	–	·38	–	–	·12		2
3							–	–	–	–	·09	·01		3
4							–	–	–		–	·18		4
5							–	trace	–		·02	·10		5
6							–	trace	–		·06	·26		6
7							–	–	–		·40	–		7
8							–	·09	–		·55	·02		8
9							–	–	–		–	·13		9
10							–	·11	–		·06	·01		10
11							–	·37	–		–	·08		11
12							·06	·08	–		·27	·03		12
13							·37	·03	–		·13	·08		13
14							–	–	·25		·02	·14		14
15							–	–	–		·06	·03		15
16							–	–	–		–	·09		16
17							–	–	–		–	·06		17
18							·07	–	–		–	·03		18
19							–	trace	·11		–	·01		19
20							–	trace	·13		–	·02		20
21							–	·04	–		–	·01		21
22							–	·07	·23		·02	–		22
23							–	·10	–		·03	·03		23
24							·54	–	·12		–	–		24
25							–	–	–		–	·22		25
26							–	–	–	–	–	·16		26
27							–	–	–	–	·02	·24		27
28							–	·78	–	–	·09	·40		28
29							·37	·08	–	–	–	·02		29
30		×					–	·32	–	·02	–	·04		30
31		×		×		×	–	trace	×	·16	×	–		31
TOTAL							1·41	2·19	1·22	1·24	1·82	2·85	Year's Total. [illegible]	
* Days with .01 in. or more.							[illegible]	[illegible]	[illegible]	[illegible]	5	11	–	
* Days with .04 in. or more.							5	11	6	78	9	16	–	

Kept a [illegible] record during absence 1.06 6 days over .01 6 .04

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side. X LT. COL. O.B. FOSTER X N (Signed) [P.T.O.

1965/35

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1192/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

III/Cambs/2

c. 1934

Kept at HILDERSHAM (OLD MILL HOUSE)

in the County of CAMBRIDGE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft ....in.

,, Ground ,, Sea Level 108 ft (approx)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1							–	·12	–	–	–	·33		1
2							–	–	·38	–	–	·12		2
3							–	–	–	–	·09	·01		3
4							–	–	–		–	·18		4
5							–	trace	–		·02	·10		5
6							–	trace	–		·06	·26		6
7							–	–	–		·40	–		7
8							–	·09	–		·55	·02		8
9							–	–	–		–	·13		9
10							–	·11	–		06	·01		10
11							–	·37	–		–	·08		11
12							·06	·08	–		·27	·03		12
13							·37	·03	–		·13	·08		13
14							–	–	·25		·02	·14		14
15							–	–	–		·06	·03		15
16							–	–	–		–	·09		16
17							–	–	–		–	·06		17
18							·07	–	–		–	·03		18
19							–	trace	·11		–	·01		19
20							–	trace	·13		–	·02		20
21							–	·04	–		–	·01		21
22							–	·07	·23		·02	–		22
23							–	·10	–		·03	·03		23
24							·54	–	·12		–	–		24
25							–	–	–		–	·22		25
26							–	–	–	–	–	·16		26
27							–	–	–	–	·02	·24		27
28							–	·78	–	–	·09	·40		28
29							·37	·08	–	–	–	·02		29
30		×					–	·32	–	·02	–	·04		30
31		×		×		×	–	trace	×	·16	×	–		31
TOTAL							1·41	2·19	1·22	1·24	1·82	2·85	Year's Total. impo	
* Days with .01 in. or more.							[illegible]	1[illegible]	– ~~6~~	8 ~~8~~	5 ~~4~~	11 ~~4~~	–	
* Days with .04 in. or more.							5	11	6	78	9	16	–	

Kept & mostly record during absence
1·06 6 days over ·01 & ·04

40-9999 † Spare column, no entries required.

* See Instruction 2 (f) on other side. LT. COL. O.B. FOSTER (Signed) [P.T.O.

N

X HILDERSHAM (OLD MILL HOUSE) X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1192/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at HILDERSHAM

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9" in.

,, Ground ,, Sea Level 108 ft.

1934 C ins

Camb/2

011922

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·12	—	·06	—	·05	·11	—	·01	·17	·19	·01		1
2	·69	·01	—	·12	—	·01	—	—	trace	·10	·04	·02		2
3	—	·20	·12	·08	—	trace	—	—	·42	·20	·16	·01		3
4	—	—	—	·22	—	trace	—	—	·81	·23	·01	—		4
5	—	·54	·06	·02	—	·52	—	—	·09	—	—	·02		5
6	·08	·02	—	·21	—	·12	—	—	trace	—	·01	·01		6
7	·17	trace	·01	·33	—	·05	—	—	—	—	·71	·10		7
8	—	—	trace	·22	trace	—	—	—	—	·15	·06	·11		8
9	—	—	—	·05	trace	·48	—	—	—	·58	·03	·02		9
10	·01	·04	—	·10	—	·03	—	—	—	—	·05	·05		10
11	·17	·02	—	—	—	·02	—	—	—	·12	·05	·01		11
12	—	trace	—	—	trace	·18	—	—	·06	—	·11	—		12
13	·11	·28	—	·14	·25	·09	—	—	—	—	·05	trace		13
14	·03	—	—	·18	·17	·02	—	—	·23	—	·02	·06		14
15	·02	·10	—	·22	—	·06	—	—	·07	·01	·02	·18		15
16	—	·03	·02	trace	—	·26	—	—	·03	·05	·44	·21		16
17	—	—	·01	·01	—	·18	·04	—	—	—	·41	—		17
18	trace	—	—	·24	—	·11	·17	—	·20	·06	·01	—		18
19	trace	—	—	·02	·25	·15	·05	trace	·05	·05	·10	·08		19
20	·03	·03	—	·09	·20	·12	·11	trace	—	—	·02	—		20
21	·07	·10	trace	—	—	—	—	—	—	·05	·24	—		21
22	—	—	·14	—	—	—	—	—	·30	—	—	—		22
23	·05	·02	·11	—	—	—	—	·75	—	—	·01	—		23
24	·05	·20	·02	—	—	—	—	—	·59	—	—	·26		24
25	·23	·04	—	·16	—	·05	—	—	—	—	—	·07		25
26	·69	—	—	—	—	—	—	·22	·09	—	—	·30		26
27	·05	·25	—	—	·07	—	—	—	·20	—	·15	·20		27
28	—	·01	—	—	—	—	—	·01	—	·10	·03	·09		28
29	—	×	trace	—	—	—	—	—	·60	—	·02	·05		29
30	·08	×	trace	·06	—	—	—	·45	·07	·02	·16	·14		30 O.K. print
31	·02	×	—	×	—	×	—	·02	×	·24	×	·11		31
TOTAL	2·55	2·02	·49	2·53	·94	2·50	·48	1·45	~~[illegible]~~ 3·82	2·13	3·10	2·11	Year's Total. 24·12	√
* Days with .01 in. or more.	17	17	8	19	5	18	5	5	16	15	25	22	172	
* Days with .04 in. or more.	12	10	4	16	5	14	5	3	14	13	15	15	126	

40-9999 X LT. COL. O.B. FOSTER X

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ~~O.B. Foster~~ [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1192/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Hildersham

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 108 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·44	·09	·43	—	·20	·02	trace	—	—	·06	·29		1
2	·02	·08	trace	·03	—	·34	·44	·15	—	—	·06	·22		2
3	trace	·02	—	trace	trace	·16	·01	·01	·01	—	·19	—		3
4	·09	trace	·03	—	—	·02	—	·02	·32	·05	·04	·05		4
5	·08	—	·02	—	—	—	·01	·03	·36	—	·02	·08		5
6	·32	·03	·05	—	—	·07	trace	·16	·09	·04	·03	—		6
7	·10	—	—	—	—	·01	1·13	·04	·14	·04	—	·04		7
8		—	—	—	·01	—	—	·01	·03	—	·23	·37		8
9	·13	—	·05	·03	·03	·04	·64	—	·01	·03	·02	·02		9
10	·01	—	—	·09	·01	·03	·19	·20	—	·01	—	trace		10
11	—	—	—	·11	—	—	·26	·10	—	·02	·38	—		11
12	—	—	—	·01	·15	·17	·28	—	·14	·03	1·01	·11		12
13	—	—	—	—	—	·65	·02	—	—	·01	·04	·02		13
14	—	·11	—	—	—	·05	·35	trace	·06	·06	·03	·17		14
15	trace	·05	—	—	—	·07	·49	—	·03	—	—	·02		15
16	·20	·07	—	—	—	—	·01	—	—	·01	·61	·01		16
17	·05	·43	—	—	·06	·01	·01	—	—	—	·22	·10		17
18	—	·02	—	·04	—	·05	·05	trace	—	·18	·01	—		18
19	·21	·02	trace	·25	—	·13	—	·02	—	·09	—	—		19
20	·06	·08	—	·26	·03	—	·03	—	1·00	—	—	—		20
21	—	·01	~~·56~~	—	·02	·34	—	—	·40	·03	—	·01		21
22	·15	·40	—	·11	·30	·06	·12	—	—	—	—	·11		22
23	—	·01	—	—	·01	·40	·01	—	—	·08	·02	—		23
24	·14	·20	—	·14	·02	—	·04	—	·06	·18	·03	·02		24
25	·21	·01	·06	·04	—	—	·07	—	·16	—	·01	·01		25
26	—	·10	·16	·13	—	—	·11	—	—	·05	·02	·01		26
27	·02	·04	·01	—	—	—	·27	—	·25	·14	·01	—		27
28	·44	·04	·02	—	—	·09	·02	—	—	—	·01	·05		28
29	·09	·20	·03	—	—	·13	·01	—	—	·10	·14	—		29
30	·06	✕	—	—	·28	·12	·06	—	—	·17	—	—		30
31	·56	✕	·07	✕	·04	✕	·10	—	✕	·50	✕	·07		31
TOTAL	2·98	2·36	·59	1·67	·96	3·14	4·75	·74	3·06	1·82	3·19	1·78	Year's Total 27·04	
* Days with .01 in. or more.	20	20	11	13	12	21	26	10	15	20	22	20	210	
* Days with .04 in. or more.	17	12	6	9	5	17	16	5	11	13	11	12	134	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1192/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Hildersham

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 11 in.

,, Ground ,, Sea Level 108 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·01	·01	trace	—	—	—	trace	·02	—	·55	·39		1
2	·01	·01	·01	·27	—	—	—	—	·11	·02	·01	·39		2
3	·02	·04	trace	·01	—	—	—	—	—	—	—	·03		3
4	·10	·08	trace	—	—	—	—	·19	—	—	·01	·47		4
5	·13	—	·20	—	—	—	·04	—	—	—	·01	·08		5
6	·02	·03	·48	·01	·10	—	·12	—	—	—	·02	—		6
7	—	·50	·14	·07	·02	—	—	—	·03	—	·14	—		7
8	·02	·04	·02	·01	—	·10	—	—	—	—	·04	·06		8
9	—	—	·02	·25	·31	trace	·20	·03	·10	—	·01	·05		9
10	·03	·01	·54	·06	·04	·32	·05	—	—	—	·03	·22		10
11	—	—	·38	·01	·20	trace	·01	·02	—	·03	·01	·11		11
12	·05	·35	·07	—	·17	trace	—	·15	·26	·01	—	·03		12
13	·09	·02	·30	·10	·01	·48	—	·03	·06	—	—	·69		13
14	·03	·04	·48	·02	—	·01	—	·52	—	—	—	·02		14
15	·02	·03	·01	·07	—	·01	1·32	—	·16	—	—	·02		15
16	·10	·10	·18	·36	—	—	—	·10	·02	—	·03	·11		16
17	·17	—	·04	·55	·17	·08	—	—	·45	—	·05	·04		17
18	·51	·09	·02	·14	·03	—	—	—	·01	—	·11	—		18
19	·02	·11	—	·05	·67	·30	·05	—	·20	—	·10	—		19
20	·20	trace	—	·40	—	·04	—	—	·03	·02	—	—		20
21	·06	·25	·13	·03	—	—	·14	—	—	·01	·02	·02		21
22	·25	·04	·01	—	—	·03	·02	—	·01	·33	·14	·01		22
23	·15	—	·09	—	—	—	·16	—	—	·43	—	—		23
24	·37	·21	·01	—	·04	—	·02	—	·07	·05	—	trace		24
25	·09	·22	trace	—	·07	—	—	—	·04	·17	·01	—		25
26	—	·08	·06	—	·30	—	—	trace	—	·01	—	—		26
27	—	·10	·02 ~~·10~~	·33	~~·33~~	—	trace	—	·07	·60	·01	·01		27
28	—	·02	·04	·01	—	·01	—	—	—	·04	—	·03		28
29	·11	×	—	—	—	trace	—	—	—	·01	·04	·04		29
30	·17	×	—	—	—	·03	—	·06	—	—	·15	—		30
31	·24	×	—	×	—	×	—	—	×	·11	×	·04		31
TOTAL	3·19	2·38	3·26	2·75	2·13	1·41	2·13	1·10	1·64	1·84	1·49	2·86	Year's Total 26·18	✓ ✓
* Days with .01 in. or more.	25	22	23	19	13	11	11	8	16	14	20	20	202	✓ ✓
* Days with .04 in. or more.	17	15	14	12	10	6	8	5	10	7	9	13	126	✓ ✓

† Spare column, no entries required

(Signed) .... [P.T.O.

* See Instruction 3 (f) on other side.

Section **A** for the entry of
AIR MINISTR

Station No. 1192/3

RAINFALL ORGANIZATION

FORM 1090

REGIS 1937

1192/3
SAWSTON VILLAGE COLL
1937 - 1940

780210

Kept at Sawston Village
in the County of Cambridg
Diameter of Funnel of Gauge........
Height of top of Gauge above Gro
,, Ground ,, Sea

4577/38

eal 8/4/38

THE MORNING MEASURE **PREVIOUS DAY**

An observer who does not conform to *1st of the following year in the space on the right of this paragraph.*

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08			.10							.67	.40		1
2	.01	.015		.20			.01			.01	.01	.26		2
3		.04		.05							.01	.03		3
4	.08	.35						.10				.50		4
5	.135	.03					.03	tr.						5
6	.02		(.50)	tr.	.10		.11				.20	tr.		6
7		.38		.04			.01				.10			7
8		.025			.04	.06			.02		.32	.06		8
9				.23	.32		.15		.10		tr.			9
10	.05		.50	.13	.085	.36	.02		tr.	tr.	.04	x		10
11			.20					.02	.03	.04	tr.	x		11
12	.05	.25	.065		.02				.23	.02		.15		12
13	.10	.02	.465	.08	.26	.66		.15	.03	.01		.48		13
14	✓	tr.	.70	.06	.16	.02		.45	.01		.01	.09		14
15	.07	.02	.01	.08		.01	1.30		.15		tr	.03		15
16	.04	.07	.18	(.30)					.025			.10		16
17	.24	tr	.09	.43		.11			.90		.07			17
18	.48	.085		.25	.20					.01	.12			18
19	.025	.075	.08	.03	.02	.25	tr		.46	.02	(.10)			19
20	.24		.01	.38	.65	.18			.025	.01				20
21	.07	.25	.07	.06			.12	.08		.01	tr.	.03		21
22	.29	.02				.02	.01			.35	.15	✓		22
23	.19	tr.	.105				.13		.01	(.40)	.01			23
24	.405	.17	.02				.08		.10	.08				24
25	.06	.275			.10		tr.			.22		✓		25
26		.08	.06		.05				.01	.03				26
27			.05	.325					.01	.66		✓		27
28				.02						.04		✓		28
29	.01					.01					.05	✓		29
30	.11							.06			.13	.10		30
31	.21									.05			(25.76)	31
TOTAL	2.965	2.125	3.11 ~~2.605~~	2.76 ~~2.965~~	2.005	1.680	1.970	.860	2.110	1.96 ~~1.560~~	1.99 ~~1.890~~	2.230	Year's Total ~~24.960~~	
* Days with .01 in. or more.	23 ~~22~~	17	18 ~~15~~	17 ~~16~~	12	10	11	6	15	16 ~~15~~	14	18 ~~12~~	~~165~~	177
* Days with .04 in. or more.	17 ~~18~~	11	15 ~~12~~	15 ~~11~~	10	6	6	5	6	8 ~~7~~	10	10 ~~9~~	~~114~~	119

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. Levitt.

[P.T.O.

X THE HEADMASTER X

Section **A** for the entry of Daily Observations

Station No. 1192/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Sawston Village College

in the County of Cambridgeshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. = in.

,, Ground ,, Sea Level 70 ft.

adjusted by months

734577/38

Letter sent 8/4/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08			.10							.67	.40		1
2	.01	.015		.20			.01			.01	.01	.26		2
3		.04		.05							.01	.03		3
4	.08	.35						.10				.50		4
5	.135	.03					.03	tr.						5
6	.02		(.50)	tr.	.10		.11				.20	tr.		6
7		.38		.04			.01				.10			7
8		.025			.04	.06			.02		.32	.06		8
9				.23	.32		.15		.10		tr.			9
10	.05		.50	~~.63~~ .13	.085	.36	.02		tr.	tr.	.04			10
11			.20					.02	.03	.04	tr.			11
12	.05	.25	.065		.02				.23	.02		.15		12
13	.10	.02	.465	.08	.26	.66		.15	.03	.01		.48		13
14		tr.	.70	.06	.16	.02		.45	.01		.01	.09		14
15	.07	.02	.01	.08		.01	1.30		.15		tr	.03		15
16	.04	.07	.18	(.30)					.025			.10		16
17	.24	tr	.09	.43		.11			.90		.07			17
18	.48	.085		.25	.20					.01	.12			18
19	.025	.075	.08	.03	.02	.25	tr		.46	.02	(.10)			19
20	.24		.01	.38	.65	.18			.025	.01				20
21	.07	.25	.07	.06			.12	.08		.01	tr.	.03		21
22	.29	.02				.02	.01			.35	.15			22
23	.19	tr.	.105				.13		.01	(.40)	.01			23
24	.405	.17	.02				.08		.10	.08				24
25	.06	.275			.10		tr.			.22				25
26		.08	.06		.05				.01	.03				26
27			.05	.325					.01	.66				27
28				.02						.04				28
29	.01					.01					.05			29
30	.11							.06			.13	.10		30
31	.21									.05			(25.76)	31
													Year's Total	
TOTAL	2.965	2.125	~~2.605~~ 3.11	~~2.965~~ 2.76	2.005	1.680	1.970	.860	2.110	~~1.560~~ 1.96	~~1.890~~ 1.99	2.230	~~24.960~~	
* Days with .01 in. or more.	23 ~~22~~	17	18 ~~15~~	17 ~~16~~	12	10	11	6	15	16 ~~15~~	14	18 ~~12~~	~~165~~	177
* Days with .04 in. or more.	17 ~~18~~	11	15 ~~12~~	15 ~~11~~	10	6	6	5	6	8 ~~7~~	10	10 ~~8~~	~~114~~	119

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~C. Levitt.~~ [P.T.O.

THE HEADMASTER

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1192/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at X Sawston Village College

in the County of Cambridgeshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 10 in.

,, Ground ,, Sea Level 70 ft.

Totals. Letter written 13/3 98 Snow? W.J.F.

W.J.F.

First 20 days of Jan. corrected for W.D [illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.06	tr.	-	-	.02	.06	-	-	-	-	.01	.03		1
2	.01	tr.	-	-	.01	.06	-	-	.08	.18	tr.	-		2
3	.02	-	-	.03	.12	-	.06	-	-	.37	.01	-		3
4	-	-	-	tr.	-	-	-	-	-	.18	-	.05		4
5	.08	-	-	-	-	-	.06	-	.02	.05	-	.01		5
6	-	-	-	-	-	-	.05	-	.18	.03	tr.	tr.		6
7	.02	-	-	-	-	.01	.12	.08	.05	.01	-	.01		7
8	.06	-	-	-	-	tr.	.02	-	.01	.01	-	.01		8
9	.13	tr.	-	-	-	-	.03	-	-	.01	-	-		9
10	.06	tr.	-	-	-	.05	.01	.08	tr.	-	-	.03		10
11	.01	-	-	-	-	-	tr.	.07	tr.	-	.04	.03		11
12	.40	.10	-	-	-	-	.05	.02	-	.30	.03	.01		12
13	.06	.05	-	-	.01	-	-	-	-	.01	.02	.03		13
14	-	.04	-	-	-	-	-	-	tr.	-	tr.	.01		14
15	.08	tr.	-	-	tr.	-	.09	-	-	.09	.01	.06		15
16	.07	tr.	-	-	.58	-	.09	-	-	.03	.02	.39		16
17	.08	.05	-	-	.30	-	.18	-	.05	.01	tr.	-		17
18	-	-	-	-	.06	-	.01	-	.02	.01	.24	-		18
19	.01	-	-	-	-	-	-	-	.01	tr.	.09	-		19
20	.01	tr.	-	-	-	-	-	-	.01	-	.32	~~.04~~ 4		20
21	-	tr.	-	-	-	-	-	.01	-	-	.01	- 4		21
22	-	-	-	-	tr.	-	-	-	tr.	-	.15	- 4		22
23	-	-	-	-	.02	-	-	-	-	tr.	.03	-		23
24	tr.	tr.	.10	-	-	.04	.02	-	1.33	tr.	.05	.97		24
25	.09	-	.01	-	.05	-	.01	.04	.03	.03	.41	- 4		25
26	.10	.01	.11	-	tr.	-	-	-	.17	.23	-	- 4		26
27	.08	.17	tr.	.08	-	.20	-	-	1.63	.45	.35	-		27
28	-	.01	-	.01	.46	.01	.02	.01	.05	-	.03	~~.93~~		28
29	.59	X	-	tr.	.16	-	-	-	.01	-	.04	.21		29
30	.01		-	-	tr.	.07	-	-	-	.05	.05	-		30
31	.08		-		.03		-	-		.12		.55		31
TOTAL	~~2.11~~ 2.05	.43	.22	.12	1.82	.50	.82	.31	3.65	2.17	1.91	2.40	Year's Total ~~16.46~~	✓ 16.40 *
* Days with .01 in. or more.	22	7	3	3	12	8	15	7	15	19	19	19 ~~16~~	~~146~~	✓ 149
* Days with .04 in. or more.	15	5	2	1	7	6	8	4	8	10	10	10 ~~7~~	~~83~~	✓ 86

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) G. Levitt.

X THE HEADMASTER X

[P.T.O.

18/3/39

SAWSTON VILLAGE COLLEGE

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1192/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Sawston Village College
in the County of Cambridgeshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 10 in.
,, Ground ,, Sea Level 70 ft.

~~Letter written 1938~~
~~4/4/40~~
~~adjustment~~
734577/38

adjustments made ~~[illegible]~~ by surr. stations. M.B. 3/5/40.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	~~.13~~	.20	.76	–	.23	.02	(.50)	–	–	.04		1
2	.07	–	.02	.05	.17	.50	.11	–	(.52) ~~.04~~	.09	–	.04		2
3	.03	–	–	–	.01	–	.03	–	~~.08~~	.05	(.20)	–		3
4	–	–	–	.21	–	–	–	.80	~~.04~~	–	.01	–		4
5	–	–	.10	(.55)	–	–	–	.11	–	.08	–	.25		5
6	–	–	–	.02	–	–	.10	.38	–	.05	.15	.04		6
7	.12	.01	–	.03	–	–	–	–	–	.37	.01	.17		7
8	.01	.02	.10	–	–	–	–	.04	–	–	.01	.01		8
9	.02	.06	–	–	–	–	–	.11	–	.06	.04	.06		9
10	.14	–	–	–	–	–	.04	.04	–	.01	–	.29		10
11	tr.	–	.35	–	–	.23	–	.52	–	.80	–	✓ .17		11
12	tr.	–	tr.	–	–	.03	–	.04	.08	.76	.01	–		12
13	–	–	.02	–	–	.27	–	–	.07	.76	tr.	–		13
14	–	–	tr.	✓	–	–	–	–	.06	.12	.13	–		14
15	.35	–	–	✓	.17	–	–	–	.09	.01	.01	–		15
16	.27	–	.05	(.25)	.49	–	–	–	–	.06	.27	✓ –		16
17	.07	–	tr.	✗	.05	.07	.07	–	–	.06	.02	–		17
18	.13	–	.05	–	.03	–	.50	–	–	.18	.64	–		18
19	.19	–	.05	–	–	.13	.07	–	–	.17	.01	✓ –		19
20	.04	–	tr.	–	–	.26	.04	–	–	–	.01	✓ –		20
21	.08	–	.41	–	–	.14	.60	.49	–	–	–	–		21
22	.02	.17	.12	✗	–	.17	.28	–	–	–	.07	✓ –		22
23	.03	–	.02	✗	–	.02	.03	–	–	.01	(.50) ~~.04~~	–		23
24	.09	– ✗	.04	.12 ✓	–	–	.02	–	–	.10	–	–		24
25	1.15	– ✗	.15	✗	–	–	.02	–	.04	–	(.20)	–		25
26	.42	.13	.03	– ✓	–	.08	–	–	.11	–	(.30)	✗		26
27	–	–	.13	.10	–	–	–	–	.04	–	.01	–		27
28	–	.13	.10	~~–~~	–	–	–	–	.52	–	.37	tr.		28
29	tr.	X	–	(.50) ~~.07~~	–	–	–	–	–	–	.12	–	"d"	29
30	–	✕	tr.	(.60) ~~.05~~	–	–	.04	.09	–	–	.12	–		30
31	–	✕	–	✕	–	✕	–	.04	✕	–	✕	–	26.64	31
TOTAL	3.23	.52 ~~.39~~	1.74 ~~1.87~~	(2.63) ~~.25~~	1.68	1.90	2.21	2.68 ~~2.64~~	2.03 ~~2.07~~	3.74	(3.21) ~~2.02~~	✓ 1.07	Year's Total ~~23.67~~	
* Days with .01 in. or more.	18	~~7~~ (8)	17	~~8~~ (18)	7	11	15	11	10	18	~~13~~ (12)	(14)	~~150~~ 169	
* Days with .04 in. or more.	13	~~5~~ (6)	13	~~7~~ (12)	5	9	11	10	10	15	~~9~~ (13)	8	~~114~~ 125	

Print Ok

THE HEAD MASTER.

† Spare column, no entries required.

(Signed) G. Levitt.

baskets discarded to agree [illegible]

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1192/3 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Sawston Village College,

in the County of Cambridgeshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 10" in.

,, Ground ,, Sea Level 70 ft.

Ags. Dgp

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.01	–	.12	–	–	–	–	–	–	.08	–		1
2	–	.03	–	.15	–	–	–	–	–	.09	.72	.01		2
3	–	.10	–	.02	–	–	–	–	–	.08	.63	.03		3
4	–	.24	–	–	–	–	–	–	–	.12	.80	.05		4
5	–	.07	–	–	–	–	.16	–	–	–	.33	.02		5
6	–	.08	–	–	.05	–	.31	–	–	.09	.15	–		6
7	.20	.09	–	–	.04	–	.08	–	–	–	–	–		7
8	.46	–	–	–	–	–	–	–	–	.08	–	.23		8
9	.01	–	.10	.02	–	–	–	–	–	–	.05	.26		9
10	–	–	Tr.	–	–	Tr.	.61	–	–	.13	.17	.12		10
11	–	–	–	.04	–	–	–	–	–	–	.02	–		11
12	–	–	.02	–	–	–	–	–	.06	–	.01	–		12
13	–	–	.89	–	–	–	–	–	.03	–	1.31	–		13
14	–	–	.20	–	.05	–	–	.03	–	–	.06	.25		14
15	.01	–	–	.10	.05	.16	.12	–	–	–	.18	Tr.		15
16	.04	–	.32	.05	–	–	.42	–	–	.25	.39	–		16
17	–	}	.40	–*	–	–	.03	–	–	.01	.05	–		17
18	–	} 4 .60	.14	.30	–	–	.50	.06	.05	Tr.	Tr.	.13		18
19	–	.10	.06	.05	–	–	–	–	–	.03	.10	.05		19
20	–	.02	.05	.05	–	–	.12	.03	–	Tr.	.01	–		20
21	.02	.01	.02	.02	–	–	.06	–	–	.01	.39	–		21
22	Tr.	.01	–	–	.13	.20	–	–	.16	Tr.	–	–		22
23	–	.08	–	.25	.06	.01	–	–	–	–	.02	–		23
24	–	–	.20	–	–	–	.44	–	–	Tr.	Tr.	–		24
25	–	–	.48	Tr.	–	–	.43	–	–	–	Tr.	–		25
26	Tr. 4	.02	–	–	.22	.07	.28	–	–	–	Tr.	–		26
27	} 4	.03	–	–	.15	–	.13	–	–	–	Tr.	–		27
28	}	.10	.09	.01	.07	–	.01	–	–	–	–	–		28
29	} .75	–	–	–	.21	–	–	–	.05	–	–	.22		29
30	.06	✕	–	.08	.01	–	–	–	.01	.08	–	.07		30
31	Tr.	✕	–	✕	–	✕	–	–	✕	.46	✕	–		31
TOTAL	1.55	1.59	2.97	1.26	1.04	.44	3.70	.12	.36	1.43	5.47	1.44	Year's Total 21.37"	Print WH
* Days with .01 in. or more.	9	16	13	14	11	4	15	3	6	12	19	12	134	
* Days with .04 in. or more.	6	9	11	10	10	3	13	1	4	9	15	9	100	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Gordon Levitt.

[P.T.O.

1192/5

WIMPOLE HALL

1931 - 1938

1192/5

Section **A** for the entry of Dai

AIR MINISTRY.—I

COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090.

REGISTE

193 1 .

Cambs/2

Kept at Wimpole Hall

in the County of Cambs

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM

DAY.

An observer who does not conform to this r *of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.02	.05	.06	—	—	—	—	.23	.02	—	—	1
2	.08	.06	—	.07	.42	—	.04	.02	.52	—	—	—	2
3	—	—	—	.09	.34	—	—	.08	.86	—	—	.17	3
4	—	—	—	.08	.05	—	—	.32	.11	—	.16	—	4
5	—	—	—	—	—	.52	.02	.06	.08	—	—	.42	5
6	—	.14	—	—	.03	.16	.06	—	—	.18	.34	—	6
7	—	—	—	—	—	—	—	.36	—	—	—	—	7
8	.05	.03	.06	—	—	.11	—	.52	—	—	—	—	8
9	—	.02	.08	—	—	.41	—	.12	—	—	.25	.02	9
10	—	.06	—	—	—	—	—	.20	—	—	.10	—	10
11	.30	—	—	.12	—	.03	—	—	.03		—	—	11
12	.03	.27	—	—	—	—	—	—	.36	—	—	—	12
13	—	.09	—	—	—	—	.26	—	—	—	—	—	13
14	.05	.04	—	—	.02	—	.95	.35	—	—	.02	—	14
15	.04	.07	—	.20	.08	—	.22	.18	—	—	—	—	15
16	.04	.15	—	.25	.24	—	—	.02	.02	—	—	—	16
17	—	.03	—	.84	.02	—	.16	.08	.15	—	—	—	17
18	—	.09	—	.44	—	—	—	.16	—	—	.40	—	18
19	.02	—	—	.82	—	—	.17	—	—	—	—	—	19
20	.05	.03	—	.11	—	.32	.22	—	—	—	—	—	20
21	.03	—	—	—	.48	—	—	—	.06	.04	—	—	21
22	—	—	—	—	—	—	—	—	.05	—	.02	—	22
23	—	.06	—	.33	.33	.02	—	—	.02	—	.11	.08	23
24	—	—	—	.03	.13	—	—	—	—	—	—	—	24
25	.16	—	—	.64	.03	—	.76	—	—	—	—	—	25
26	—	—	—	.62	—	—	.45	—	—	—	.15	—	26
27	.06	.67	—	.02	—	—	.17	—	—	.02	—	—	27
28	.08	—	—	.06	—	—	—	—	—	—	.42	—	28
29	.06	.31	—	.07	.02	—	.10	—	—	.25	—	.03	29
30	.31	×	—	.03	.08	—	—	—	—	—	—	—	30
31	.23	×	—	×	—	×	—	.08	×	—	×	.03	31
TOTAL	1.29	2.14	.19	4.58	2.27	1.57	3.58	2.55	2.49	.51	1.97	.75	YEAR'S TOTAL 23.89
*Days with ·01 in. or more.	16	15	3	19	14	7	13	14	12	5	10	6	134
*Days with ·04 in. or more.	13	13	3	16	9	5	12	12	9	3	8	3	106

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. J. Snell.

P.T.O.

108567/3

11935

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Cambs/2

Kept at Wimpole Hall [illegible]

in the County of Cambs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 141 ft.

Big up 1930

OK previously

Ave 23·0

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	·05	·06	—	—	—	—	·23	·02	—	—	1
2	·08	·06	—	·07	·42	—	·04	·02	·52	—	—	—	2
3	—	—	—	·09	·34	—	—	·08	·86	—	—	·17	3
4	—	—	—	·08	·05	—	—	·32	·11	—	·16	—	4
5	—	—	—	—	—	·52	·02	·06	·08	—	—	·42	5
6	—	·14	—	—	·03	·16	·06	—	—	·18	·34	—	6
7	—	—	—	—	—	—	—	·36	—	—	—	—	7
8	·05	·03	·06	—	—	·11	—	·52	—	—	—	—	8
9	—	·02	·08	—	—	·41	—	·12	—	—	·25	·02	9
10	—	·06	—	—	—	—	—	·20	—	—	·10	—	10
11	·30	—	—	·12	—	·03	—	—	·03		—	—	11
12	·03	·27	—	—	—	—	—	—	·36	—	—	—	12
13	—	·09	—	—	—	—	·26	—	—	—	—	—	13
14	·05	·04	—	—	·02	—	·95	·35	—	—	·02	—	14
15	·04	·07	—	·20	·08	—	·22	·18	—	—	—	—	15
16	·04	·15	—	·25	·24	—	—	·02	·02	—	—	—	16
17	—	·03	—	·84	·02	—	·16	·08	·15	—	—	—	17
18	—	·09	—	·44	—	—	—	·16	—	—	·40	—	18
19	·02	—	—	·82	—	—	·17	—	—	—	—	—	19
20	·05	·03	—	·11	—	·32	·22	—	—	—	—	—	20
21	·03	—	—	—	·48	—	—	—	·06	·04	—	—	21
22	—	—	—	—	—	—	—	—	·05	—	·02	—	22
23	—	·06	—	·33	·33	·02	—	—	·02	—	·11	·08	23
24	—	—	—	·03	·13	—	—	—	—	—	—	—	24
25	·16	—	—	·64	·03	—	·76	—	—	—	—	—	25
26	—	—	—	·62	—	—	·45	—	—	—	·15	—	26
27	·06	·67	—	·02	—	—	·17	—	—	·02	—	—	27
28	·08	—	—	·06	—	—	—	—	—	—	·42	—	28
29	·06	·31	—	·07	·02	—	·10	—	—	·25	—	·03	29
30	·31	✕	—	·03	·08	—	—	—	—	—	—	—	30
31	·23	✕	—	✕	—	✕	—	·08	✕	—	✕	·03	31
TOTAL	1·29	2·14	·19	4·58	2·27	1·57	3·58	2·55	2·49	·51	1·97	·75	YEAR'S TOTAL 23·89
*Days with ·01 in. or more.	16	15	3	19	14	7	13	14	12	5	10	6	134
*Days with ·04 in. or more.	13	13	3	16	9	5	12	12	9	3	8	3	106

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. J. Snell

P.T.O.

1192/5

Section **A**

COPY FOR OFFICIAL USE.

for the entry of Daily Observations.

Station No. 1192/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Wimpole Hall

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 141 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·03		·12	·22	—	·05	—	·10	·41	—	·03	1
2	—	—	—	·17	·02	—	—	—	·20	—	·03	·12	2
3	—	—	—	·25	·23	—	—	—	—	·08	—	—	3
4	—	—	—	·07	·03	—	—	—	—	—	·23	—	4
5	·34	—	—	·02	·16	—	·20	—	·06	—	—	—	5
6	—	—	—	·03	—	—	—	—	·18	—	—	—	6
7	·14	—	·05	·12	—	—	—	—	·04	—	—	—	7
8	·10	·08	·17	·16	·03	—	—	—	—	·12	—	—	8
9	—	—	—	·03	·50	—	—	—	—	·09	—	—	9
10	·12	·02	—	·11	·04	—	—	—	—	—	—	—	10
11	—	—	—	·12	·12	—	·04	·40	—	·18	·06	—	11
12	—	—	—	·09	·08	—	—	—	—	·33	·02	—	12
13	·02	·04	—	·05	—	—	—	—	—	—	·04	—	13
14	·10	—	—	·10	·03	—	·04	·05	—	—	·02	·03	14
15	—	·03	·02	·05	·05	—	—	—	—	·13	—	—	15
16	·03	—	—	·24	·40	—	—	—	—	—	—	·02	16
17	—	—	—	·03	—	—	·13	—	—	·08	—	—	17
18	—	—	—	—	—	—	—	—	·81	—	—	—	18
19	—	—	—	·07	—	—	—	—	—	·15	—	—	19
20	—	—	—	·06	·03	—	—	·81	—	·33	—	—	20
21	—	—	—	·12	·43	—	—	·79	—	—	—	—	21
22	—	—	·42	—	·07	—	·30	—	·17	·10	·25	—	22
23	—	·10	—	—	·04	—	—	—	—	·36	·12	—	23
24	—	—	—	—	—	—	·33	—	·02	—	·46	·02	24
25	—	·02	—	—	—	—	·26	—	·08	·40	·05	·03	25
26	—	—	·02	·31	·06	—	·27	—	·24	·04	—	—	26
27	—	—	·14	·09	·64	—	·31	—	·03	—	·16	—	27
28	—	—	·20	—	·43	—	·23	—	—	·26	—	—	28
29	—	—	·05	—	·03	—	—	·48	—	·20	—	—	29
30	—	×	·10	·08	·04	·42	—	·14	·06	·15	·12	·04	30
31	—	×	·12	×	—	×	·63	—	×	·04	×	—	31
TOTAL	·92	·32	1·29	2·49	3·68	·42	2·79	2·67	1·99	3·45	1·56	·29	YEAR'S TOTAL 21·87
*Days with ·01 in. or more.	8	7	10	23	22	1	12	6	12	18	12	7	138
*Days with ·04 in. or more.	6	3	8	19	16	0	12	6	10	17	9	2	108

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) William J. Snell

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1192/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Wimpole Hall
in the County of Cambridgeshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft – in.
,, Ground ,, Sea Level 141 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·17	·10	–	·30	–	–	–	–	–	·12	–	1
2	·27	–	·16	–	–	–	–	–	–	–	–	–	2
3	–	·16	–	–	·03	–	–	–	–	–	–	–	3
4	–	–	·13	–	–	–	–	–	–	–	·11	–	4
5	·04	–	·05	–	·32	–	–	–	–	–	–	–	5
6	–	–	·17	–	·46	–	–	–	–	–	–	–	6
7	·09	–	–	–	·10	–	·12	–	–	·07	–	–	7
8	–	–	·08	–	·04	–	–	–	–	–	–	–	8
9	·06	–	–	–	·06	–	·18	–	–	–	·25	–	9
10	·04	–	–	–	·03	·16	·22	–	–	·11	–	–	10
11	·10	–	–	–	–	·08	–	·25	–	–	–	–	11
12	–	–	–	·27	–	–	–	–	·22	–	–	–	12
13	–	–	–	–	·02	·05	·23	–	–	–	·19	–	13
14	–	–	–	–	·12	·08	–	·05	–	·17	·23	–	14
15	·14	–	–	–	–	–	·07	·11	–	–	·12	–	15
16	·15	–	·62	–	·08	·21	–	–	–	·03	–	–	16
17	–	–	·24	–	–	·05	–	–	·10	–	·03	–	17
18	–	·16	·04	–	–	·17	–	–	–	–	–	–	18
19	·02	·06	·25	·04	–	–	–	–	·15	–	–	–	19
20	–	·04	·06	·15	–	–	–	–	·12	–	–	–	20
21	–	·10	–	–	–	·04	–	·16	·22	–	–	–	21
22	–	–	–	–	–	·02	–	–	–	·20	·08	–	22
23	–	–	–	·15	–	–	–	–	·75	–	–	–	23
24	–	·20	–	·12	·28	·16	–	·75	·30	–	·09	–	24
25	–	·03	–	·20	–	·04	–	–	–	–	–	·11	25
26	–	·42	–	·03	–	–	–	–	·12	–	–	–	26
27	–	–	–	–	·09	–	–	–	·02	·17	–	–	27
28	–	–	–	–	–	–	–	–	–	·66	–	·05	28
29	–	–	–	·28	–	–	–	–	–	·16	–	–	29
30	·15	×	–	–	–	·03	–	–	–	–	–	·33	30
31	·04	×	·17	×	–	×	·02	·08	×	·02	×	–	31
TOTAL	1·10	1·34	2·07	1·24	1·93	1·09	·84	1·40	2·0~~2~~0	1·59	1·22	·49	YEAR'S TOTAL ~~16·38~~ 16·31
*Days with ·01 in. or more.	~~11~~	~~9~~	~~12~~	~~8~~	~~13~~	~~12~~	~~6~~	~~6~~	~~9~~	~~9~~	~~9~~	~~3~~	~~107~~
*Days with .04 in. or more.	10	8	12	7	10	10	5	6	8	7	8	3	94

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) William J. Snell

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 1192/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wimpole Hall.
in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in. —
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 141 ft.

Observer agrees. 16/3/35 J.W.C.
Circ F sent. 12/3/35.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	·08	—	—	—	—	—	—	·17	—	—	—	·50		1	
2	·07	—	·10	—	—	—	—	—	·37	·10	—	·11		2	
3	—	·10	—	·10	—	—	—	—	—	·21	—	·02		3	
4	·10	—	·08	—	—	—	—	—	—	·19	·15	—		4	
5	—	—	·10	—	—	·12	—	—	—	·03	·05	·42		5	
6	—	—	·12	—	·27	—	—	·07	—	·11	—	·22		6	
7	·06	—	—	—	—	—	—	·02	—	—	—	·04		7	
8	—	—	—	—	·15	—	—	·08	—	—	·10	·06		8	
9	—	—	·02	—	—	—	—	·06	—	—	·36	·26		9	
10	—	—	—	·02	—	—	—	·09	—	—	·20	—		10	
11	—	—	·34	·08	—	—	—	·03	—	—	·02	·11		11	
12	—	—	·05	—	·05	—	·05	·64	—	—	·11	—		12	
13	·21	—	·02	—	—	—	—	—	—	·11	·17	·04		13	
14	—	—	·16	—	—	·02	—	—	—	·04	·16	·15		14	
15	—	—	·5	—	·06	—	—	·03	·05	·10	—	·08		15	
16	—	—	·4	—	—	—	—	·03	—	·03	·03	·03		16	
17	·06	—	—	—	—	—	—	—	—	—	—	·08		17	
18	—	—	—	·18	—	—	·10	—	—	—	—	·03		18	
19	—	—	·3	·10	—	·07	—	—	·10	·04	—	—		19	
20	—	—	·11	·05	—	—	—	—	—	—	—	—		20	
21	—	—	—	·03	·04	·09	—	—	—	·06	—	—		21	
22	—	—	—	—	—	—	·13	·14	·26	—	—	·04		22	
23	—	—	—	·16	·06	·10	·02	·04	—	—	·04	—		23	
24	—	·06	·08	·04	—	·03	·18	—	·25	—	—	—		24	
25	·10	·14	—	·06	—	·14	—	—	—	—	—	·28		25	
26	·03	—	—	·28	—	·03	—	—	—	—	—	·14		26	
27	—	·04	—	·08	—	·05	—	—	—	·06	—	·26		27	
28	—	·10	—	·43	—	·45	·03	·81	—	—	·11	·43		28	
29	—	—	—	—	—	—	·22	·15	·09	—	—	—		29	
30	·13	X	—	—	—	—	—	—	—	—	—	·05		30	1661
31	—	X	—	X	—	X	—	—	X	·34	X	·21		31	
TOTAL	·84	·44	1·30	1·61	·63	1·10	·73	2·36	1·12	1·42	1·50	3·56	Year's Total. ~~16.55~~		16·61 ✓
* Days with .01 in. or more.	9	5	14	13	6	10	7	14	6	13	12	22	131		
* Days with .04 in. or more.	8	5	11	10	6	7	5	10	6	11	10	19	108		

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Snell

[P.T.O.

1192/5

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1935

At Wimpole Hall

In the County of Cambridgeshire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* — *in.*
- *Height of Ground above Sea Level* 141 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·60	·40	26	12	12
FEB.	1·81	·56	5	11	10
MAR.	·59	·13	23	8	7
APRIL	2·04	·30	30	15	14
MAY	·87	·24	13	8	8
JUNE ?	1·08	·37	9	12	11
JULY ?	·23	·17	1	2	2
AUG.	1·17	·58	30	6	3
SEPT.	3·63	·75	29	15	14
OCT.	1·96	·54	9	13	10
NOV.	3·37	·85	7	19	14
DEC.	2·15	·33	23	13	12
Total	20·50			134	117

Signature W. J. Snell

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— W. J. Snell, The Gardens, Wimpole Hall, Royston Cambs.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Old North Rd Distance 3 Direction from gauge North

Nearest Parish Church at Wimpole Distance ½ mile Direction from gauge South

Nature of objects nearest to gauge	Espalier trained Apple trees.			
Height of objects	4 feet			
Distances ..	21 feet			
Directions from gauge ..	All around			

If gauge has been moved during the year state— No

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Letter sent 22/7 suggesting 2.40 for June 2.60 for July.
Obst refused to agree to this.
Enc 9ª 108567/31

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

FORM 1090.

1192/5

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936.

At Wimpole Hall

In the County of Cambs

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 141 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.37	.85	16	17	16
FEB.	1.85	.54	1	10	10
MAR.	.79	.15	26	9	6
APRIL	1.46	.33	1	11	11
MAY	.68	.35	30	6	4
JUNE	3.45	.58	19	15	12
JULY	7.08	2.03	9	25	21
AUG.	.45	.15	6	6	5
SEPT.	2.92	1.06	20	14	12
OCT.	1.76	.65	31	12	9
NOV.	2.65	.70	16	13	11
DEC.	1.40	.26	1	11	11
TOTAL	27.86			149	128

Signature W. J. Snell

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

W. J. Snell, The Gardens, Wimpole Hall,
Cambs,

Hour of observation by the clock—in Winter 9 a.m in Summer 9 a.m.

Nearest Railway Station Old North Road Distance 3 miles Direction from gauge North.

Nearest Parish Church at Wimpole Distance ½ mile Direction from gauge South.

Nature of objects nearest to gauge	Espalier	trained	trees	
Height of objects	about 4 feet			
Distances ...	21 feet			
Directions from gauge ...	All round			

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

9. 3. 37

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005: this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 }·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

1192/5

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.*

RAINFALL IN 1937

At Wimpole Hall

In the County of Cambridgeshire

Rain Gauge { Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* — *in.*
Height of Ground above Sea Level 141 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2.68	·42	23	14	14
FEB.	2.96	·36	4	18	17
MAR.	3.20	·72	6&14	15	14
APRIL	2·74	·78	17	11	9
MAY	3·56	·93	25	14	13
JUNE	2·65	·64	12	10	10
JULY	1·69	1·08	15	5	5
AUG.	2.09	·86	4	5	4
SEPT.	2.20	1·02	18	8	8
OCT.	2.15	·76	27	10	9
NOV.	2.18	·83	1	11	9
DEC.	2.50	·52	1	12	11
TOTAL	30.60 ✓	✓		~~133~~ ✓	123 ✓

Signature W. J. Snell

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

W. J. Snell,
Wimpole Hall, Royston, Cambs.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Old North Rd Distance 3 miles Direction from gauge North.

Nearest Parish Church at Wimpole Distance 5 miles Direction from gauge South.

Nature of objects nearest to gauge	Espalier trained fruit trees			
Height of objects	About 4 feet			
Distances ...	21 feet			
Directions from gauge ...	all around			

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

File number 108567/31.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

FORM 1090. **B** Monthly Summary. **C** Particulars of Station. 1192/5

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.*

RAINFALL IN 1938

At Wimpole Hall

In the County of Cambridgeshire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 141 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2.62	.56	29	20	19
FEB.	.44	.08	26	9	6
MAR.	.35	.20	24	3	3
APRIL	.30	.11	23	5	4
MAY	2.10	.54	28	12	10
JUNE	.71	.21	27	6	6
JULY	.70	.12	2	7	5
AUG.	1.46	1.09	12	12	6
SEPT.	2.08	.82	27	9	9
OCT.	2.47	.36	12	16	13
NOV.	1.84	.38	26	13	9
DEC.	2.39	.47	22	16	15
TOTAL	17·46 ✓	✓		128 ✓	105 ✓

Signature W. J. Snell.

* See Instruction 3 *(f)* below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

W. J. Snell.
Wimpole Hall, Nr Royston, Herts.

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m.

Nearest Railway Station Old North Road Distance 3 miles Direction from gauge North

Nearest Parish Church at Wimpole Distance 2 mile Direction from gauge South

Nature of objects nearest to gauge	Espalier trained	trees		
Height of objects	About 4 feet			
Distances ...	21 feet			
Directions from gauge ...	All around.			

If gauge has been moved during the year state— No

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

Section **A** for the entry of Dail

AIR MINISTRY.—M

FORM 1090.

REGISTE

1193

CAMBRIDGE

STAPLEFORD HSE

1931- 1933

780210

1193

FOR OFFICIAL USE.

INFALL ORGANIZATION.

.93/.

001193

Separate totals

7/2/32

Kept at Stapleford H

in the County of Camb

Diameter of Funnel of Gauge 5"

Height of top of Gauge above Ground 2

,, Ground ,, Sea Level

THE MORNING MEASUREM **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·10	—	·05	·04	—	—	—	·07	—	—	—	1
2	·08	·08	—	·15	·82	—	—	·04	·43	—	—	·08	2
3	—	—	—	·22	·46	—	—	·03	1·23	—	—	·19	3
4	—	—	—	·10	—	—	—	·45	—	—	·08	—	4
5	—	—	—	·04	—	·40	·03	·25	·40	—	—	·30	5
6	—	·12	—	—	—	·18	—	—	—	·24	·31	—	6
7	—	—	—	—	—	—	—	·55	—	—	·06	—	7
8	·08	·07	·14	·02	—	·09	—	·33	—	—	—	—	8
9	—	—	·25	—	—	·11	—	·03	—	—	·20	·04	9
10	·01	·10	—	—	—	·02	—	·14	—	—	·16	—	10
11	·20	·08	—	—	—	—	—	—	·05	—	·36	—	11
12	—	·05	—	·02	—	—	—	—	·22	—	—	—	12
13	·03	—	—	—	—	—	·20	·03	—	—	—	—	13
14	·04	·15	—	·26	·05	—	·90	·33	—	—	—	—	14
15	·06	·11	—	·08	·17	—	·35	·13	—	—	—	·05	15
16	—	·15	—	—	·29	—	—	·12	·10	—	—	—	16
17	—	—	—	·30	·35	—	·12	·02	·04	—	—	—	17
18	—	·08	—	·20	—	·07	·02	·18	—	—	·43	—	18
19	·07	—	—	·43	—	·22	·19	—	·07	—	—	—	19
20	—	—	—	·03	—	—	·43	·08	—	—	—	—	20
21	·05	—	—	—	·44	—	—	—	·06	—	—	—	21
22	·05	—	—	—	—	—	—	—	·09	—	·04	—	22
23	·19	·05	—	—	·48	·10	—	—	·07	—	·08	·05	23
24	—	·01	—	·27	·11	—	·04	—	·07	—	—	—	24
25	·08	—	—	·30	·08	—	·54	—	—	—	·04	·03	25
26	—	—	—	·19	—	—	·68	—	—	—	·15	—	26
27	·12	·54	—	—	—	—	·12	—	—	—	·20	—	27
28	·15	·50	—	·12	—	—	—	—	—	·07	—	·10	28
29	·20	×	—	·56	·05	—	·09	—	—	·21	—	·09	29
30	·02	×	—	—	·08	—	—	·09	—				30
31	·18	×		×		×			×		×		31 25·11
TOTAL	1·61	2·19 ~~3·80~~	·39 ~~4·19~~	3·34 ~~7·53~~	3·42 ~~10·95~~	1·19 ~~12·14~~	3·71 ~~15·85~~	2·80 ~~18·65~~	2·90 ~~21·63~~	·52 ~~22·15~~	2·11 ~~24·26~~	·93 ~~25·19~~	YEAR'S TOTAL ~~25·19~~
*Days with ·01 in. or more.	17	15	2	18	13	8	13	16	13	3	12	9	~~139~~
*Days with ·04 in. or more.	14	14	2	15	13	7	11	12	13	3	12	8	124

40-9999

(Signed) J. H. H. Linton [P.T.O.

*See Instruction 2 (*f*) on other side.

1193

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

001193

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Stapleford House
in the County of Cambridge
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft 3 in.
,, Ground ,, Sea Level 63 ft.

Monthly ~~Daily~~ Totals

days ✓

~~Separate~~ totals

7/2/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·10	—	·05	·04	—	—	—	·07	—	—	—	1
2	·08	·08	—	·15	·82	—	—	·04	·43	—	—	·08	2
3	—	[illegible]	—	·22	·46	—	—	·03	1·23	—	—	·19	3
4	—	—	—	·10	—	—	—	·45	—	—	·08	—	4
5	—	—	—	·04	—	·40	·03	·25	·40	—	—	·30	5
6	—	·12	—	—	—	·18	—	—	—	·24	·31	—	6
7	—	—	—	—	—	—	—	·55	—	—	·06	—	7
8	·08	·07	·14	·02	—	·09	—	·33	—	—	—	—	8
9	—	—	·25	—	—	·11	—	·03	—	—	·20	·04	9
10	·01	·10	—	—	—	·02	—	·14	—	—	·16	—	10
11	·20	·08	—	—	—	—	—	—	·05	—	·36	—	11
12	—	·05	—	·02	—	—	—	—	·22	—	—	—	12
13	·03	—	—	—	—	—	·20	·03	—	—	—	—	13
14	·04	·15	—	·26	·05	—	·90	·33	—	—	—	—	14
15	·06	·11	—	·08	·17	—	·35	·13	—	—	—	·05	15
16	—	·15	—	—	·29	—	—	·12	·10	—	—	—	16
17	—	—	—	·30	·35	—	·12	·02	·04	—	—	—	17
18	—	·08	—	·20	—	·07	·02	·18	—	—	·43	—	18
19	·07	—	—	·43	—	·22	·19	—	·07	—	—	—	19
20	—	—	—	·03	—	—	·43	·08	—	—	—	—	20
21	·05	—	—	—	·44	—	—	—	·06	—	—	—	21
22	·05	—	—	—	—	—	—	—	·09	—	·04	—	22
23	·19	·05	—	—	·48	·10	—	—	·07	—	·08	·05	23
24	—	·01	—	·27	·11	—	·04	—	·07	—	—	—	24
25	·08	—	—	·30	·08	—	·54	—	—	—	·04	·03	25
26	—	—	—	·19	—	—	·68	—	—	—	·15	—	26
27	·12	·54	—	—	—	—	·12	—	—	—	·20	—	27
28	·15	·50	—	·12	—	—	—	—	—	·07	—	·10	28
29	·20	×	—	·56	·05	—	·09	—	—	·21	—	·09	29
30	·02	×	—	—	·08	—	—	·09	—				30
31	·18	×		×		×			×		×		31 25·11
TOTAL	1·61	2·19 ~~3·80~~	·39 ~~4·19~~	3·34 ~~7·53~~	3·42 ~~10·95~~	1·19 ~~12·14~~	3·71 ~~15·85~~	2·89 ~~18·65~~	2·90 ~~21·63~~	·52 ~~22·15~~	2·11 ~~24·26~~	·93 ~~25·19~~	YEAR'S TOTAL ~~25·19~~
*Days with ·01 in. or more.	17	15	2	18	13	8	13	16	13	3	12	9	~~139~~
*Days with ·04 in. or more.	14	14	2	15	13	7	11	12	13	3	12	8	124

40-9999

(Signed) J. H. H. Linton [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1193

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

See Totals

TL 001193

Kept at Stapleford House
in the County of Cambridge
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft 3 in.
,, Ground ,, Sea Level 63 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·04	—	·08	·24	—	·09	·17	·07	·43	·02	—	1
2	—	—	—	·09	·12	—	—	—	·18	·03	—	·11	2
3	—	—	—	·41	·26	—	—	—	—	·03	—	—	3
4	—	—	—	—	—	—	—	—	—	—	·22	—	4
5	·08	—	·04	—	·03	·03	·20	—	·06	—	—	—	5
6	·18	—	·20	·07	—	—	—	—	·09	—	—	—	6
7	·02	—	—	·08	03	—	—	—	—	—	—	—	7
8	—	—	—	·08	—	—	—	—	·03	·14	—	—	8
9	—	·02	—	·02	—	—	—	—	—	·32	—	—	9
10	·10	—	—	·09	·03	—	—	—	·15	·03	—	—	10
11	—	·04	—	·07	·10	—	·05	·11	·03	·08	·06	—	11
12	·03	—	—	·05	·09	—	—	—	—	·23	—	—	12
13	·05	—	—	·10	—	—	—	—	·02	—	·22	·03	13
14	—	·06	—	·12	—	—	·04	·04	—	·02	—	—	14
15	—	—	—	·07	·02	—	·14	·02	—	·13	—	—	15
16	·14	—	—	·18	·55	—	—	—	—	—	—	—	16
17	—	—	—	·01	—	—	·22	—	—	·09	—	—	17
18	—	—	—	—	—	—	·04	—	·94	—	·06	—	18
19	—	—	—	—	—	—	—	—	—	·13	—	—	19
20	—	—	·06	·08	·18	—	·41	·45	—	·35	·06	—	20
21	—	—	—	·17	·57	—	—	·48	—	·27	—	·01	21
22	—	—	·36	—	·03	—	·08	—	·15	·07	·23	—	22
23	—	·15	—	·02	·02	—	—	—	·07	·52	·08	·04	23
24	—	—	—	—	—	—	·28	—	·03	—	·55		24
25	—	—	—	—	·30	—	·19	—	·13	·37	·06	—	25
26	—	—	—	·35	—	—	·41	—	·21	—	—	—	26
27	—	—	·14	·05	·40	—	·45	—	—	—	·16	—	27
28	·02	—	·20	—	·43	·03	·21	—	—	·20	—	—	28
29	—	—	·07	—	·06	·05	—	·60	—	·19	·08	—	29
30	—	×	·11	·16	—	·45	—	·18	·02	·20		·13	30
31	—	×	·19	×	·05	×		·02	×		×		31 ✓
TOTAL	✓ ·70	0·31 ~~1·01~~	1·37 ~~2·38~~	2·35 ~~4·73~~	3·45 ~~8·18~~	0·56 ~~8·74~~	2·81 ~~11·55~~	2·07 ~~13·62~~	2·18 ~~15·80~~	3·83 ~~19·63~~	1·80 ~~21·43~~	0·32 ~~21·75~~	YEAR'S TOTAL 21·75
*Days with ·01 in. or more.	9	5	9	21	19	4	14	9	15	20	12	5	142
*Days with .04 in. or more.	6	4	9	18	13	2	14	7	10	16	11	3	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. H. H. Linton

P.T.O.

001193

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1193

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stapleford House

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 3 in.

,, Ground ,, Sea Level 63 ft.

Separate totals

17.

Days March total plotted before separation

February — do

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·11	·15	—	·06	—	—	—	—	—	·12	—		1
2	·11	—	·08	—	·09	—	—	—	—	—	—	—		2
3	—	·16	·03	—	—	—	—	—	—	—	—	—		3
4	·02	—	·11	—	·10	—	—	—	—	—	·07	—		4
5	·03	—	·05	—	·26	—	—	—	—		—	—		5
6	—	·05	·01	—	—	—	—	—	—	·02	·08	—		6
7	·12	·05	—	—	·77	—	—	—	—	·13	—	·04		7
8	·09	—	·06	—	·13	—	·23	—	—	—	—	—		8
9	—	—	—	—	·12	—	·17	—	—	—	·22	—		9
10	—	—	—	—	—	·26	·10	—	—	—	·03	—		10
11	·11	—	—	—	—	·08	—	·13	—	—	·05	—		11
12	—	—	—	·14	—	·14	·01	—	·26	—	—	—		12
13	·04	—	—	—	·07	·09	·15	—	·03	—	·18	—		13
14	—	—	—	—	·31	—	—	·09	—	·15	·20	—		14
15	·17	—	·10	—	—	—	—	—	—	—	·08	—		15
16	·16	—	·36	—	·07	·16	·20	·05	—	·01	·04	—		16
17	—	—	·15	—	—	·17	—	—	·18	—	·03	—		17
18	—	·12	·05	—	—	·07	—	—	—	—	—	—		18
19	—	—	·12	·06	—	·13	—	—	·29	—	—	—		19
20	—	—	·03	·08	—	·26	—	—	—	—	·02	·03		20
21	—	·10	—	—	—	·04	—	·08	·55	·01	—	—		21
22	—	—	—	—	—	·06	—	·63	—	·14	—	—		22
23	—	—	—	·14	·06	—	—	—	·30	—	—	—		23
24	—	·03	—	·13	·36	·23	—	—	·23	·03	·09	—		24
25	—	·16	—	—	·09	·19	—	—	—	—	·03	·08		25
26	—	—	—	·34	—	—	—	—	·08	·09	—	·10		26
27	—	·40	—	·04	—	—	—	—	—	·09	—	—		27
28	—	—	—	—	—	—	—	—	—	·67	—	·03		28
29	—	✕	—	·30	—	—	—	—	—	·25	—	—		29
30	·20	✕	—	—	—	—	—	—	·02	·02	—	·10		30
31	—	✕	·21	✕	—	✕	—	·07	✕	·02	✕			31
TOTAL	1·09 ~~·89~~	1·18 ~~2·07~~	1·51 ~~3·48~~	1·23 ~~4·71~~	2·49 ~~7·20~~	1·88 ~~9·08~~	0·86 ~~9·94~~	1·65 ~~10·99~~	1·94 ~~12·93~~	1·63 ~~14·56~~	1·24 ~~15·80~~	0·38 ~~16·18~~	Year's Total ~~16·98~~	16·48
*Days with ·01 in. or more.	11	9	14	8	13	13	6	6	9	13	14	6	122	
*Days with ·04 in. or more.	9	8	11	8	13	13	5	6	7	7	10	4	101	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) J. H. H. Linton

[P. T. O.

1194

1194

BALSHAM RECTORY

1931-1933

78 02 10

Section **A** for the entry of Daily ... FOR OFFICIAL USE.

AIR MINISTRY.—MET ... ALL ORGANIZATION.

FORM 1090.

REGISTER ... 31.

Kept at Balsham Rect

in the County of Cambridg

Diameter of Funnel of Gauge 5 in

Height of top of Gauge above Ground 2

,, Ground ,, Sea Level

THE MORNING MEASUREMEN ... AY.

An observer who does not conform to this rule ... the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·08									1
2	·08	·25	05	·17	·16			·04	·41	·64	·01	·04	2
3	·03	·		·35	·51	·04		·09	·45			·25	3
4				·11			·01	·15	·02				4
5		·12		·04		·29		·16	·12			·30	5
6					·11		·06			·21			6
7					·01	·59		·62		·04	·31	·01	7
8	·06		·08			·10	·01	·75			·67		8
9		·04		·06		·10	·01					·09	9
10		·10				·02		·25			·33		10
11	·29	·09				·03			·03				11
12				·07			·08		·18			·01	12
13	·04						·85	·05					13
14		·15					·86	·48					14
15	·15	·16		·21	·16		·30	·11					15
16				·12	·32			·18					16
17		·25		·30	·57		·10	·03			·01		17
18	·02	·09		·18	·01		·01	·16			·38		18
19	·05			·45			·27	·01					19
20	·03	·01		·02		·90	·27	·15					20
21				·02	·38			·08	·15				21
22	·09				[illegible]						·01		22
23	·13				·36	·17		[illegible]	·05			·14	23
24		·10		·24	·10		·03		·10	·08			24
25	·03			·23	·04		·42		·09		[illegible]	·03	25
26				·26			·85						26
27	·14	·44		·15	·01		·05				·37		27
28	·24	·52		·08	·06					·04			28
29	·31	×			[illegible]					·28		·17	29
30		×			·11		·15	·63				·15	30
31	·14	×		×		×			×		×		31
TOTAL	1·83	2·32	·13	3·14	2·84	2·24	4·34	3·34	1·50	·66	1·49	1·19	YEAR'S TOTAL 25·05
*Days with ·01 in. or more.	16	13	2	19	15	10	17	17	10	6	8	16	143
*Days with ·04 in. or more.	12	12	2	17	11	8	12	14	8	6	5	7	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. J. E. Burrell [P.T.O.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

119.4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Balsham Rectory

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·08									1
2	·08	·25	05	·17	·16			·04	·41	·64	·01	·04	2
3	·03	·		·35	·51	·04		·09	·45			·25	3
4				·11			·01	·15	·02				4
5		·12		·04		·29		·16	·12			·30	5
6					·11		·06			·21			6
7					·01	·59		·62		·04	·31	·01	7
8	·06		·08			·10	·01	·75			·67		8
9		·04		·06		·10	·01					·09	9
10		·10				·02		·25			·33		10
11	·29	·09				·03			·03				11
12				·07			·08		·18			·01	12
13	·04						·85	·05					13
14		·15					·86	·48					14
15	·15	·16		·21	·16		·30	·11					15
16				·12	·32			·18					16
17		·25		·30	·57		·10	·03			·01		17
18	·02	·09		·18	·01		·01	·16			·38		18
19	·05			·45			·27	·01					19
20	·03	·01		·02		·90	·27	·15					20
21				·02	·38			·08	·15				21
22	·09				[illegible]						·01		22
23	·13				·36	·17		[illegible]	·05			·14	23
24		·10		·24	·10		·03		·10	·08			24
25	·03			·23	·04		·42		·09		[illegible]	·03	25
26				·26			·85						26
27	·14	·44		·15	·01		·05				·37		27
28	·24	·52		·08	·06					·04			28
29	·31	×			[illegible]					·28		·17	29
30		×			·11		·15	·63				·15	30
31	·14	×		×		×			×		×		31
TOTAL	1·83	2·32	·13	3·14	2·84	2·24	4·34	3·34	1·50	·66	1·49	1·19	YEAR'S TOTAL 25·05
*Days with ·01 in. or more.	16	13	2	19	15	10	17	17	10	6	8	10	143
*Days with ·04 in. or more.	12	12	2	17	11	8	12	14	8	6	5	7	114

40-9999

(Signed) H. J. E. Burrell

[P.T.O.

*See Instruction 2 (*f*) on other side.

1194 L1194

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Balsham Rectory

in the County of Cambs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·07		·64	·85	·02	·07	·41	·07	·38	·01	·07	1
2				·10	·10				·20	·07		·07	2
3				·13	·23			·01	·05				3
4		·01						·07			·18		4
5	·09		·03	·03	·09		·25		·06			·03	5
6	·15		·19		·03				·08				6
7				·08			·03		·01				7
8				·07					·01		·05		8
9				·01	·80				·01	·21			9
10			·03	·09	·05			·65	·07	·28			10
11	·10	·04		·11	·10				·04	·20	·04		11
12	·02				·05		·06		·01	·27	·01		12
13				·07	·02		·09		·01		·05		13
14			·01	·09	x ·07			·06			·02		14
15	·10	·03		·03	·03					·16			15
16	·11			·15	·80		·21						16
17					·05		·20				·01		17
18					·01				·76	·18		·03	18
19					·52					·14		·02	19
20	·01			·12	·41		·04	·55		·40	·15	·01	20
21				·04	·04			·91		·26			21
22			·38		·01		·24		·14	·12			22
23		·20				·20	·13		·08	·50			23
24										·47	·79		24
25							·36		·16	·01	·09	✓	25
26				·26	·28			·01	·14				26
27			·12	·07	·76	·01	·49				·17		27
28			·15		·40		·20	·01		·40			28
29	·03		·10			·05		·37		·30	·02	✓	29
30		×	·09	·35		·29		·06	·03	·11	·09	x ·22	30
31		×	·48	×	·62	×		·11	×	·03	×	✓	31
TOTAL	·69	·35	1·58	2·14	5·~~44~~ ·22	·57	2·37	3·22	2·03	4·44	1·68	·45	YEAR'S TOTAL 24·74
*Days with ·01 in. or more.	9	5	10	18	23	5	13	12	18	19	14	10 7	156
*Days with ·04 in. or more.	6	3	7	15	17	3	12	9	13	17	9	3	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. J. S. Burrell

[P.T.O.

1194

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1194~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Circ D2 sent 22:2:34

Kept at Balsham Rectory
in the County of Cambridge
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

Station number 1194
File number 159035/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.13	.13										1
2	.14		.15		.04						.18		2
3			.04		.01								3
4	.10		.08										4
5	.01		.08					.01			.02		5
6			.04		↑					.03			6
7	.18	.11			.21 .39					.12			7
8	.10		.04		.54 .03		.02						8
9					.15		.27						9
10					.01	.14	.12			.05			10
11	.11					.07	.27	.16			.18		11
12				.16		.25	.03		.20				12
13	.06				.05		.16		.07				13
14								.13		.23	.44		14
15	.11		.03			.03	.55	.10			.17		15
16	.25		.57		.07	.18	.24		.02		.06		16
17	.01	.03	.21			.27			.05		.04		17
18		.03	.02			.15							18
19		.16	.13	.01		.20			.20				19
20				.07		.27	.13	.02	.25				20
21						.01		.81	.52				21
22		.03				.25			..	.28			22
23				.19	.13				.25	.06			23
24		.14		.07	.42	.25			.24		.09		24
25				.27	.06	.03					.01	.09	25
26		.45		.01					.18	.15		.19	26
27										.14		.01	27
28									.03	.72		.05	28
29		×		.51					.01	.56			29
30	.16	×					.02		.01			.08	30
31		×	.23	×		×		.05	×		×		31 18.96
TOTAL	1.24	1.08	1.7~~6~~5	1.29	2.11	2.09	1.81	1.28	2.06	2.34	1.29	.42	YEAR'S TOTAL ~~17.[illegible]~~
*Days with ·01 in. or more.	12	8	13	8	13	13	10	7	13	10	9	5	126
*Days with .04 in. or more.	9	5	10	6	10	10	7	5	9	8	8	3	89

40-0999

*See Instruction 2 (*f*) on other side,

D

(*Signed*) H. J. E. Burrell

[P.T.O.

FORM 1090. **B** Monthly
Summa

1195

No 1195.

1195

CAMBRIDGESHIRE

1931- 1934

780210

n.

*** The following register of monthly tota
&c., is NOT required if daily or wee
values are given on the other side.

ection and also the space for

this register should be sent:—

Close

Stow Cambridge

RAINFALL IN 1931

At Long Stow

In the County of Cambs.

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 *ft* *in.*
Height of Ground above Sea Level *ft.*

in Summer

stance Direction from gauge

stance Direction from gauge

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·56				
FEB.	1·53				
MAR.	0·50				
APRIL	3·22				
MAY	2·54				
JUNE	2·06				
JULY	3·21				
AUG.	2·98				
SEPT.	2·54				
OCT.	0·59				
NOV.	2·62				
DEC.	0·96				
Total	24·31				

Signature S. Delaford Pain

*See Instruction 2 (*f*) below.

Nature of objects nearest to gauge				
Heights of objects	As before			
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Monthly Summary.

No 1195.

1195

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1931

At Long Stow

In the County of Cambs.

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* .. *in.*
Height of Ground above Sea Level — *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1·56				
FEB.	1·53				
MAR.	0·50				
APRIL	3·22				
MAY	2·54				
JUNE	2·06				
JULY	3·21				
AUG.	2·98				
SEPT.	2·54				
OCT.	0·59				
NOV.	2·62				
DEC.	0·96				
Total	24·31				

Signature S. Holeford Pain

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
S. Holeford Pain. Nunn Close
Old North Rd Long Stow Cambridge

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects		As before		
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by John Corah & Son, Ltd., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

1195

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Long Stow

In the County of Cambridge

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* — *in.*
Height of Ground above Sea Level .... ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	0·98				
FEB.	0·39				
MAR.	1·40				
APRIL	2·78				
MAY	3·83				
JUNE	0·58				
JULY	2·45				
AUG.	3·28				
SEPT.	1·79				
OCT.	3·48				
NOV.	1·60				
DEC.	0·40				
Total	22·96				

Signature S Welsford Pain

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

S. Welsford Pain 'Nuns Close' Old North Road.
Long Stow Cambridge

Hour of observation by the clock—in Winter ——— in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

No. 1195

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.C. 7
4 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception*. When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110

1195

FORM 1090. **B** **Monthly Summary.**

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Long Stow

In the County of Cambridgeshire

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground .... *ft* .... *in.*
Height of Ground above Sea Level .... *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·09				
FEB.	1·40				
MAR.	2·65				
APRIL	1·08				
MAY	1·79				
JUNE	1·40				
JULY	0·95				
AUG.	1·65				
SEPT.	2·45				
OCT.	1·85				
NOV.	1·25				
DEC.	0·51				
Total	18·07 ✓				

Signature S. Welsford Pain

*See Instruction 2 (*f*) below.

C **Particulars of Station.** ~~1195~~,

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Mr S. Welsford Pain
'Nuns Close' Old North Rd. Long Stow Cambridge

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any **record of rainfall** not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\begin{matrix}17\\18\end{matrix}\Big|\Big\}\cdot 14\Big|$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

1195

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At 'Mans Close' Long Stow

In the County of Cambridgeshire

Rain Gauge
- Diameter of Funnel as before in.
- *Height of Top above Ground* ...... *ft* ...... *in.*
- *Height of Ground above Sea Level* ...... *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	0·85				
FEB.	0·20				
MAR.	1·53				
APRIL	1·82				
MAY	0·40				
JUNE	1·19				
JULY	1·47				
AUG.	—				
SEPT.	—				
OCT.	—				
NOV.	—				
DEC.	—				
Total	up/p				

Signature S. Welsford Pain

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Mr S. Welsford Pain
'Langton Close' Girton Cambridge

Hour of observation by the clock—in Winter — in Summer —

Nearest Railway Station ...... Distance ...... Direction from gauge ......

Nearest Parish Church at as before Distance ...... Direction from gauge ......

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

9 to No 1207/5 Girton (Langton Close)

Gauge was moved on Aug 1. 1934. No rain fell during 24 hours.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

M.O.
26 JAN 1935

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

1196

Section **A** for the entry of D

AIR MINISTRY.

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090.

REGIST

3/.

Kept at GRANTCH

in the County of CAMBR

Diameter of Funnel of Gauge hi

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASURE

AY.

An observer who does not conform to this

year in the space on the right of this pa

e following

Ple

Jan. 1, following

1196

GRANTCHESTER

1931- 40

780210

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–			·07	–	–	–	·09	–	–	–	1
2	·09	·08	–	·07	·19	–	–	·01	·46	–	–	–	2
3	·03	·09	–	·15	·58	–	–	·08	1·36	–	–	·12	3
4	–	–	–	·16	–	–	–	·24	·06	–	·10	–	4
5	–	–	–	·12	–	·55	·05	·18	·45	–	–	·45	5
6	–	·05	–	·02	–	·14	–	·45	–	·21	·27	–	6
7	–	–	–	–	–	·01	·19	·70	–	·02	·12	–	7
8	–	·16	–	–	–	·07	–	–	–	–	–	·01	8
9	·06	–	·13	·06	–	·34	–	–	–	–	23	·04	9
10	–	·13	–	–	–	·03	–	·16	–	–	·13	–	10
11	·20	·06	–	–	–	–	–	–	·02	·01	·03	–	11
12	–	·03	–	–	–	–	–	–	·27	–	–	–	12
13	·05	·01	–	–	–	–	·39	–	–	–	–	–	13
14	·03	·12	–	–	–	–	·77	·27	–	–	–	–	14
15	·06	·06	–	·31	·22	–	·23	·25	–	–	–	·04	15
16	–	·42	–	·08	·26	–	–	·04	–	–	–	–	16
17	–	·09	–	·35	·22	02	·11	–	·20	–	–	–	17
18	–	·07	–	·41	–	·07	·01	·18	–	–	·54	–	18
19	·05	–	–	·13	–	·38	·10	·01	·08	–	·01	–	19
20	–	·02	–	·32	–	–	·34	·10	–	–	–	–	20
21	·05	–	–	–	·48	–	–	·02	·04	–	–	–	21
22	·04	–	–	–	–	–	–	–	·06	–	·01	–	22
23	·15	·04	–	–	·35	·27	·07	–	–	–	·11	·03	23
24	–	–	–	·36	·09	–	·53	–	·08	–	–	–	24
25	·08	–	–	·33	·06	–	·47	–	–	04	·04	·01	25
26	–	–	–	·30	–	–	·22	–	·05	–	·16	–	26
27	·16	·61	–	–	–	–	–	–	–	–	·17	–	27
28	·20	·44	–	·14	–	–	–	–	–	04	·01	·12	28
29	·15		–	·21	·04	–	·10	–	–	·29	·01	·02	29
30	·12	×	–	–	·05	–	·09	·03	–	–	–	·04	30
31	·07	×	–	×	–	×	–	–	×	–	×	–	31
TOTAL	1·59	2·50	0·13	3·52	2·61	1·88	3·67	2·72	3·22	·61	1·84	·88	YEAR'S TOTAL 25·17
*Days with ·01 in. or more.	17	17	1	17	12	10	15	15	13	6	15	10	148
*Days with ·04 in. or more.	15	14	1	16	12	7	14	11	13	4	10	6	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) James Nutter

P.T.O.

1196

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at GRANTCHESTER

in the County of CAMBRIDGE

Diameter of Funnel of Gauge six in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–			·07	–	–	–	·09	–	–	–	1
2	·09	·08	–	·07	·19	–	–	·01	·46	–	–	–	2
3	·03	·09	–	·15	·58	–	–	·08	1·36	–	–	·12	3
4	–	–	–	·16	–	–	–	·24	·06	–	·10	–	4
5	–	–	–	·12	–	·55	·05	·18	·45	–	–	·45	5
6	–	·05	–	·02	–	·14	–	·45	–	·21	·27	–	6
7	–	–	–	–	–	·01	·19	·70	–	·02	·12	–	7
8	–	·16	–	–	–	·07	–	–	–	–	–	·01	8
9	·06	–	·13	·06	–	·34	–	–	–	–	23	·04	9
10	–	·13	–	–	–	·03	–	·16	–	–	·13	–	10
11	·20	·06	–	–	–	–	–	–	·02	·01	·03	–	11
12	–	·03	–	–	–	–	–	–	·27	–	–	–	12
13	·05	·01	–	–	–	–	·39	–	–	–	–	–	13
14	·03	·12	–	–	–	–	·77	·27	–	–	–	–	14
15	·06	·06	–	·31	·22	–	·23	·25	–	–	–	·04	15
16	–	·42	–	·08	·26	–	–	·04	–	–	–	–	16
17	–	·09	–	·35	·22	02	·11	–	·20	–	–	–	17
18	–	·07	–	·41	–	·07	·01	·18	–	–	·54	–	18
19	·05	–	–	·13	–	·38	·10	·01	·08	–	·01	–	19
20	–	·02	–	·32	–	–	·34	·10	–	–	–	–	20
21	·05	–	–	–	·48	–	–	·02	·04	–	–	–	21
22	·04	–	–	–	–	–	–	–	·06	–	·01	–	22
23	·15	·04	–	–	·35	·27	·07	–	–	–	·11	·03	23
24	–	–	–	·36	·09	–	·53	–	08	–	–	–	24
25	·08	–	–	·33	·06	–	·47	–	–	04	·04	·01	25
26	–	–	–	·30	–	–	·22	–	·05	–	·16	–	26
27	·16	·61	–	–	–	–	–	–	–	–	·17	–	27
28	·20	·44	–	·14	–	–	–	–	–	04	·01	·12	28
29	·15		–	·21	·04	–	·10	–	–	·29	·01	·02	29
30	·12	×	–	–	·05	–	·09	·03	–	–	–	·04	30
31	·07	×	–	×	–	×	–	–	×	–	×	–	31
TOTAL	1·59	2·50	0·13	3·52	2·61	1·88	3·67	2·72	3·22	·61	1·84	·88	YEAR'S TOTAL 25·17
*Days with ·01 in. or more.	17	17	1	17	12	10	15	15	13	6	15	10	148
*Days with ·04 in. or more.	15	14	1	16	12	7	14	11	13	4	10	6	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) James Nutter

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1196

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Lyndewode Grantchester

in the County of Cambridge

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft ✓ in.

,, Ground ,, Sea Level ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·07	-	·12	·33	·01	·10	·44	·07	·50	·02	-	1
2	·~~10~~	-	-	·10	·18	-	·03	-	·16	·09	-	-	2
3	-	-	-	·37	·31	-	-	-	·01	·04	-	-	3
4	-	-	-	·02	·01	-	-	-	-	-	·22	-	4
5	·10	·01	·03	-	·02	·02	·32	-	·04	-	-	-	5
6	·20	-	-	·14	-	-	-	-	·19	-	-	-	6
7	·01	-	·19	·06	·02	-	·02	-	-	-	-	-	7
8	-	·03	-	·06	-	-	-	-	-	·14	-	-	8
9	-	-	-	·07	·48	-	-	-	-	·30	-	-	9
10	·08	·04	-	·09	·03	-	-	-	·10	-	-	-	10
11	-	·04	-	·03	·12	-	·05	[illegible]	-	·09	·06	-	11
12	·02	-	-	·06	·10	-	-	·16	-	·37	·03	-	12
13	-	-	-	·07	-	-	-	-	·01	-	·04	-	13
14	·12	-	-	·12	·03	-	02	·02	-	·03	·02	-	14
15	-	·02	-	·05	·01	-	·19	·01	-	·12	-	·01	15
16	·11	-	-	·21	·33	-	-	-	-	-	-	-	16
17	-	-	-	-	-	-	·30	-	-	·02	·02	-	17
18	-	-	-	-	-	-	·04	-	·70	-	·03	-	18
19	-	·01	-	-	-	-	-	-	·01	·14	-	-	19
20	-	-	-	05	·11	-	·24	·62	-	·36	·05	-	20
21	-	·01	·04	·25	·46	-	-	·73	-	·27	-	·02	21
22	-	-	·46	-	·05	-	·21	-	·22	·05	·27	·03	22
23	-	·11	-	-	·03	-	-	-	·07	·44	·06	-	23
24	-	-	-	-	-	-	·34	-	·04	·02	·49	-	24
25	-	-	-	-	-	-	·15	-	·12	·33	·05	·01	25
26	-	-	-	·35	·15	-	·44	-	·25	-	-	-	26
27	-	-	·13	·10	·57	-	·48	-	·01	-	·17	-	27
28	-	-	·30	-	·47	-	·25	-	-	·23	-	-	28
29	-	-	·04	-	·20	-	-	·49	-	·18	-	·01	29
30	-	×	·06	·16	-	·55	-	·15	·04	·19	·12	·14	30
31	-	×	·14	×	·03	×	-	·08	×	-	×	·01	31
TOTAL	·74	·34	1·39	2·48	4·04	·58	3·18	2·70	2·04	3·91	1·65	·23	YEAR'S TOTAL 23·28
*Days with ·01 in. or more.	8	9	9	20	22	3	16	9	16	20	15	7	154
*Days with .04 in. or more.	6	4	8	18	14	1	13	7	12	17	10	1	111

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) James Nutter

P.T.O.

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station ~~No.~~ No 1196

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1933.

Kept at GRANTCHESTER

in the County of CAMBRIDGE

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	0.16	0.14	–	0.11	–	–	–	–	–	0.13	–		1
2	0.11	0.08	0.16	–	0.07	–	–	–	–	–	–	–		2
3	–	0.05	0.08	–	–		–	–	–	–	–	–		3
4	0.01	0.03	0.12	–	–	–	–	–	–	–	0.09	–		4
5	0.02	~~0.04~~	0.01	–	0.41	–	–	–	–	–	–	–		5
6	–	0.04	0.16	–	0.72	–	0.09	–	–	0.01	0.06	0.03		6
7	0.17	0.03	–	–	0.18	–	0.16	–	–	0.10	0.01	–		7
8	0.04	–	0.06	–	0.03	–	0.19	–	–	0.06	–	–		8
9	–	–	–	–	0.20	–	0.13	–	–	–	0.19	–		9
10	–	–	–	–	–	0.19	0.01	–	–	0.04	0.05	–		10
11	0.07	–	–	–	–	0.10	–	0.31	–	–	0.05	–		11
12	–	–	–	0.02	–	0.12	0.25	–	0.21	–	–	–		12
13	0.04	–	–	–	0.04	0.07	–	–	0.08	–	0.21	–		13
14	–	–	–	–	0.21	0.01	–	0.07	–	0.16	0.16	–		14
15	0.19	–	–	–	–	–	0.54	–	–	–	0.18	–		15
16	0.11	–	0.42	–	0.06	0.18	0.14	–	–	–	0.08	–		16
17	.09	–	0.23	–	–	0.11	–	–	0.14	–	0.02	–		17
18	–	0.09	0.02	–	–	0.16	–	–	–	–	–	–		18
19	–	0.10	0.16	0.01	–	0.04	–	–	0.12	–	–	–		19
20	–	0.01	0.03	0.17	–	0.35	–	–	0.13	–	0.02	–		20
21	–	0.13	–	–	–	0.09	–	0.13	0.42	~~0.16~~ 0.01	–	–		21
22	–	–	–	–	0.01	0.07	–	0.62	–	0.19	0.02	–		22
23	–	0.01	–	0.13	0.29	–	–	–	0.33	–	–	–		23
24	–	0.14	–	0.13	0.07	0.15	–	–	0.19	–	0.09	–		24
25	–	0.12	–	0.32	–	0.05	–	–	–	0.02	0.01	0.06		25
26	–	0.35	–	0.03	–	–	–	–	0.07	0.06	–	0.12		26
27	–	0.01	–	0.02	–	–	–	–	0.03	0.10	–	–		27
28	–	–	–	–	–	–	–	–	–	0.58	–	0.03		28
29	–	×	–	0.63	0.03	–	–	–	–	0.25	–	–		29
30	0.12	×	–		–	–	0.01	–	–	0.03	–	0.13		30
31	0.08	×	0.22	×	–	×		0.06	×	0.01	×			31
TOTAL	1.06	1.35	1.81	1.46	2.43	1.69	1.52	1.19	1.72	1.62	1.37	0.37	Year's Total 17.59	
*Days with ·01 in. or more.	~~13~~	~~15~~	10	5 9	2 14	– 14	2 9	– 5	1 10	5 14	5 16	~~5 8~~		
*Days with .04 in. or more.	~~10~~	~~10~~	13 ~~1.81~~	~~1.46~~	~~2.43~~	~~1.69~~	~~1.52~~	~~1.19~~	~~1.72~~	~~1.62~~	~~1.37~~	~~3 5~~		
	13	15	13	9	14	14	9	5	10	14	16	5	137	
	10	10	10	5	11	13	7	5	9	9	11	3	103	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) James Nutter

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1196

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Lyndewode, Grantchester

in the County of Cambs

Diameter of Funnel of Gauge same as last year in.

Height of top of Gauge above Ground " ft " in.

,, Ground ,, Sea Level " " ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	-	·06	-	-	-	-	·25	-	-	·03	·41		1
2	·11	-	·07	-	-	-	-	·01	·49	·11	-	·20		2
3	·02	·06	-	·03	-	-	-	-	-	·51	-	-		3
4	·10	·03	·07	-	-	-	-	-	-	·09	·09	·16		4
5	-	-	·04	-	·01	-	-	-	-	·02	·03	·16		5
6	-	-	·12	·08	·25	·15	-	·15	-	·12	-	·31		6
7	·04	-	-	-	-	·05	-	·02	-	·03	-	·03		7
8	-	-	-	-	·12	-	-	·08	·03	-	·11	-		8
9	·01	-	·01	·08	-	-	-	-	-	-	·27	·27		9
10	-	-	·09	·04	-	-	-	·16	-	-	·46	-		10
11	·10	-	·25	·03	-	-	-	·17	-	-	·05	·06		11
12	-	-	·05	-	·03	-	·05	·30	-	-	·04	·07		12
13	·12	-	·02	-	-	-	·40	·10	-	-	-	·02		13
14	-	-	·15	-	·04	·04	-	·06	-	·16	·30	·14		14
15	·01	-	·06	-	·05	-	-	-	·57	·06	·22	·05		15
16	·09	·01	·06	-	·04	-	-	-	-	·03	·01	·03		16
17	·02	-	-	-	·02	-	-	-	-	·02	·03	·11		17
18	·05	-	-	·30	-	-	·06	-	-	-	-	·02		18
19	-	-	·04	·03	-	·02	-	-	·08	-	-	-		19
20	-	-	·10	-	-	-	-	-	·03	-	·01	·03		20
21	-	-	·02	·06	-	·10	-	·02	-	·02	-	·01		21
22	-	-	-	-	-	·10	·09	·07	·26	-	-	-		22
23	-	-	-	·25	·11	·04	-	·03	-	-	·01	·06		23
24	-	·04	·07	·07	-	·13	·59	-	·26	-	-	-		24
25	·04	·08	-	·06	-	·02	-	-	-	-	-	·17		25
26	·04	-	-	·26	-	·17	-	-	·01	-	-	·13		26
27	-	-	-	·15	-	·31	-	-	-	·08	-	·19		27
28	-	·06	-	·23	-	-	-	·86	-	·01	·02	·50		28
29	-	-	-	-	-	-	·11	·08	·16	-	·03	·02		29
30	·07	×	-	-	-	-	-	-	·01	-	-	·04		30
31	·02	×	-	×	-	×	-	-	×	·62	×	·07		31
TOTAL	·88	·27 8	1·28 1·80	1·62	·67	1·13	1·30	2·36	1·90	1·87 5	1·71	3·26	Year's Total. 18·27 4	
* Days with .01 in. or more.	~~5~~ 16	~~2~~ 6	3 17	~~4~~ 14	~~3~~ 9	~~2~~ 11	- 6	~~4~~ 15	~~4~~ 10	~~6~~ 14	~~8~~ 16	~~7~~ 25	159	
* Days with .04 in. or more.	11	4	14	10	6	9	6	11	6	8	8	18	111	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) James Natter

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1196

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Lyndewode, Grantchester

in the County of Cambridgeshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

- - 4.

Days

total

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·38	·6	-	·2	-	·14	·15	-	·3	·8	·6	·4		1
2	·8	-	-	·10	-	-	-	-	-	·7	·3	-		2
3	-	·13	·12	·13	-	-	-	-	·23	·13	·15	-		3
4	-	-	·2	·18	-	-	-	-	·26	·44	·2	-		4
5	-	·45	·6	·2	-	·31	-	-	·6	·5	·3	-		5
6	·10	·3	·1	·17	-	·16	-	-	-	-	·8	-		6
7	·17	-	-	·29	-	-	-	-	-	-	·80	·9		7
8	-	-	-	·14	-	-	-	-	-	·16	·2	·8		8
9	-	-	-	·5	-	·45	-	-	-	·48	·6	·3		9
10	-	·2	-	·9	-	·1	-	-	-	-	·1	·6		10
11	·8	-	-	-	-	·3	-	-	-	-	·6	-		11
12	-	·1	-	-	·1	·28	-	·01	·1	-	·11	-		12
13	·9	·5	-	·27	·23	-	-	-	-	-	·4	-		13
14	-	-	-	·20	·14	·3	-	-	·25	-	·1	·4		14
15	-	·14	-	·17	·3	·16	-	-	·29	-	·8	·11		15
16	-	·8	·4	-	-	·36	-	-	·3	·1	·33	·28		16
17	-	-	-	·4	-	·14	-	-	-	-	·62	-		17
18	-	-	-	·40	·4	·6	·33	-	·20	·2	-	-		18
19	·2	-	-	-	·25	·10	·9	-	·3	·3	·15	-		19
20	·2	·4	-	·8	-	·11	·4	-	·6	-	-	-		20
21	·3	·5	·3	-	-	-	-	-	-	·9	·19	-		21
22	-	-	-	-	-	-	-	·2	·50	-	-	-		22
23	·2	·2	·10	-	-	-	-	·45	-	-	·4	-		23
24	·5	·18	-	-	-	-	-	-	1·46	-	-	·26		24
25	·19	·8	-	·20	-	·10	-	-	-	-	-	·4		25
26	·14	-	-	·1	-	-	-	·22	·11	-	-	·18		26
27	·12	·15	-	·1	·9	-	-	-	·16	-	·13	·17		27
28	-	-	-	-	-	-	-	-	·7	·6	·3	·5		28
29	-	-	-	-	-	-	-	-	·61	-	-	·4		29
30	·6	×	-	·26	-	-	-	·72	·5	·2	·14	·9		30
31		×	-	×	-	×	-	·24	×	·30	×	·12		31
TOTAL	1·66	1·44	·38	2·83	·79	2·44	·61	1·66	4·41	1·94	3·22	1·68	Year's Total. 21·95	
* Days with .01 in. or more.	15 ~~7~~	15 ~~6~~	7 3	20 ~~4~~	7 ~~2~~	15 ~~3~~	4	6 ~~8~~	18 ~~4~~	14 ~~4~~	23 ~~7~~	16 ~~1~~	180	
* Days with .04 in. or more.	11	9	4	16	5	12	4	4	14	10	16	15	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) James Nutter

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1196

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Lyndewode Grantchester

in the County of Cambridgeshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level..................ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	09	64	12	38	—	03	01	—	—	—	01	18		1
2	12	03	02	04	—	33	99	06	—	—	08	24		2
3	—	02	—	—	—	43	03	03	03	—	21	—		3
4	—	—	02	—	—	01	—	—	52	—	02	12		4
5	04	02	—	—	—	—	01	03	79	—	03	06		5
6	08	—	04	—	—	08	—	14	07	—	—	—		6
7	22	—	06	—	—	—	26	02	01	03	—	—		7
8	10	—	05	—	—	—	—	—	—	—	09	32		8
9	08	—	02	—	03	06	1·45	—	02	—	—	—		9
10	05	—	—	03	—	06	40	20	—	08	—	—		10
11	—	—	—	03	—	—	21	06	—	—	44	—		11
12	—	—	—	13	02	23	39	—	15	—	36	09		12
13	—	—	—	02	—	36	—	—	—	—	04	01		13
14	—	08	—	03	—	04	33	—	04	05	02	10		14
15	—	02	—	—	—	08	72	—	—	—	—	—		15
16	39	07	—	—	—	—	06	—	—	—	50	03		16
17	—	20	—	—	04	—	05	—	—	—	16	11		17
18	—	03	—	—	—	—	07	—	—	13	02	—		18
19	17	02	—	07	—	21	—	04	—	14	—	—		19
20	—	03	—	21	01	—	02		46	—	—	—		20
21	—	—	—	20	—	78	04	—	49	—	—	—		21
22	04	39	01	03	28	02	12	—	01	—	02	14		22
23	—	01	—	12	04	—	11	—	—	07	01	—		23
24	16	12	—	—	—	—	43	—	06	35	—	—		24
25	10	02	09	11	—	—	03	—	20	—	03	03		25
26	—	09	18	—	—	—	04	—	02	08	03	—		26
27	02	—	—	—	—	—	—	—	10	14	—	—		27
28	38	08	02	—	—	35	40	—	—	—	—	—		28
29	16	16	—	—	—	10	~~03~~	—	—	05	15	07		29
30	04	✕	—	—	60	25	03	—	02	21	—	—		30
31	42	✕	05	✕	04	✕	16	—	✕	48	✕	03		31
TOTAL	2·66	2·03	·68	1·40	1·06	3·42	6·36	·58	2·99	1·81	2·22	1·53	Year's Total 26·74	✓
* Days with .01 in. or more.	18	18	12	14	8	17	24	8	16	12	18	14	179	✓
* Days with .04 in. or more.	17	9	7	9	5	14	18	5	10	11	9	10	124	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) James Nutter [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1196

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Grantchester

in the County of Cambridgeshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground.......ft.......in.

,, Ground ,, Sea Level..........ft.

Days ✓ 8

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·22	—	02	—	—			01	01	—	·78	41		1
2	—	—	01	31	—	—	—	~~01~~	04	—	—	02		2
3	—	06	—	—	—	—	—	—	—	—	—	06		3
4	06	28	—	—	—	—	—	09	—	—	-	46		4
5	11	03	13	—	—	—	·02	— ~~09~~	—	—	—	19		5
6	03	—	17	03	08	—	18	—	—	—	03	—		6
7	—	35	33	05	05	—	—	—	01	—	—	—		7
8	—	05	—	—	—	—	—	—	—	—	29	07		8
9	—	—	—	24	39	07	20	02	10	—	—	13		9
10	02	—	32	26	04	—	—	—	—	—	03	12		10
11	—	—	25	—	35	33	—	01	01	—	—	10		11
12	02	33	13	—	21	—	—	01	23	02	—	01		12
13	·10	—	24	12	04	14	—	31	20	—	—	53		13
14	02	02	65	—	—	58	—	41	03	—	—	—		14
15	01	04	02	15	—	—	1·25	04	09	—	—	09		15
16	·19	10	14	24	—	02	—	—	02	—	—	06		16
17	03	—	22	67	—	—	—	—	73	—	08	—		17
18	·48	05	—	10	18	09	—	—	27	—	28	—		18
19	05	08	06	04	03	—	01	—	65	01	10	—		19
20	09	—	13	43	65	35	—	—	02	01	—	—		20
21	06	24	14	03	—	02	14	—	—	—	02	03		21
22	02	03	—	—	—	—	01	—	—	54	22	—		22
23	25	—	13	—	01	22	11	—	—	45	01	—		23
24	28	20	01	—	01	—	03	—	08	06	—	—		24
25	05	37	—	—	72	—	—	—	03	·25	—	—		25
26	—	15	—	—	04	—	—	—	—	01	—	—		26
27	—	09	01	·18	—	—	—	—	—	72	-	—		27
28	—	02	—	02	—	—	—	—	—	07	—	08		28
29	11	—	—	—	—	—	—	—	—	03	02	02		29
30	16	✕	—	—	—	—	—	—	—	—	15	—		30
31	24	✕	—	✕	—	✕	—	—	✕	06	✕	07		31
TOTAL	2·91	2·49	3·40	2·87	2·80	1·82	1·95	·89	2·52	2·29	1·99	2·45	Year's Total 28·38	✓
* Days with .01 in. or more.	22	18	19	15	14	9	9	8	16	12	12	17	171	✓
* Days with .04 in. or more.	15	14	14	12	11	7	5	4	9	8	7	13	119	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) James Nutter

[P.T.O.

COPY FOR OFFICIAL USE

Section | **A** | for the entry of Daily Observations

Station No. 1196

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Lyndewode, Grantchester

in the County of Cambridgeshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft. 12 in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	–	–	–	–	09	–	–	03	03	02	22		1
2	84	–	–	03	05	18	10	–	–	12	–	03		2
3	–	–	–	–	13	01	11	–	06	30	01	–		3
4	09	–	–	–	–	–	–	–	02	24	–	05		4
5	02	–	–	–	–	–	04	–	18	11	–	02		5
6	03	–	–	–	–	–	05	–	04	01	–	–		6
7	07	–	–	–	–	–	07	21	–	23	–	01		7
8	13	–	–	–	–	03	30	05	03	11	–	–		8
9	06	–	–	–	–	–	09	01	–	–	–	29		9
10	–	–	–	–	–	03	04	34	–	–	–	03		10
11	43	–	–	–	–	–	–	19	–	–	05	02		11
12	10	10	–	–	–	–	–	08	–	84	–	–		12
13	–	04	–	–	–	–	–	–	–	–	–	04		13
14	04	06	–	–	18	–	–	–	16	–	–	01		14
15	03	–	–	–	–	–	03	–	–	06	–	05		15
16	13	01	–	–	–	–	05	–	–	05	03	41		16
17	–	06	–	–	45	–	13	–	–	03	–	–		17
18	01	–	–	–	41	–	01	–	03	–	21	–		18
19	–	–	–	–	04	–	–	–	05	–	12	–		19
20	–	–	–	–	–	–	–	01	01	–	31	03		20
21	–	–	–	–	–	–	–	19	02	–	01	70		21
22	–	–	–	02	–	09	–	–	–	–	15	22		22
23	–	–	–	04	–	–	–	–	–	–	–	–		23
24	–	–	10	–	01	–	–	–	1·15	–	08	–		24
25	08	06	15	10	17	–	–	02	05	04	38	15		25
26	12	08	18	–	–	–	–	01	12	21	–	03		26
27	09	11	–	–	03	21	15	01	1·48	21	37	–		27
28	12	–	–	–	38	04	–	18	09	–	03	–		28
29	58		–	02	19	–	–	–	–	–	02	20		29
30	–	✕	–	–	–	–	–	–	03	03	02	03		30
31	10	✕	–	✕	12	✕	–	–	✕	12	✕	45		31
TOTAL	2·58	·52	·38	·21	2·16	·68	1·17	1·30	3·55	2·24	1·78	2·70	Year's Total 19·27	✓
* Days with .01 in. or more.	20	8	3	5	12	8	13	12	17	17	15	20	150	✓
* Days with .04 in. or more.	15	7	3	2	10	5	11	7	10	13	8	10	101	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) James Nuttall

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1196

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Lyndewode, Grantchester

in the County of Cambridgeshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.05	–	–	0.21	0.26	–	0.22	–	0.55	–	–	–		1
2	0.04	–	–	–	–	–	0.03	0.27	0.53	0.02	0.01	–		2
3	0.39	–	–	0.09	–	–	–	0.54	–	–	0.21	0.23		3
4	0.12	–	0.08	0.28	–	–	–	0.16	–	0.06	0.05	0.05		4
5	–	–	–	0.70	–	–	–	1.30	–	0.08	0.09	0.14		5
6	0.26	–	–	0.01	–	–	0.05	–	–	–	–	–		6
7	0.12	0.03	–	–	–	–	–	0.02	–	0.06	0.04	0.04		7
8	–	0.02	0.12	–	–	–	0.02	0.19	–	0.08	–	0.40		8
9	0.03	0.06	–	–	–	–	–	0.06	–	0.54	0.03	0.18		9
10	0.15	–	–	–	–	0.33	–	0.24	0.03	–	–	–		10
11	–	–	0.36	–	–	0.08	–	–	0.09	0.03	–	–		11
12	–	–	–	–	0.02	0.21	–	–	0.11	–	–	–		12
13	–	–	0.02	–	–	0.01	0.03	–	0.07	0.45	–	–		13
14	0.31	–	–	–	0.19	–	–	–	0.14	0.38	0.17	–		14
15	0.06	–	0.03	–	0.62	0.18	–	–	0.06	0.76	–	–		15
16	0.23	–	0.04	0.04	0.08	0.13	0.03	–	–	0.13	0.27	–		16
17	0.05	0.01	–	0.25	0.05	–	1.12	–	–	0.16	–	–		17
18	0.21	–	0.04	–	–	0.13	0.13	–	0.10	0.18	0.71	–		18
19	0.22	–	0.03	–	–	0.26	0.04	–	–	0.18	–	0.02		19
20	0.05	–	–	–	–	0.08	0.10	0.22	–	–	–	–		20
21	0.17	–	0.32	–	–	0.05	–	–	0.12	–	–	–		21
22	0.04	0.05	0.11	–	–	0.01	–	–	0.08	–	0.06	–		22
23	0.05	–	0.01	0.09	–	0.02	–	–	–	0.08	0.53	–		23
24	0.03	–	0.04	–	–	–	0.06	–	–	–	–	–		24
25	0.84	0.11	0.18	0.04	–	0.22	0.05	–	–	–	0.08	0.06		25
26	0.28	–	0.02	0.03	–	–	–	–	–	0.23	0.22	0.05		26
27	0.01	–	0.15	0.02	–	–	0.03	–	–	0.27	0.20	–		27
28	–	0.09	0.10	0.04	–	–	–	–	–	0.35	0.11	0.03		28
29	–		–	0.45	–	–	0.03	0.09	–	0.21	0.02	–		29
30	–	✕	–	0.58	–	0.15	–	–	–	–	0.01	–		30
31	–	✕	–	✕	–	✕	0.06	–	✕	–	✕	–		31
TOTAL	3.62	0.37	1.63	2.83	1.22	1.86	2.00	3.09	1.88	4.25	2.91	1.20	Year's Total 26.86	
* Days with .01 in. or more.	22	7	16	14	6	14	15	10	11	19	17	10	161	
* Days with .04 in. or more.	19	4	11	11	5	11	9	9	10	17	13	8	127	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) James Nutter

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1196

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at LYNDEWODE

in the County of GRANTCHESTE

Diameter of Funnel of Gauge CAMBRIDGE in.

Height of top of Gauge above Ground ....ft..........in.

,, Ground ,, Sea Level ....ft.

Return adjusted for missing values entries misplaced from November 13th

Days

Query sent 17/2/41

13.2.41

July card from observer answer to query

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

MONTHLY TOTALS ONLY

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	—	—	—	0.09	—		1
2	—	—	—	0.10	—	—	—	—	—	0.04	0.77	—		2
3	—	0.25	—	0.13	—	—	—	—	—	0.17	0.55	0.05		3
4	—	0.15	—	—	—	—	(·4)	—	—	0.18	0.98	0.03		4
5	—	0.10	—	—	—	—	0.46	—	—	—	0.22	—		5
6	0.15	0.19	—	—	0.08	—	0.03	—	—	0.08	0.12	—		6
7	0.33	0.12	—	—	·14	—	—	—	—	—	—	0.02		7
8	—	—	—	—	—	—	—	—	—	0.05	—	0.20		8
9	—	—	0.06	—	—	—	—	—	—	—	005	0.21		9
10	—	—	—	—	—	—	0.16	—	—	006	0.22	0.09		10
11	—	—	—	(·04)	—	—	(~~·10~~)		0.05	—	·58	0.10		11
12	—	0.04	0.03	—	—	—	[illegible]		0.06	—	0.03	—		12
13	—	0.02	0.80	—	—	0.10	[illegible]	—	—	—	(·13)	—		13
14	—	—	0.18	0.16	+ 0.17	0.41	[illegible]	—	—	—	—	0.20		14
15	—	—	0.03	0.03	+	0.1	·16 ~~·1~~	—	0.05	—	0.10	—		15
16	—	0.18	0.15	—	—	—	·48 ~~0·44~~	—	—	0.24	0.39	—		16
17	0.09	—	0.51	—	—	—	·24	—	—	~~0~~	0.11	—		17
18	—	0.50	0.12	0.33	—	—	[illegible]	0.06	—	0.05	0.02	0.12		18
19	—	0.11	0.19	0.13	—	—	·42		0.23	—	0.03	0.04		19
20	—	0.03	—	0.01	—	—	·22	0.05	—	—	0.06	—		20
21	0.08	—	—	—	—	—		—	0.43	0.10	0.25	—		21
22	0.02	—	0.04	—	+	0.26	—	—	—	0.01	0.03	—		22
23	—	0.27	—	0.03	+	↙	—	—	—	—	0.01	—		23
24	—	—	—	0.20	—	—	2[illegible]	—	—	—	—	—		24
25	—	—	0.20	—	+	—	·15	—	—	—	—	—		25
26	0.50	0.02	[illegible]	—	(·90)	+	·2[illegible]	—	—	—	—			26
27	0.35	0.03		—	+	—	—	—	—	—	—			27
28	0.02	0.09	—	—	+	—	—	—	0.01	—	—	0.02		28
29	—		0.12	—	+	—	—	—	0.02	—	—	0.13		29
30	—	✕	—	(·15)	✓	—	—	—	—	0.12	—	0.06		30
31	0.09	✕	—	✕	-	✕	3·27	—	✕	0.35	✕			31
TOTAL	1.63	1.29	2.78	~~[illegible]~~	1.29 ~~[illegible]~~	·88	~~[illegible]~~	0.11	·85	1.45	5 ~~4~~·74	1.27	Year's Total ~~17.16~~	21·87 ~~21·96~~
* Days with .01 in. or more.	9	15	13	11 ~~9~~	14 ~~12~~	6 ~~4~~	11 ~~9~~	2	7	12	20	13	~~116~~	130
* Days with .04 in. or more.	7	11	11	8 ~~6~~	10 ~~8~~	5 ~~4~~	10 ~~8~~	2	5	11	15	10	~~93~~	105

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) James Nutter

P.T.O.

1197/1

Section A for the entry of Da

AIR MINISTRY.— INFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTE 1931.

1197/1

FLEAM DYKE P.S. 2.

1931- 1932

Kept at Fleam Dyke P

in the County of Camb rp

Diameter of Funnel of Gauge 5 e 1927

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASURE S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·07	·02	·05	·01				·05				1
2	·06	·06		·16	·07	·02	02	·02	·39			·02	2
3	·03	·01		·24	·50	·04		·05	·76			·13	3
4				·08				34	·03		·08		4
5				·03	·06	·24	·02	·18	·21			·34	5
6	·01	·09				·28				22	·27		6
7						·12	·11	·67	·12	·02	·06	01	7
8	·05	·08	·04			·05		·66			·01		8
9		·01	·05	·04		·08			·01		·19	·02	9
10		·11				·01	·01	·18			·12		10
11	·21	·06				01			·03		·42		11
12				·02			·42		·17				12
13	·04						·16	·08					13
14	·04	·14			·03		·81	·36					14
15	·09	·10		·20	·18		·12	·06				·04	15
16		·22		·08	·35			·36	·01				16
17		·01		·28	·40		·10		·09				17
18		·07		·13		·04	·03	·12			·49		18
19	·04			44		·22	·12	·02	·03		·01		19
20				·05			·26	·12		·03	·02	·01	20
21	·02			·01	·37				·06				21
22	·04	·02							·05				22
23	·19	·08			·42	·21			·20		·05	·04	23
24		·02		·29	·10		·04		·14				24
25	·02			·29	·01		·49		·03		·03	·01	25
26		·01		·13			·65		·02		·24		26
27	·16	·57					·12				·20		27
28	·20	·28		·11	·06							·16	28
29	·28			·17	·02		·09	·04		03		·10	29
30	·04	×			10		·04			25	·01		30
31	·08	×		×		×			×		×		31
TOTAL	1·61	2·01	·11	2·80	2·68	1·32	3·61	3·26	2·40	·55	2·20	·88	YEAR'S TOTAL 23·43
*Days with ·01 in. or more.	19	19	3	19	15	12	18	15	18	5	15	11	169
*Days with ·04 in. or more.	14	13	2	16	11	9	14	13	11	2	2	6	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Philip Porteous

P.T.O.

× Cambridge WW Co ×

1197/1

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Fleam Dyke Pumping Station (chalk)

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 98·85 ft.

ch up since 1927

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·07	·02	·05	·01				·05				1
2	·06	·06		·16	·07	·02	02	·02	·39			·02	2
3	·03	·01		·24	·50	·04		·05	·76			·13	3
4				·08				·34	·03		·08		4
5				·03	·06	·24	·02	·18	·21			·34	5
6	·01	·09				·28				22	·27		6
7						·12	·11	·67	·12	·02	·06	01	7
8	·05	·08	·04			·05		·66			·01		8
9		·01	·05	·04		·08			·01		·19	·02	9
10		·11				·01	·01	·18			·12		10
11	·21	·06				·01			·03		·42		11
12				·02			·42		·17				12
13	·04						·16	·08					13
14	·04	·14			·03		·81	·36					14
15	·09	·10		·20	·18		·12	·06				·04	15
16		·22		·08	·35			·36	·01				16
17		·01		·28	·40		·10		·09				17
18		·07		·13		·04	·03	·12			·49		18
19	·04			·24		·22	·12	·02	·03		·01		19
20				·05			·26	·12		·03	·02	·01	20
21	·02			·01	·37				·06				21
22	·04	·02							·05				22
23	·19	·08			·42	·21			·20		·05	·04	23
24		·02		·29	·10		·04		·14				24
25	·02			·29	·01		·49		·03		·03	·01	25
26		·01		·13			·65		·02		·24		26
27	·16	·57					·12				·20		27
28	·20	·28		·11	·06							·16	28
29	·28			·17	·02		·09	·04		03		·10	29
30	·04	×			10		·04			25	·01		30
31	·08	×		×		×			×		×		31
TOTAL	1·61	2·01	·11	2·80	2·68	1·32	3·61	3·26	2·40	·55	2·20	·88	YEAR'S TOTAL 23·43
*Days with ·01 in. or more.	19	19	3	19	15	12	18	15	18	5	15	11	169
*Days with ·04 in. or more.	14	13	2	16	11	9	14	13	11	2	2	6	121

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Philip Porteous

P.T.O.

× Cambridge W W Co ×

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No** 1197/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Fleam Dyke, Fulbourn (2)

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 98·85 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·03		·08	·32	·01	·07	·22	·05	·38	·01	·02	1
2	·01			·04	·14				·12	·05	·01	·12	2
3				·29	·31				·02	·06			3
4					·01			·10			·23		4
5	·06	·01	·02	·03	·11	·01	·21		·05				5
6	·12		·02	·07	·02				·07				6
7	·01		·17	·03	·01				·01			·02	7
8		03		·10						·20	·03	·01	8
9	·01	·03		·03	·35					·20			9
10	·07	·02		·09	·02				·16	·01			10
11		03		·10	·08		·01	·25	·05	·05	·04		11
12	·02			·02	·06			·01	·01	·25	·01		12
13	·04	·04		·06	·01		·02		·01	·01	·05		13
14	·09	·01		·08	·07		·03	·04			·03		14
15				·07	·04		·17	·01		·15		·01	15
16	·13			·16	·65								16
17				·02			·22			·03	·01		17
18				·02			·06		·86		·06		18
19		·01								·13	·02		19
20				·05	·25		·27	·45		·35	·06		20
21		·01	·03	·11	·53		·02	·82		·25			21
22			·39		·02		·08		·19	·06	·23		22
23		·14		·01					·08	·49	·03	·03	23
24							·21		·03		·41		24
25		·02			·01		·20		·12	35	·06		25
26	·01	·02		·33	·23		·19		·16				26
27			·11	·05	·50		·24				·17		27
28			·13		·35		·22			·24			28
29	·01		·08		·10			·30		·19	·01	·02	29
30	·01	×	·08	·21		·49		·11	·02	09	·13	·13	30
31		×	·15	×	·03	×		08	×		×	·02	31
TOTAL	·66	·40	1·18	2·05	4·22	·57	2·22	2·39	2·01	3·54	1·60	·38	YEAR'S TOTAL 21·16
*Days with ·01 in. or more.	14	13	10	23	24	3	16	11	17	20	19	9	179
*Days with .04 in. or more.	7	2	7	16	16	1	12	9	11	17	11	2	111

40-9999

*See Instruction 2 (*f*) on other side.

○ (Signed) Philip

P.T.O.

1197

Section **A** for the entry of Daily Obser

AIR MINISTRY.—METEOR

FORM 1090.

REGISTER O

1197

FULBOURNE – FLEAM DYKE P.S.

1931 – 1940

780210

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

1931 .

cond. for Auth

Kept at Fleam Dyke Pumping

in the County of Cambridges

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 98·85 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·08	·03	·05	·01				·05				1
2	·05	·06		·16	·06	·01	·02	·02	·39			·02	2
3	·03	·01		·24	·52	·04		·05	·74			·12	3
4				·08				·33	·03		·08		4
5				·03	·06	·24	·02	·17	·22			·35	5
6	·01	·08				·25				·22	·27		6
7						·09	·12	·67	·11	·02	·06	·01	7
8	·05	·08	·04			·04		·61			·01		8
9		·01	·05	·04		·08			·01		·18	·03	9
10		·10				·01	·01	·18			·11		10
11	·20	·06				·01			·03		·44		11
12				·02			·40		·17				12
13	·04						·15	·08					13
14	·04	·44			·02		·79	·38					14
15	·08	10		·20	·18		·11	·06				·04	15
16		·20		·08	·34			35	·01				16
17		·01		·28	·40		·09		·09				17
18		·09		·15		·04	·02	·12			·49		18
19	·04			·47		·21	·12	·02	·03		·01		19
20				·05			·25	·12		·02	·02	·01	20
21	·02			·01	·37				·07				21
22	·03	·01							·05				22
23	·18	·08			·42	·22			·22		·05	·03	23
24		·02		·28	·10		·04		·15				24
25	·02			·29	·01		·47		·03		·03	·01	25
26		·01		·13			·64		·02		·21		26
27	·14	·55					·11				·19		27
28	·20	·31		·11	·05					·03		·15	28
29	·28	×		·18	·02		·09			·25		10	29
30	·05	×			·10		·04	04			·01		30
31	·08	×		×		×			×		×		31 22·53
TOTAL	1·55	2·00	·12	2·85 ~~2·28~~	2·66	1·24	3·49	3·20	2·42	·54	2·16	·87	YEAR'S TOTAL 23·10
*Days with ·01 in. or more.	~~19~~	~~19~~	~~3~~	~~19~~	~~15~~	~~12~~	~~18~~	~~15~~	~~18~~	~~5~~	~~15~~	~~11~~	~~169~~
*Days with ·04 in. or more.	~~13~~	~~13~~	~~2~~	~~16~~	~~11~~	~~9~~	~~14~~	~~13~~	~~11~~	~~2~~	~~10~~	~~5~~	~~119~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Philip Porteous [P.T.O.

Cambridge W W Co

Section **A** **for the entry of Daily Obser**

AIR MINISTRY.—METEOR

1197

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Fleam Dyke Pumping Station

in the County of Cambridgeshire

April corrd. for Arith.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 98·85 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·08	·03	·05	·01				·05				**1**
2	·05	·06		·16	·06	·01	·02	·02	·39			·02	**2**
3	·03	·01		·24	·52	·04		·05	·74			·12	**3**
4				·08				·33	·03		·08		**4**
5				·03	·06	·24	·02	·17	·22			·35	**5**
6	·01	·08				·25				·22	·27		**6**
7						·09	·12	·67	·11	·02	·06	·01	**7**
8	·05	·08	·04			·04		·61			·01		**8**
9		·01	·05	·04		·08			·01		·18	·03	**9**
10		·10				·01	·01	·18			·11		**10**
11	·20	·06				·01			·03		·44		**11**
12				·02			·40		·17				**12**
13	·04						·15	·08					**13**
14	·04	·14			·02		·79	·38					**14**
15	·08	·10		·20	·18		·11	·06				·04	**15**
16		·20		·08	·34			35	·01				**16**
17		·01		·28	·40		·09		·09				**17**
18		·09		·15		·04	·02	·12			·49		**18**
19	·04			·47		·21	·12	·02	·03		·01		**19**
20				·05			·25	·12		·02	·02	·01	**20**
21	·02			·01	·37				·07				**21**
22	·03	·01							·05				**22**
23	·18	·08			·42	·22			·22		·05	·03	**23**
24		·02		·28	·10		·04		·15				**24**
25	·02			·29	·01		·47		·03		·03	·01	**25**
26		·01		·13			·62		·02		·21		**26**
27	·14	·55					·11				·19		**27**
28	·20	·31		·11	·05		·			·03		·15	**28**
29	·28	×		·18	·02		·09			·25		10	**29**
30	·05	×			·10		·04	04			·01		**30**
31	·08	×		×		×			×		×		**31** 12-5-3
TOTAL	1·55	2·00	·12	3·85 ~~2·28~~	2·66	1·24	3·49	3·20	2·42	·54	2·16	·87	YEAR'S TOTAL 23·10
*Days with ·01 in. or more.	~~19~~	~~19~~	~~3~~	~~19~~	~~15~~	~~12~~	~~18~~	~~15~~	~~18~~	~~5~~	~~15~~	~~11~~	~~169~~
*Days with ·04 in. or more.	~~13~~	~~13~~	~~2~~	~~16~~	~~11~~	~~9~~	~~14~~	~~13~~	~~11~~	~~2~~	~~10~~	~~5~~	~~119~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Philip Porteous

[P.T.O.

Cambridge WW Co

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1197

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Fleam Dyke, Fulbourn (1)

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 98·85 ft.

Turf wall erected 1/1/32
Enc 31A 66557/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·04		·08	·30	01	·07	·21	·06	·37	·01	·02	1
2	·01			·05	·15				·12	·05	·01	·13	2
3				·28	·30				·02	·06			3
4					·01			·09			·23		4
5	·08	01	·02	·03	·12	·01	·22		·05				5
6	·15		·02	·06	·02				·08				6
7	·01		·17	·03	·01				·01			·02	7
8		·03		·10						·20	·04	·01	8
9	·01	·04		·03	·33					·20			9
10	·08	·03		·09	·02				·17	·01			10
11		·02		·09	·08		·01	·25	·04	·06	·05		11
12	·03			·02	·07			·01	·01	·25	·01		12
13	·05	·04		·07	·01		·02		·01	·01	·05		13
14	·11	·01		·08	·07		·03	·04			·03		14
15				·07	·04		·15	·01		·16		·01	15
16	·13			·17	·63					·01			16
17				02			·21			·03	·01		17
18				·02			·06		·85		·06		18
19		·01								·14	·02		19
20				·05	·25		·27	·45		·36	·06		20
21		·01	·04	·11	·50		·03	·78		·25			21
22			·40		·02		·07		·19	·06	·26		22
23		·14		·01					·08	·49	·03	·03	23
24							·23		·02		·43		24
25		·02			·01		·21		·11	·37	·06		25
26	·01	·02		·33	·21		·19		·16				26
27			·11	·05	·51		·25				·17		27
28			·13		·34		·23			·23			28
29	·01		·10		·10			·30		·20	·01	·02	29
30	·01	×	·07	·22		·50		11	·02	·10	·13	·13	30
31		×	·15	×	·03	×		·08	×		×	·03	31
TOTAL	·76	·42	1·21	2·06	4·13	·52	2·25	2·33	2·00	3·61	1·67	·40	YEAR'S TOTAL 21·36
*Days with ·01 in. or more.	~~14~~	~~13~~	~~10~~	~~23~~	~~24~~	~~3~~	~~16~~	~~11~~	~~17~~	~~22~~	~~19~~	~~9~~	~~180~~
*Days with .04 in. or more.	~~7~~	~~4~~	~~8~~	~~16~~	~~11~~	~~1~~	~~12~~	~~9~~	~~11~~	~~17~~	~~11~~	~~2~~	~~114~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Philip Porteous

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1197

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Fleam Dyke Fulbourn (1)

f660557/26

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 98.85 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·14	·12							·01	·14			1
2	·13		·11	·01	·08						·02			2
3		·17	·01								·01			3
4	·02		·10								·06			4
5	·01	·05	03		·25									5
6		·05	·02		·25					·01	·05	·02		6
7	·13	·05			·55		·08			·16	·02			7
8	·12		·05		·01		·15							8
9					·10		·15				·17			9
10						·18	·09			·07	·01			10
11	·11					·05		·11			·08	·02		11
12				·19		·21			·20					12
13	·05				·03	·04	·14		·09		·25			13
14					·01			·11		·14	·22			14
15	·23		·09				·14	·02		·01	·16			15
16	·22		·43		·06	·18	·20				·07			16
17	·02	·02	·17			·11			·14		·02			17
18		·12	·02			·11					·01			18
19		·10	·12			·13			·17					19
20		·01		·15		·23	·01		·12		·01			20
21		·09				·03		·06	·47					21
22						·75		·66	·10	·22	·01			22
23				·10	·07				·24					23
24		·46		·12	·29	·12			·26	·01	·06			24
25		·01		·26	·04	·17				·04	·01	·04		25
26		·48		·03					·11	·07	·01	·15		26
27									·01	·09				27
28										·67		·03		28
29		X	·01	·32	·02					·33				29
30	·17	X								·02		·09		30
31	·02	X	·27	X		X		·04	X	·02	X			31
TOTAL	1·24	1·75	1·55	1·18	1·76	2·51	·96	1·00	1·91	1·87	1·39	·35	Year's Total 17·47	
*Days with ·01 in. or more.	~~13~~	~~13~~	~~11~~	~~8~~	~~13~~	~~13~~	~~8~~	~~6~~	~~11~~	~~15~~	~~20~~	~~6~~	[illegible]	
*Days with ·04 in. or more.	~~7~~	~~10~~	~~9~~	~~6~~	~~9~~	~~12~~	~~7~~	~~5~~	~~10~~	~~10~~	~~10~~	~~3~~	~~98~~	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Philip Sutton

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1197/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Fleam Dyke Fulbourn (2)
in the County of Cambridgeshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 98·85 ft.

check guage n.p.

T at end of 1933 (encl 33A of 660557/26)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·13	·13							·01	·12			1
2	·12		·10	·01	·08						·02			2
3		·15	·01								·01			3
4	·02		·10								·06			4
5	·01	·05	·03		·25									5
6		·04	·02		·25					·01	·05	·02		6
7	·13	·04			·57		·08			·16	·02			7
8	·13		·05		·01		·15							8
9					·10		·15				·17			9
10						·18	·09			·05	·01			10
11	·11					·05		·11			·08	·02		11
12				·19		·22			·21					12
13	·04				·03	·04	·12		·10		·24			13
14					·01			·10		·13	·21			14
15	·23		·09				·14	·03		·01	·16			15
16	·20		·39		·06	·16	·21				·07			16
17	·01	·01	·17			·11			·24		·02			17
18		·11	·02			·11					·01			18
19		·10	·12			·15			·15					19
20		·01		·16		·43	·01		·14		·01			20
21		·06				·02		·06	·48					21
22						·80		·65	·10	·21	·01			22
23				·10	·07				·24					23
24		·01		·11	·31	·12			·26	·01	·07			24
25		·08		·25	·05	·17				·04	·01	·04		25
26		·41		·03					·12	·07	·01	·15		26
27									·01	·08				27
28										·68		·03		28
29			·01	·32	·02					·34				29
30	·17	✕								·02		·09		30
31	·01	✕	·27	✕		✕		·04	✕	·02	✕		Year's Total	31
Total	1·19	1·20	1·51	1·17	1·81	2·56	·95	·99	1·95	1·84	1·36	·35	16·88	
*Days with ·01 in. or more.	13	13	14	8	13	13	8	6	11	15	20	6	140	
*Days with ·04 in. or more.	8	10	9	6	9	12	7	5	10	9	10	3	98	

wt data p.

40-9999

*See Instruction 2 (f) on other side.

D

† Spare column, no entries required.

(*Signed*) Philip Portcous

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1197

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Fleam Dyke Fulbourn

in the County of Cambs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 98·85 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04							·13			·03	·42		1
2	·10		·09						·41	·09		·23		2
3	·03	·10								·41		·01		3
4	·10		·06							·11	·07	·17		4
5			·04							·01	·02	·10		5
6		·01	·12		·26	·51				·14		·30		6
7	·03					·18		·02		·02		·03		7
8				·03	·12			·07			·08			8
9	·02		·02	·07				·02			·35	·08		9
10			·05	·07				·11		·02	·43	·02		10
11	·13		·18	·01				·10			·01	·07		11
12		·01	·12		·02		·06	·52			·04	·03		12
13	·15		·02				1·13	·04		·01		·03		13
14			·15		·01	·25	·04	·02		·11	·31	·12		14
15			·08		·04				·16	·04	·15	·01		15
16	·11	·02	·09		·10				·01	·11	·01	·01		16
17	·04									·12	·04	·08		17
18	·15			·18			·10				·01	·02		18
19			·04	·04		·02			·13	·01		·01		19
20			·19	·01					·02					20
21			·03	·04		·09		·02		·03		·01		21
22							·03	·06	·27					22
23				·27	·09	·11	·07					·02		23
24		·03	·06	·16		·02	·52		·16		·02			24
25	·02	·11		·11		·14						·17		25
26	·03		·01	·22		·02						·15		26
27	·03	·01		·10		·10				·06		·19		27
28		·15		·50		·10		·80		·01		·38		28
29		×					·26		·18		·04	·01		29
30	·06	×					·10	·05	·01	·01		·02		30
31	·01	×		×		×	·09	·02	×	·22	×	·17		31
TOTAL	1·05	·44	1·35	1·81	·64	1·54	2·40	2·00	1·35	1·53	1·61	2·84	Year's Total. 18·58	
* Days with .01 in. or more.	~~16~~	~~8~~	~~17~~	~~14~~	~~7~~	~~11~~	~~10~~	~~14~~	~~9~~	~~18~~	~~15~~	~~27~~	~~166~~	
* Days with .04 in. or more.	~~9~~	~~3~~	~~13~~	~~10~~	~~5~~	~~8~~	~~9~~	~~9~~	~~5~~	~~10~~	~~9~~	~~14~~	~~105~~	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) J Porteous

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1197

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Fleam Dyke – Fulbourn

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 98.85 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·43	·08		·04		·04	·04		·01	·05	·09	·14		1
2	·09			·13						·10	·03	·01		2
3		·20	·11	·05		·01			·15	·15	·15			3
4				·16					·34	·15				4
5		·67	·05	·02		·50			·04	·01	·01			5
6	·06	·02		·15		·10				·01	·01			6
7	·17			·34							·61	·11		7
8				·16						·13	·03	·14		8
9				·04		·46				·44	·02	·02		9
10	·01			·07		·01					·07	·04		10
11	·10	·02				·01					·05	·01		11
12						·11			·03		·10			12
13	·10	·06		·14	·22	·04								13
14	·02			·18	·19	·02			·04		·02	·05		14
15		·13		·20	·01	·07			·37		·02	·16		15
16		·03	·02			·24			·04	·02	·37	·17		16
17	·01			·02	·04	·08			·01		·41			17
18		·01		·31		·12	·18	·02	·23	·02	·01			18
19				·02	·14	·12	·25		·06	·04	·13	·03		19
20	·05	·07		·11	·10	·10	·17		·02		·01			20
21	·06	·09	·02							·05	·16			21
22		·01	·21						·49					22
23	·05	·01	·10					·48			·01			23
24	·08	·17	·01						1·12			·22		24
25	·19	·07		·18		·24						·04		25
26	·56			·01				·19	·11	·02		·20		26
27	·20	·12		·03	·06				·18	·01	·14	·17		27
28					·03				·02	·05	·04	·09		28
29		X							·71		·03	·04		29
30	·05	✕		·09				·61	·05	·02	·15	·12		30
31		✕		✕		✕		·06	✕	·32	✕	·10		31
TOTAL	2·23	1·76	·52	2·45	·79	2·27	·64	1·35	4·02	1·59	2·67	1·86	Year's Total 22·15	
* Days with .01 in. or more.	~~17~~	~~16~~	~~7~~	~~21~~	~~8~~	~~17~~	~~4~~	~~5~~	~~19~~	~~17~~	~~24~~	~~19~~	~~174~~	
* Days with .04 in. or more.	~~14~~	~~10~~	~~4~~	~~16~~	~~6~~	~~13~~	~~2~~	~~4~~	~~14~~	~~10~~	~~13~~	~~15~~	~~123~~	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Philip [illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1197

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Fleam Dyke Pumping Station

in the County of Fulbourn Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 98.85 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·55	·09	·33		·19	·02				·07	·21		1
2	·02	·08	·01	·03		·19	·55	·08			·09	·28		2
3	·01	·01	·01			·11	·01	·01	·01		·17	·01		3
4			·03			·03			·45	·01	·03	·10		4
5	·06		·02				·01	·02	·26		·03	·05		5
6	·06		·04			·05		·18	·14		·02			6
7	·28		·02			·01	·57	·02	·03	·01		·02		7
8	·12		·03						·02		·18	·37		8
9	·14	·02	·04		·03	·03	·71		·01		·01	·02		9
10	·01			·01		·05	·27	·19				·01		10
11				·04			·18	·05			·36			11
12				·09	·31	·17	·35		·06		·56	·08		12
13				·09		·38			·02	·01	·06	·02		13
14		·09		·02		·08	·42			·07	·04	·15		14
15	·01	·03				·04	·53		·01		·01	·02		15
16	·33	·07					·02				·50	·02		16
17	·01	·31			·01						·19	·10		17
18		·02				·03	·05			·20	·02			18
19	·19	·02		·05		·36		·07		·07				19
20	·03	·10		·20	·04		·03		1·41	·01				20
21				·24	·03	1·01	·03		·43					21
22	·12	·36	·01	·01	·24	·03	·15				·02	·14		22
23		·01		·14	·01		·01			·07	·02			23
24	·16	·12					·20		·03	·31				24
25	·21	·01	·03	·14			·17		·22	·01	·03	·02		25
26	·01	·12	·10				·13		·02	·09	·03	·02		26
27	·01	·01		·04					·19	·07				27
28	·38	·08	·01			·14	·76					·06		28
29	·08	·19	·03			·12	·02			·09	·15	·01		29
30	·03	✕			·45	·13	·07		·01	·22				30
31	·45	✕	·05	✕	·04	✕	·12		✕	·40	✕	·07		31
TOTAL	2·75	2·20	·52	1·43	1·16	3·15	5·38	·62	3·32	1·64	2·59	1·78	Year's Total 26·54	
* Days with .01 in. or more.	~~23~~	~~19~~	~~15~~	~~14~~	~~9~~	~~19~~	~~24~~	~~8~~	~~11~~	~~15~~	~~21~~	21	205	
* Days with .04 in. or more.	~~13~~	~~11~~	~~5~~	~~10~~	~~5~~	~~14~~	~~16~~	~~5~~	~~8~~	~~10~~	~~11~~	11	119	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

Section A **for the entry of Daily Observations** **Station No.**

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~37.

Kept at Fleam Dyke.

in the County of –

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	–	·01	–	–	–	–	·01	·01	–	·58	·45		1
2	·01	·02	·01	·24	–	–	–	–	·02	–	·01	·25		2
3	·02	·06	–	·02	–	–	–	–	–	–	–	·03		3
4	·08	·32	–	–	–	–	–	·03	–	–	–	·45		4
5	·14	·03	·15	–	–	–	·02	–	–	–	·01	·17		5
6	·02	–	·53	·02	·07	–	·11	–	–	–	·01	–		6
7	–	·40	·15	·04	·01	–	·01	–	·01	–	–	–		7
8	–	·02	–	–	–	·07	–	–	–	–	·31	·03		8
9	–	–	·01	·26	·41	–	·15	·03	·08	–	–	·05		9
10	·02	–	·47	·06	·05	·29	·07	–	–	–	·04	·16		10
11	·01	–	·33	–	·19	–	–	·01	·02	·02	–	·10		11
12	·05	·36	·04	–	·10	–	–	·03	·23	·02	–	·02		12
13	·10	·01	·22	·12	–	·73	–	·03	·13	–	–	·61		13
14	·03	·02	·50	·04	–	·01	–	·59	·01	–	–	–		14
15	·01	·04	–	·12	–	–	1·18	–	·13	–	–	·02		15
16	·11	·13	·16	·21	–	–	–	·07	·02	–	–	·08		16
17	·15	·01	·10	·45	–	·06	–	–	·75	–	·06	–		17
18	·55	·11	–	·12	·15	–	–	–	·11	–	·12	–		18
19	·02	·12	·04	·07	·03	·37	·01	–	·35	·02	·13	–		19
20	·18	–	–	·40	·81	·01		–	·05	·01	–	–		20
21	·05	·23	·09	·03	–	–	·13	–	–	–	·01	·02		21
22	·21	·02	–	–	–	·03	·01	–	–	·32	·15	–		22
23	·20	–	·13	–	–	–	·08	–	–	·33	·02	·01		23
24	·34	·16	–	–	·01	–	·11	–	·09	·05	–	–		24
25	·09	·27	–	–	·06	–	–	·04	·02	·15	·01	·02		25
26	–	·10	·07	–	·13	–	–	·02	–	·02	–	–		26
27	–	·09	·01	·33	–	–	–	–	–	·73	–	–		27
28	–	·01	·03	·02	–	–	–	–	–	·03	–	·03		28
29	·09	X	–	–	–	–	–	–	–	·01	·04	·03		29
30	·14	X	–	–	–	–	–	–	–	–	·17	·01		30
31	·22	X	–	X	–	X	–	–	X	·15	X	·06		31
TOTAL	3·05	2·53	3·05	2·55	2·02	1·57	1·88	·86	2·03	1·86	1·67	2·60	Year's Total 25·67	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1197

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Fleam Dyke Pumping Station

in the County of Cambridgeshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 98.85 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21		.01					.005	.015		.580	.453		1
2	.01	.02	.01	.24					.015		.010	.250		2
3	.02	.06		.02								.030		3
4	.08	.32						.030				.455		4
5	.14	.03	.15				.020				.010	.175		5
6	.02		.53	.02	.07		.110				.015			6
7		.40	.15	.04	.010		.010		.015					7
8		.02				.070					.305	.035		8
9			.01	.26	.412		.155	.030	.080			.045		9
10	.02		.47	.06	.045	.285	.070				.040	.160		10
11	.01		.33		.185			.015	.020	.020		.100		11
12	.05	.36	.04		.100			.030	.225	.020		.020		12
13	.10	.01	.22	.12		.738		.028	.130			.610		13
14	.03	.02	.50	.04		.005		.595	.015					14
15	.01	.04		.12			1.180		.130			.020		15
16	.11	.13	.16	.21				.070	.020			.078		16
17	.15	.01	.10	.45		.062			.750		.060			17
18	.55	.11		.12	.155				.115		.122			18
19	.02	.12	.04	.07	.030	.375	.01		.345	.020	.125			19
20	.18			.40	.805	.012			.050	.010				20
21	.05	.23	.09	.03			.125				.015	.020		21
22	.21	.02				.025	.015			.320	.145			22
23	.20		.13				.080			.333	.020	.010		23
24	.34	.16			.01		.105		.090	.052				24
25	.09	.27			.06			.038	.015	.145	.010	.020		25
26		.10	.07		.13			.020		.020				26
27		.09	.01	.33						.725				27
28		.01	.03	.02						.030		.035		28
29	.09	✕								.015	.040	.030		29
30	.14	✕									.170	.010		30
31	.22	✕		✕		✕			✕	.150	✕	.060	25.68	31
											1.67	2.62	Year's Total	
TOTAL	3.05	2.53	3.05	2.55	2.012	1.572	1.880	.861	2.030	1.860	1.667	2.61	25.678	✓
* Days with .01 in. or more.	~~25~~	~~21~~	~~19~~	~~17~~	~~12~~	~~8~~	~~11~~	~~9~~	~~16~~	~~13~~	~~15~~	~~20~~	~~186~~	✓ ✓
* Days with .04 in. or more.	~~17~~	~~13~~	~~14~~	~~13~~	~~9~~	~~5~~	~~7~~	~~2~~	~~9~~	~~6~~	~~9~~	~~10~~	~~114~~	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Morton

[P.T.O.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~38

Kept at Fleam Dyke.

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	–	–	–	–	·04	–	–	·19	·02	·01	·02		1
2	·18	–	–	·03	·03	·16	·06	–	–	·14	–	·04		2
3	·01	–	–	–	·15	·01	·09	–	·09	·33	·01	–		3
4	·07	–	–	–	–	·01	–	–	–	·14	–	·05		4
5	·01	–	–	–	–	–	·06	–	–	·09	–	–		5
6	·03	–	–	–	–	–	·05	·43	·47	·03	–	–		6
7	·06	–	–	–	–	–	·09	·21	·04	·20	–	·01		7
8	·15	–	–	–	–	–	·29	·01	–	·11	–	–		8
9	·05	–	–	–	–	–	·07	·02	–	–	–	·29		9
10	·01	·02	–	–	–	·01	·05	·51	·01	–	–	·03		10
11	·39	–	–	–	–	–	–	·15	–	–	·03	·03		11
12	·08	·04	–	–	–	–	·01	·02	–	·41	·02	·01		12
13	–	·11	–	–	–	–	–	–	–	–	·01	·02		13
14	·05	·14	–	–	·15	–	–	–	·15	–	–	–		14
15	·01	·01	–	–	–	–	·10	–	–	·08	–	·07		15
16	·15	–	–	·01	–	–	·19	·01	–	·09	·03	·35		16
17	–	·05	–	–	·40	–	·13	–	–	·03	–	–		17
18	·03	–	–	–	·32	–	–	–	·01	–	·29	–		18
19	–	–	–	·03	·03	–	–	·01	·04	–	·09	–		19
20	–	–	–	–	–	–	–	–	·01	–	·29	·07		20
21	–	–	–	–	–	–	–	·07	·01	–	·01	·58		21
22	–	–	–	–	–	·06	–	–	–	–	·16	·27		22
23	–	–	–	·01	–	–	–	–	·01	–	·01	–		23
24	–	–	·11	·03	·01	–	·02	–	1·14	–	·06	–		24
25	·07	·04	·21	·11	·04	–	–	–	·04	·03	·44	·06		25
26	·13	·12	·12	–	–	–	–	–	·14	·19	–	·20		26
27	·13	·05	–	–	–	·23	·20	·01	1·30	·27	·41	–		27
28	·13	–	–	–	·25	·01	–	·11	·04	–	·01	–		28
29	·52	X	–	·05	·17	–	–	·01	·01	–	·03	·22		29
30	–	X	–	·04	–	·05	–	–	·03	·06	·05	·03		30
31	·09	X	–	X	·07	X	–	–	X	·15	X	·35		31
TOTAL	2·43	·58	·44	·31	1·62	·58	1·41	1·57	3·73	2·37	1·96	2·70	Year's Total 19·70	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1197

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Fleam Dyke, Fulbourn

in the County of Cambs.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.080					.042			.185	.020	.015	.020		1
2	.180			.025	.035	.160	.060			.140		.040		2
3	.010				.150	.010	.090		.090	.330	.010			3
4	.075					.015				.140		.055		4
5	.010						.060			.090				5
6	.030						.045	.430	.470	.035				6
7	.060						.090	.210	.040	.200		.015		7
8	.145						.290	.010		.105				8
9	.050						.070	.020				.295		9
10	.010	.016				.015	.050	.505	.010			.025		10
11	.390							.150			.035	.025		11
12	.080	.040					.010	.020		.410	.020	.010		12
13		.110									.010	.020		13
14	.055	.137			.150				.150					14
15	.010	.010					.100			.080		.075		15
16	.150			.015			.185	.010		.090	.030	.350		16
17		.050			.400		.135			.025				17
18	.025				.320				.012		.295			18
19				.030	.030			.015	.040		.090			19
20									.010		.290	.070		20
21								.075	.010		.015	.580		21
22						.060					.160	.270		22
23				.010					.010		.015			23
24			.115	.025	.015		.020		1.140		.060			24
25	.072	.040	.210	.115	.040				.040	.030	.440	.060		25
26	.135	.120	.120						.140	.190		.200		26
27	.128	.045	.			.230	.200	.010	1.300	.270	.405			27
28	.130				.245	.015		.110	.040		.015			28
29	.520			.050	.175			.010	.015		.030	.220		29
30		✗		.040		.050			.030	.060	.050	.035		30
31	.085	✗		✗	.070	✗			✗	.150	✗	.350		31
TOTAL	~~2.430~~ 2.43	~~.568~~ 7 0.57	~~.445~~ 5 0.45	~~.310~~ 0.31	~~1.630~~ 1.63	~~.597~~ .60 0.60	~~1.405~~ 0 1.40	~~1.575~~ 1.58	~~3.732~~ 3.73	~~2.365~~ 7 2.36	~~1.985~~ 9 1.98	~~2.715~~ 2.71	Year's Total ~~19.757~~ 6 19.75	✓
* Days with .01 in. or more.	22	9	3	8	11	9	14	13	18	17	18	19	161	✓
* Days with .04 in. or more.	16	7	3	3	8	5	12	6	11	13	8	11	103	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) P. Mortimer

[P.T.O.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~39

Kept at Fleam Dyke.

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	–	–	·13	·19	–	·03	–	·87	·02	–	–		1
2	·05	–	–	–	–	–	·04	·35	1·08	·05	–	–		2
3	·33	–	–	·08	–	–	–	·28	–	–	·19	·22		3
4	·10	–	·08	·17	–	–	–	·43	–	·09	·05	·02		4
5	–	–	–	·50	–	–	·01	1·09	–	·06	·12	·17		5
6	·25	–	–	–	–	–	·10	–	–	–	·01	·01		6
7	·11	·02	–	–	·01	–	–	·01	–	·09	·03	·06		7
8	–	·03	·11	–	–	–	·01	·10	–	·05	–	·39		8
9	·03	·04	–	–	·01	–	–	·03	–	·47	·02	·18		9
10	·11	–	–	–	–	·22	–	·47	·01	·01	–	·01		10
11	–	–	·31	–	·03	·06	–	–	·05	·03	·01	–		11
12	–	–	·01	–	–	·11	–	–	·01	·01	–	·01		12
13	–	·01	·01	–	–	–	·01	–	·05	·52	–	–		13
14	·23	–	·01	–	·17	–	–	–	·04	·39	·12	–		14
15	·35	–	·06	·01	·53	·10	–	–	·07	·75	–	–		15
16	·24	–	·07	·05	·08	·09	·01	–	·01	·14	·26	–		16
17	·07	·01	·01	·18	·03	–	·39	–	–	·07	–	·01		17
18	·09	·01	·05	–	–	·21	·08	–	·02	·17	·71	–		18
19	·25	–	·02	–	–	·31	·08	–	–	·16	–	·03		19
20	·01	–	·01	–	–	·31	·74	·07	–	–	–	·01		20
21	·09	–	·27	–	–	·07	·24	–	·06	–	–	–		21
22	·02	·23	·09	–	–	·02	–	–	·03	·01	·09	–		22
23	·07	–	–	·07	–	·01	·13	–	–	·06	·51	·02		23
24	·06	·01	·10	·02	–	·01	·03	–	–	–	–	–		24
25	1·56	·12	·11	·06	–	–	·11	–	–	–	·23	·02		25
26	·42	–	·03	·07	–	–	–	–	–	·25	·32	–		26
27	–	–	·13	·05	–	–	·03	–	·05	·16	·10	–		27
28	·01	·21	·09	·10	–	·01	–	·01	–	·23	·09	–		28
29	–	X	–	·48	–	–	·01	·03	–	·34	·01	–		29
30	–	X	–	·71	–	·23	–	–	–	–	·01	·02		30
31	–	X	–	X	–	X	·32	·02	X	–	X	–		31
TOTAL	4·48	·69	1·57	2·68	1·05	1·76	2·37	2·89	2·35	4·13	2·88	1·18	Year's Total 28·03	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1197

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Fleam Dyke, Fulbourn.
in the County of Cambs.
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level..................ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.035			.135	.190		.035		.870	.020				1
2	.050						.040	.355	1.080	.050				2
3	.330			.080				.280			.185	.220		3
4	.100		.080	.165				.430		.090	.050	.020		4
5				.500			.015	1.090		.060	.120	.165		5
6	.250						.100				.015	.016		6
7	.115	.020			.010			.015		.090	.025	.060		7
8		.035	.115				.012	.100		.045		.385		8
9	.030	.035			.015			.035		.470	.020	.180		9
10	.115					.220		.470	.015	.010		.010		10
11			.310		.035	.060			.055	.035	.010			11
12			.010			.105			.010	.010		.010		12
13		.010	.015				.010		.055	.520				13
14	.230		.010		.175				.040	.390	.120			14
15	.345		.060	.015	.535	.100			.065	.750				15
16	.240		.070	.045	.080	.090	.015		.010	.140	.260			16
17	.065	.010	.015	.180	.025		.390			.070		.010		17
18	.085	.010	.055			.205	.080		.015	.170	.710			18
19	.245		.015			.305	.080			.160		.025		19
20	.015		.015			.315	.740	.070				.015		20
21	.095		.270			.070	.240		.060					21
22	.020	.230	.085			.020			.025	.015	.095			22
23	.065			.075		.010	.125			.060	.505	.020		23
24	.065	.013	.100	.020		.015	.030		—					24
25	1.560	.120	.110	.060			.110				.225	.020		25
26	.420		.030	.065						.250	.320			26
27			.130	.045			.025		.045	.160	.100			27
28	.010	.210	.090	.100		.010		.010		.230	.095			28
29				.480			.015	.025		.340	.010			29
30		✕		.710		.230					.015	.020		30
31		✕		✕		✕	.320	.020	✕		✕			31
TOTAL	4.4~~85~~ 9	.69~~3~~	1.5~~85~~ 9	2.67~~5~~	1.0~~65~~ 7	1.75~~5~~	2.37~~2~~	2.90~~0~~	2.3~~45~~ 5	4.13~~5~~	2.88~~0~~	1.17~~0~~	Year's Total 28.06~~0~~	
* Days with .01 in. or more.	22	10	19	15	8	14	18	12	13	23	18	15	187	
* Days with .04 in. or more.	17	3	12	13	4	10	10	7	8	18	12	5	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) pp Philip Porteous W.E.A. [P.T.O.

Section A for the entry of Daily Observations

Station No. ....

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~40

Kept at Fleam Dyke

in the County of ....

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·14	–	–	–	–	–	–	–	–	·09	–		1
2	–	–	–	·11	–	–	·01	–	–	·06	·71	·01		2
3	–	·23	–	·10	–	–	–	–	–	·13	·50	·05		3
4	–	·17	–	–	–	–	–	–	–	–	·84	·04		4
5	–	·07	–	–	–	–	·12	–	–	·01	·31	–		5
6	·15	·07	–	–	·07	–	·37	–	–	·09	·11	·02		6
7	·34	·09	–	–	·03	–	·08	–	–	–	·02	·03		7
8	–	·02	–	–	·01	–	–	–	–	·09	·01	·20		8
9	–	–	·13	·01	–	–	–	–	–	–	·03	·23		9
10	–	–	·01	–	–	–	·83	–	–	·13	·15	·11		10
11	–	–	–	·04	–	–	–	–	–	–	·58	·05		11
12	–	·09	·03	–	–	–	–	–	·04	–	·01	–		12
13	–	·02	1·03	–	–	–	–	–	·03	–	1·22	–		13
14	–	–	·16	·11	·03	–	–	·03	–	–	–	·25		14
15	–	–	·03	·01	–	·05	·07	–	–	–	·16	·01		15
16	·13	·26	·07	–	–	–	·37	–	·05	·22	·32	–		16
17	–	–	·69	–	–	–	·01	–	–	·01	·03	·02		17
18	·01	·48	·14	·38	–	–	·25	·05	–	·03	–	·13		18
19	–	·10	·07	·06	–	–	·01	–	·09	–	·05	·05		19
20	–	·03	·02	·01	–	–	·09	·04	–	–	·06	–		20
21	·07	·01	–	–	–	–	·09	–	–	·11	·41	–		21
22	–	–	·02	–	·11	·22	–	–	·17	·02	·01	–		22
23	–	·10	·02	·02	·02	–	–	·01	–	–	–	–		23
24	–	–	–	·22	·12	–	·54	–	–	–	–	–		24
25	–	–	·16	–	–	–	·63	–	–	·01	–	–		25
26	·47	·01	·56	–	·10	·01	·32	–	–	–	–	–		26
27	·31	·02	·01	–	·35	–	·12	–	–	·01	·02	–		27
28	–	·11	–	·01	·14	–	–	–	·03	–	–	–		28
29	–	–	·11	–	·13	–	–	–	·03	–	–	·22		29
30	·05	X	–	·19	–	–	–	–	–	·11	–	·05		30
31	·03	X	–	X	–	X	–	–	X	·41	X	–		31
TOTAL	1·56	2·02	3·26	1·27	1·11	·28	3·91	·13	·44	1·44	5·64	1·47	Year's Total 22·53	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1197

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at FLEAM DYKE PUMPING STATION.

in the County of CAMBRIDGESHIRE.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level..................ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.140									.085			1
2				.110			.010			.060	.710	.010		2
3		.225		.100						.130	.500	.055		3
4		.170									.840	.040		4
5		.070					.120			.010	.305			5
6	.145	.075		[illegible]	.065		.370			.095	.105	.020		6
7	.340	.090			.030		.080				.020	.035		7
8		.020			.010					.085	.010	.200		8
9			.130	.015							.030	.230		9
10			.010				.830			.135	.150	.115		10
11				;040							.580	.055		11
12		.085	.025						.040		.015			12
13		.020	1.030						.025		1.220			13
14			.160	.110	.025			.035				.245		14
15			.035	.010		.050	.065				.160	.010		15
16	.125	.260	.075				.370		.055	.220	.320			16
17			.690				.010		.010	.010	.025	.020		17
18	.010	.480	.140	.380			.250	.050		.030		.135		18
19		.100	.065	.060			.015		.090		.055	.045		19
20		.030	.020	.015			.085	.040			.060			20
21	.070	.015					.090			.105	.415			21
22			.020		.115	.220			.165	.020	.015			22
23		.100	.020	.020	.020			.010						23
24				.220	.120		.540							24
25			.160				.635			.010				25
26	.470	.010	.560		.100	.010	.320							26
27	.310	.020	.015		.350		.120			.010	.015			27
28		.105		.010	.140				.035					28
29			.115		.130				.030			.220		29
30	.050	✕		.190						.105		.055		30
31	.030	✕		✕		✕			✕	.410	✕			31
TOTAL	1.550	2.015	3.270	1.28 ~~0.128~~	1.205	.280	3.910	.135	.440	1.435	5.715	1.490	Year's Total 22.725	
* Days with .01 in. or more.	9	18	17	13	11	3	16	4	7	15	21	16	150	
* Days with .04 in. or more.	7	13	9	8	8	2	13	2	4	9	14	11	100	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

1198

Section **A** for the entry of Da

AIR MINISTRY.–

FORM 1090.

REGIST

1198

FULBOURN P.S.

1931-1939

780210

COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

1931.

Kept at Fulbourn Pump

in the County of Camb

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE **S DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·04	·13	·05	·03				·08				1
2	·06	·08		·16	·21	·05	·03	·03	·41			·03	2
3	·03			·14	·26			·07	·88			·11	3
4				·10				·33	·07		·10		4
5				·02	·03	·32	·03	·22	·25			·35	5
6		·05				·38				·24	·33		6
7						·03	·31	·66	·02		·08	·01	7
8	·01	·11	·02			·06		·38		·02			8
9			·03	·07		·26	·01	·03			·20	·04	9
10		·12				·05		·18			·16		10
11	·23	·08							·04		·19		11
12		·01					·08		·20				12
13							·29	·06					13
14	·06	·15			·04		·82	·33			·01		14
15	·08	·07		·19	·21		·14	·04			·01	·02	15
16		·13		·09	·27			·09	·02				16
17		·07		25	·38		·10		·12				17
18	·01	·03		·12		·07	·03	·14			·56		18
19	·04			·11		·25	·08	·01	·01				19
20		·02		·01			·27	·12			·01		20
21	·03				·39			·01	·04				21
22	·05	·01									·01		22
23	·18	·03			·41	·19			·10		·08	·05	23
24		·01		·28	·13	·01	·02		·05				24
25	·03			·30	·03		·62		·01		·03	·01	25
26		·01		·19			·64		·01		·19		26
27	·16	·59					·23				·21		27
28	·24	·12		·12	·06					·04	·01	·13	28
29	·19			·09	·04		·12			·24		02	29
30	·03	×			·10		·03	·04					30
31	·09	×		×		×			×		×		31
TOTAL	1·52	1·67	·18	2·29	2·59	1·67	3·85	2·74	2·31	·54	2·18	·77	YEAR'S TOTAL 22·3~~8~~
*Days with ·01 in. or more.	17	19	3	17	15	11	18	17	16	4	16	·10	163
*Days with ·04 in. or more.	11	11	1	15	12	9	12	13	11	3	10	5	113

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Philip Porteous

P.T.O.

X Cambridge W W Co X

660557/26

1198

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Fulbourn Pumping Station

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·04	·13	·05	·03				·08				1
2	·06	·08		·16	·21	·05	·03	·03	·41			·03	2
3	·03			·14	·26			·07	·88			·11	3
4				·10				·33	·07		·10		4
5				·02	·03	·32	·03	·22	·25			·35	5
6		·05				·38				·24	·33		6
7						·03	·31	·66	·02		·08	·01	7
8	·01	·11	·02			·06		·38		·02			8
9			·03	·07		·26	·01	·03			·20	·04	9
10		·12				·05		·18			·16		10
11	·23	·08							·04		·19		11
12		·01					·08		·20				12
13							·29	·06					13
14	·06	·15			·04		·82	·33			·01		14
15	·08	·07		·19	·21		·14	·04			·01	·02	15
16		·13		·09	·27			·09	·02				16
17		·01		25	·38		·10		·12				17
18	·01	·03		·12		·07	·03	·14			·56		18
19	·04			·11		·25	·08	·01	·01				19
20		·02		·01			·27	·12			·01		20
21	·03				·39			·01	·04				21
22	·05	·01									·01		22
23	·18	·03			·41	·19			·10		·08	·05	23
24		·01		·28	·13	·01	·02		·05				24
25	·03			·30	·03		·62		·01		·03	·01	25
26		·01		·19			·64		·01		·19		26
27	·16	·59					·23				·21		27
28	·24	·12		·12	·06					·04	·01	·13	28
29	·19			·09	·04		·12			·24		02	29
30	·03	×			·10		·03	·04					30
31	·09	×		×		×			×		×		31
TOTAL	1·52	1·67	·18	2·29	2·59	1·67	3·85	2·74	2·31	·54	2·18	·77	YEAR'S TOTAL 22·31
*Days with ·01 in. or more.	17	19	3	17	15	11	18	17	16	4	16	·10	163
*Days with ·04 in. or more.	11	11	1	15	12	9	12	13	11	3	10	5	113

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Philip Porteous

[P.T.O.

X Cambridge W W Co X

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No 1198

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION,

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Fulbourn

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·02		·14	·31	·03	·10	·61	·07	·26	·01	·03	1
2				·07	·13			-	·12	·05	·01	·14	2
3				·28	·16		·01		·04	·03			3
4								·22			·14		4
5	·11		·01	·02	·06	·03	·24		·06			·01	5
6	·18		·03	·11	·01		·01		·10				6
7	·02		·14	·04	·01	·01	·01		·01				7
8				·07					·03	·20	·03		8
9		·01		·04	·31					·21			9
10	·06	·02		·10	·03				·15	·02		·02	10
11				·09	·11			·10	·03	·04	·03		11
12	·03			·02	·10			·01	·01	·23	·02		12
13	·02	·02		·09	·02		·04		·01		·03		13
14	·09	·05		·20	·05		·14	·03			·01	·01	14
15				·03	·02		·12			·17			15
16	·10			·09	·91								16
17				·01			·16			·02	·02		17
18					·01		·01		·68		·04		18
19		·01								·14			19
20				·07	·23		·53	·37		·37	·06		20
21		·01	·02	·18	·41		·01	·75		·25			21
22			·43		·06		·12		·17	·08	·28		22
23		·10		·01					·02	·45	·02	·04	23
24							·22		·02	·01	·42		24
25		·04					·18		·06	·34	·06	·01	25
26				·34	·24		·27		·17	·01			26
27			·13	·08	·46		·21				·11		27
28			23		·37		·21			·11			28
29	·02		·08		·15			·35	02	·17			29
30		X	·08	·18		·45		·18	·04	·09	·16	·12	30
31	·01	X	·12	X	·03	X	·02	·06	X		X	·01	31
													YEAR'S TOTAL
TOTAL	·71	·28	1·27	2·26	4·19	·52	2·61	2·68	1·81	3·25	1·45	·39	21·42
*Days with ·01 in. or more.	11	9	10	22	23	4	19	10	19	21	17	9	174
*Days with .04 in. or more.	6	3	7	17	16	1	13	8	10	15	8	3	107

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Philip Porteous

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 1198

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Fulbourn

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·15	·12	·02							·09			1
2	·11		·11	·01	·11						·01			2
3		·19	·03		·01									3
4	·02	·01	·12								·09			4
5	·01		·04		·29									5
6		·06	·01		·64					·02	·05	·03		6
7	·20	·04			·21		·02			·13				7
8	·06		·05		·01		·12			·03				8
9				·01	·08		·18				·22			9
10						·25	·12			·08	·03			10
11	·08					·05	·01	·21			·05			11
12	·01			·40		·11			·12					12
13	·02				·04	·05	·25				·23			13
14					·03			·11		·20	·12	·01		14
15	·22		·12				·16	·05		·02	·19			15
16	·14	·01	·37		·07	·15	·25				·05			16
17	·07		·17			·11			·31		·02			17
18		·05	·03			·16								18
19			·13			·15			·33					19
20		·03	·02	·05		·40			·02		·01			20
21						·02		·12	·45	·01				21
22						·92		·62		·18				22
23				·13	·02			·01	·29					23
24		·06		·13	·32	·15			·25	·04	·03			24
25		·18		·30	·04	·19					·01	·05		25
26		·23		·04					·12	·08		·12		26
27		·01							·01	·09	·01			27
28				·02						·72		·04		28
29				·23	·02					·26		·10		29
30	·15	×					·01		·01					30
31	·04	×	·29	×		×		·06	×	·05	×			31
TOTAL	1·15	1·22	1·61	1·34	1·89	2·71	1·12	1·18	1·91	1·91	1·21	·35	Year's Total 17·60	
*Days with ·01 in. or more.	14	12	14	11	14	13	9	7	10	14	16	6	140	
*Days with .04 in. or more.	9	8	10	7	9	12	6	6	7	10	9	4	97	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Philip Vortians

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1198

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Fulbourn

in the County of Cambs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·01						·14			·02	·47		1
2	·06		·08						·48	·08		·14		2
3	·03	·05		·05						·33				3
4	·09	·01	·08							·07	·05	·16		4
5	·01		·05							·01	·02	·15		5
6			·12		·23	·16				·14		·29		6
7	·03					·06		·01		·04		·03		7
8					·12			·06	·01		·11			8
9	·01		·03	·04							·28	·08		9
10			·08	·06				·12		·01	·35	·07		10
11	·10		·17	·01				·21			·10	·03		11
12			·13		·02		·06	·18			·05			12
13	·12	·01	·01				·31	·06			·01	·01		13
14			·15			·06	·03			·10	·39	·11		14
15			·08		·04				·44	·01	·11	·01		15
16	·12	·01	·07		·07					·05	·04	·01		16
17	·04									·14		·10		17
18	·07			·22		·04	·10				·02	·03		18
19			·04	·06					·08					19
20			·10									·01		20
21				·07		·15		·03		·05		·01		21
22							·03	·05	·27			·01		22
23				·25	·13	·10	·15					·03		23
24		·04	·07	·05		·02	·21		·22		·03			24
25	·03	·05		·07		·09						·16		25
26	·02			·14		·02		·80				·12		26
27	·04			·10		·08						·19		27
28		·10		·47		·16				·06		·44		28
29		×					·20		·21		05	·02		29
30	·04	×					·02		·01			·03		30
31		×		×		×		·07	×	·35	×	·18		31
TOTAL	·86	·28	1·26	1·59	·61	·94	1·11	1·73	1·72	1·44	1·63	2·89	Year's Total. 16·06	
* Days with .01 in. or more.	16	8	15	13	6	11	9	11	8	14	15	26	152	
* Days with .04 in. or more.	10	4	13	12	5	9	6	9	6	11	10	14	109	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1198

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Fulbourn Pumping Station

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 37 ft.

906 sent 24/2. Suggesting addition of ½" to Jan 26–27 for loss by snow. C.E.C.

Observer agrees to corr.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·38	·08		·03		·02	·10		·03	·05	·06	·13		1
2	·04		·01	·04					·01	·09	·03			2
3		·17	·10	·04					·10	·10	·17	·01		3
4				·11					·25	·10	·01			4
5		·59	·05			·57			·05	·01	·03			5
6	·04	·01		·11		·15								6
7	·05			·33							·46	·11		7
8				·17						·17	·01	·15		8
9				·05		·52				·49	·03	·04		9
10				·10		·01					·04	·01		10
11	·05	·01				·02	·10				·05			11
12				·03		·20			·03		·08			12
13	·08	·05		·19	·19	·03					·02			13
14	·01			·17	·13	·04			·18		·01	·02		14
15		·14		·21		·06			·57		·05	·12		15
16		·04	·04	·01		·23			·04	·02	·35	·16		16
17				·03		·10			·03		·37			17
18				·36	·04	·11	·20	·05	·26					18
19				·02	·19	·11	·07		·06	·03	·17			19
20		·07		·07	·04	·10	·10		·03	·02				20
21	·01	·09	·01							·07	·18			21
22			·04						·59					22
23	·04	·01	·11					·58						23
24	·07	·18	·01						1·55		·01	·21		24
25	·05	·08		·14		·17						·11		25
26	~~·09~~ (·72)			·03				·27	·10	·03		·10		26
27	~~·13~~	·13			·05				·23		·12	·15		27
28					·02				·03	·05	·03	·05		28
29									·24		·03	·05		29
30	·06	✕		·08				·72	·05	·03	·21	·13		30
31		✕		✕		✕		·12	✕	·40	✕	·12		31
TOTAL	~~1·10~~ 1.60	1·65	·37	2·32	·66	2·44	·57	1·74	4·43	1·66	2·52	1·67	Year's Total 21·~~1~~63	
* Days with .01 in. or more.	14	14	8	21	7	16	5	5	20	15	23	17	165	
* Days with .04 in. or more.	12	11	5	15	6	11	5	5	14	9	13	15	121	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Philip [illegible] [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1198

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Fulbourn Pumping Station

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·58	·05	·34		·19	·02				·04	·17		1
2	·05	·03		·02		·27	·56	·06			·12	·27		2
3	·01					·25		·02			·13	·02		3
4			·03						·36			·06		4
5	·07		·02					·02	·27		·05	·03		5
6	·10		·02			·06		·20	·13		·02			6
7	·22		·03				·63		·04	·01		·03		7
8	·13		·04						·04		·06	·34		8
9	·07					·04	·66		·01			·01		9
10	·01		·01			·01	·34	·19						10
11				·04			·25	·08		·02	·37			11
12				·06	·32	·21	·38		·04		·32	·08		12
13						·38				·02	·05	·01		13
14		·08		·04		·08	·36		·02	·05	·04	·10		14
15		·02				·07	·19					·02		15
16	·16	·06					·05				·44	·02		16
17	·01	·25			·03	·02					·18	·10		17
18		·04					·09			·22				18
19	·16	·02		·04		·22		·06		·05				19
20	·02	·04		·20	·01				1·36	·01				20
21				·19	·02	·67	·04		·35					21
22	·06	·32	·01		·27	·01	·16				·01	·10		22
23		·02		·13	·01		·01			·09	·01			23
24	·15	·07					·20		·05	·39		·01		24
25			·03	·14			·13		·20	·02	·03	·02		25
26		·13	·14				·11		·06	·04	·02	·01		26
27	·13	·01							·17	·04				27
28	·45	·05	·02			·08	·56					·06		28
29	·02	·07				·07				·06	·11			29
30	·04	☒			·25	·12	·08			·09				30
31	·50	☒	·07	☒	·03	☒	·09		☒	·22	☒	·13		31
TOTAL	2·44	1·79	·47	1·20	·94	2·75	4·91	·63	3·10	1·33	2·00	1·59	Year's Total 23·15	
* Days with .01 in. or more.	20	16	12	10	8	17	20	7	14	15	17	20	176	
* Days with .04 in. or more.	15	11	4	9	3	14	18	5	12	10	12	9	122	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Philip Palmer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1198

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Fulbourn Pumping Station

in the County of Cambridgeshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 37 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16								.01		.66	.36		1
2		.02		.23					.04		.01	.15		2
3		.06		.02										3
4	.04	.29						.05				.33		4
5	.13	.01	.11				.01				.01	.09		5
6	.02		.50	.03	.08		.09							6
7		.30	.15	.03	.01		.02					.01		7
8		.01				.08					.23	.05		8
9				.24	.43		.14	.01	.10			.04		9
10	.03		.35	.15	.05	.30	.06				.01	.19		10
11			.21		.22							.04		11
12	.05	.32	.06		.10	.02		.04	.22	.02		.02		12
13	.09	.01	.16	.12		.72		.05	.07			.48		13
14	.01		.38			.01		.52	.02			.04		14
15	.02	.07		.13			1.19		.13			.02		15
16	.10	.17	.17	.17				.06	.04			.03		16
17	.14		.11	.39		.06			.68		.04			17
18	.41	.11		.08	.13				.21		.16			18
19	.03	.07	.04	.05	.03	.32			.46		.10			19
20	.13			.50	.77	.04			.01		.01	.01		20
21	.05	.30	.08	.05	.01		.16							21
22	.25	.02				.02	.01			.38	.19			22
23	.26		.13				.10			.38				23
24	.41	.15			.01		.05		.07	.05				24
25	.07	.30			.14			.02	.03	.17		.02		25
26		.12	.05		.10			.03		.02	.01			26
27		.09	.02	.29						.65				27
28		.05	.01	.01						.04		.02		28
29	.02									.01	.05	.02		29
30	.16	✕									.17			30
31	.19	✕		✕		✕			✕	.16	✕	.01		31
TOTAL	2.77	2.47	2.53	2.49	2.08	1.57	1.83	.78	2.09	1.88	1.65	1.93	Year's Total 24.07	✓
* Days with .01 in. or more.	22	19	16	16	13	9	10	8	14	10	13	19	169	✓
* Days with .04 in. or more.	16	14	13	12	9	6	7	5	10	7	8	10	117	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1198

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Fulbourn Pumping Station,

in the County of Fulbourn.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03					.08			.195	.02		.02		1
2	.21			.02	.04	.20	.08			.11		.03		2
3	.01				.15	.01	.20		.08	.35	.02	.01		3
4	.05					.03			.01	.17		.04		4
5	.02						.06			.06				5
6	.03						.05	.90	.37	.03				6
7	.02						.04	.72	.07	.20		.01		7
8	.12						.25	.02	.01	.15				8
9	.05						.05	.01				.18		9
10							.06	.41				.02		10
11	.47							.06				.01		11
12	.06	.03						.40		.41	.04	.01		12
13	.01	.03						.02				.02		13
14	.06	.03			.18				.10		.01	.01		14
15	.01	.01					.09			.06		.05		15
16	.13			.01			.17			.10		.37		16
17		.02			.44		.18			.03				17
18	.02				.35				.085		.26			18
19				.01	.06				.025		.09			19
20								.04	.010		.29	.04		20
21								.07	.020		.01	.50		21
22						.07					.13	.19		22
23				.02										23
24			.14	.02	.01		.01		1.35		.06			24
25	.07	.06	.13	.07	.02				.04	.02	.37	.03		25
26	.10	.09	.11						.14	.21		.18		26
27	.11	.04			.01	.25	.20		1.72	.28	.40			27
28	.10	.01			.37	.05		.12	.04		.02			28
29	.54			.03	.21						.01	.21		29
30		✕		.02					.03	.04	.02	.02		30
31	.11	✕		✕	.09	✕			✕	.15	✕	.40		31
TOTAL	2.33	.32	.38	.20	1.93	.69	1.44	2.77	4.29~~5~~	2.39	1.73	2.35	Year's Total 20.82~~5~~	✓
* Days with .01 in. or more.	22	9	3	8	12	7	13	11	17	17	14	21	154	✓
* Days with .04 in. or more.	15	3	3	1	9	5	12	8	11	12	8	10	97	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1198

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Fulbourn Pumping Station,

in the County of Cambs.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Letter sent: 23/5/40

Readings to be discontinued in 1940, owing to the unfavourable site for the gauge.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03			.14	.15		.03		.52					1
2	.02						.01	.34	.69	.03				2
3	.28			.07				.295			.21	.18		3
4	.12		.07	.19			.02	.49		.07	.02	.03		4
5				.52			.01	.93		.04	.07	.15		5
6	.20						.04	.02			.02	.01		6
7	.10	.02					.005	.01		.08	.02	.14		7
8		.02	.09		.01		.04	.12		.06		.36		8
9	.02	.03			.02			.04		.37	.02	.19		9
10	.11				.06	.21		.23	.01					10
11			.26			.03			.04	.03				11
12						.09			.01			.01		12
13			.01			.01	.011		.06	.38				13
14	.27				.16		.005		.05	.40	.12			14
15	.18		.06	.045	.55	.14	.03		.05	.65				15
16	.22		.04	.02	.03	.07	.16			.22	.21			16
17	.03			.110	.03		.43			.10		.01		17
18	.05		.04			.10	.06		.02	.15	.54			18
19	.22					.27	.12			.16		.02		19
20	.01					.34	.38							20
21	.09		.23			.02	.10		.05					21
22	.02	.20	.11				.01	.07			.07			22
23	.05			.11			.035		.01	.07	.45	.01		23
24	.06		.09	.01			.01					.01		24
25	.92	.12	.05	.03		.02	.08				.20			25
26	.09		.01							.22	.29			26
27			.13	.02			.03			.15	.08			27
28	.01	.11	.07	.09			.01			.17	.07			28
29				.41			.01	.01		.28	.01			29
30		✕		.49		.09		.06				.01		30
31		✕		✕		✕	.07	.01	✕		✕			31
TOTAL	3.10	.50	1.26	2.25	1.01	1.39	1.7~~6~~ 1	2.6~~5~~ 3	1.51	3.63	2.40	1.13	Year's Total 22.5~~7~~ 2	? ✓
* Days with .01 in. or more.	22	6	14	14	8	12	22	13	11	19	16	13	180	✓
* Days with .04 in. or more.	15	3	12	10	4	8	10	9	7	17	11	5	111	✓

Print with ?

wk.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) pp. Philip Porteous w.b.a. [P.T.O.

1199

Section **A** for the entry of Da

AIR MINISTRY.—

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REGISTE

931 .

1199

FULBOURNE

MENTAL HOSP.

1931- 1940

780210

Kept at Cambs Mental

in the County of Camb

Diameter of Funnel of Gauge 5 18

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASURE … **DAY.**

An observer who does not conform to this … *reading made on January 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·02	·20	·03	·04				·07				1
2		·07		·16	·26	·05	·03		·47				2
3	·10		·07	·17	·56			·05	·97			·16	3
4	·02			·09				·06	·05		·13		4
5				·02	·02	·35		·35	·28			·39	5
6		·07				·33		·18		·26			6
7		·06				·02	·27			·02	·43		7
8		·08	·05			·06		·71			·03		8
9	·01	·07		·07		·26	·01				·23		9
10	·05	·05	·08			·16		·39			·16	·04	10
11	·22	·07				·01		·17	·04		·33		11
12	·01	·02		·02			·02		·18				12
13	·08						·34	·05					13
14	·07	·14			·03		·82	·35			·02		14
15		·06		·21	·20		·14	·09				·03	15
16	·01	·19		·08	·26			·05	·06				16
17	·05	·06		·27	·tr		·09		·09				17
18	·01	·09		·20		·06	·03	·14			·52		18
19	·02			·54		·30	·09		·04		·01		19
20	·05	·01		·02			·35	·15					20
21	·18				·40			·01	·04				21
22											·02		22
23	·02	·03			·57	·32			·17		·08	·03	23
24				·27	·12				·06				24
25	·16			·29	·05		·61				·03		25
26	·23			·21			·62		·04		·22		26
27	·30	·67					·21			·03	·24		27
28	·06	·24		·11	·02					·27		·17	28
29	·09			·12	·01		·11					·06	29
30		×			·10		·03	·04					30
31		×		×		×			×		×		31
TOTAL	1.84	2.00	·40	2.88	3.11	1.92	3.77	2.79	2.56	·58	2.45	·88	YEAR'S TOTAL 25.18
*Days with ·01 in. or more.	21	18	4	18	15	11	16	15	14	4	14	7	157
*Days with ·04 in. or more.	14	14	4	14	11	9	11	14	14	2	9	5	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J Page Bailiff [P.T.O.

1199

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Cambs Mental Hospital

in the County of Cambridge

Diameter of Funnel of Gauge 5 18 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level ft.

Totals & Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·02	·20	·03	·04				·07				1
2		·07		·16	·26	·05	·03		·47				2
3	·10		·07	·17	·56			·05	·97			·16	3
4	·02			·09				·06	·05		·13		4
5				·02	·02	·35		·35	·28			·39	5
6		·07				·33		·18		·26			6
7		·06				·02	·27			·02	·43		7
8		·08	·05			·06		·71			·03		8
9	·01	·07		·07		·26	·01				·23		9
10	·05	·05	·08			·16		·39			·16	·04	10
11	·22	·07				·01		·17	·04		·33		11
12	·01	·02		·02			·02		·18				12
13	·08						·34	·05					13
14	·07	·14			·03		·82	·35			·02		14
15		·06		·21	·20		·14	·09				·03	15
16	·01	·19		·08	·26			·05	·06				16
17	·05	·06		·27	·47		·09		·09				17
18	·01	·09		·20		·06	·03	·14			·52		18
19	·02			·54		·30	·09		·04		·01		19
20	·05	·01		·02			·35	·15					20
21	·18				·40			·01	·04				21
22											·02		22
23	·02	·03			·57	·32			·17		·08	·03	23
24				·27	·12				·06				24
25	·16			·29	·05		·61				·03		25
26	·23			·21			·62		·04		·22		26
27	·30	·67					·21			·03	·24		27
28	·06	·24		·11	·02					·27		·17	28
29	·09			·12	·01		·11					·06	29
30		×			·10		·03	·04					30
31		×		×		×			×		×		31
TOTAL	1.84	2.00	·40	2.88	3.11	1.92	3.77	2.79	2.56	·58	2.45	·88	YEAR'S TOTAL 25.18
*Days with ·01 in. or more.	21	18	4	18	15	11	16	15	14	4	14	7	157
*Days with ·04 in. or more.	14	14	4	14	11	9	11	14	14	2	9	5	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J Page Bailiff

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1199

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at C M H Fulbourn

in the County of Cambridge

Diameter of Funnel of Gauge 18 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level ft.

afil

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·03		·10	·35	·03	·50	·38	·06	·41	·01	·05	1
2				·06	·25		·08		·17	·06		·06	2
3				·28	·33					·02			3
4								·07			·24		4
5	·13		·01	·02	·14	·03	·25		·05			·01	5
6	·26		·02	·13	·01				·12				6
7	·02		·19	·05			·01						7
8				·08					·03	·23	·02	·04	8
9				·02	·41					·27			9
10	·06	·02		·08					·12				10
11		·02		·08	·12				·03	·06	·06		11
12					·08			·08		·28	·02		12
13	·03	·01		·28					·01		·04		13
14	·08	·02		·06				·03			·02		14
15				·19	·05		·20			·17			15
16	·10				·96								16
17							·19			·01			17
18							·06		·77		·04		18
19		·01								·13			19
20				·15	·31		·54	·49		·39	·05		20
21		·01	·04	·18	·42			·81	·04	·27			21
22			·44		·04		·12		·06	·06	·28		22
23									·01	·49	·03	·02	23
24							·24				·50		24
25		·02					·17		·08	·37	·05		25
26				·34	·28		·27		·26				26
27			·13	·07	·44		·23				·17		27
28			·24		·32	·01	·23			·18			28
29			·08		·07			·36	·02	·16			29
30	·02	×	·08	·14				·18	·03	·11	·15	·15	30
31		×	·12	×	·02	×	·01	·04	×	·02	×		31
													YEAR'S TOTAL
TOTAL	·79	·14	1·35	2·31	4·60	·07	3·10	2·44	1·86	3·69	1·68	·33	22·36
*Days with ·01 in. or more.	9	8	10	18	18	3	15	9	16	19	15	6	146
*Days with .04 in. or more.	6	0	8	16	16	0	13	8	10	16	10	4	107

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J Page Bailiff

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1199

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Mental Hospital Fulbourn

in the County of Cambridge

Diameter of Funnel of Gauge 18 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level ft.

~~[illegible]~~

Rejected in June as 1½" High

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	†	
1	·12		·11								·15			1
2			·11		·12									2
3		·18			·01									3
4		·16	·13								·08			4
5	·12		·03		·33									5
6		·04	·02		·40					·02	·05			6
7	·16	·03			·53					·14	·02	·03		7
8	·08				·01		·12			·04				8
9			·04		·07		·16				·21			9
10		·01				·32	·13			·06	·34			10
11	·08					·19		·21			·05			11
12				·33		·12			·24					12
13	·05				·04	·06	·21		·02		·24			13
14					·07			·08		·21	·27	·02		14
15	·31						·56	·04		·01	·07			15
16	·12		·52		·06	·15	·14				·05			16
17	·09		·18			·12			·31		·02			17
18		·15	·03			·18								18
19		·03	·14			·10			·31					19
20		·03	·03	·07		·46			·03		·03			20
21		·09						·13	·53					21
22						217		·72		·15	·01			22
23				·12	·04				·33					23
24		·06		·13	·37	·11			·24	·04	·05			24
25		·10		·38	·04	·14				·04	·03			25
26		·44		·05					·10	·08		·19		26
27									·01	·08				27
28				·02						·75		·03		28
29			·01	·25	·03					·29				29
30		×							·01	·01		·10		30
31	·20	×	·25	×		×		·05	×		×			31
													Year's Total	
TOTAL	1·33	1·32	1·60	1·35	2·12	4·12	1·32	1·23	2·13	1·92	1·67	·37	20·48	
*Days with ·01 in. or more.	10	12	13	8	14	12	6	6	11	14	16	5	127	
*Days with .04 in. or more.	10	8	8	7	11	12	6	6	7	11	11	2	99	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J Page Bailiff

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1199

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Mental Hospital

in the County of Cambridge

Diameter of Funnel of Gauge 18 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level ft.

Totals ✓ + Days

✓ alV

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·48

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	†	
1											·03			1
2	·15		·06					·15	·56	·49		·53		2
3	·02	·07		·03								·24		3
4	·10	·02	·06							·13	·08	·15		4
5			·04								·33	·49		5
6			·12		·28	·21				·12		·04		6
7	·03					·04				·03				7
8					·12			·01	·01			·08		8
9				·08				·07			·46			9
10			·13	·05				·11		·02	·39			10
11	·15		·15					·01						11
12					·02		·06	·23			·25	·09		12
13	·17		·12				·32	·17						13
14			·17		·02	·03		·13		·11	·18	·12		14
15			·06		·03				·89	·04	·34			15
16	·12		·07		·08					·08		·04		16
17	·03									·09	·04	·11		17
18	·06			·22			·08				·02	·02		18
19			·03	·04		·03			·09	·01				19
20			·10											20
21			·01	·05		·13				·03		·03		21
22							·04	·02	·32			·02		22
23				·30	·12	·09	·13	·05						23
24		·04	·07	·05		·04	·32	·02	·24		·02			24
25		·11		·07		·06								25
26	·04		·01	·29		·02			·02			·32		26
27	·05	·01		·03		·14				·05		·35		27
28		·11		·49		·21		·90				·33		28
29							·21		·17		·05	·02		29
30	·07	×								·02		·03		30
31	·03	×		×		×	·02	·16	×	·54	×	·14		31
TOTAL	1·02	·36	1·20	1·70	·67	1·00	1·18	2·03	2·30	1·46	2·19	3·15	Year's Total. 18·56	✓
* Days with .01 in. or more.	13	6	15	12	7	11	8	13	8	14	12	19	138	
* Days with .04 in. or more.	9	4	12	10	4	8	7	9	6	9	9	14	101	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J Page Bailiff

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1199

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at C M H Fulbourn

in the County of Cambridge

Diameter of Funnel of Gauge 5 ~~18~~ in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level ....ft.

- - - cR.

Total · days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·08

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·48						·11			·04	·07	·19		1
2	·06	·07		·13		·12			·02	·11		·02		2
3			·10	·09					·11	·12	·15			3
4		·17		·26		·01			·26	·16				4
5		·71	·06	·01					·04	·02	·03			5
6	·11			·16		·70					·02			6
7	·12			·33		·14					·57	·12		7
8				·08		·01				·15	·02	·14		8
9				·20						·59	·03	·05		9
10		·02		·08		·45					·03	·05		10
11	·11					·01	·02				·04			11
12		·01				·02			·03		·07			12
13	·10	·05		·22	·21	·19								13
14				·08	·13	·03			·22					14
15	·32	·13		·22	·02	·02			·75		·04	·24		15
16		·03	·04	·02		·05			·05	·02	·31	·20		16
17				·02		·23			·02		·50			17
18				·40	·07	·09	·18		·30	·03				18
19	·01			·02	·21	·11	·07			·02	·15			19
20	·02	·07		·07	·02	·11	·07		·08					20
21	·03		·01			·09				·09	·18			21
22		·01	·05						·54					22
23			·10					·71						23
24	·18	·22							163			·27		24
25	·21	·07		·27		·12						·11		25
26	·21			·02					·11	·02		·14		26
27	Snow ·63	·14		·03	·06			·30			·17	·17		27
28										·04	·03	·04		28
29									·98		·02	·04		29
30	·04	✕		·06				·29		·03	·23	·14		30
31		✕		✕		✕		·10	✕	·48	✕	·10		31
TOTAL	2·63	1·70	·36	2·77	·72	2·50	·45	1·90	5·14	1·92	2·66	2·02	Year's Total 24·77	
* Days with .01 in. or more.	15	13	6	21	7	18	5	4	15	15	19	16	154 ~~163~~	
* Days with .04 in. or more.	12	9	5	15	5	12	4	4	12	9	12	15	114	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Page Bailiff

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1199

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Days

Kept at C M H Fulbourn

in the County of Cambridge

Diameter of Funnel of Gauge 18 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·16

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·52	·22	·44		·35	·08	·10			·06			1
2		·65	·09	·03		·28	·62	·06				·52		2
3		·06				·36	·[illegible]	·01			·31	·02		3
4		·01				·02			·53	·01				4
5	·06		·03						·43		·04	·12		5
6	·08	·02	·02					·28	·13	·01	·01	·05		6
7	·24		·03				·49		·03					7
8	·12		·04						·02		·12	·45		8
9	·07		·03		·03		·77		·01			·03		9
10	·10			·03		·06	·25			·03				10
11				·06			·23	·27						11
12				·16	·30		·43		·08		·51	·07		12
13				·02		·62				·05	·44	·02		13
14				·02		·07	·69				·01	·12		14
15		·10				·07	·22					·03		15
16	·35	·03									·58			16
17	·03	·07			·03		·05				·22	·10		17
18		·35				·03	·08							18
19	·19	·01				·16		·06		·33				19
20		·02		·27	·03		·02		140			·02		20
21		·02		·24		Storm 102	·01		·08					21
22	·05		·01	·01	·33						·02	·18		22
23	·02	·34		·13	·03		·19			·08				23
24	·15	·01					·01		·04	·49				24
25	·12	·08	·04	·13			·33		·22			·05		25
26	·15	·01	·17				·07		·02	·07		·07		26
27		·13		·02			·42		·15	·05				27
28	·02	·02					·32				·07			28
29	·48	·06			·41	·22					·18			29
30	·02	✕			·03	·24	·09			·36				30
31	·04	✕		✕		✕			✕	·46	✕	·12		31
TOTAL	2·34	2·51	·68	1·56	1·19	3·50	5·37	·78	3·14	1·94	2·57	1·97	Year's Total 27.55	
* Days with .01 in. or more.	19	19	10	13	8	13	20	6	13	11	13	16	161	
* Days with .04 in. or more.	15	10	5	7	3	11	17	5	9	8	10	11	111	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. Page Bailiff

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1199

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Fulbourn Mental Hospital

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level ft.

Totals

KJ.

1-6?

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16								·02		·86	·38		1
2		·01	·01	·28					·04			·21		2
3		·06										·01		3
4	·06	·32						·04				·32		4
5	·16	·02	·16				·02				·02	·36		5
6	·02		·52	·02	·08		·16				·01			6
7		·38		·04	·02				·01					7
8						·06					·25			8
9					·43		·18	·01	·09			·11		9
10			·40	·30	·04	·40	·03				·03	·19		10
11			·29	·11	·30							·07		11
12	·09	·43			·21				·21	·04				12
13	·10			·12	·01	·56		·23	·12			·34		13
14	·02	·02	·23	·01				·61	·01					14
15	·02	·05	·56	·16		·01	1·54		·15			·13		15
16	·11	·11		·20				·05	·01			·11		16
17	·27		·17	·54		·06			·85		·05			17
18	·44	·11	·11	·07	·22						·19			18
19	·03	·11	·05	·08	·03	·34			·89		·13			19
20	·18			·67	·92	·06			·02					20
21	·05	·29	·08	·05			·15	·01						21
22	·24					·01				·45				22
23	·19		·15				·10			·45	·21			23
24	·49	·17					·03			·04				24
25	·07	·40			·17				·11	·23				25
26		·11	·07		·05			·01		·36				26
27		·08	·03	·29						·89				27
28		·03	·02	·02						·03		·07		28
29	·02									·02	·06	·02		29
30	·20	☒									·19	·03		30
31	·20	☒		☒		☒			☒	·14	☒	·04		31
	3·12	2·70	2·85	2·96	2·48	1·50	2·21	·96	2·53	2·65	2·00	2·39	Year's Total 28·35	
TOTAL	21	17	15	16	12	8	8	7	13	10	11	15	153	
* Days with .01 in. or more.	15	13	12	13	9	6	5	4	8	8	8	12	113.	
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L. C. Banyard [P.T.O.

X THE HEAD GARDENER. X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1199

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Fulbourn Mental Hospital
in the County of Cambridgeshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07								·16	·01				1
2	·27				·03	·07	·06		·	·12		·05		2
3					·11	·20	·14		·08	·44	·01			3
4	·06					·04				·22		·09		4
5							·05		·02	·05				5
6	·03						·04	·94	·45	·21				6
7	·07						·07	·41	·08	·15		·01		7
8	·13						·16			·10				8
9	·06						·09	·01				·31		9
10							·05	·41						10
11	·49							·06			·03	·03		11
12	·06	·05						·59		·39				12
13		·11										·03		13
14	·05				·17				·18			·02		14
15	·03						·07			·07		·07		15
16	·16						·11			·15		·40		16
17		·04			·47		·17			·02				17
18	·02				·34				·03		·32			18
19				·06	·02				·02		·10			19
20								·04	·01		·22			20
21								·04	·01			·55		21
22						·08					·19	·20		22
23				·02										23
24			·14	·03					1·31		·07			24
25	·06	·04	·21	·12	·02		·01		·04	·04	·46			25
26	·08	·10	·13						·15	·21		·25		26
27	·12	·04			·01	·25	·17		1·51	·59	·47			27
28	·18				·42	·05		·14	·04		·03			28
29	·57			·04	·23				·03			·25		29
30				·02						·06	·02			30
31	·13				·09					·21		·53		31
													Year's Total	
TOTAL	2·64	·38	·48	·29	1·91	·69	1·19	2·67	4·12	3·04	1·92	2·79	22·12	
* Days with .01 in. or more.	19	6	3	6	11	6	13	9	16	17	11	14	[illegible] ~~111~~	
* Days with .04 in. or more.	15	6	3	3	7	6	12	8	10	15	7	9	101	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L. C. Banyard

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1199

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Fulbourn: Mental: Hospital.

in the County of Cambridgeshire

Diameter of Funnel of Gauge ~~6~~ 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03			·12	·21		·10		·90	·02				1
2	·03						·03	·48	·86	·06	·02			2
3	·21			·08				·48			·20	·21		3
4	·14		·08	·24				1·08		·09	·02	·03		4
5				·73				·82		·04	·13	·21		5
6	·34						·04				·01			6
7	·17	·03						·01		·14	·03	·18		7
8		·02	·15				·04	·17		·07		·40		8
9	·02	·05						·04		·54	·03	·20		9
10	·13					·31		·35	·01					10
11			·38							·03				11
12						·12			·05					12
13							·04		·06	·57				13
14	·32		·02		·20				·07	·35	·15			14
15	·32		·04		·46	·15			·04	·79	·02			15
16	·16		·05	·08	·06	·08	·18			·13	·25			16
17	·05		·22	·22	·02		·66			·12				17
18	·06		·06			·13	·06		·02	·21	·83			18
19	·29					·30	·03			·13		·03		19
20	·03					·33	·41	·07						20
21	·13		·37			·04	·08		·07					21
22	·04	·22	·12						·05		·11			22
23	·04			·08						·06	·53			23
24	·09		·06											24
25	1·31	·15	·21			·03	·07				·33	·04		25
26	·37		·02							·39	·40			26
27			·11	·07			·02			·09	·03			27
28		·13	·08	·02						·19	·09	·03		28
29				·48						·39				29
30		✕		·71		·19								30
31		✕		✕		✕	·06		✕		✕			31
													Year's Total	
TOTAL	4·28	·60	1·97	2·83	·95	1·68	1·82	3·50	2·13	4·41	3·18	1·33	28·68	✓ "d"
* Days with .01 in. or more.	~~21~~	~~6~~	~~15~~	~~11~~	~~5~~	~~10~~	~~14~~	~~9~~	~~10~~	~~20~~	~~17~~	~~9~~	~~147~~	✓
* Days with .04 in. or more.	14	4	13	10	4	9	11	8	8	18	10	6	118	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L. E. Banyard

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1199

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Fulbourn Mental Hospital

in the County of Cambridgeshire

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level ft.

? Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·04			1
2				·15						·08	·81			2
3		·30		·10						·09	1·46	·04		3
4		·19								·20	·34	·04		4
5		·06					·09				·24			5
6	·20	·15			·09		·40			·12	·11			6
7	·35	·10			·03		·14							7
8										·08		·24		8
9			·08								·03	·24		9
10							·70			·04	·19	·15		10
11				·05							·86			11
12			·03						·05					12
13		·03	·96						·04		1·32			13
14			·16	·12	·04			·03				·31		14
15			·06			·20	·09				·18			15
16	·13		·10				·49		·05	·28	·38			16
17		·04	·63								·04			17
18	·02	·51	·16	·35			·26	·06		·04		·15		18
19		·13	·12	·04			·05		·19		·12	·03		19
20		·03		·02			·11	·03						20
21							·05			·08	·40			21
22	·04		·04		·12	·25			·20					22
23		·19		·04	·11									23
24				·19			·36							24
25			·29				·29							25
26	·42	·02	·46		·36		·30							26
27	·17	·02	·02		·39		·03							27
28	·04	·09			·04									28
29			·14		·43				·04			·26		29
30	·04	✕		·12						·12		·06		30
31	·02	✕		✕		✕			✕	·54	✕			31
TOTAL	1·49	1·86	3·25	1·21	1·64	·45	3·39	·12	·54	1·40	6·61	1·61	Year's Total 23·90	
* Days with .01 in. or more.	10	14	14	10	9	2	14	3	6	11	15	10	118	d
* Days with .04 in. or more.	8	10	12	9	8	2	13	1	6	11	14	9	103	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. C. Bangard

P.T.O.

1200

Section **A** for the entry of Dail

AIR MINISTRY.—M

FORM 1090.

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

REGISTE

931 .

1200

CHERRYHINTON

1931 – 1940

Kept at Cherryhinton

in the County of Camb

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASURE **DAY.**

An observer who does not conform to this *f the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·08			·02				·05				1
2	·08	·08		·15	·51	·01		·01	·41			·01	2
3				·14	·46			·08	1·23			·08	3
4				·09				·26	·04		·06		4
5						·36	·03	·66	·35			·45	5
6		·08				·12					30		6
7		·01					·43	47	·04	·20	·05		7
8	·05	·05	·04			·06		·33		01			8
9			·07	·07		·25					·19	·03	9
10		·12				·03		·14			·13		10
11	·18	·06							·01		·07		11
12		·01							·18				12
13	·02						·38	·03					13
14		·11			·01		·74	·27					14
15	·09	·04		·21	·19		·16	·10				·02	15
16		·21		·06	·26			·06	·02				16
17		·01		·24	·38		·08		·15				17
18		·06		·19		05	·02	·14			·49		18
19	·05			·36		·28	·05		·02				19
20				·04			·43	·12					20
21	·02				·38				·02				21
22	·03								·02				22
23	·13				·40	·21			·08		·08	·01	23
24				·25	·09		·01		·05				24
25	·02			·28	·07		·54		·01		·02		25
26				·23			·63				·15		26
27	·14	·61					·22				·26		27
28	·15	·46		06								·14	28
29	·23			·10	03		·09			24	01	·05	29
30	·09	×		·01	·06		·02	·02					30
31	·03	×		×		×			×		×		31 α
TOTAL	1·31	1·99	·11	2·48	2·86	1·37	3·83	2·69	2·68	·45	1·81	·79	YEAR'S TOTAL 22·37
*Days with ·01 in. or more.	15	15	2	16	13	9	15	14	16	3	12	8	138
*Days with ·04 in. or more.	9	12	2	15	10	7	11	11	10	2	10	4	103

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Philip Porteous [P.T.O.

× Cambridge W W Co ×

Section **A** **for the entry of Daily Observations.**

1200

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Cherryhinton

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 35 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		08			·02				·05				1
2	·08	·08		·15	·51	·01		·01	·41			·01	2
3				·14	·46			·08	1·23			·08	3
4				·09				·26	·04		·06		4
5						·36	·03	·66	·35			·45	5
6		·08				·12					30		6
7		·01					·43	47	·04	·20	·05		7
8	·05	·05	·04			·06		·33		·01			8
9			·07	·07		·25					·19	·03	9
10		·12				·03		·14			·13		10
11	·18	·06							·01		·07		11
12		·01							·18				12
13	·02						·38	·03					13
14		·11			·01		·74	·27					14
15	·09	·04		·21	·19		·16	·10				·02	15
16		·21		·06	·26			·06	·02				16
17		·01		·24	·38		·08		·15				17
18		·06		·19		·05	·02	·14			·49		18
19	·05			·36		·28	·05		·02				19
20				·04			·43	·12					20
21	·02				·38				·02				21
22	·03								·02				22
23	·13				·40	·21			·08		·08	·01	23
24				·25	·09		·01		·05				24
25	·02			·28	·07		·54		·01		·02		25
26				·23			·63				·15		26
27	·14	·61					·22				·26		27
28	·15	·46		·06								·14	28
29	·23			·10	03		·09			24	01	·05	29
30	·09	×		·01	·06		·02	·02					30
31	·03	×		×		×			×		×		31 d
TOTAL	1·31	1·99	·11	2·48	2·86	1·37	3·83	2·69	2·68	·45	1·81	·79	YEAR'S TOTAL 22·37
*Days with ·01 in. or more.	15	15	2	16	13	9	15	14	16	3	12	8	138
*Days with ·04 in. or more.	9	12	2	15	10	7	11	11	10	2	10	4	103

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Philip Porteous

P.T.O.

X Cambridge W W Co X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

year 2" low, [illegible] of 1204

88% aver

Kept at Cherryhinton

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 35 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·02		·10	·30	·01	·07	·39	·05	·39			1
2				·06	·21				·10	·04		·08	2
3				·35	·26								3
4								·05			·20		4
5	·11				·04	·02	·17		·02				5
6	·22			·10					·09				6
7			·15	·03			·01						7
8				·10						·11			8
9				·01	·37					·25			9
10	·05	·02		·04	·02				·08				10
11				·01	·09		·02	·10	·02	·06	·04		11
12	·01	·01		·02	·10					·29	·02		12
13				·05							·02		13
14	·10	·02		·14	·02			·02			·01		14
15				·05	·01		·12			·12			15
16	·10			·16	·76								16
17							·16						17
18							·02		·57		·02		18
19										·08			19
20			·01	·05	·19		·28	·46		·31	·04		20
21			·39	·18	·53			·85		·24			21
22					·03		·12		·07	·04	·23		22
23		·15			·01				·04	·38	·01	·01	23
24							·18		·01		·45		24
25							·19		·07	·31	·05		25
26				·34	·21		·17		·17				26
27			·08	·08	·49		·26				·14		27
28			·20		·36		·18			·17			28
29			·03		·06			·62	·01	·13			29
30		✕	·06	·13		·45		·10	·06	·12	·09	·14	30
31		✕	·10	✕	·01	✕		·10	✕	·01	✕		31
TOTAL	·62	·22	1·02	2·00	4·07	·48	1·95	2·69	1·36	3·05	1·32	·23	YEAR'S TOTAL 19·01
*Days with ·01 in. or more.	7	5	8	19	20	3	14	9	14	17	13	3	132
*Days with ·04 in. or more.	5	1	6	15	14	1	11	8	10	16	8	2	97

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Philip Porteous

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No** 1200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Cherryhinton

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 35 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·14	·11								·14			1
2	·11		·11		·11									2
3		·16	·01											3
4			·07											4
5	·01		·01		·28									5
6	·12	·04	·03		·30						·05	·02		6
7	·07	·01			·42					·12	·01			7
8			·04		·01		·19			·02				8
9					·09		·14				·19			9
10						·20	·16			·08	·03			10
11	·08					·09		·26			·07			11
12				·06		·13			·21					12
13	·01				·02	·03	·23		·05		·22			13
14					·08			·07		·14	·17			14
15	·20		·03				·11	·04			·12			15
16	·19		·40		·07	·15	·09				·06			16
17	·02	·07	·17			·13			·22		·02			17
18			·01			·09								18
19		·09	·12	·06		·05			·16					19
20						·39			·11		·02			20
21		·08				·02		·11	·42					21
22						·61		·58		·12	·01			22
23				·11	·01				·40					23
24		·06		·09	·32	·13			·20	·01	·04			24
25		·16		·32	·05	·09				·02	·03	·04		25
26		·33		·02					·09	·05		·10		26
27										·08				27
28										·54				28
29				·30						·26		·02		29
30	·17	×							·02			·11		30
31	·01	×	·24	×		×		·05	×		×			31
TOTAL	·99	1·14	1·35	·96	1·76	2·11	·92	1·11	1·88	1·44	1·18	·29	Year's Total 15·13	
*Days with ·01 in. or more.	11	10	13	7	12	13	6	6	10	11	15	5	119	
*Days with ·04 in. or more.	7	9	8	6	9	11	6	6	9	9	9	3	92	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Philip Sexton

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 120D

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Cherryhinton

in the County of Cambs

TL

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 35 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04							·22	·01		·01	·35		1
2	·09		·07						·47	·08		·21		2
3	·02	·05		·02						·33				3
4	·01	·02	·07							·07	·09	·15		4
5			·04								03	·12		5
6			·11		·22	·12				·11		·28		6
7	·02					·04				·03		·03		7
8					·11			·08			·11			8
9			·01	·06							·26	·15		9
10			·16	·04				·12		·02	·37	·01		10
11	·09		·20	·01				·14			·05	·06		11
12			·09				·03	·12			·04	·03		12
13	·11						·19	·12						13
14			·15			·01				·12	·40	·13		14
15			·06		·03	·01			·43	·04	·15	·01		15
16	·10		·05		·03					·03		·03		16
17	·03									·05	·04	·10		17
18	·05			·17			·06					·02		18
19			·03	·04		·02			·06			·01		19
20			·10	·01								·02		20
21				·04		·09				·02		·01		21
22							·03	·05	·21					22
23				·21	·11	·07	·04	·05				·03		23
24			·04	·02		·04	·48		·20					24
25		·07		·07		·07						·11		25
26	·02			·22		·02			·02			·12		26
27	·02			·08		·16				·04		·17		27
28		·11		·56		·20		·79				·45		28
29		X					·16	·04	·16		·04			29
30	·07	X										·04		30
31	·02	X		X		X	·01	·02	X	·54	X	·09		31
TOTAL	·69	·25	1·17	1·55	·50	·85	1·00	1·75	1·56	1·48	1·59	2·73	Year's Total. 15·12	
* Days with .01 in. or more.	14	4	14	14	5	12	8	11	8	13	12	25	140	
* Days with .04 in. or more.	7	3	12	10	3	8	5	10	6	9	10	15	98	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) P Williams

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 1200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Cherryhinton

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 35 ft.

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·37	·07		·11		·16	·13			·05	·05	·15		1
2	·08			·26					·03	·10	·03			2
3		·16	·10	·04		·04			·18	·13	·16			3
4				·16		·01			·23	·20				4
5		·58	·04	·01		·57			·05	·03				5
6	·04			·15		·13					·02			6
7	·13			·30							·64	·09		7
8				·15						·15	·02	·08		8
9				·05		·37				·48	·03	·02		9
10		·02		·14							·02	·04		10
11	·08					·01	·05				·03			11
12						·21			·01		·07			12
13	·09	·05		·18	·21	·01								13
14	·01			·09	·14	·02			·35		·02	·03		14
15		·12		·17		·03			·36		·05	·14		15
16		·02	·05	·01		·25			·03	·01	·30	·20		16
17				·02		·09			·19		·47			17
18				·35	·05	·08	·23			·02				18
19				·01	·20	·10	·08		·07	·02	·16	·02		19
20	·01	·04		·06		·10	·04		·02					20
21	·01	·06	·02						·01	·07	·19			21
22			·02						·48					22
23	·03		·05					·56						23
24	·03	·17	·02						1·43			·20		24
25	·18	·07		·20		·05						·02		25
26				·01				·22	·11			·19		26
27	·67	·12		·02	·06				·17		·11	·14		27
28	·03								·06	·05	·02	·05		28
29									·61		·02	·05		29
30	·04	✕		·10				·58	·03	·03	·20	·10		30
31		✕	·02	✕		✕		·15	✕	·36	✕	·14		31
													Year's Total	
TOTAL	1·80	1·47	·32	2·59	·66	2·23	·53	1·51	4·42	1·70	2·61	1·66	21·50	
* Days with .01 in. or more.	15	12	8	22	5	17	5	4	19	14	20	17	158	
* Days with .04 in. or more.	9	10	4	16	5	12	5	4	13	9	11	13	111	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Philip Norton

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

TL

Kept at Cherry hinton

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 35 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·56	·08	·35		·04	·01				·02	·17		1
2	·06	·02		·03		·27	·62	·05			·08	·25		2
3						·31	·01				·18	·02		3
4			·02			·01			·42		01	·11		4
5	·03		·01					·02	·63		·03	·05		5
6	·08		·03			·04		·16	·08					6
7	·21		·03				·34	·01	·03					7
8	·12		·05								·09	·33		8
9	·11		·03		·02	·05	·64				·01	·01		9
10	·04			·03		·03	·27	·18		·04				10
11				·11			·18	·05			·35			11
12					·29	·18	·35		·12		·32	·06		12
13				·02		·35					·05	·03		13
14		·10		·02		·04	·49		·07	·03	·02	·14		14
15		·03				·05	·36							15
16	·22	·06			·02		·06				·45	·02		16
17	·02	·24			·03		·01				·22	·11		17
18		·02				·02	·06			·14	·01			18
19	·11			·04		·11		·03		·15				19
20		·04		·20	·01		·02		·78					20
21				·23		1·12	·16		·25					21
22	·03	·31		·02	·28	·02	·02					·23		22
23		·02		·12	·02					·06				23
24	·14	10					·44		·04	·41				24
25	·13		·05	·11			·02		·19		·02	·01		25
26		·09	·14				·08		·01	·07	·03	·02		26
27	·02								·14	·05				27
28	·35	·07	·02			·10	·45					·06		28
29	·13	·16	·01			·13	·03			·04	·14	·01		29
30	04		·01		·37	·31	·08			·21				30
31	·42		·05		·02		·12			·43		·16		31
TOTAL	2·36	1·82	·53	1·28	1·06	3·18	4·82	·50	2·76	1·63	2·03	1·79	Year's Total 23·76	
* Days with .01 in. or more.	19	14	13	12	9	18	23	7	12	11	17	18	143	
* Days with .04 in. or more.	15	10	5	7	3	14	16	4	10	10	9	11	44	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ……

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Cherry Hinton

in the County of Cambridgeshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 35 ft.

T L

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08		.01						.01		.72	.42		1
2		.01	.01	.28					.03			.06		2
3		.05										.02		3
4	.05	.27						.03				.35		4
5	.11	.03	.13				.01				.01	.32		5
6	.02		.70	.01	.08		.20				.01			6
7		.30	.13	.08	.02		.04							7
8		.03				.04					.20	.05		8
9				.25	.40		.13	.01	.09			.08		9
10	.02		.34	.15	.05	.28	.05				.02	.12		10
11			.32		.32					.02		.08		11
12	.05	.39	.09		.16	.02		.04	.20			.01		12
13	.08	.03	.13	.10	.01	.55		.32	.13			.43		13
14	.02	.02	.58					.44	.01					14
15		.05		.17		.03	1.23		.11			.19		15
16	.11	.09	.14	.18				.05				.09		16
17	.14		.17	.49		.11			.67		.05			17
18	.44	.12		.06	.17				.20		.21			18
19	.03	.17	.06	.04	.04	.30			.64		.11			19
20	.11		.01	.44	.73	.04		.01	.02					20
21	.05	.26	.09	.02			.14					.01		21
22	.19					.02	.02			.38	.20			22
23	.24		.13				.10			.52				23
24	.37	.21	.01		.03		.04		.08	.05				24
25	.05	.35			.12				.02	.14		.02		25
26		.13	.06		.06					.06				26
27		.11	.02	.20						.83				27
28		.04		.01						.05		.04		28
29	.09									.02	.03	.02		29
30	.13	✕									.16			30
31	.19	✕		✕		✕			✕	.11	✕	.04		31
TOTAL	2.57	2.66	3.13	2.48	2.19	1.39	1.96	.90	2.21	2.18	1.72	2.35	Year's Total 25.74	✓
* Days with .01 in. or more.	21	19	19	15	13	9	10	7	13	10	11	18	165	✓
* Days with .04 in. or more.	17	14	14	12	10	6	8	4	8	8	7	13	121	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Cherry Hinton,

in the County of Cambridge.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

T. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03					.06			.05	.02		.02		1
2	.26			.01	.04	.19	.06			.10		.02		2
3	.01				.12		.10		.07	.27	.01			3
4	.08					.04				.21		.06		4
5							.06		.03	.05				5
6	.03						.05	.75	.86	.03				6
7	.06						.15	.36	.03	.25		.03		7
8	.14						.21	.02		.11				8
9	.05						.09	.01				.22		9
10							.05	.36				.03		10
11	.42							.23			.04	.02		11
12	.09	.06						.73		.35				12
13		.03						.04			.01	.05		13
14	.05	.01			.18				.14					14
15	.01	.02					.06			.06		.05		15
16	.14						.10			.09	.01	.37		16
17		.06			.41		.15			.03				17
18	.02				.33				.03		.22			18
19				.01	.09				.03		.09			19
20								.04	.01		.25	.03		20
21								.07			.01	.67		21
22						.07					.12	.19		22
23				.02										23
24			.12	.02	.02				1.03		.05			24
25	.06	.06	.14	.04	.02		.01		.04	.02	.35	.06		25
26	.10	.10	.13					.02	.13	.18		.19		26
27	.09	.05			.02	.20	.16	.01	1.35	.32	.32			27
28	.14	.01			.40	.04		.11	.08		.02			28
29	.52			.02	.24						.02	.21		29
30		✕							.02	.04	.01	.04		30
31	.14	✕		✕	.13	✕			✕	.13	✕	.43		31
TOTAL	2.44	.40	.39	.12	2.00	.60	1.25	2.75	3.90	2.26	1.53	2.69	Year's Total 20.33	✓
* Days with .01 in. or more.	20	9	3	6	12	6	13	13	14	17	15	18	146	✓
* Days with .04 in. or more.	15	5	3	1	9	6	12	9	9	13	8	12	102	✓

† Spare column, no entries required

(*Signed*) ....

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Cherry Hinton

in the County of Cambs.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TL

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04			.15	.16		.17		.63					1
2	.03						.02	.32	.79	.01				2
3	.30			.08				.39			.19	.18		3
4	.12		.08	.24				.20		.06	.01	.03		4
5				.53				1.55		.03	.10	.13		5
6	.31						.06							6
7	.13	.02						.02		.07	.06	.04		7
8		.02	.10				.04	.21				.41		8
9	.02	.05						.05		.43	.02	.17		9
10	.15					.28		.27						10
11			.33			.01			.04	.03				11
12						.12			.09					12
13			.02			.01	.02		.06	.45				13
14	.28		.01		.18				.06	.33	.12			14
15	.18		.04		.60	.16			.11	.70				15
16	.13		.03	.07	.05	.10	.20			.10	.25			16
17	.04	.01	.02	.22	.03		.80							17
18	.12		.04			.12	.09		.04	.19	.67			18
19	.23		.02			.25	.04			.15		.02		19
20	.02					.14	.30	.09						20
21	.24		.35			.04	.01		.07					21
22	.08	.09	.08			.01			.02		.06			22
23	.03			.07			.01			.05	.44			23
24	.06	.01	.09				.10							24
25	1.12	.12	.22	.05		.06	.04				.19	.04		25
26	.41		.02							.36	.25			26
27			.11				.04			.25				27
28	.02	.09	.09	.10						.18	.21			28
29				.40			.06	.11		.35				29
30		✕		.58		.17								30
31		✕		✕		✕	.05	.02	✕		✕			31
TOTAL	4.06	.41	1.65	2.49	1.02	1.47	2.05	3.23	1.91	3.74	2.57	1.02	Year's Total 25.62	✓
* Days with .01 in. or more.	22	8	17	11	5	13	17	11	10	17	13	8	152	✓
* Days with .04 in. or more.	17	4	11	11	4	10	13	9	9	14	11	6	119	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) pp Philip Porteous
WGQ

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 1200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at CHERRY HINTON
in the County of CAMBRIDGESHIRE
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level ....ft.

T.L.

Gauge removed after 31-12-40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.02									.07			**1**
2				.10						.05	.62			**2**
3		.22		.10						.08	.51	.03		**3**
4		.16								.13	.77			**4**
5		.03					.08				.25	.02		**5**
6	.12	.17			.05		.39			.09	.07			**6**
7	.33	.07			.03							.04		**7**
8												.11		**8**
9			.06							.02	.02	.14		**9**
10						.02	.56			.02	.12	.12		**10**
11				.02							.54	.02		**11**
12		.04	.02						.04		.01			**12**
13		.02	.63						.04		.91			**13**
14			.23	.12	.02							.19		**14**
15			.05	.01		.23	.06				.09			**15**
16	.12	.09	.09				.38		.03	.35	.32			**16**
17			.56								.04			**17**
18	.03	.46	.13	.29			.20	.03		.04		.09		**18**
19		.10	.09	.08			.03		.25		.02	.03		**19**
20				.01			.13							**20**
21	.05									.06	.23			**21**
22	.02		.02		.07	.19			.27					**22**
23		.22		.02	.05									**23**
24				.17			.14							**24**
25			;25				.27							**25**
26	.57	.01	.43		.19		.24							**26**
27	.30	.03			.21		.11							**27**
28		.08			.08									**28**
29			.09		.71							.11		**29**
30	.06	✕		.10						.09		.03		**30**
31	.05	✕		✕		✕			✕	.35	✕			**31**
TOTAL	1.65	1.72	2.65	1.02	1.41	.44	2.59	.03	.63	1.28	4.59	.93	Year's Total 18.94	
* Days with .01 in. or more.	10	15	13	11	9	3	12	1	5	11	16	12	11~~8~~8	
* Days with .04 in. or more.	8	10	11	7	7	2	11	1	4	9	13	7	89	

[illegible]

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

FORM 1090. **B** Mo
Sur

1201

1201.

BARROW RD

1931 – 40.

780211

*** The following register of monthl
&c., is NOT required if daily o
values are given on the other sid

also the space for

r should be sent:—
lls Rd
nder

RAINFALL IN 1931

At 251 Hills Rd Cam
In the County of Ca

Summer 9 A.M.
Direction from
Hills gauge North
Direction from
Distance 200 yd gauge North

Rain Gauge
Diameter of Funnel
Height of Top above Ground ft. 10 in.
Height of Ground above Sea Level 45 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1.84	0.29	29th	23	15
FEB.	2.49	0.47	28th	24	14
MAR.	0.17	0.10	9th	2	5
APRIL	3.17	0.32	25th	23	16
MAY	3.37	0.63	2nd	18	13
JUNE.	1.66	0.41	5th	15	8
JULY	3.93	0.75	14th	19	16
AUG.	2.65	0.54	7th	21	13
SEPT.	3.10	1.21	3rd	18	16
OCT.	0.64	0.23	29th	11	2
NOV.	2.25	0.53	18th	21	11
DEC.	1.10	0.47	5th	15	8
Total	26.37			220	132

Signature Smith Nutter

Nature of objects nearest to gauge	Fruit Trees + Shrubs
Heights of objects	Not near enough to obstruct the
Distances ..	Rainfall
Directions from gauge ..	East + South

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | 18 | } ·14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Mo Su 1201

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At 251 Hills Rd Cambridge

In the County of Cambs

Rain Gauge
- Diameter of Funnel 8 in.
- *Height of Top above Ground* ft. 10 *in.*
- *Height of Ground above Sea Level* 45 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1.84	0.29	29th	23	15
FEB.	2.49	0.47	28th	24	14
MAR.	0.17	0.10	9th	2	–
APRIL	3.17	0.32	25	23	16
MAY	3.37	0.63	2nd	18	13
JUNE.	1.66	0.41	5th	15	8
JULY	3.93	0.75	14th	19	16
AUG.	2.65	0.56	7th	21	13
SEPT.	3.10	1.21	3rd	18	16
OCT.	0.64	0.23	29th	11	2
NOV.	2.25	0.53	18th	21	11
DEC.	1.10	0.47	5th	15	8
Total	26.37			220	132

Signature Smith Nutter

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
Smith Nutter 251 Hills Rd
Cambridge

Hour of observation by the clock—in Winter 9 o'ck AM in Summer 9 AM

Nearest Railway Station Cambridge Distance 1¼ Mile Direction from gauge North

Nearest Parish Church at St Johns Distance 200 yd Direction from gauge North

Nature of objects nearest to gauge	Fruit Trees + Shrubs			
Heights of objects	Not near enough to obstruct the			
Distances ..	Rainfall			
Directions from gauge ..	East + South			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Monthly Summary.

1201

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At 251 Hills Rd Cambridge

In the County of Cambs

Rain Gauge
- Diameter of Funnel 9 in.
- *Height of Top above Ground* ft. 9 in.
- *Height of Ground above Sea Level* ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
✓ JAN.	0.99	0.25	6th	17	6
✓ FEB.	0.58	0.17	23rd	16	4
✓ MAR.	1.55	0.44	22nd	13	9
✓ APRIL	2.64	0.38	3rd	25	19
✓ MAY	4.67	0.49	16th	25	20
✓ JUNE	0.65	0.53	30th	4	4
✓ JULY	2.90	0.38	26th	19	14
✓ AUG.	2.74	0.89	21st	11	8
✓ SEPT.	2.16	0.64	18th	22	12
✓ OCT.	3.73	0.44	1st	24	16
✓ NOV.	1.90	0.48	26	18	13
✓ DEC.	0.57	0.15	30th	15	4
Total	25.08			209	129

Signature Smith Nutter

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Smith Nutter
251 Hills Rd Cambridge

Hour of observation by the clock—in Winter 9 AM in Summer 9 AM

Nearest Railway Station Cambridge Distance One mile Direction from gauge South

Nearest Parish Church at St Johns Distance near Direction from gauge South

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on ~~January~~ 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, ~~the days~~ covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

~~COPY FOR OFFICIAL USE~~.

Section **A** **for the entry of Daily Observations.** **Station No.** 1201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Cambridge (BARROW ROAD)

in the County of Cambridgeshire

Continuation

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 47 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·17	—	·25	·045	—	—	—	—	—	·125	—	1
2	·13	—	—	·1	·08	—	—	—	—	—	·01	—	2
3	—	·19	—	·25	—	—	—	·015	—	—	—	—	3
4	·02	—	—	—	—	—	—	—	—	—	·105	—	4
5	·03	—	—	—	·37	—	—	—	—	—	—	—	5
6	—	·07	—	—	·515	—	—	—	—	·02	·065	—	6
7	·18	·04	—	—	·34	—	·01	—	—	·1	·01	·03	7
8	·08	—	—	—	·03	—	·175	—	—	·04	—	—	8
9	—	—	—	·015	·1	—	·08	—	—	—	·2	—	9
10	·03	—	—	—	·01	—	·17	—	—	·04	·015	—	10
11	·1	—	—	—	—	·28	·04	—	—	—	·08	—	11
12	—	—	—	—	—	·14	·05	·28	·2	—	—	—	12
13	·03	—	—	—	·04	·035	·13	—	·06	—	·22	—	13
14	—	—	—	—	·215	·015	—	—	—	·12	—	·015	14
15	·2	—	—	—	—	—	·13	·065	—	—	·31	—	15
16	·19	—	·18	—	·07	·1	·19	·035	—	·01	·06	—	16
17	·04	—	·44	—	—	·11	—	—	·15	—	·025	—	17
18	—	—	·18	—	—	·13	—	—	—	—	·01	—	18
19	—	—	·3	·025	—	·06	—	—	—	—	·015	·015	19
20	—	—	·18	·145	—	·36	—	—	·23	·01	·025	—	20
21	—	·2	·2	—	—	·06	—	—	·395	·02	—	—	21
22	—	·12	—	—	—	·4	—	·12	—	·145	—	—	22
23	—	—	—	·13	·04	—	—	·56	·355	—	·03	—	23
24	—	·17	—	·12	·245	·15	—	—	·19	·01	·105	—	24
25	—	—	—	·315	·06	·06	—	—	—	·02	·02	·05	25
26	—	·55	—	·045	—	·01	—	—	·07	·06	—	·15	26
27	—	—	—	·025	—	—	—	—	·03	·08	—	—	27
28	—	—	—	·03	—	—	—	—	—	·53	—	·035	28
29	·01	—	—	·4	·02	—	—	—	—	·265	—	—	29
30	·17	×	—	—	—	—	—	—	·02	·02	—	·12	30
31	·04	×	·1	×	—	×	—	·055	×	·025	×	—	31
TOTAL	~~1·27~~	~~1·51~~	~~1·58~~	~~1·85~~	~~2·1~~	~~1·91~~	~~·975~~	~~1·13~~	~~1·7~~	~~1·515~~	~~1·4~~	~~·415~~	YEAR'S TOTAL ~~[illegible]~~
	1·27	1·51	1·58	1·85	2·18	1·91	·975	1·13	1·7	1·515	1·43	·415	17·465
*Days with ·01 in. or more.	15	8	7	13	15	14	9	7	10	17	18	7	140
*Days with .04 in. or more.	9	8	7	9	12	11	8	5	8	9	9	3	98

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) N. T MYERS, ESQ

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Cambridge

in the County of Cambridgeshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level 48 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·065	—	—	—	—	—	—	·2	·03	·015	·03	·455		1
2	·08	—	·08	—	—	—	—	—	·5	·095	—	·135		2
3	·02	·05	—	·055	—	—	—	—	—	·41	—	—		3
4	·1	·02	·08	·01	—	—	—	—	—	·08	·095	·105		4
5	·02	—	·045	—	—	—	—	—	—	·01	·04	·15		5
6	·01	—	·12	·02	·24	·125	—	·03	—	·12	—	·3		6
7	·05	—	—	—	—	·04	—	·04	—	·03	—	·04		7
8	—	—	—	—	·11	—	—	·07	·015	—	·11	·01		8
9	—	—	·02	·075	—	—	—	—	—	—	·31	·24		9
10	—	—	·135	·06	—	—	—	·13	—	·025	·36	·015		10
11	·105	·015	·22	·03	—	—	—	·135	—	—	·06	·05		11
12	—	—	·07	—	—	—	·05	·13	—	—	·05	·06		12
13	·11	·01	·02	·01	·01	—	·33	·08	—	·01	·02	·03		13
14	—	—	·135	—	·03	·03	—	·035	—	·16	·29	·13		14
15	—	—	·06	—	·05	—	—	—	·495	·05	·175	·03		15
16	·1	·025	·06	—	·02	—	—	—	—	·04	·01	·03		16
17	·05	—	—	—	·04	—	—	—	—	·05	·03	·105		17
18	·05	—	·01	·325	—	—	·06	—	—	—	—	·035		18
19	—	·01	·02	·02	—	·025	—	—	·075	—	—	·02		19
20	—	·01	·11	·02	—	—	—	—	·05	·01	—	·045		20
21	—	·01	—	·065	—	·09	—	·015	—	·03	—	·015		21
22	—	—	—	—	—	—	·055	—	·26	—	·015	—		22
23	—	—	—	·23	·095	·08	·01	·09	—	—	—	·05		23
24	—	·055	·07	·03	—	·04	·71	—	·25	—	·01	—		24
25	·04	·065	—	·07	—	·13	—	—	—	—	—	·16		25
26	·035	—	·015	·39	—	—	—	—	·02	—	—	·135		26
27	·055	·03	—	·06	—	·21	—	—	—	·05	—	·19		27
28	·01	·125	—	·36	—	·2	—	·85	—	·01	·02	·48		28
29	—	×	—	—	—	—	·16	·055	·215	—	·04	·02		29
30	·07	×	—	—	—	—	—	—	·02	·02	—	·05		30
31	·035	×	—	×	—	×	—	·06	×	·65	×	·075		31
TOTAL	1·005	·425	1·27	1·83	·595	·97	1·375	1·92	1·93	1·865	1·665	3·16	Year's Total 18·01	
*Days with ·01 in. or more.	18	12	17	17	8	10	7	14	11	19	17	28	178	
*Days with ·04 in. or more.	10	4	12	10	5	8	6	11	7	10	10	19	112	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Norman G Myers.

[P.T.O.

COPY FOR ~~OFFICIAL USE~~.

Section **A** for the entry of Daily Observations. Station No. 1201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Cambridge

in the County of Cambridgeshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 47 ft.

Rec

dup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·365	·08	—	—	—	·125	—	—	·02	·07	·04	·06	1
2	·08	—	—	·23	—	—	·13	—	·035	·0~~75~~ 8	·05	·015	2
3	·01	·15	·14	·24	—	·01	—	—	·23	·19	·15	·015	3
4	—	—	—	·15	—	—	—	—	·34 x	·365	·05	—	4
5	·0~~15~~ 2	·585	·0~~55~~ 6	·03	—	·42	—	—	x	·06	·0~~25~~ 3	—	5
6	·1	·02	—	·165	—	·14	—	—	—	—	·09	—	6
7	·18	—	—	·27	—	—	—	—	—	—	·76	·095	7
8	—	—	—	·15	—	·4	—	—	—	·1~~65~~ 7	·02	·085	8
9	—	—	—	·095	—	x —	—	—	—	·5	·06	·03	9
10	·01	·03	—	·08	—	—	—	—	—	—	·02	·06	10
11	·08	·01	—	·01	—	✓ —	—	—	—	—	·05	·01	11
12	—	·02	—	—	—	x ·29	—	·01	·01	—	·08	—	12
13	·095	·06	—	·28	·23	—	—	—	—	—	·045	—	13
14	·02	—	—	·14	·1~~45~~ 5	·03	—	—	·20	—	·025	·05	14
15	·01	·13	—	·16	·02	·11	—	—	·29	—	·96	·12	15
16	—	·025	·055	·03	—	·34	—	—	·03	·02	·33	·215	16
17	—	—	—	·03	—	·11	—	·005	—	—	·53	—	17
18	—	—	—	·38	·055	·08	·2~~45~~ 5	—	·31	—	—	—	18
19	·0~~15~~ 2	—	—	·01	·23	·09	·09	—	·09	·04	·16	—	19
20	·02	·055	—	·06	—	·1	·08	—	—	—	·01	—	20
21	·025	·07	—	·1	—	—	—	—	·01	·09	·2	—	21
22	—	·02	·0~~45~~ 5	·04	—	—	—	·01	1·15	—	—	—	22
23	·0~~35~~ 4	·015	·085	—	—	—	—	·55	—	—	·04	—	23
24	·085	·19	·01	·01	—	—	—	—	1·475	—	—	·235	24
25	·19	·1	—	·2	—	·07	—	—	—	—	·02	·04	25
26	·62	·01	—	·02	—	—	—	·23	·11	·015	—	·2	26
27	·08	·13	—	·02	·0~~85~~ 9	—	—	—	·15	—	·12	·145	27
28	—	—	—	—	·02	—	—	—	·08	·065	·03	·045	28
29	—	×	·0~~15~~ 2	—	—	—	—	—	·62	—	·03	·05	29
30	·04	×	—	·13	—	—	—	·635	·05	·04	·22	x ·23	30
31	·01	×	—	×	—	×	—	·22	×	·36	×	x	31
TOTAL	2·065	1·7	·4~~05~~ 1	3·03	·7~~85~~ 9	2·315	·5~~45~~ 5	1·66	5·2	2·055	4·115	1·7	YEAR'S TOTAL 25·575
*Days with ·01 in. or more.	21	18	7	25	7	15	4	7	19	14	26	19	182
*Days with .04 in. or more.	12	10	5	17	5	12	4	4	14	12	18	15	128

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Norman G Myers

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Cambridge

in the County of Cambridgeshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ~~X~~ ft 9 in.

,, Ground ,, Sea Level 47 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·575	·065	·375	-	·025	·02	-	-	·01	·02	·23		1
2	·06	·03	-	·035	-	·4	·83	·07	-	-	-	·205		2
3	·01	-	·035	-	-	·56	-	·015	-	-	·29	-		3
4	-	·04	·025	-	-	·015	-	-	·02	·01	·045 ✓	·14		4
5	-	-	·06	-	-	-	-	·03	·51	-	✓	·05		5
6	·13	-	-	-	-	·075	-	-	·62	-	·015	-		6
7	·23	-	·05	-	-	-	·26	·015	·11	-	-	·06		7
8	·105	-	·04	-	-	-	-	-	·05	-	·12	·3		8
9	·12	-	·025	-	·03	·06	·93	-	·01	·01	-	·02		9
10	·06	-	·01	·03	-	·06	·3	·165	·02	·08	-	-	63	10
11	-	-	-	·06	-	·28	·2	·06	-	-	·425	-		11
12	-	-	-	·13	·18	·3	·43	-	-	-	·31	·06		12
13	-	-	-	·01	-	·05	-	-	·11	·015	·05	-		13
14	-	·085	-	·025	-	·055	·77	-	·11	·03	·02	·15		14
15	-	·035	-	-	-	-	·29	-	-	-	-	·03		15
16	·38	·065	-	-	·04	·015	·085	-	-	-	·49	·015		16
17	·02	·195	-	-	-	·01	·03	-	-	-	·29	·13		17
18	-	·03	-	-	-	·14	·1	-	-	-	-	·01		18
19	·15	·025	-	-	-	-	-	·045	-	·31	·01	-		19
20	-	·03	-	·265	-	-	·035	-	·645	-	-	-		20
21	-	-	-	·205	-	1·18	-	-	·36	-	-	-		21
22	·05	·385	·01	·02	·33	·02	·23	-	-	-	-	·155		22
23	-	·02	-	·12	-	-	·69 ✗	-	-	·07	·025	-		23
24	·16	·16	-	-	-	-	✗	-	·05	·43	-	-		24
25	·11	·02	·07	·1	-	·02	·1	-	·19	·02	·03	·03		25
26	·01	·1	·2	-	-	-	-	-	·01	·08	·035	·01		26
27	·035	·015	-	-	-	-	-	-	·13	·1	-	-		27
28	·375	·075	-	-	-	·28	·25	-	-	-	-	·07		28
29	·175	·2	·03	-	-	·11	-	-	-	·07	·16	·01		29
30	·05	✕	-	-	·49	·31	·15	-	·01	·775 ✗	-	·005		30
31	·49	✕		✕	·05	✕	·08	-	✕	✗	✕	·075		31
TOTAL	2·80	2·085	·62	1·375	1·12	3·965	5·78	·4	2·845	2·01	2·335	1·755	Year's Total. 27·09.	✓
* Days with .01 in. or more.	20	18	12	12	6	20	20	7	15	15	17	20	182	✓
* Days with .04 in. or more.	16	10	6	7	5	14	17	4	10	9	8	12	118	✓

40-9999

† Spare column, no entries required.

(*Signed*) Norman G Myers

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Cambridge

in the County of Cambridgeshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 47 ft.

comp for B.A.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·195	–	–	–	–	–	–	–	·01	–	·75	·32		1
2	~~·005~~ ·01	·03	·32	–	–	–	–	–	·04	–	~~·005~~ ·01	·06		2
3	~~·005~~ ·01		–	–	–	–	–	–	–	–	~~·005~~	·01		3
4	·06	·3	–	~~·005~~	–	–	–	·06	·02	–	–	·62		4
5	·13	·03	·135	–	–	–	·02	–	–	–	–	–		5
6	·03	–	–	~~·025~~ ·03	·075	–	·185	–	–	–	·025	–		6
7	–	·38	·83	·06	·035	–	·02	–	–	–	·01	–		7
8	–	·04	–	–	–	~~·055~~ ·06	–	–	–	–	·23	·08		8
9	·015	–	–	·28	·42	–	·17	–	·09	–	–	~~·105~~ ·11		9
10	·02	–	·44	·18	~~·045~~ ·05	·24	·05	·015	–	–	~~·035~~ ·04	·12		10
11	–	–	·2	–	~~·305~~ ·31	·015	–	–	–	~~·015~~ ·02	~~·015~~ –	~~·085~~ ·09		11
12	·06	·34	·18	–	·21	·18	–	·01	·22	·01	–	·015		12
13	·11	·01	·24	·12	·02	·44	–	·41	·22	–	–	·59		13
14	·02	~~·015~~ ·01	·59	–	–	–	–	·43	·02	–	–	–		14
15	·015	~~·045~~ ·05	·02	·18	–	·03	1·2	–	·1	–	·01	·06		15
16	·17	·1	·14	·24	–	–	–	·04	·01	–	–	·05		16
17	·15	–	·21	·57	–	·11	–	–	·76	–	·09	–		17
18	~~·535~~ ·54	·095	~~·025~~ ·03	·08	·19	–	–	–	·26	–	–	·01		18
19	·035	·1	·07	·05	·02	·3	–	–	·6	·015	·12	–		19
20	~~·115~~ ·12	–	·05	~~·415~~ ·42	·71	·05	–	–	–	·01	–	–		20
21	·05	·28	·13	·03	–	–	·15	·01	–	–	·01	–		21
22	·22	–	–	–	–	·04	·02	–	–	·47	·22	·04		22
23	·25	–	·14	–	–	–	4 ·14	–	–	~~·485~~ ·49	·01			23
24	·30	·2	·01	–	·01	–	4	–	·1	·055	–	–		24
25	·05	·38	–	–	·36	–	–	–	~~·025~~ ·03	·25	–	·02		25
26	–	~~·145~~ ·15	·07	–	·04	–	–	–	–	·06	·01	–		26
27	–	·15	·01	·20	–	–	–	–	·01	·745	~~·005~~	–		27
28	–	·01	–	·01	–	–	–	–	–	·05	–	·055		28
29	·10	×	–	–	–	–	–	–	–	·02	·04	–		29
30	·15	×	–	–	–	·01	–	–	–	–	·16	–		30
31	·20	×	–	×	–	×	–	–	×	~~·095~~ ·10	×	·06	27·53 ins	31
TOTAL	2·79	~~2·7~~ 2·65	~~3·52~~ 3·81	~~2·765~~ 2·45	2·44	1·47	1·955	·975	2·4~~8~~9	2·28	1·735	2·31	Year's Total ~~27·625~~	
* Days with .01 in. or more.	25	18	19	14	13	11	10	7	15	13	15	17	177	
* Days with .04 in. or more.	17	13	15	11	9	8	7	4	9	8	8	13	122	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Norman L Myres

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Cambridge

in the County of Cambridgeshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 47 ft.

Annual Total corr. for arith. IR

✓ WESR.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	—	—	—	—	·065	—	—	·03	·02	·005	·01		1
2	·32	—	—	·02	·04	·2	·1	—	—	·12	—	·04		2
3	·02	—	—	—	·14	·01	·165	—	·07	·4	·01	—		3
4	·065	—	—	—	—	·02	—	—	—	·26	—	·08		4
5	·01	—	—	—	—	—	·06	—	·04	·05	·01	—		5
6	·025	—	—	—	—	—	·05	·01	·25	·05	—	—		6
7	·09	—	—	—	—	—	·06	·48	·03	·25	—	·01		7
8	·13	—	—	—	—	·01	·33	·02	—	·12	—	—		8
9	·05	·005	—	—	—	—	·075	·02	—	—	—	✓		9
10	·47	·01	—	—	—	·005	·06	·335	—	—	—	✓ ·26		10
11	✓	—	—	—	—	—	—	·26 ✓	—	—	·055	·02		11
12	·08	·07	—	—	—	—	—	✓	—	·36	—	·02		12
13	·005	·08	—	—	—	—	—	·03	—	—	·015	·045		13
14	·065	·04	—	—	·18	—	—	—	—	—	—	·01		14
15	·045	—	—	—	—	—	·055	—	·155	·06	—	✓ ·44		15
16	·14	—	—	—	—	—	·07	—	—	·055	·035	✓		16
17	—	·05	—	—	·46	—	·14	—	—	·03	—	—		17
18	·02	—	—	—	·36	—	—	—	✓	—	·23	—		18
19	—	—	—	·01	·04	—	—	·005	·08 ✓	—	·1	—		19
20	—	—	—	—	—	—	—	·05	·015	—	·305	✓		20
21	—	—	—	—	—	—	—	·75	·01	—	—	·66 ✓		21
22	·01	—	—	·01	—	·09	—	—	—	—	·18	·21		22
23	—	—	—	·065	—	—	—	—	—	—	—	—		23
24	—	·005	·135	·04	·02	—	—	—	1·16	—	·06	—		24
25	✓	·075	·145	·05	·03	—	·01	—	·03	·015	·38	✓		25
26	·19 ✓	·1	·16	·005	—	—	—	·03	·13	·21	—	·27 ✓		26
27	·1	·05	—	—	·02	·22	·18	·07	1·3	·27	·38	—		27
28	·16	·01	—	—	·38	·045	—	·12	✓ ·08	—	·015	—		28
29	·59	—	—	·02	·265	—	—	—	—	—	·04	·21		29
30	—	✕	—	·01	—	—	—	—	·035	·04	·02	·06		30
31	·155	✕	—	✕	·14	✕	—	—	✕	·17	✕	·44		31
TOTAL	2·76	·49~~5~~	·44	·23	2·07~~5~~	·6~~6~~5 7	1·33~~5~~	1·58	3·4~~15~~	2·48	1·84	2·7~~85~~ 9	Year's Total ~~20·12~~	20·09
* Days with .01 in. or more.	~~21~~ 22	9	3	8	12	8	13	~~12~~ 14	16 ~~15~~	17	15	20 ~~16~~	~~149~~	157
* Days with .04 in. or more.	~~15~~ 16	7	3	3	9	5	12	~~7~~ 8	~~9~~ 10	14	9	13 ~~11~~	~~104~~	109

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Norman G. Myers

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1701

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Cambridge

in the County of Cambridgeshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level 47 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·005	·19	·165	–	·22	–	·63	·01	–	–		1
2	·09	–	–	·01	–	–	·02	✗	·68	·02	·025	–		2
3	·45	–	–	·08	–	–	–	·70 ✗	–	–	·2	– ✗		3
4	·12	–	·09	·29	–	–	·02	·40	–	·06	·04	– ✓		4
5	–	–	–	·62	–	–	–	1·5	–	–	✗	✗		5
6	·4	–	–	·01	–	–	·055	–	–	·05	·105	·33		6
7	·07	·04	–	–	·02	–	–	–	–	·1	·05	·11		7
8	–	·02	·11	–	–	–	·05	·28	–	–	–	·39		8
9	·025	·09	–	–	–	–	–	·05	–	✗	·03	·2		9
10	·15	–	–	–	–	·34	–	·24	·02	·55	–	–		10
11	–	–	·36	–	–	·025	–	–	·07	·03	–	–		11
12	·005	–	–	–	–	·18	–	–	·1	–	–	–		12
13	–	–	·02	–	–	–	·02	–	·08	·5	–	–		13
14	·34	–	–	–	·18	·015	–	–	·085	·32	·17	·01		14
15	·23	–	·04	·01	·64	·18	–	–	·145	·68	–	–		15
16	·14	–	·04	·1	·08	·11	– ✗	–	–	·11	·28	–		16
17	·06	·02	–	·24	–	–	·815	–	–	·08	–	–		17
18	·11	–	·05	–	–	·14	·16	–	·09	·16	·76	–		18
19	·22	–	·02	–	–	·36	·06	–	–	·13	–	·03		19
20	·035	–	–	–	–	✓	·12	·145	–	–	–	–		20
21	·15	–	·36	–	–	·045	·03	–	·1	–	–	–		21
22	·065	·055	·09	–	–	·01	–	·055	–	–	·1	–		22
23	·05	–	–	·08	–	·01	·01	–	–	·07	·55	–		23
24	·085	–	·13	–	–	·01	·04	·01	–	–	–	–		24
25	1·18	·175	·195	·07	–	·135	·05	–	–	–	·28	·04		25
26	·30	–	·02	–	–	–	–	–	–	–	–	·04		26
27	·005	–	·11	✗	–	–	·03	–	–	·52	·38	–		27
28	·01	·125	·09	·07	–	–	–	·01	–	·35	·1	·03		28
29	–	✗	–	·45	–	–	·055	·09	–	·16	·01	–		29
30	–	▨	–	·68	–	·39	–	–	–	–	·015	–		30
31	–	▨	–	▨	–	▨	·07	·01	▨	–	▨	–		31
TOTAL	4·29 4·29	·50 ·505	1·73 1·73	2·90 2·90	1·09 1·085	1·95 1·95	1·83 1·815	3·49 3·49	2·00 2·0	3·90 3·9	2·59 2·595	1·18 1·18	Year's Total 27.45	
* Days with .01 in. or more.	23	7	16	14	5	15	18	13	10	18	16	11	166	
* Days with .04 in. or more.	19	5	12	11	4	8	12	10	9	15	13	7	124	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Norman G. Myers

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 1201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at 16 Barrow Road Cambridge

in the County of Cambridgeshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level 47 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	–	–	–	·08	–		1
2	–	·01	–	·11	–	–	·01	–	–	·04	·8	–		2
3	–	·25	–	·16	–	–	–	–	–	·14	·55	·055		3
4	–	·14	–	·025	–	–	–	–	–	·17	·985	·045		4
5	–	·06	–	–	–	–	·025	–	–	·02	·255	–		5
6	·15	·195	–	–	·07	–	·37	–	–	·12	·13	·025		6
7	·31	·08	–	–	·04	–	·02	–	–	–	–	·035		7
8	·01	·01	–	–	–	–	·01	–	–	·05	–	·21		8
9	–	–	·06	·02	–	–	–	–	–	·04	–	·2		9
10	–	–	–	·05	–	·015	·695	–	–	·08	·245	·125		10
11	–	–	–	–	–	–	–	–	–	–	·7	·025		11
12	–	·05	·03	–	–	–	·01	–	·055	–	·02	–		12
13	–	·02	·62	–	–	–	–	–	·06	–	1·13	–		13
14	–	–	·48	·15	·09	–	–	–	–	–	·01	·21		14
15	–	–	·06	·03	–	·125	·14	–	–	–	·08	·01		15
16	·07	·15	·18	–	–	–	·51	–	·055	·3	·39	–		16
17	–	–	–	–	–	–	–	–	–	–	·055	–		17
18	–	·4	·5	·3	–	–	·25	·05	–	·04	·01	·12		18
19	–	·19	·14	·125	–	–	·02	–	·25	·01	·09	·055		19
20	–	·01	·01	·025	–	–	·11	·04	–	–	·025	–		20
21	·06	·015	–	–	–	–	·02	–	–	·09	·33	–		21
22	–	–	·03	–	·13	·22	–	–	·38	–	·03	–		22
23	–	·29	–	–	·06	–	–	–	–	·01	·01	·01		23
24	–	–	–	·205	–	–	·13	–	–	–	–	–		24
25	–	–	·26	–	–	–	·13	–	–	–	–	–		25
26	·36	·02	·365	–	·265	–	·28	–	–	–	–	–		26
27	·06	·05	–	·01	·19	–	·15	·03	–	–	–	–		27
28	–	·095	·015	–	·135	–	–	–	–	–	–	–		28
29	–	–	·12	–	·42	–	–	–	–	–	–	·26		29
30	·05	×	–	·095	–	–	–	–	–	·12	–	·08		30
31	·04	×	–	×	–	×	–	–	×	·385	×	–		31
TOTAL	1·11	2·035	2·87	1 1·305	1·40	·36	2·88	·12	·8	1·615	3 5·925	7 1·465	Year's Total 21·8859	
* Days with .01 in. or more.	9	18	14	13	9	3	17	3	5	15	20	15	141	
* Days with .04 in. or more.	8	12	10	8	9	2	10	2	5	12	14	10	102	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

CAMBRIDGE /33, BARROW R

1201/1
CAMBRIDGE
BARROW RD.
1938-40

780211

Section **A** for the entry of Dai
AIR MINISTRY.—

Station No. 1201/1
INFALL ORGANIZATION

FORM 1090

REGIST 1938

Kept at 33 Barrow Road, C
in the County of Cambs
Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

1370 - 1/1/38

942739/29

THE MORNING MEASUREME VIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	Trace	·07	—	—	·03	—	—	·02		1
2	·31	—	—	·02	·06	·19	·10	—	—	·13	Trace	·03		2
3	Trace	—	—	—	·10	·01	·16	—	·07	·39	—	—		3
4	·04	—	—	—	—	·02	—	—	—	·25	—	·08		4
5	·01	—	—	—	—	—	·07	—	·04	·06	—	—		5
6	·03	—	—	—	—	—	·05	·01	·25	·08	—	—		6
7	·09	—	—	—	—	—	·06	·48	·03	·22	—	—		7
8	·12	—	—	—	—	·01	·32	·02	—	·12	—	·02		8
9	·05	Trace	—	—	—	—	·07	·02	—	—	—	·22		9
10	·01	Trace	—	—	—	Trace	·06	·33	Trace	—	—	·03		10
11	·46	—	—	—	—	—	—	·26	—	—	·06	·02		11
12	·06	·09	—	—	Trace	—	Trace	·03	—	·36	—	—		12
13	Trace	·09	—	—	—	—	—	—	—	—	Trace	·05		13
14	·06	·01	—	—	·18	—	—	—	·17	—	—	·02		14
15	·03	—	—	—	—	—	·06	—	—	·06	Trace	·08		15
16	·15	—	—	—	—	—	·08	—	—	·05	·02	·34		16
17	Trace	·05	—	—	·47	—	·14	—	Trace	·02	Trace	—		17
18	·02	—	—	—	·30	—	—	Trace	·03	—	·22	—		18
19	—	Trace	—	·01	·05	—	—	Trace	·06	—	·10	—		19
20	—	—	—	—	—	—	—	·06	·01	—	·31	·06*		20
21	—	—	—	—	—	—	—	·13	Trace	—	·01	·48*		21
22	—	—	—	·01	—	·08	—	Trace	—	—	·16	·16*		22
23	—	—	—	·05	—	—	—	—	—	—	—	—		23
24	—	—	·13	·03	·01	—	—	—	1·12	—	·06	—		24
25	·09	·08	·15	·04	·02	—	·01	—	·03	·03	·38	·18*		25
26	·11	·10	·14	·01	—	Trace	—	·03	·13	·20	—	·07*		26
27	·11	·05	—	—	·02	·22	·18	·01	1·33	·22	·37	—		27
28	·17	Trace	—	Trace	·37	·05	—	·12	·08	—	·03	—		28
29	·60	✕	—	·02	·25	—	—	—	—	—	·01	·21		29
30	Trace	✕	—	Trace	—	—	—	—	·05	·04	·01	·05*		30
31	·14	✕	—	✕	·14	✕	—	—	✕	·16	✕	·45		31
TOTAL	2·66	·47	·42	·19	1·97	·65	1·36	1·50	3·43	2·39	1·74	2·57	Year's Total 19·35	
* Days with .01 in. or more.	20	7	3	8	12	8	13	12	15	16	13	19	146	
* Days with .04 in. or more.	15	6	3	2	9	5	12	6	10	14	8	13	103	

Print
QB
23/3/39

REV H. C. NEWBERY

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H.C. Newbery [P.T.O.

* Snow in Funnel of gauge - melted.

CAMBRIDGE / 33, BARROW R

Section A for the entry of Daily Observations

Station No. 1201/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

moved from 1370. – 1/1/38

Kept at 33 Barrow Road, Cambridge

in the County of Cambs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ? 45 ft. est'd from O. Survey map.

942739/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	trace	·07	—	—	·03	—	—	·02		1
2	·31	—	—	·02	·06	·19	·10	—	—	·13	trace	·03		2
3	trace	—	—	—	·10	·01	·16	—	·07	·39	—	—		3
4	·04	—	—	—	—	·02	—	—	—	·25	—	·08		4
5	·01	—	—	—	—	—	·07	—	·04	·06	—	—		5
6	·03	—	—	—	—	—	·05	·01	·25	·08	—	—		6
7	·09	—	—	—	—	—	·06	·48	·03	·22	—	—		7
8	·12	—	—	—	—	·01	·32	·02	—	·12	—	·02		8
9	·05	trace	—	—	—	—	·07	·02	—	—	—	·22		9
10	·01	trace	—	—	—	trace	·06	·33	trace	—	—	·03		10
11	·46	—	—	—	—	—	—	·26	—	—	·06	·02		11
12	·06	·09	—	—	trace	—	trace	·03	—	·36	—	—		12
13	trace	·09	—	—	—	—	—	—	—	—	trace	·05		13
14	·06	·01	—	—	·18	—	—	—	·17	—	—	·02		14
15	·03	—	—	—	—	—	·06	—	—	·06	trace	·08		15
16	·15	—	—	—	—	—	·08	—	—	·05	·02	·34		16
17	trace	·05	—	—	·47	—	·14	—	trace	·02	trace	—		17
18	·02	—	—	—	·30	—	—	trace	·03	—	·22	—		18
19	—	trace	—	·01	·05	—	—	trace	·06	—	·10	—		19
20	—	—	—	—	—	—	—	·06	·01	—	·31	·06*		20
21	—	—	—	—	—	—	—	·13	trace	—	·01	·48*		21
22	—	—	—	·01	—	·08	—	trace	—	—	·16	·16*		22
23	—	—	—	·05	—	—	—	—	—	—	—	—		23
24	—	—	·13	·03	·01	—	—	—	1·12	—	·06	—		24
25	·09	·08	·15	·04	·02	—	·01	—	·03	·03	·38	·18*		25
26	·11	·10	·14	·01	—	trace	—	·03	·13	·20	—	·07*		26
27	·11	·05	—	—	·02	·22	·18	·01	1·33	·22	·37	—		27
28	·17	trace	—	trace	·37	·05	—	·12	·08	—	·03	—		28
29	·60	✕	—	·02	·25	—	—	—	—	—	·01	·21		29
30	trace	✕	—	trace	—	—	—	—	·06	·04	·01	·05*		30
31	·14	✕	—	✕	·14	✕	—	—	✕	·16	✕	·45		31
TOTAL	2·66	·47	·42	·19	1·97	·66	1·36	1·50	3·43	2·39	1·74	2·57	Year's Total 19·35	
* Days with .01 in. or more.	20	7	3	8	12	8	13	12	15	16	13	19	146	
* Days with .04 in. or more.	15	6	3	2	9	5	12	6	10	14	8	13	103	

✓ Print ✓ GB ✓ 23/3/39

REV H. C. NEWBERY

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. C. Newbery [P.T.O.

* Snow in Funnel of gauge – melted.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1201/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at 33 Barrow Road

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 47 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	—	—	·19	·06	—	·23	—	·63	—	—	—		1
2	·04	—	—	·01	—	—	·02	·30	·68	·02	·02	—		2
3	·43*	—	—	·08	—	—	—	·38	trace	—	·19	·21		3
4	·10	—	·08	·29	—	—	—	·61	—	·07	·03	·03		4
5	—	—	—	·61	trace	—	·02	1·45	—	·04	·09	·10		5
6	·40	—	—	·01	—	—	·05	—	—	—	—	—		6
7	·10	·03	—	—	·02	—	·02	·01	—	·11	·04	·13		7
8	—	·02	·11	—	—	—	·03	·27	—	·08	·02	·34		8
9	·02	·05	—	—	trace	—	—	·05	—	·49	trace	·19		9
10	·15	—	—	—	—	·32	—	·22	·02	trace	—	—		10
11	—	—	·34	—	trace	·03	—	·01	·06	·03	—	—		11
12	—	—	—	—	·02	·16	—	—	·10	—	—	—		12
13	—	—	·02	trace	—	·02	·05	—	·07	·65	—	—		13
14	·33	—	·01	—	·17	—	trace	—	·09	·15	·16	trace		14
15	·22	—	·05	trace	·62	·21	—	—	·06	·71	·03	—		15
16	·14	—	·04	·11	·04	·08	·07	—	—	·12	·24	—		16
17	·06	·01	·01	·24	·07	—	·81	—	—	·07	—	—		17
18	·10	—	·03	—	—	·13	·10	—	·09	·23	·68	trace		18
19	·23	—	·02	—	—	·26	·07	—	trace	·05	—	·02		19
20	·07	—	—	—	—	·12	·13	·13	—	—	—	·01		20
21	·12	—	·35	—	—	·04	·04	—	·10	·01	—	—		21
22	·07	·06	·08	—	—	—	—	—	·06	trace	·10	—		22
23	·04	—	—	·08	—	·03	·01	—	—	·06	·52	·02		23
24	·08	—	·15	trace	—	trace	·04	—	·01	—	—	—		24
25	1·16	·14	·19	·07	—	·13	·04	—	—	—	·25	trace		25
26	·28	—	·02	·01	—	—	—	—	—	·28	·34	·05		26
27	—	trace	·11	·06	—	—	·03	—	trace	·27	·04	—		27
28	·02	·11	·09	trace	—	—	trace	·01	—	·35	·09	·01		28
29	—	×	—	·42	—	—	·05	·09	—	·20	—	—		29
30	—	×	—	·72	—	·43	—	—	—	—	·01	trace		30
31	—	×	—	×	—	×	·07	·01	×	—	×	—		31
TOTAL	4·21	·42	1·70	2·90	1·00	1·96	1·88	3·54	1·97	3·99	2·85	1·11	Year's Total 27·53	✓
* Days with .01 in. or more.	22	7	17	14	7	13	19	13	12	20	17	11	172	✓
* Days with .04 in. or more.	20	4	11	11	5	10	13	9	10	17	12	6	128	✓

* melted snow

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

File No. 942739/39

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1201/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at 33 Barrow Road

in the ~~County of~~ Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	Trace	—	—	—	—	—	—	—	—	·07	·02		1
2	—	·01*	—	·14	—	—	Trace	—	—	·09	·78	—		2
3	—	·25	—	·11	—	—	—	—	—	·07	·85	·04		3
4	—	·14	—	·02	—	—	—	—	—	·16	·66	·04		4
5	—	·06	—	—	—	—	·03	—	—	·01	·23	—		5
6	—	·19	—	—	·07	—	·36	—	—	·12	·09	—		6
7	·46	·07	—	—	·04	—	·02	—	—	—	—	·06		7
8	—	—	—	Trace	—	—	·01	—	Trace	·06	—	·21		8
9	—	—	·06	·01	—	—	·01	—	—	·03	·04	·19		9
10	—	—	—	—	—	·02	·68	Trace	Trace	·08	·19	·12		10
11	—	—	Trace	·04	—	Trace	—	—	—	—	·67	—		11
12	—	·05*	·03	—	—	—	·01	—	·05	—	·02	—		12
13	—	·02*	·62*	—	—	—	Trace	—	·06	—	1·14	—		13
14	—	—	·48*	·14	·09	—	—	—	—	Trace	—	·24		14
15	·03	—	·06	·03	—	·15	·10	—	—	—	·07	·01		15
16	·07*	·15*	·18	—	—	—	·48	—	·05	·29	·39	—		16
17	—	—	·49	—	—	—	·01	—	—	—	·07	—		17
18	·01*	·40	·16	·29	—	—	·25	·05	—	·04	Trace	·11		18
19	—	·19	·14	·12	—	—	·02	—	·24	—	·09	·04		19
20	—	·01	—	·02	—	·02	·10	·04	—	—	Trace	—		20
21	·06*	—	—	—	—	—	·02	—	—	·08	·35	—		21
22	—	—	·03	—	·13	·21	—	—	·37	·01	—	—		22
23	—	·30	Trace	·07	·06	—	—	—	—	—	·01	—		23
24	—	—	—	·13	—	—	·13	—	—	—	—	—		24
25	—	—	·30	—	—	—	·12	—	—	—	—	—		25
26	·36*	·02	·33	Trace	·26	Trace	·28	—	—	—	Trace	—		26
27	·06*	·02	·02*	·01	·17	—	·10	·03	—	—	—	—		27
28	—	·09	—	—	·15	—	Trace	—	Trace	Trace	—	—		28
29	—	—	·11	—	·51	—	—	—	Trace	—	—	·24		29
30	·04*	✕	—	·09	—	—	—	—	—	·11	—	·09		30
31	·03*	✕	—	✕	—	✕	—	—	✕	·38	✕	·01		31
TOTAL	1·12	1·97	3·01	1·22	1·48	·40	2·73	·12	·77	1·53	5·72	1·42	Year's Total 21·49	
* Days with .01 in. or more.	9	16	14	14	9	4	18	3	5	14	17	14	137	
* Days with .04 in. or more.	6	11	11	9	9	2	10	2	5	11	15	11	102	

* Melted Snow

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. C. Newbery

[P.T.O.

1202

Section **A** for the entry of Dail

AIR MINISTRY.—M

FORM 1090.

REGISTE

1202

CAMBRIDESHIRE

CORPORATION STORE YARD

1931 – 1940

Y80211

931 .

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

Kept at Corporation St

in the County of Cambrid

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·01	-	·04	·04	-	-	-	·06	-	-	-	1
2	·14	·07	-	·13	·49	·01	-	-	·46	-	-	·05	2
3	-	-	-	·11	·39	-	-	·06	1·12	-	-	·05	3
4	-	-	-	·09	-	-	·01	·30	·04	-	·08	-	4
5	-	-	-	·01	·01	·40	·01	·57	·43	-	-	·41	5
6	-	·03	-	-	-	·12	-	-	-	·19	·34	-	6
7	-	·08	-	-	-	·01	·09	·44	-	·01	·02	·01	7
8	·07	·12	·04	-	-	·18	-	·28	-	-	-	-	8
9	-	·05	·10	·06	-	·23	-	·02	-	-	·22	·02	9
10	-	·06	·01	-	-	·01	-	·14	-	-	·13	-	10
11	·16	·08	-	-	-	-	-	-	·04	-	·01	-	11
12	-	·01	-	-	-	-	·02	-	·17	-	-	-	12
13	·02	-	-	-	-	-	·21	·03	-	-	-	-	13
14	·04	·11	-	-	·02	-	·75	·26	-	-	-	-	14
15	·06	·04	-	·22	·20	-	·22	·36	-	-	-	·02	15
16	-	·18	-	·07	·25	·01	-	·02	·11	-	-	-	16
17	-	·02	-	·25	·48	-	·10	-	·03	-	-	-	17
18	-	·05	-	·21	-	·08	·04	·15	-	-	·49	-	18
19	·03	-	-	·37	-	·33	·11	-	·02	-	-	-	19
20	-	-	-	·03	-	-	·39	·14	-	-	-	-	20
21	·03	-	-	-	·42	-	-	-	·01	-	-	-	21
22	·05	-	-	-	-	-	-	-	·06	-	·01	-	22
23	·13	·01	-	-	·37	·23	-	-	·02	-	·06	·03	23
24	-	-	-	·29	·10	-	·03	-	·04	·01	-	-	24
25	·03	-	-	·32	·06	-	·60	-	·04	·02	·02	-	25
26	-	-	-	·32	-	-	·48	-	·02	-	·15	-	26
27	·13	·53	-	-	-	-	·21	-	-	-	·22	-	27
28	·18	·44	-	·06	-	-	-	-	-	-	-	·18	28
29	·30	×	-	·12	-	-	·09	-	-	·24	-	·04	29
30	·04	×	-	-	·09	-	·01	·02	-	-	·01	-	30
31	·07	×	-	×	-	×	-	-	×	-	×	-	31
TOTAL	1·48	1·89	·15	2·70	2·92	1·61	3·37	2·79	2·67	·47	1·76	·81	YEAR'S TOTAL 22·62
*Days with ·01 in. or more.	16	17	3	17	13	11	17	~~13~~ 14	16	5	13	9	151
*Days with ·04 in. or more.	12	12	2	15	11	7	12	10	11	2	8	5	107

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W Teasdale

P.T.O.

1202

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Corporation Storeyard
in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 ins
Height of top of Gauge above Ground 1 ft 8 ins
" Ground " Sea Level 52·36 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·01	-	·04	·04	-	-	-	·06	-	-	-	1
2	·14	·07	-	·13	·49	·01	-	-	·46	-	-	·05	2
3	-	-	-	·11	·39	-	-	·06	1·12	-	-	·05	3
4	-	-	-	·09	-	-	·01	·30	·04	-	·08	-	4
5	-	-	-	·01	·01	·40	·01	·57	·43	-	-	·41	5
6	-	·03	-	-	-	·12	-	-	-	·19	·34	-	6
7	-	·08	-	-	-	·01	·09	·44	-	·01	·02	·01	7
8	·07	·12	·04	-	-	·18	-	·28	-	-	-	-	8
9	-	·05	·10	·06	-	·23	-	·02	-	-	·22	·02	9
10	-	·06	·01	-	-	·01	-	·14	-	-	·13	-	10
11	·16	·08	-	-	-	-	-	-	·04	-	·01	-	11
12	-	·01	-	-	-	-	·02	-	·17	-	-	-	12
13	·02	-	-	-	-	-	·21	·03	-	-	-	-	13
14	·04	·11	-	-	·02	-	·75	·26	-	-	-	-	14
15	·06	·04	-	·22	·20	-	·22	·36	-	-	-	·02	15
16	-	·18	-	·07	·25	·01	-	·02	·11	-	-	-	16
17	-	·02	-	·25	·48	-	·10	-	·03	-	-	-	17
18	-	·05	-	·21	-	·08	·04	·15	-	-	·49	-	18
19	·03	-	-	·37	-	·33	·11	-	·02	-	-	-	19
20	-	-	-	·03	-	-	·39	·14	-	-	-	-	20
21	·03	-	-	-	·42	-	-	-	·01	-	-	-	21
22	·05	-	-	-	-	-	-	-	·06	-	·01	-	22
23	·13	·01	-	-	·37	·23	-	-	·02	-	·06	·03	23
24	-	-	-	·29	·10	-	·03	-	·04	·01	-	-	24
25	·03	-	-	·32	·06	-	·60	-	·04	·02	·02	-	25
26	-	-	-	·32	-	-	·48	-	·02	-	·15	-	26
27	·13	·53	-	-	-	-	·21	-	-	-	·22	-	27
28	·18	·44	-	·06	-	-	-	-	-	-	-	·18	28
29	·30	X	-	·12	-	-	·09	-	-	·24	-	·04	29
30	·04	X	-	-	·09	-	·01	·02	-	-	·01	-	30
31	·07	X	-	X	-	X	-	-	X	-	X	-	31
TOTAL	1·48	1·89	·15	2·70	2·92	1·61	3·37	2·79	2·67	·47	1·76	·81	YEAR'S TOTAL 22·62
*Days with ·01 in. or more.	16	17	3	17	13	11	17	~~13~~ 14	16	5	13	9	151
*Days with ·04 in. or more.	12	12	2	15	11	7	12	10	11	2	8	5	107

40-9999

(*Signed*) W Teasdale

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Corporation Storeyard

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft. 8 ins

,, Ground ,, Sea Level 52·36 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·02	-	·11	·32	·03	·12	·17	·07	·47	·01	·03	1
2	-	-	-	·10	·20	-	-	-	·15	·05	·01	·13	2
3	-	-	-	·40	·26	-	-	-	·02	·01	-	-	3
4	-	-	-	-	-	-	·02	·10	-	-	·22	-	4
5	·12	-	·01	·01	·02	·01	·17	-	·04	-	-	·01	5
6	·23	-	-	·14	-	-	·01	-	·21	-	-	-	6
7	·01	-	·16	·04	-	-	·03	-	-	-	-	-	7
8	-	·01	-	·07	-	-	-	-	·01	·23	·02	-	8
9	·02	tr	·01	·01	·42	-	-	-	-	·22	-	-	9
10	·01	tr	-	·07	·02	-	-	-	} ·11	-	-	-	10
11	-	tr	·02	-	·10	-	·01	·13	}	·05	·05	-	11
12	·02	-	-	·02	·10	-	-	-	-	·35	·03	-	12
13	·01	-	-	·09	-	-	·07	-	·01	·01	·04	·01	13
14	·11	·06	-	·06	-	-	·12	·02	-	·01	·02	-	14
15	-	·01	-	·03	·02	-	·10	·01	-	·15	-	-	15
16	·13	-	-	·15	·75	-	-	-	-	-	-	-	16
17	-	-	-	·01	-	-	·17	-	-	·01	-	-	17
18	-	-	-	-	-	-	·04	-	·60	-	·03	-	18
19	-	·01	-	-	-	-	-	-	·02	·13	-	-	19
20	-	-	-	·02	·31	-	·15	} 1·22	-	·37	·05	-	20
21	-	·01	·10	·22	·56	-	·01	}	-	·25	-	-	21
22	-	-	·38	·01	·04	-	·22	-	·22	·04	·29	-	22
23	-	·13	-	-	·03	-	-	-	·06	·38	·04	-	23
24	-	-	-	-	-	-	·27	-	·02	-	·43	-	24
25	-	-	-	-	·03	-	·13	-	·07	·31	·03	·02	25
26	-	·01	-	·40	·30	-	·40	-	·20	-	-	-	26
27	-	-	·14	·10	·42	-	·18	-	·01	-	·17	-	27
28	-	-	·24	-	·41	·01	·20	-	-	·18	-	-	28
29	-	-	·03	-	·07	·03	-	·64	·01	·16	-	-	29
30	-	×	·06	·12	-	·44	-	·19	·05	·13	·13	·11	30
31	·01	×	·12	×	·02	×	·01	·04	×	-	×	-	31
TOTAL	0·72	0·26	1·27	2·18	4·40	0·52	2·43	2·52	1·88	3·51	1·57	0·31	YEAR'S TOTAL 21·57
*Days with ·01 in. or more.	11	8	11	21	20	5	20	10	18	20	16	6	166
*Days with .04 in. or more.	5	2	7	14	14	1	14	8	11	16	9	2	103

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Corporation Store Yard

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level 52·36 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·11	-	-	-	-	-	-	-	·13	-	1
2	·10	-	·14	-	·10	-	-	-	-	-	-	-	2
3	-	·28	·04	-	·01	-	-	-	-	-	-	-	3
4	-	-	·09	-	·03	-	-	-	-	-	·11	-	4
5	·01	-	·04	-	·28	-	-	-	-	-	-	-	5
6	-	·04	·09	-	·58	-	-	-	-	·02	·05	·02	6
7	·15	·04	-	-	·13	-	01	-	-	·08	·01	·01	7
8	·04	-	·05	-	·01	-	·16	-	-	·03	-	-	8
9	-	-	-	-	·05	-	·18	-	-	-	·18	-	9
10	-	-	-	-	-	29	·09	-	-	·05	·03	-	10
11	·09	-	-	-	-	·07	·02	·25	-	-	·07	-	11
12	-	-	-	·11	-	·16	·02	-	·23	-	-	-	12
13	·02	-	-	-	·03	·03	·16	-	·02	-	·21	-	13
14	-	-	-	-	·10	-	-	·05	-	·14	·21	-	14
15	·20	-	·01	-	-	-	·11	·02	-	·01	·12	-	15
16	·18	-	·42	-	07	·16	·12	-	-	-	·06	-	16
17	·04	-	·17	-	-	·14	-	-	·15	-	·02	-	17
18	-	·10	·01	-	-	·07	-	-	-	-	-	-	18
19	-	·06	·18	·02	-	·16	-	-	·26	-	·01	-	19
20	-	·01	·01	·15	-	·35	-	-	-	-	·02	-	20
21	-	·01	-	-	-	·03	-	·09	·39	·01	-	-	21
22	-	-	-	-	-	·33	-	·63	-	12	·01	-	22
23	-	-	-	·11	·02	-	-	-	·43	-	-	-	23
24	-	·21	-	·10	·29	·14	-	-	·19	-	·06	-	24
25	-	·18	-	·32	·06	·03	-	-	-	·02	02	·13	25
26	-	·33	-	·04	-	-	-	-	·12	·07	-	-	26
27	-	-	-	·01	-	-	-	-	·02	·08	-	-	27
28	-	-	-	·02	·02	-	-	-	-	·62	-	·02	28
29	-	-	-	40	·01	-	-	-	-	·27	-	-	29
30	·19	×	-	-	-	-	·01	-	·02	·02	-	·09	30
31	·02	×	·28	×	-	×	-	-	×	-	×	-	31
TOTAL	1·04	1·26	1·64	1·28	1·79	1·96	·88	1·04	1·83	1·54	1·32	·27	YEAR'S TOTAL 15·85
*Days with ·01 in. or more.	11	10	14	10	16	13	10	5	10	14	17	5	135
*Days with .04 in. or more.	8	8	11	7	9	10	6	4	7	8	10	2	90

40-9999

*See Instruction 2 (*f*) on other side, D

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Corporation: Store Yard

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft 8 ins

,, Ground ,, Sea Level 52·36 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	–	–	–	–	–	–	·26	–	–	·02	·41		1
2	·06	–	·08	–	–	–	–	–	·52	·08	–	·15		2
3	·02	·03	–	·04	–	–	–	–	–	·41	–	·01		3
4	·09	·02	·06	–	–	–	–	–	–	·09	·08	·18		4
5	–	–	·06	–	–	–	–	–	–	–	·03	·16		5
6	–	–	·11	·01	·24	·10	–	·01	–	·11	·01	·28		6
7	·04	–	–	–	–	·03	–	·01	–	·01	–	·03		7
8	–	–	–	–	·10	–	–	·07	–	–	·11	·01		8
9	–	–	·01	·05	–	–	–	·10	–	–	·28	·23		9
10	–	–	·06	·05	–	–	–	·03	–	·01	·36	·01		10
11	·09	–	·21	–	–	–	–	·10	–	–	·03	·11		11
12	–	–	·11	–	–	–	·05	·17	–	–	·03	·02		12
13	·11	–	·01	–	–	–	·26	·11	–	–	·01	·02		13
14	–	–	·12	–	–	·02	–	·03	–	·10	·32	·12		14
15	–	–	·05	–	·04	–	–	–	·43	·04	·13	·01		15
16	·12	·01	·04	–	·06	–	–	–	–	·03	–	·04		16
17	·04	–	–	–	·01	–	–	–	–	·04	·03	·09		17
18	·01	–	–	·23	–	–	·07	–	–	·01	–	·02		18
19	–	–	·03	·03	–	·15	–	–	·06	·01	·01	·01		19
20	–	–	·06	·01	–	–	–	–	–	–	·01	·02		20
21	–	–	–	–	–	·09	·01	·01	–	·02	–	·01		21
22	–	–	–	–	–	–	·03	·05	·24	–	–	–		22
23	–	–	–	·24	·10	·07	·11	·04	–	–	–	·04		23
24	–	·04	·04	·01	–	·05	·42	·01	·31	–	–	–		24
25	·04	·05	–	·04	–	·06	–	–	–	–	–	·16		25
26	·02	–	–	·25	–	·02	–	–	–	–	–	·12		26
27	·05	·01	–	·02	–	·15	–	–	–	·03	–	·27		27
28	–	·12	–	·50	–	·28	–	·83	–	·01	·01	·38		28
29	–	×	–	–	–	–	·15	·02	·19	–	·06	·02		29
30	·06	×	–	–	–	–	–	–	·01	·02	–	·02		30
31	·02	×	–	×	–	×	–	·03	×	·59	×	·09		31
TOTAL	·82	·28	1·05	1·48	·55	1·02	1·10	1·88	1·76	1·61	1·53	3·04	Year's Total. 16·12	
* Days with .01 in. or more.	15	7	15	13	6	11	8	17	7	17	17	29	162	
* Days with .04 in. or more.	11	3	12	8	5	8	6	9	6	8	7	16	99.	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE. ✗

Section **A** for the entry of Daily Observations. Station No. 1202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at THE CORPORATION STORE YARD

in the County of CAMBRIDGESHIRE

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level 52·36 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33	·05	–	·02	–	·14	·13	–	·20	·05	·04	·36		1
2	·05	–	–	·11	–	–	–	–	·02	·07	–	·03		2
3	–	·12	·08	·27	–	·01	–	–	·20	·27	·15	–		3
4	–	–	–	·11	–	·01	–	–	·23	·23	–	–		4
5	–	·58	·05	–	–	·20	–	–	·03	·11	·01	–		5
6	–	–	–	·14	–	·11	–	–	–	–	·05	–		6
7	·27	–	–	·25	–	–	–	–	–	–	·75	·12		7
8	–	–	–	·16	–	–	–	–	–	·16	·01	·05		8
9	–	–	–	·07	–	·36	–	–	–	·54	–	·01		9
10	–	·01	–	·05	–	–	–	–		–	–	·04		10
11	·09	–	–	–	–	·01	–	–	–	–	·07	–		11
12	–	·01	–	–	–	·22	–	–	·01	–	·06	–		12
13	·08	·04	–	·25	·22	–	–	–	–	–	·04	–		13
14	–	–	–	·25	·11	–	–	–	·10	–	·01	·02		14
15	–	·11	–	·16	·01	·13	–	–	·44	–	·04	·13		15
16	–	·02	·03	·02	–	·33	–	–	·03	·01	·30	·17		16
17	–	–	–	·02	–	·13	–	–	·04	–	·47	–		17
18	–	–	–	·35	·07	·10	·38	–	·24	–	–	–		18
19	–	–	–	·01	·22	·08	·08	–	·10	–	·18	–		19
20	·01	·04	–	·04	–	·08	–	–	–	–	–	–		20
21	–	·04	·02	–	–	–	–	–	–	·10	·20	–		21
22	–	·02	–	–	–	–	–	·12	·52	–	–	–		22
23	·03	·03	·07	–	–	–	–	·45	–	–	·02	–		23
24	·06	·16	–	–	–	–	–	–	1·83	–	–	·20		24
25	·21	·07	–	·19	–	·07	–	–	–	–	–	·02		25
26	·65	·01	–	–	–	–	–	·25	·41	–	–	·21		26
27	·11	·09	–	·01	·04	–	–	–	·18	–	·13	·15		27
28	–	–	–	–	·01	–	–	–	·16	·05	·02	·03		28
29	–	×	·01	–	–	–	–	–	·65	–	·03	·03		29
30	·04	×	·01	·08	–	–	–	·62	–	·01	·14	·10		30
31	·01	×	–	×	–	×	–	·06	×	·37	×	11		31
TOTAL	1·94	1·40	·27	2·56	·68	1·98	·59	1·50	5·39	1·97	2·72	1·78	Year's Total 22·78	
* Days with .01 in. or more.	13	16	7	20	7	15	3	5	18	12	20	17	153	
* Days with .04 in. or more.	10	10	3	15	5	12	3	5	14	10	14	11	112	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at THE CORPORATION STORE YARD

in the County of CAMBRIDGESHIRE

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft 8 in.

,, Ground ,, Sea Level 52·36 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·62	·09	·36	–	·02	·01	–	–	–	·01	·23		1
2	·02	·01	·01	·02	–	·30	·73	·06	–	–	·12	·20		2
3	–	·03	·01	–	–	·37	–	·01	·02	–	·15	–		3
4	–	–	·02	–	–	·01	–	–	·47	–	·03	·10		4
5	·03	–	·01	–	–	–	–	·02	·52	–	–	·10		5
6	·08	–	·02	–	–	·05	–	·12	·11	–	–	–		6
7	·20	–	·04	–	–	–	·26	·02	·04	·01	·01	·07		7
8	·11	–	·03	–	–	–	–	–	–	–	·09	·28		8
9	·10	–	·01	–	·01	·04	·92	–	·02	–	–	·01		9
10	·09	–	–	–	–	·03	·24	·21	–	·07	–	–		10
11	–	–	–	·03	–	–	·20	·03	–	·01	·40	–		11
12	–	–	–	·17	·25	·25	·34	–	·09	–	·31	·06		12
13	–	–	–	·09	–	·26	–	–	–	·02	·05	·01		13
14	–	·07	–	·02	–	·04	·79	–	·03	·02	·02	·11		14
15	–	·02	–	–	–	·02	·16	–	–	–	–	·02		15
16	·29	·05	–	–	–	–	·08	–	–	–	·50	·01		16
17	–	·21	–	–	·01	–	–	–	–	–	·19	·10		17
18	–	·02	–	–	–	–	·06	–	–	·21	–	–		18
19	·19	–	–	·06	–	·10	–	·03	–	·10	–	–		19
20	·01	·02	–	·17	·02	–	–	–	·83	–	–	–		20
21	–	–	–	·20	–	1·00	·03	–	·04	–	–	–		21
22	·04	·33	–	·02	·36	·01	·16	–	–	–	·02	·15		22
23	–	·02	–	·09	·01	–	·02	–	–	·06	–	–		23
24	·15	·09	–	–	–	–	·44	–	·04	·39	–	–		24
25	·10	–	·05	·09	–	–	·08	–	·22	–	·03	·03		25
26	–	·07	·15	–	–	–	·02	–	·02	·07	·02	–		26
27	·02	–	–	–	–	–	–	–	·18	·03	–	–		27
28	·39	·07	·01	–	–	·15	·25	–	–	–	–	·06		28
29	·11	·17	·01	–	–	·09	·02	–	–	·07	·14	–		29
30	·05	✕	–	–	·39	·30	·12	–	·01	·25	–	–		30
31	·53	✕	·05	✕	·03	✕	·09	–	✕	·50	✕	·13		31
TOTAL	2·57	1·80	·51	1·32	1·08	3·04	4·62	·50	2·64	1·81	2·09	1·67	Year's Total 23·65	
* Days with .01 in. or more.	19	15	14	12	8	17	21	8	15	14	16	17	176	
* Days with .04 in. or more.	15	9	5	8	3	12	16	3	10	9	9	12	111	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Borough Engineer & Surveyor.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at CAMBRIDGE CORPORATION STOREYARD

in the County of CAMBRIDGESHIRE

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level 52·36 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	-	·02	-	-	-	-	-	·01	-	·63	·40		1
2	-	-	·01	·31	-	-	-	-	·02	-	-	·05		2
3	-	·07	-	-	-	-	-	-	-	-	-	-		3
4	·03	·27	-	-	-	-	-	·04	-	-	-	(SNOW) ·35		4
5	·12	·02	·13	-	-	-	·01	-	-	-	-	(SNOW) ·34		5
6	·02	-	·65	·03	·07	-	·15	-	-	-	-	-		6
7	-	·35	·10	·04	·01	-	-	-	·01	-	·01	-		7
8	-	·02	-	-	-	·03	-	-	-	-	·22	·05		8
9	-	-	-	·27	·41	-	·17	·01	-	-	-	·09		9
10	·01	-	·40	·10	·03	·24	·02	-	-	-	·02	·12		10
11	-	-	·23	-	·27	-	-	-	-	·01	-	-		11
12	·06	·29	·17	-	·26	·25	-	·20	·20	-	-	·09		12
13	·09	-	·16	·07	·01	·43	-	·02	·21	-	-	(SNOW & RAIN) ·53		13
14	·01	·01	·57	-	-	-	-	·53	·02	-	-	·02		14
15	·02	·04	-	·13	-	·02	1·30	-	-	-	-	·05		15
16	·11	·10	·15	·17	-	-	-	·03	·02	-	-	·06		16
17	·21	-	·19	·47	-	·09	-	-	·80	-	·05	·02		17
18	·52	·09	·02	·05	·15	-	-	-	·21	-	·25	-		18
19	·03	·08	·06	·03	·02	·37	-	-	·64	·01	·09	-		19
20	·09	·02	·18	·40	·77	·04	-	-	·01	·01	·01	-		20
21	·06	·24	·05	·03	-	-	·16	-	-	-	-	·02		21
22	·26	-	-	-	-	-	·02	-	-	·44	·20	·02		22
23	·20	-	·13	-	-	-	·10	-	-	·51	-	-		23
24	·29	·15	-	-	-	-	·08	-	·01	·05	-	-		24
25	·05	·30	-	-	·34	-	-	-	·02	·20	-	-		25
26	-	·14	·06	-	·03	-	-	-	-	·07	-	-		26
27	-	·14	·01	·20	-	-	-	-	-	·80	-	-		27
28	-	·01	-	-	-	-	-	-	-	·04	-	·05		28
29	SNOW ·08	-	-	-	-	-	-	-	-	-	·05	·02		29
30	·13	✕	-	-	-	-	-	-	-	-	·16	·01		30
31	·22	✕	-	✕	-	✕	-	-	✕	·13	✕	·04		31
TOTAL	2·71	2·34	3·29	2·30	2·37	1·47	2·01	·83	2·18	2·27	1·69	2·33	Year's Total 25·79	
* Days with .01 in. or more.	22	18	19	14	12	8	9	6	13	11	11	19	162	
* Days with .04 in. or more.	16	13	15	11	7	6	6	3	5	8	8	13	111	

† Spare column, no entries required

(*Signed*) ....

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Corporation Store Yard, Mill Rd, Cambridge.

in the County of Cambs.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

,, Ground ,, Sea Level 52.36 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.05	-	-	-	-	·06	-	-	0·03	0·09	0·01	0·01		1
2	0.07	-	-	-	0.05	0·15	0·03	-	-	0·03	-	0·02		2
3	0·01	-	-	-	0·12	-	0·13	-	0·07	0·36	-	-		3
4	0·05	-	-	-	-	0·01	-	-	-	0·26	-	·06		4
5	-	-	-	-	-	-	0·02	-	0·02	0·04	-	-		5
6	0.03	-	-	-	-	-	0·05	0·24	0·34	0·03	-	-		6
7	0·05	-	-	-	-	-	0·12	0·34	0·03	0·28	-	0·01		7
8	0·05	-	-	-	-	0·03	0·28	0·01	-	0·09	-	-		8
9	0·11	-	-	-	-	-	0·04	0·02	-	-	-	0·02		9
10	-	0·01	-	-	-	-	0·05	0·33	-	-	-	0·01		10
11	0·42	-	-	-	-	-	-	0·24	-	0·01	0·04	0·02		11
12	0·06	0·09	-	-	-	-	-	0·05	-	0·34	-	0·01		12
13	-	0·05	-	-	-	-	-	0·05	-	-	-	0·04		13
14	0·05	0·02	-	-	0·12	-	-	-	0·17	-	-	0·02		14
15	0·06	-	-		-	-	0·06	-	-	0·06	0·01	0·08		15
16	0·08	0·01	-	-	-	-	0·09	-	-	0·05	-	0·32		16
17	-	-	-	-	0·41	-	0·12	-	-	0·03	-	-		17
18	0·02	-	-	-	0·32	-	-	-	0·03	-	0·23	-		18
19	-	0·03	-	0·02	0·08	-	-	-	0·03	-	0·11	-		19
20	-	-	-	-	-	-	-	0·12	-	-	0·33	S		20
21	-	-	-	-	-	-	-	0·08	0·01	-	-	S		21
22	-	-	-	-	-	0·06	-	-	-	-	0·17	S		22
23	-	-	-	0·03	-	-	-	-	-	-	-	S		23
24	-	-	0·10	-	0·01	-	-	-	1·09	-	0·05	-		24
25	0·08	0·07	0·14	0·04	-	-	0·01	-	0·02	0·03	0·34	-		25
26	0·07	0·07	0·12	-	-	-	-	0·02	0·13	0·18	0·05	SNOW		26
27	0·11	0·03	-	-	0·02	0·20	0·19	0·02	1·21	0·02	0·33	-		27
28	0·17	-	-	-	0·35	0·05	-	0·11	0·07	-	0·02	0·01		28
29	0·52	-	-	0·02	0·36	-	-	-	-	0·04	0·01	0·20		29
30	0·01	✕	-	-	-	-	-	-	0·04	0·04	0·02	SNOW		30
31	0·18	✕	-	✕	0·11	✕	-	-	✕	0·15	✕	-		31
TOTAL	2·25	0·38	0·36	0·11	1·95	0·56	1·19	1·63	3·29	2·13	1·72	0·83	Year's Total 16·40	✓
* Days with .01 in. or more.	21	9	3	4	11	7	13	13	15	19	14	20	149	✓
* Days with .04 in. or more.	17	3	2	1	9	5	10	9	8	13	9	5	91	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W Teasdale

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 1202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Mill Road Storeyard

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 53 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	-	-	·15	·14	-	·12	-	·65	-	-	-		1
2	·03	-	-	-	-	-	-	·28	·56	-	·01	-		2
3	SNOW	-	-	·07	-	-	-	·29	-	—	·20	·22		3
4	-	-	·07	·31	-	-	-	·23	-	·06	·05	·02		4
5	-	-	-	·57	-	-	-	1·38	-	·02	·10	·08		5
6	·91	-	-	-	-	-	·04	·01	-	-	-	-		6
7	·06	·03	-	-	-	-	-	-	-	·05	·03	·09		7
8	-	-	·11	-	-	-	-	·20	-	·08	·01	·41		8
9	·02	·05	-	-	-	-	-	·03	-	·55	-	·19		9
10	·11	-	-	-	-	·32	-	-	·01	-	-	-		10
11	-	-	·19	-	-	·02	-	-	·08	·02	-	-		11
12	-	-	·13	-	-	·01	-	-	·10	-	-	-		12
13	-	-	·01	-	-	-	·03	-	·07	·50	-	-		13
14	·17	-	-	-	·18	-	·01	-	·07	·26	·15	-		14
15	·38	-	·04	·02	·60	·17	-	-	·07	·65	-	-		15
16	·12	-	·04	·05	·04	·01	·11	-	-	·11	·25	-		16
17	·04	-	·01	·22	·03	-	·59	-	-	·07	-	-		17
18	·11	-	-	-	-	·12	·09	-	·07	·13	·65	-		18
19	·22	-	·04	-	-	·25	·04	-	-	·10	-	-		19
20	·06	-	-	-	-	·15	·12	·22	-	-	-	-		20
21	·08	-	·36	-	-	·03	·01	-	·07	-	-	-		21
22	·09	·04	·07	-	-	-	-	-	·05	-	·06	-		22
23	·04	-	-	·04	-	-	·01	-	-	·04	·53	-		23
24	·05	-	·09	-	-	-	-	-	-	-	-	-		24
25	SNOW 1·05	·11	·18	·06	-	·07	·06	-	-	-	·20	-		25
26	·27	-	·01	-	-	-	-	-	-	·23	·37	·04		26
27	·01	-	·01	·03	-	-	·02	-	-	·24	·06	-		27
28	-	·09	·07	-	-	-	-	-	-	·48	·09	-		28
29	-		-	·36	-	-	-	·11	-	·11	-	-		29
30	-	✕	-	·59	-	·42	·03	-	-	-	-	-		30
31	-	✕	-	✕	-	✕	·09	-	✕	-	✕	-		31
TOTAL	3·87	0·32	1·43	2·47	0·99	1·57	1·37	2·75	1·80	3·70	2·76	1·05	Year's Total 24·08 ✓	
* Days with .01 in. or more.	20	5	16	12	5	11	15	9	11	18	15	7	44	
* Days with .04 in. or more.	17	4	12	10	4	7	9	7	10	16	12	6	114	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

FILE No. 663971/26.

Section **A** for the entry of Daily Observations

Station No. 1702

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Storeyard, Mill Road, Cambridge

in the County of Cambridgeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

„ Ground „ Sea Level 52·36 ft.

Acs

48 Vals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	·05	-		1
2	-	-	-	·12	-	-	-	-	-	·06	·58	-		2
3	-	·23	-	·10	-	-	-	-	-	·06	·92	-		3
4	-	·14	-	-	-	-	-	-	-	·18	·75	·06		4
5	-	·09	-	-	·01	-	·10	-	-	-	·18	·01		5
6	-	·20	-	-	·06	-	·32	-	-	·09	·10	-		6
7	·45	·09	-	-	·02	-	·20	-	-	-	-	·02		7
8	-	-	-	-	-	-	-	-	-	·07	-	·23		8
9	-	-	·04	·01	-	-	·01	·02	-	·01	·02	·21		9
10	-	-	-	-	-	·02	1·15	-	-	·04	·20	·13		10
11	-	-	-	·02	-	-	-	-	-	-	·73	-		11
12	-	Tr	·02	-	-	-	·01	-	·04	-	-	-		12
13	-	Tr	·57	-	-	-	-	-	·07	-	1·17	-		13
14	-	-	·58	·12	·05	-	-	·02	-	-	-	·22		14
15	·10	-	-	·02	-	·16	·11	-	-	-	·07	-		15
16	-	·23	·17	-	-	-	·41	-	·05	·34	·34	-		16
17	-	·02	·53	-	-	-	·01	-	-	-	·09	-		17
18	-	·45	·14	·27	-	-	·28	·02	-	·02	·01	·11		18
19	-	·13	·10	·12	-	-	·01	-	·23	-	·10	·04		19
20	-	·02	·01	-	-	-	·09	·02	-	-	·09	-		20
21	·07	-	-	-	-	-	-	-	-	·06	·28	-		21
22	-	-	·01	-	·15	·21	-	-	·38	·06	·01	-		22
23	-	·25	-	·04	·04	-	-	-	-	-	-	-		23
24	-	-	-	·13	-	-	·13	-	-	-	-	-		24
25	-	-	·22	-	OUT OF	-	·19	-	-	-	-	-		25
26	-	·01	·35	-	ORDER	-	·30	-	-	-	-	-		26
27	·75	·01	·01	-	·30	-	·09	-	-	-	-	-		27
28	-	·09	-	·01	·07	-	-	-	-	-	-	-		28
29	-	-	·09	-	·86	-	-	-	-	-	-	·23		29
30	Tr	X	-	·11	-	-	-	-	-	·11	-	·05		30
31	-	X	-	X	-	X	-	-	X	·32	X	-		31
TOTAL	1·37	1·96	2·84	1·07	1·$\overset{7}{5}$6	0·39	3·41	0·08	0·77	1·42	5·69	1·31	Year's Total ~~21·87~~	22·07
* Days with .01 in. or more.	4	14	14	12	10	3	16	4	5	13	18	11	124	
* Days with .04 in. or more.	4	10	10	8	8	2	12	-	5	11	15	9	94	

† Spare column, no entries required.

(Signed) .... [P.T.O.

Borough Surveyor, Cambridge / 8 Jan / 1941.

* See Instruction 3 (f) on other side.

X CAMBRIDGE (TRUM

1203/5
CAMBRIDGE
TRUMPINGTON RD
1935 - 1940
780211

Section **A** for the entry of
AIR MINISTRY ... RAINFALL ORGANIZATION.

Station No. ~~1194~~ 1203/5

FORM 1090.

REGIS ... 1935.

15-1035/32

Kept at ~~Balsham Lodge~~

in the ~~County~~ *of*

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·36					·13	·13		·03	·01	·05	·06		1
2	·07			·26					·01	·28	·02	·01		2
3		·15	·13	·22		✓			·23	·19	·14	·01		3
4		·10	·06	·17		✓			·27	·36	·01			4
5		·61		·02		·33			·04	·06				5
6	·10	·01		·17		·13					·08	·09		6
7	·15			·29							·76	·06		7
8				·16						·66	·01	·03		8
9		·01		·08		·41				·54	·05	·03		9
10		·01		·09							·01	·06		10
11				·01		✓					·05			11
12	·09	·01				·28		·01	·01		·09	·02		12
13	·10	·04		·28	·22						·02			13
14				·18	·15	·02			·20			·04		14
15	·01	·13	·04	·17	·01	·12			·29	·02	·08	·09		15
16		·03				·30			·03		·35	·24		16
17				·02		·12					·49			17
18				·38	·05	·08	·20		·31		·01			18
19				·01	·24	·08	·10		·09		·16			19
20		·05		·06		·09	·06							20
21	·01		·03						·01	·09	·20			21
22	·10	·01	·01					·01	1·15		·01			22
23		·06	·09					·55	~~2·63~~		·02			23
24		·20	·01						1·48			·25		24
25	·18	·09		·14		·06						·04		25
26	·63			·04				·23	·11	·01		·20		26
27		·09		·01	·08				·16	·05		·14		27
28			·01		·01				·08		·16	·05		28
29									·66	·01	·02	·05		29
30		✕		·14				·67	·01	·03	·22	·23		30
31		✕		✕		✕		·13	✕	·36	✕		5	31
TOTAL	1·80	60 1·59	~~·40~~ ·38	2·89 ~~2·75~~	·76	2·15	·49	1·60	5·18	1·97	3·01	1·70	Year's Total 23·12	
*Days with ·01 in. or more.	11	16	8	20	7	16 ~~13~~	4	6	19	14	23	20 ~~19~~	~~161~~	165.
*Days with .04 in. or more.	9	10	4	15	5	12	4	4	13	9	14	15 ~~14~~	~~113~~	114

·07

O.K.

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) CANON H. J. E. Burrell

[P.T.O.

X CAMBRIDGE (TRUM

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1203/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

15903/5/32

Kept at ~~Balsham Lodge~~, Trumpington Road

in the ~~County~~ of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level ~~240~~ 50 c ft. from 1" map.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·36					·13	·13		·03	·01	·05	·06		1 ·07
2	·07			·26					·01	·08	·02	·01		2
3		·15	·13	·22		✓			·23	·19	·14	·01		3
4		·10	·06	·17		✓			·27	·36	·01			4
5		·61		·02		·33			·04	·06				5
6	·10	·01		·17		·13					·08	·09		6
7	·15			·29							·76	·06		7
8				·16						·46	·01	·03		8
9		·01		·08		·41				·54	·05	·03		9
10		·01		·09							·01	·06		10
11				·01		✓					·05			11
12	·09	·01				× ·28		·01	·01		·09	·02		12
13	·10	·04		·28	·22						·02			13
14				·18	·15	·02			·20			·04		14
15	·01	·13	·04	·17	·01	·12			·29	·02	·08	·09		15
16		·03				·30			·03		·35	·24		16
17				·02		·12					·49			17
18				·38	·05	·08	·20		·31		·01			18
19				·01	·24	·08	·10		·09		·16			19
20		·05		·06		·09	·06							20
21	·01		·03						·01	·09	·20			21
22	·10	·01	·01					·01	1·15		·01			22
23		·06	·09					·55	~~·06~~		·02			23
24		·20	·01						1·48			·25		24
25	·18	·09		·14		·06						·04		25
26	·63			·04				·23	·11	·01		·20		26
27		·09		·01	·08				·16	·05		·14		27
28			·01		·01				·08		·16	·05		28
29									·66	·01	·02	·05		29
30		×		·14				·67	·01	·03	·22	× ·23		30
31		×		×		×		·13	×	·36	×	×	5	31 O.K.
TOTAL	1·80	60 1·59	~~·40~~ ·38	2·89 ~~2·75~~	·76	2·15	·49	1·60	5·18	1·97	3·01	1·70	Year's Total 23·12	
*Days with ·01 in. or more.	11	16	8	20	7	16 ~~13~~	4	6	19	14	23	20 ~~19~~	~~161~~	165
*Days with ·04 in. or more.	9	10	4	15	5	12	4	4	13	9	14	15 ~~14~~	~~113~~	114

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

N X (Signed) CANON H. J. E. Burrell X

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 1203/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1099.

REGISTER OF RAINFALL IN 1936.

Kept at Balsham Lodge, Trumpington Road
in the County of Cambridge
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 20 ft. 50 ft

Acc Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	·58	·06	·37	·02	~~·02~~	·01				·02	~~·18~~		1
2	·04	·02	·02	·03	·37	~~·37~~	·80 ~~·53~~	·05			·12	·25		2
3		·02				·53	·01	·01			·16			3
4	·01	·	·02						·02		·03	·02		4
5	·05	·01	·01			·01	~~·01~~	·02	·61		·02	·13		5
6	·18		·04			·07	·23 ~~·07~~	·14	·62			·02		6
7	·22		·05					·02	·11			·01		7
8	·12		·03						·05		·11	·32		8
9	·12		·03		·03	·05	·83 ~~·05~~		·01					9
10	·06			·02		·06	·38 ~~·06~~	·18	·02	·10				10
11				·04			·19	·04			·45	·03		11
12				·13	·16	·28	·38 ~~·28~~	·01			·33	·06		12
13						·27	~~·27~~		·11	·02	·05	·03		13
14		·08		·02		·04	·72 ~~·04~~		·06	·02	·01			14
15		·02					·33					·01		15
16	·40	·08					·09				·49	·03		16
17	·02	·25				·01	~~·01~~				·22	·13		17
18		·03			·04	·02	~~·02~~							18
19	·16	·02		·05		·12	~~·12~~	·04		·20				19
20		·03		·20	·02		·0½		·65	·10				20
21				·22	·01	1·23	·02 ~~1·23~~		·29	·01				21
22	·05	·40	·01	·02	·30	·01	·19					·13		22
23				·12	·02		·02			·06				23
24	·16				·02		·54		·06	·41				24
25	·11	·01	·08	·10	·01		·02		·19	·01	·04			25
26	·01	·08	·20				·06		·02	·08				26
27	·02		·01						·11	·09				27
28	·42	·07	·02			·26	·20 ~~·26~~		·01		·02			28
29	·15	·16	·01			·09	~~·09~~			·07	·15	·21		29
30	·04	✕			·49	·30	·08		·01	·25	[illegible]			30
31	·52	✕	·08	✕	·04	✕	·12		✕	·48	✕			31
TOTAL	3·05	1·86	·67	1·32	1·53	3·35	5·20	·51	2·85	1·90	2·22	1·56	Year's Total 26·02	✓
* Days with .01 in. or more.	22	16	15	12	13	16	21	9	17	14	15	18 ~~16~~	188	✓
* Days with .04 in. or more.	19	8	6	8	6	12	16	5	11	10	10	9 ~~8~~	120	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE 1937

1203/5

Section **A** for the entry of Daily Observations

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Balsham Lodge, Trumpington Road

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13											·36		1
2			·02	·62					·01	~~·30~~	·70	·05		2
3	·01													3
4	·05	·36							·02			·55		4
5	·13	·02	·13					·05		~~·01~~	·01	·12		5
6	·03		·79	·02	·07		·18				·01			6
7		·38	·07	·05	·03		·02							7
8		·04				·04					·23			8
9					·43		·19	·01	·09					9
10	·02		·40	·44	·05	·23	·01	·01			·03	·31		10
11			·22		·30	·02				·02		·05		11
12	·06	·33	·20		·19	·08		·41	·22			~~·02~~		12
13	·11	·01	·19	·12	·03	·58			·22			·02 ·54		13
14	·01	·02	·63		·01			·40	·02			·05		14
15	·01	·05	·02	·08		·03	·96		·10			·06		15
16	·18	·11	·16	·24				·03	·01			·04		16
17	·17	·01	·20	·50					·76		·09	·01		17
18	·52	·05	·03	·08	·19				·18					18
19	·05	·11	·07	·05		·36			·79	·01	·25			19
20	·10		·05	·41	·70	·08					·10			20
21	·06	·26	·11	·02			·16				·01 ·21	·02		21
22	·22	·01	·01			·03	·01			·46		·01		22
23	·25		·11				·10			·44				23
24	·31	·19	·01				·04		·08	·06				24
25	·08	·40			·49				·02	·21				25
26		·15	·05		·04					·05	·01			26
27		·12		·19						·74				27
28		·03		·01		·01				·05				28
29	·20									·02	·04			29
30	·15	✕									·15			30
31	·20	✕		✕		✕			✕	·09	✕	·11		31
TOTAL	3·02	2·65	3·47	2·83	2·53	1·46	1·67	·91	2·43	2·15	1·84	2.30 ~~2·29~~	Year's Total 27·25 6	
* Days with .01 in. or more.	23	19	20	~~14~~ 15	12	10	9	6	13	11	13	17 ~~15~~	16~~5~~8	
* Days with .04 in. or more.	18	13	15	~~11~~ 12	9	6	6	3	8	8	8	~~11~~ 12	11~~6~~8	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. J. E. Burrell

[P.T.O.

1203/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1203/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Balsham Lodge, Trumpington Road

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground 1 " 6 Sea Level ~~25~~ 50 ft. ?

[illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·03		·02		1
2	·33			·01	·04	·05	·09			·12		·02		2
3	·01	·01		·05		·15	·22		·08	·49	·02			3
4	·06				·12	·01				·26		·07		4
5	·01					·02	·06			·06	·01			5
6	·02						·05		·03	·05	~~·01~~			6
7	·07						·28	·50	·19	·25		·01		7
8	·13					·02	·05	·02	·02	·12				8
9	·04						·06	·01				·23		9
10	·01						·06	·34				·03		10
11	·45							·18			·06	·01		11
12	·06	·07						·07		·37		·05		12
13	·01	·08						·04			·01			13
14	·06	·02			·18				·16			·01		14
15	·03						·05			·05	·01	·09		15
16	·14						·06			·05		·34		16
17		·05			·42		·13			·02	·03			17
18					·34				·03		·20			18
19	·02				·03			·01	·04	·19	·70			19
20								·04	·02	·25	·32	·09		20
21								·15	·03		·01	·60		21
22	·01										·17	·21		22
23				·05		·09					·03			23
24			·13	·06	·02				1·14		·07			24
25	·08	·07	·12	·06	·02				·04	·03	·38	× ·27		25
26	·10	·07	·13					·03	·12			×		26
27	·10	·04			·02	·22	·18		1·35	·04	·40			27
28	·09				·36	·04		·13	·07		·03			28
29	·60			·01	·25						·02	·21		29
30	·01	✕							·03		·02	·06		30
31	·12	✕		✕	·11	✕			✕	·18	✕	·44		31
TOTAL	2·56	·41	·38	·19	1·92	·60	1·29	1·52	3·35	2·47	1·89	2·76	Year's Total 19·34	✓
* Days with .01 in. or more.	24	8	3	5	12	8	12	12	15	17	18	19	153	✓ 153
* Days with .04 in. or more.	15	6	3	3	8	5	12	8	9	13	8	13	103	✓ 103

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. J. E. Burrell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1203/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

File No. 159035/32

Kept at Balsham Lodge, Trumpington Road, Cambridge

in the County of Cambridge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground 1 ,, 6 Sea Level 25 ft.?

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09			·19	·15		·21		·63	·01				1
2	·03			·09			·02	·29	·65					2
3	·50 2							·41		·02	·21	·20		3
4			·08	·31			·01	·26		·07	·04	·03		4
5				·62				1·33		·65	·10	·10		5
6	·44			·01			·05				·01	·02		6
7	·14	·03	~~·03~~					·02		·08	·04	·08		7
8			·08				·04	·22		·09		·40		8
9	·06	·06	~~·06~~					·04		·53	·03	·19		9
10	·16					·30		·22	·01		·01			10
11	·01		·35			✓			·05	·03				11
12						·20			·08			·01		12
13			·01			·02	·02		·05	·54				13
14	·34				·20		·03		·07	·26				14
15	·15		·04	·01	·58	·22			·07	·71	·16			15
16	·18		·04	·09	·05	·08	·03			·14	·26			16
17	·05	·01		·23	·06		·09			·08	·01	·01		17
18	·10		·04			·12	·11		·08	·15	·70			18
19	·18					·25	·05			·12		·02		19
20	·03		·02			·11	·10	·12				·07		20
21	·15		·35			·06	·02		·10					21
22	·07	·05	·08						·06		·10			22
23	·04			·05			·01			·06	·55			23
24	·08		·13			·02	·09		·01			·02		24
25	1·14	·14	·18	·08		·14	·05				·26	·03		25
26	·29		·02				·03			·21	·31	·03		26
27	·02	·01	·12	·07						·27	·07			27
28			·08	·01				·01		·25	·01			28
29		·11		·44			·05	·09		·25				29
30		✕		·65		·24					·01			30
31		✕		✕		✕	·07	·01	✕		✕			31
TOTAL	4·25	·41	1·62	2·85	1·04 ~~·94~~	1·76	1·68	3·02	1·86	3·92	2·88	1·15	Year's Total 26·44	
* Days with .01 in. or more.	22 ✓	7	15	14	5	12 ✓	19	12	12	20	18	14	~~2[illegible]~~ 170	
* Days with .04 in. or more.	18 ✓	3	12	11	5	10 ✓	11	9	10	17	12	6	122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

1203/5

Section A **for the entry of Daily Observations**

Station No. /

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

File No 159035/32

Kept at Balsham Lodge, Trumpington Road, Cambridge
in the County of Cambridge
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 25 ft.?

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2		·02		·09						·03	·07	·01		2
3		·25		·14						·13	·69	·04		3
4		·14		·02						·18	·61	·04		4
5		·08					·03			·01	·89	·02		5
6	·14	·18			·08		·39			·09	·33			6
7	30	·09			·08		·02			·06	·10	·04		7
8		·01	·06									·20		8
9				·02		·02				·03	·05	·19		9
10								·01		·04		·7		10
11				·04		·02	·69				·90			11
12		20	·03				·01		·05		·01			12
13			1·05						·04		1·10			13
14	·09		·03	·11				·02		·01		·21		14
15			·16		·11	·13	·10				·09			15
16		·20	·11				·50		·05	·30				16
17			·58				·01				·37			17
18		·53	·15	·28			·22			·03	·06			18
19		·11	·12	·12			·03	·04	·21		·01	·15		19
20		·03	·01	·02				·04			·10			20
21	·06	·01					·08			·07	·01			21
22			·03	·03		·20			·39	·01	·32			22
23		·18			·11						·02			23
24	·11			·16	·05		·12				·02			24
25			·23				·12				·01			25
26	·25	·02	·05		·26		·28				~~·03~~	·01		26
27	·06	·03	·02	·01	·21		·10	·04						27
28		·09	·02		·09									28
29			·09		·30							·25		29
30	·05	×		·09						·11		·07		30
31	·04	×		×		×			×	·39	×			31
TOTAL	1·10	×2·17	2·84	1·13	1·22	·37	2·70	·13	·74	1·49	5·75	1·42	Year's Total 21·06	
* Days with .01 in. or more.	9	17	16	13	9	4	15	5	5	15	20	13	141	
* Days with .04 in. or more.	9	11	10	8	9	2	10	3	5	9	14	10	120	

× Possibly about .20 more. Snow difficult to measure.

1.11 2.36

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. J. E. Burrell

[P.T.O.

1203 —

CAMBRIDGE BOT GDNS

1931 - 40

780211

Secti

USE.

1203

FORM

ICE.—BRITISH RAINFALL ORGANIZATION.

FALL IN 1931 .

Ke

in

Di

H

100

O THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
31	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	1.1	~~trace~~	1.3	1.2	-	-	-	1.9	-	-	~~tr~~	1
2	1.7	2.0	-	3.2	10.4	~~trace~~	~~tr~~	-	11.4	~~trace~~	-	~~tr~~	2
3	0.3	-	-	3.1	10.9	-	-	1.4	25.9	-	~~tr~~	2.3	3
4	-	-	-	2.2	-	-	0.1	7.2	1.0	-	2.4	-	4
5	-	-	-	0.5	~~tr~~	10.3	0.3	3.8	16.0	-	tr	11.0	5
6	-	5.2	-	~~Tr.~~	-	4.2	-	-	-	4.9	8.9	-	6
7	-	0.1	-	-	-	~~trace~~	1.7	15.7	-	0.8	1.4	0.4	7
8	1.3	2.0	1.1	~~tr~~	-	4.7	-	7.6	-	-	-	-	8
9	-	0.5	2.3	2.0	-	6.2	~~tr~~	0.5	-	-	5.5	0.8	9
10	-	2.8	~~trace~~	-	-	0.5	-	3.3	-	-	3.1	-	10
11	4.6	2.2	-	-	-	~~trace~~	-	-	1.2	-	0.7	-	11
12	-	0.7	-	Tr.	-	-	~~tr~~	-	4.7	-	-	-	12
13	0.6	-	-	-	-	-	4.6	0.8	-	-	-	-	13
14	0.9	3.2	-	-	0.6	-	18.4	5.7	-	-	-	-	14
15	1.5	1.1	-	5.9	5.0	-	6.0	9.0	-	-	-	0.8	15
16	~~tr~~	5.0	-	2.0	6.5	~~trace~~	-	0.7	3.1	-	-	-	16
17	-	tr	-	6.2	10.9	-	2.6	-	0.8	~~trace~~	-	-	17
18	~~tr~~	1.4	-	5.7	-	2.0	0.8	4.0	-	-	13.1	-	18
19	1.1	-	-	10.5	-	6.0	1.3	-	1.2	-	-	-	19
20	~~tr~~	~~tr.~~	-	0.3	-	-	12.8	3.2	-	-	-	-	20
21	0.8	-	-	~~Tr.~~	10.9	-	-	-	0.5	-	-	-	21
22	1.3	-	-	-		-	-	-	1.5	-	0.2	~~0~~	22
23	3.7	-	-	0.3	8.8	6.7		-	1.1	-	2.5	0.3	23
24	-	~~tr~~	-	7.7	2.6	-	1.2	-	0.9	-	-	~~tr~~	24
25	1.3	~~tr~~	-	8.0	1.5	-	14.0	-	1.4	~~trace~~	0.8	0.1	25
26	-	-	-	8.8	-	-	11.5	-	0.2	-	3.8	-	26
27	3.6	14.1	-	~~Tr.~~	-	-	5.6	-	-	-	6.8	-	27
28	4.9	12.3	-	1.9	-	-	~~tr~~	-	-	0.7	~~tr~~	3.5	28
29	5.6	×	-	8.7	1.3	-	2.6	-	-	6.1	~~tr~~	1.6	29
30	3.2	×	-	-	1.8	-	0.3	0.6	-	-	-	-	30
31	1.9	×	1.3	×	-	×	-	-	×	-	×	-	31
99 TOTAL	38.3	53.7	4.7	78.3	72.4	40.6	83.8	63.5	72.8	12.5	48.3	20.8	YEAR'S TOTAL 589.7
Days with 0·2 mm. or more.	17	14	3	18	13	8	15	14	16	4	12	8	142
Days with 1·0 mm. or more.	13	12	3	15	12	7	12	10	12	2	9	4	111
(144W)	1.51	2.11	0.19	3.08	2.85	1.60	3.30	2.50	2.87	0.49	1.90	0.82	23.22

40-9999

(Signed).. [P.T.O.

USE. \ 1203

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1931 .

Kept at Cambridge. Bot. Gdns

in the County of Cambs.

100

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 41 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
31	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	1.1	~~trace~~	1.3	1.2	-	—	—	1.9	—	—	~~tr~~	1
2	1.7	2.0	-	3.2	10.4	~~trace~~	~~tr~~	—	11.4	~~trace~~	—	~~tr~~	2
3	0.3	-	-	3.1	10.9	-	—	1.4	25.9	—	~~tr~~	2.3	3
4	-	-	-	2.2	-	-	0.1	7.2	1.0	—	2.4	-	4
5	-	-	-	0.5	~~tr~~	10.3	0.3	3.8	16.0	—	tr	11.0	5
6	-	5.2	-	~~Tr.~~	-	4.2	—	—	-	4.9	8.0	-	6
7	-	0.1	-	—	-	~~trace~~	1.7	15.7	-	0.8	1.4	0.4	7
8	1.3	2.0	1.1	—	-	4.7	—	7.6	-	—	-	-	8
9	-	0.5	2.3	2.0	-	6.2	~~tr~~	0.5	-	—	5.5	0.8	9
10	-	2.8	~~trace~~	—	-	0.5	—	3.3	-	—	3.1	-	10
11	4.6	2.2	-	—	-	~~trace~~	—	—	1.2	—	0.7	-	11
12	-	0.7	-	Tr.	-	-	~~tr~~	—	4.7	—	—	-	12
13	0.6	-	-	—	-	-	4.6	0.8	-	—	—	-	13
14	0.9	3.2	-	—	0.6	-	18.4	5.7	-	—	—	-	14
15	1.5	1.1	-	5.9	5.0	-	6.0	9.0	-	—	—	0.8	15
16	~~tr~~	5.0	-	2.0	6.5	~~trace~~	—	0.7	3.1	—	—	-	16
17	-	tr	-	6.2	10.9	-	2.6	—	0.8	~~trace~~	—	-	17
18	~~tr~~	1.4	-	5.7	-	2.0	0.8	4.0	-	—	13.1	-	18
19	1.1	-	-	10.5	-	6.0	1.3	—	1.2	—	—	-	19
20	~~tr~~	~~tr.~~	-	0.3	-	-	12.8	3.2	-	—	—	-	20
21	0.8	-	-	~~Tr~~	10.9	-	—	—	0.5	—	—	-	21
22	1.3	-	-	—		-	—	—	1.5	—	0.2	~~0~~	22
23	3.7	-	-	0.3	8.8	6.7		—	1.1	—	2.5	0.3	23
24	-	~~tr~~	-	7.7	2.6	-	1.2	—	0.9	—	—	~~tr~~	24
25	1.3	~~tr~~	-	8.0	1.5	-	14.0	—	1.4	~~trace~~	0.8	0.1	25
26	-	-	-	8.8	-	-	11.5	—	0.2	—	3.8	-	26
27	3.6	14.1	-	~~Tr.~~	-	-	5.6	—	-	—	6.8	-	27
28	4.9	12.3	-	1.9	-	-	~~tr~~	—	-	0.7	~~tr~~	3.5	28
29	5.6	X	-	8.7	1.3	-	2.6	—	-	6.1	~~tr~~	1.6	29
30	3.2	X	-	—	1.8	-	0.3	0.6	-	—	—	-	30
31	1.9	X	1.3	X	-	X	—	—	X	—	X	-	31
99 TOTAL	38.3	53.7	4.7	78.3	72.4	40.6	83.8	63.5	72.8	12.5	48.3	20.8	YEAR'S TOTAL 589.7
Days with 0·2 mm. or more.	17	14	3	18	13	8	15	14	16	4	12	8	142
Days with 1·0 mm. or more.	13	12	3	15	12	7	12	10	12	2	9	4	111
(144W)	1.51	2.11	0.19	3.08	2.85	1.60	3.30	2.50	2.87	0.49	1.90	0.82	23.22

40-9999

(Signed).. [P.T.O.

1203

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1.

REGISTER OF RAINFALL IN 19~~2~~32

Kept at Cambridge. Bot. Gdns.
in the County of Cambs.
Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
" Ground " Sea Level 41 ft.

Daily Values 100
mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
'32	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.6	0.9	–	3.0	8.2	0.9	2.7	8.0	1.5	11.7	t	0.6	1
2	t	–	–	t	3.7	–	–	–	3.9	1.4	t	3.2	2
3	–	–	–	12.4	6.8	–	–	–	t	t	·	–	3
4	–	–	–	t	–	–	0.8	1.0	–	–	5.6	–	4
5	3.4	–	t	t	0.4	t	4.6	–	0.8	–	–	t	5
6	6.5	–	0.4	3.4	–	–	t	–	5.0	–	–	–	6
7	t	–	4.9	0.8	–	–	0.8	–	–	–	–	·	7
8	–	–	–	1.9	–	·	–	–	t	4.0	t	t	8
9	–	0.3	0.7	–	11.6	–	–	–	–	5.9	–	·	9
10	1.3	0.8	–	2.1	0.7	–	–	–	2.3	t	–	–	10
11		0.4	–	t	2.4	–	0.2	1.8	1.2	1.3	1.0	–	11
12	0.3	–	–	1.0	2.4	–	–	–	–	8.2	0.6	–	12
13	0.4	t	–	2.1	t	–	t	–	t	–	0.8	t	13
14	3.3	–	–	1.9	0.3	–	1.4	0.4	–	t	0.5	t	14
15	t	t	–	0.9	t	–	3.9	t	–	3.3	–	t	15
16	3.2	–	–	3.9	13.7	–	–	–	–	–	–	–	16
17	–	–	–	t	–	–	3.6	–	–	t	t	–	17
18	–	–	–	–	t	–	0.6	–	13.5	–	0.6	–	18
19	–	t	–	–	–	–	–	–	t	3.0	t	–	19
20	–	–	–	0.8	6.0	–	3.5	13.3	–	9.0	1.3	–	20
21	–	0.2	1.8	5.7	12.7	–	–	14.5	–	6.2	·	t	21
22	–	–	11.0	0.3	0.8	–	5.0	–	5.5	0.8	7.3		22
23	–	3.8	–	–	0.5	–	–	–	1.3	10.3	0.7	–	23
24	–	–	–	–	–	–	7.2	–	0.4	–	11.5	0.4	24
25	–	–	–	t	1.4	–	3.0	–	1.5	8.2	1.3	–	25
26	–	–	–	10.7	7.9	–	13.4	–	4.7	–	–	–	26
27	–	–	3.3	2.4	10.7	–	6.0	–	t	–	4.2	–	27
28	–	–	6.8	–	10.9	t	5.1	–	–	4.8	–	–	28
29	t	–	1.1	–	1.3	0.7	–	15.6	0.3	4.4	t	t	29
30	t	X	1.4	3.5	–	12.3	–	4.6	1.0	4.0	3.3	2.8	30
31	–	X	3.2	X	0.4	X	t	0.6	X	–	X	–	31
99 TOTAL	20.0	6.4	34.6	56.8	102.8	13.9	61.8	59.8	42.9	86.5	38.7	7.0	YEAR'S TOTAL 531.2
Days with 0·2 mm. or more.	8	6	10	17	20	3	16	9	14	16	13	4	136
Days with 1·0 mm. or more.	6	1	8	13	14	1	12	7	11	15	8	2	98
(144w)	0.79	0.25	1.36	2.24	4.05	0.55	2.43	2.35	1.69	3.41	1.52	0.28	30.92

40—9999.

(Signed)..........[P.T.O.]

Section **A** for the entry of Daily Observations.

1203
FOR OFFICIAL USE.

Form 1091.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933.

Kept at Cambridge Bot. Gdns

in the County of Cambridge

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

" Ground " Sea Level 41 ft.

Daily Values

100

24.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
'33	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	~~tr~~	4.2	3.2	–	0.4	–		–	–		3.4	–	1
2	2.9	·	4.0	~~tr~~	2.2	–	–		–		~~tr~~	–	2
3	–	4.4	0.7	–	~~tr~~	–	–	–	–		–	–	3
4	~~tr~~	~~tr~~	2.6	–	1.3	–	–	–	–		2.2	–	4
5	~~tr~~	~~tr~~	0.5	–	7.5	–	–	–	–		–	–	5
6	–	1.3	3.3	–	18.3	–	–	–	–	0.1	1.4	0.4	6
7	4.0	0.8	–	–	3.8	–	–	–	–	2.0	~~tr~~	–	7
8	1.3	·	1.3	–	0.3	–	4.4	–	–	1.0	–	–	8
9	–	·	–	~~tr~~	2.6	–	4.4	–	–	–	4.8	–	9
10	–	·	–	–	~~tr~~	5.4	2.5	–	–	1.3	0.4	–	10
11	1.9	·	–	–	–	1.2	0.3	6.5	–	–	1.4	–	11
12	–	·	–	0.6	–	3.3	0.4	–	6.3	–	–	–	12
13	0.4	·	–	–	0.8	2.7	4.0	–	–	–	5.2	–	13
14	~~tr~~	·	–	–	2.4	~~tr~~	–	1.0	–	3.6	6.3	–	14
15	5.3	·	~~tr~~	–	–	–	1.9	0.6	–		1.8	–	15
16	3.9	·	12.4	–	1.6	4.1	4.1	–	–		1.4	–	16
17	0.7	·	4.6	–	–	3.4	–	–	3.8		0.3	–	17
18	–	1.4	0.4	–	–	2.2	–	–	–		~~tr~~	–	18
19	–	2.7	4.6	0.4	–	3.4	–	–	6.1		–	~~tr~~	19
20	–	0.3	~~tr~~	3.9	–	12.8	~~tr~~	~~tr~~	–		0.3	–	20
21	–	2.3	–	–	–	0.5	–	3.0	9.9	0.2	0.2	–	21
22	–	~~tr~~	–	–	–	5.9	–	15.6		3.7	0.3	–	22
23	–	0.2	–	3.1	0.8	–	–	–	9.6	–	–	–	23
24	–	2.9	–	2.6	7.7	3.0	–	–	4.6	~~tr~~	2.4		24
25	–	4.6	–	8.0	1.4	0.7	–	–	–	–	–	0.9	25
26	–	8.1	–	1.0	–	–	–	–	2.7	1.6	–	2.8	26
27	–	~~tr~~	–	~~tr~~	–	–	–	–	0.7	2.3	–	–	27
28	–	~~tr~~	–	0.5	~~tr~~	–	–	–	–	16.0	–	0.8	28
29	–	X	~~tr~~	10.4	0.3	–	–	–	–	6.4	–	–	29
30	4.0	X	~~tr~~		–	–	~~tr~~	–	0.4	0.3	–	2.3	30
31	0.4	X	6.7	X	–	X	–	1.4	X	~~tr~~	X	–	31
99 TOTAL	24.8	33.2	44.3	30.5	51.4	48.6	22.0	28.1	44.1	38.5	31.8	7.2	YEAR'S TOTAL 404.5
Days with 0·2 mm. or more.	10	12	12	9	15	13	8	56	9	~~9~~11	15	5	5 128
Days with 1·0 mm. or more.	7	9	9	6	10.	11	6	5	7	~~8~~9	10	2	91 ~~81~~
(144w)	0.98	1.31	1.74	1.20	2.02	1.91	0.87	1.10	1.74	1.52	1.25	0.28	15.92

40—9999.

(Signed)..........

P.T.O.

COPY FOR OFFICIAL USE.

1203

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1934.

Kept at Cambridge Bot. Gardns

in the County of Cambridge

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level 41 ft.

10.0

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
'34	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1·3	–	–	–	–	–	–	6·3	tr	tr	0·9	10·8	1
2	2·0	–	1·9	–	–	–	–	–	13·4	2·2	–	4·9	2
3	0·2	1·0	–	1·4	–	–	–	–	–	11·3	–	tr	3
4	2·5	0·5	2·0	–	–	–	–	–	–	2·5	2·2	4·1	4
5	–	–	1·3	~~–~~	tr	1·1	–	–	–	tr	0·7	4·5	5
6	–	–	2·9	0·2	6·0	2·0	–	1·2	–	2·9	tr	8·1	6
7	1·0	–	–	–	–	0·8	–	tr	–	0·6	tr	0·8	7
8	–	–	–	~~1·0~~	2·5	–	–	1·7	tr	–	2·7	–	8
9	tr	–	0·1	1·3	–	–	–	2·7	–	–	6·8	6·8	9
10	–	–	1·3	1·3	–	–	–	0·9	–	0·3	10·6	tr	10
11	2·6	–	5·6	0·2	–	–	–	2·0	–	–	1·1	2·4	11
12	–	–	1·7	–	–	–	1·5	2·9	–	–	0·9	0·9	12
13	2·9	–	0·5	tr	tr	–	6·9	3·0	–	–	tr	0·2	13
14	–	–	3·4	–	tr	0·4	–	0·1	–	3·6	9·4	3·7	14
15	–	–	1·7	–	1·1	–	–	–	11·5	1·2	4·7	0·4	15
16	2·3	0·5	1·4	–	1·3	–	–	–	–	0·7	tr	0·2	16
17	1·0	tr	–	–	0·2	–	–	tr	–	1·2	0·4	3·0	17
18	0·7	–	tr	7·1	–	–	1·5	–	–	–	tr	0·8	18
19		–	0·7	0·7	–	1·4	–	–	1·7	~~0·05~~	tr	0·1	19
20		–	1·8	0·1	–	0·1	–	–	tr	–	tr	0·8	20
21		–	tr	1·0	–	2·1	–	tr	–	0·7	tr	tr	21
22		–	–	–	–	–	1·6	1·6	6·2	–	–	tr	22
23		–	–	6·2	2·9	1·8	4·3	1·0	–	–	–	1·3	23
24		0·4	–	tr	–	2·1	12·1	–	8·2	–	tr	–	24
25	0·6	1·7	1·4	1·2	–	1·3		–	–	–	–	4·6	25
26	0·6	–	tr	10·0	–	0·2	–	–	tr	–	–	3·3	26
27	1·0	0·3	–	0·6	–	3·7	–	–	–	1·0	–	6·1	27
28	0·5	3·0	–	11·7	–	3·0		23·0	–	tr	tr	12·8	28
29	–	×	–		–	–	4·0	0·7	5·7	–	0·9	tr	29
30	1·5	×	–	–	–	–	–	–	~~0·05~~	0·1	–	1·2	30
31	0·4	×	–	×	–	×	–	1·7	×	16·7	×	2·2	31
99 TOTAL	21·1	7·4	27·7	43·0	14·0	20·0	31·9	48·8	46·7	45·0	41·3	84·0	430·9 YEAR'S TOTAL 431·0
*Days with 0·2 mm. or more.	16	7	14	13	6	12	7	13	6	13	12	23	145
*Days with 1·0 mm. or more.	10	3	12	9	5	9	7	11	6	9	7	16	104
	0·83	0·29	1·09	1·69	0·55	0·79	1·26	1·92	1·84	1·78	1·63	3·31	16·98

M

(T44W)

40-9999

(Signed) ....

P.T.O.

1203

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935.

Kept at Cambridge Bot. Gardens
in the County of Cambridge
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground ...... ft ...... in.
,, Ground ,, Sea Level 41 ft.

100
24

102
Daily values
L

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
'35	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9.5	1.6	~~tr~~	0.4	–	3.4	3.0	–	0.4	1.2	1.2	5.1	1
2	2.0	·	–	5.7	–	~~tr~~	–	–	0.4	1.9	1.2	0.3	2
3	~~tr~~	3.8	2.6	6.1	–	~~tr~~	–	–	5.0	7.6	3.5	~~tr~~	3
4	–	·	–	3.9	–	0.1	–	–	6.0	4.9	0.1	–	4
5	–	15.1	1.4	0.3	–	6.1	~~tr~~	–	1.1	2.1	0.1	–	5
6	2.6	1.0	~~tr~~	3.9	–	3.4	–		–	~~tr~~	1.8	–	6
7	4.6	·	–	7.0	–	·	–		–	–	19.3	2.2	7
8	~~tr~~	·	–	4.4	–	·	–		–	4.3	0.1	2.1	8
9	~~tr~~	·	–	2.0	–	9.8	–	·	–	14.2	1.1	0.7	9
10	~~tr~~	0.3	–	1.6	–	~~tr~~	–	·	–	–	0.2	1.1	10
11	2.5	·	–	0.1	–	0.2	1.8	·	–	–	1.0	~~tr~~	11
12	–	~~0.05~~	–	–	~~0.5~~	6.1	–	~~trace~~	0.4	–	2.1	–	12
13	2.4	1.2	–	6.8	6.0	·	–	·	–	–	1.0	–	13
14	0.1	·	–	5.9	3.0	0.4	–		5.7	–	0.3	0.9	14
15	–	3.1	–	4.3	0.2	3.7	–		7.9	–	1.8	3.3	15
16	–	0.7	1.1	0.5	~~tr~~	7.9	–		1.0	0.3	7.7	5.2	16
17	–	~~tr~~	–	0.6	–	3.9	–	·	1.1	~~tr~~	13.5	–	17
18	–	·	–	9.3	1.1	1.9	5.3		6.6	0.5	–	–	18
19	~~tr~~.	·	–	[illegible]	6.4	2.1	2.3	·	2.1	0.3	4.1	~~tr~~	19
20	0.1	1.3	–	1.4	–	2.3	1.3		.1	–	–	–	20
21	0.2	1.3	0.5	–	–	·	–		~~tr~~	1.8	5.0	–	21
22	–	0.1	–	–	–	·	–	3.8	13.6	–	–	–	22
23	0.4	·	2.1	–	–	·	–	11.4	0.2	–	0.8	~~tr~~	23
24	1.9	5.2	~~tr~~	–	–	·	–	~~0.8~~	45.3	–	–	5.7	24
25	5.2	2.0	–	4.8	–	2.0	–		–	–	–	0.7	25
26	22.8	·	–	0.1	–	·	–	6.5	2.5	~~tr~~	~~tr~~	5.2	26
27	16.8	3.0	–	0.1	1.6	·	–		4.7	–	3.4	3.5	27
28	~~tr~~	~~tr~~	–	–	0.1	·	–	~~trace~~	3.8	1.1	0.7	0.8	28
29	[illegible]	×	~~tr~~	–	–	·	–		14.1	–	0.6	0.9	29
30	0.9	×	–	3.2	–	·	–	16.2	~~tr~~	0.1	7.0	3.0	30
31	~~tr~~	×	–	×	–	×	–	1.7	×	9.3	×	3.2	31 594.5
99 TOTAL	56.6	39.7 39.8	7.7	72.4 72.5	18.4 18.5	53.3	13.7	39.6 39.7	122.0	49.6	77.6 77.5	43.9	YEAR'S TOTAL 594.8
*Days with 0·2 mm. or more.	13	13	5	19	6	14	5	5~~0~~	19	13	21	17	150
*Days with 1·0 mm. or more.	10	11	4	15	5	12	5	5	15	10	16	11	119
(144W)	2.23	1.57	.30	2.85	.72	2.10	.54	1.56	4.80	1.95	3.05	1.73	23.41

40-9999

M

(Signed) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1203

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1098.

REGISTER OF RAINFALL IN 1936.

Kept at Botanic Gardens, Cambridge

in the County of Cambridge

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

TL

mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		0·64		0·37										1
2														2
3														3
4														4
5														5
6														6
7														7
8												·32		8
9							0·90							9
10								0·20						10
11														11
12														12
13														13
14														14
15														15
16											·49			16
17														17
18														18
19														19
20									0·90					20
21						1·36								21
22														22
23														23
24														24
25														25
26			0·17											26
27														27
28														28
29														29
30		X			0·47									30
31	·50	X		X		X			X	0·48	X		Year's Total	31
TOTAL	2·72	1·96	0·53	1·32	1·07	3·53	5·04	0·46	2·61	1·91	2·13	1·53	24·81	✓
*Days with ·01 in. or more.	18	16	11	12	7	18	20	6	14	13	13	14	162	✓
*Days with ·04 in. or more.	16	9	5	8	4	12	17	3	10	10	9	10	113	✓
	69·1	49·7	13·4	33·6	27·1	89·7	128·0	11·7	66·3	48·4	54·2	38·9	630·1	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

1203
102

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1936.

TL

Kept at Cambridge, Botanic Gdns
in the County of Cambridge
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level 41 ft.

Daily Values
mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
36	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.9	16.2	1.6	9.5	-	0.3	0.2	tr.	-	-	0.1	5.0	1
2	0.5	0.5	0.5	0.6	-	7.4	21.1	1.4	-	-	4.9	5.8	2
3	tr.	-	-	-	-	10.4	0.1	-	1.4	-	2.3	-	3
4	-	-	0.4	-	-	0.2	-	tr.	12.4	-	0.7	2.8	4
5	1.3	0.8	0.3	-	-	-	0.1	0.5	12.1	tr.	0.1	-	5
6	2.0	-	0.9	-	-	1.5	-	3.1	2.6	-	tr.	-	6
7	5.5	-	1.0	-	-	-	6.1	0.1	0.9	0.3	-	0.1	7
8	2.8	-	0.9	-	-	-	-	-	-	tr.	2.8	8.2	8
9	3.3	-	0.3	-	0.6	1.2	22.2	-	0.3	-	~~0.05~~	tr.	9
10	3.1	-	tr.	0.3	tr.	1.3	5.5	5.2	tr.	2.4	-	-	10
11	-	-	-	1.0	-	-	4.9	0.5	-	tr.	11.3	0.1	11
12	-	-	-	3.9	3.6	7.9	9.6	-	2.7	-	8.2	1.6	12
13	-	-	-	0.2	tr.	5.6	tr.	-	-	0.3	1.0	0.4	13
14	-	2.0	-	0.4	-	0.9	21.7	-	0.6	0.5	0.3	3.2	14
15	-	0.5	-	-	-	1.0	4.5	-	-	-	tr.	0.3	15
16	8.7	1.5	-	-	1.0	-	2.5	-	-	-	12.5	0.3	16
17	0.1	5.9	-	-	0.3	0.2	-	-	-	0.1	5.1	2.9	17
18	-	0.6	-	-	-	0.3	1.8	tr.	-	5.5	~~0.05~~	-	18
19	4.0	0.3	-	2.3	-	3.0	-	0.9	-	3.9	-	-	19
20	-	0.4	-	4.6	0.1	-	-	-	22.8	~~0.05~~	-	-	20
21	-	-	-	5.3	0.4	34.5	1.0	-	0.3	-	-	-	21
22	1.4	9.0	0.1	tr.	9.0	-	4.5	-	-	-	-	3.7	22
23	tr.	.1	~~1.3~~	2.8	0.1	-	0.9	-	-	1.6	-	-	23
24	4.1	2.4	-	-	0.1	-	9.9	-	1.3	10.6	-	-	24
25	2.7	1.9	1.6	2.7	-	tr.	0.3	-	5.2	0.1	0.8	0.6	25
26	-	0.2	4.4	-	tr.	-	1.4	-	1.0	1.7	0.3	-	26
27	0.4	2.0	-	-	-	-	-	-	2.6	1.1	-	-	27
28	9.3	5.3	0.1	-	-	5.9	4.5	-	-	-	-	1.7	28
29	4.2	-	0.1	-	-	0.8	0.1	-	-	1.6	3.7	0.1	29
30	1.1	×	-	-	11.9	7.3	3.1	-	0.1	6.4	-	tr.	30
31	12.7	×	1.2	×	-	×	2.0	-	×	12.2	×	2.0	31 629.7
99 TOTAL	69.1	49.6 49.7	13.4	33.6	27.1	89.7	128.0	11.7	66.3	~~48.3~~ 48.4	54.1 54.2	38.8 38.9	YEAR'S TOTAL 630.1
*Days with 0·2 mm. or more.	18	16	11	12	7	18	20	6	14	13	13	14	163
*Days with 1·0 mm. or more.	16	9	5	8	4	12	17	3	1.0	10	9	10	113
(144 W)	2.72	1.96	0.53	1.32	1.07	3.53	5.04	0.46	2.61	1.91	2.13	1.53	24.81

40-9999

(Signed) ....

P.T.O.

FOR OFFICIAL USE. 1203 102

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at Cambridge (Botanic Gdns)

in the County of Cambridge

~~Daily Values~~ T. L

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 41 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
37	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.5	—	0.1	—	—		—	—	0.2	—	16.1	9.3	1
2	—	0.2	0.3	8.1	—		—	—	0.5	—	—	1.4	2
3	—	1.7	—	—	—		—	—	—	—	—	—	3
4	1.1	7.1	—	—	—		—	0.9	—	—	—	9.2	4
5	3.2	0.6	3.4	—	—		0.2	—	—	—	0.1	7.8	5
6	0.7	—	17.8	1.0	1.8		4.2	—	—	—	—	—	6
7	—	9.2	7.2	1.4	0.6		0.6	—	0.3	—	—	—	7
8	0.1	1.2	—	—	—	1.3	—	—	—	—	5.9	1.2	8
9		—	—	6.9	10.7	—	4.7	0.3	2.4	—	—	2.9	9
10	0.4	—	10.9	3.8	1.1	5.8	0.6	—	—	—	0.7	3.1	10
11	—	—	5.7	—	7.3	0.9	—	—	—	0.2	—	2.0	11
12	1.6	8.1	5.0	—	4.9	8.9	—	8.0	5.5	—	—	0.4	12
13	2.5	0.2	6.6	2.6	0.1	7.8	—	0.1	5.5	—	—	11.1	13
14	0.2	0.4	12.4	0.1	—	—	—	12.0	0.5	—	—	1.3	14
15	0.2	1.1	0.1	3.6	—	0.7	30.7	—	2.4	—	—	1.6	15
16	4.5	2.7	3.8	4.8	—	—	—	1.1	—	—	—	1.2	16
17	4.2	0.2	4.8	13.5	—	2.2	—	—	18.6	—	1.9	0.3	17
18	13.4	1.7	0.4	1.6	4.2	—	—	—	6.2	—	7.1	—	18
19	1.1	2.8	1.7	1.1	0.2	9.5	—	—	16.1	—	2.5	—	19
20	2.7	—	1.7	10.1	18.1	1.3	—	—	0.1	—	—	—	20
21	1.5	6.9	2.8	0.4	—	—	3.9	—	—	—	—	0.3	21
22	5.7	0.1	—	—	—	0.1	1.8	—	—	11.5	5.6	0.2	22
23	5.7	—	2.9	—	—	—	1.3	—	—	11.3	—	—	23
24	7.8	4.6	0.1	—	0.1	—	2.2	—	1.7	1.4	—	—	24
25	1.3	9.4	—	—	13.8	—	—	—	—	5.6	—	0.4	25
26	—	3.6	1.7	—	0.9	—	—	—	0.2	1.6	—	—	26
27	—	3.6	—	5.0	—	—	—	—	—	20.9	—	—	27
28	—	0.7	—	0.1	—	—	—	—	—	1.3	—	1.3	28
29	—	×	—	—	—	—	—	—	—	0.3	1.3	—	29
30	5.7	×	—	—	—	—	—	—	—	—	4.2	—	30
31	5.0	×	—	×	—	×	—	—	×	2.9	×	0.8	686.0 31
99 TOTAL	73.1 mm 73.1	66.1	89.4	64.1	63.8	38.5	50.2	22.4	60.2	57.0	45.4	55.8	YEAR'S TOTAL 686.1
Days with 0.2 mm. or more.	21	20	17	14	11	9	10	5	13	10	9	19	158 ✓
Days with 1.0 mm. or more.	17	14	15	13	8	7	7	3	8	8	8	13	121 ✓
(144W) 40-9999	73.1	66.1	89.4	64.1	63.8	38.5	50.2	22.45	60.2	57.0	45.4	55.8	686.1 ✓

(Signed).. [P.T.O.

102

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1203

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1938.

Kept at Cambridge, (Botanic Gdns.)
in the County of Cambridge
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 41 ft.

T.L 400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
38	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	–	–	–	–	–	1·4	–	–	0·8	0·1	0·2	0·5		1
2	7·9	–	–	0·5	1·1	4·7	2·0	–	–	3·1	–	0·7		2
3	–	–	–	–	3·3	–	2·7	–	1·9	9·6	0·1	–		3
4	1·7	–	–	–	–	0·7	–	–	–	7·5	–	1·9		4
5	–	–	–	–	–	–	2·5	–	0·9	1·2	–	–		5
6	0·9	–	–	–	–	–	1·2	1·1	4·0	1·3	–	–		6
7	1·8	–	–	–	–	–	1·9	9·3	1·1	7·6	–	0·3		7
8	3·2	–	–	–	–	0·8	6·9	–	–	2·7	–	–		8
9	1·1	–	–	–	–	–	2·1	0·2	–	–	–	5·9		9
10	–	–	–	–	–	–	1·7	9·6	–	–	–	0·5		10
11	11·2	–	–	–	–	–	–	5·6	–	–	1·6	0·4		11
12	1·8	2·2	–	–	–	–	–	1·6	–	9·0	–	–		12
13	–	2·1	–	–	–	–	–	2·8	–	–	0·1	1·1		13
14	1·7	0·7	–	–	4·8	–	–	–	4·3	–	–	0·5		14
15	0·5	–	–	–	–	–	1·7	–	–	1·2	–	2·3		15
16	3·7	0·1	–	–	–	–	2·0	–	–	1·2	0·7	8·6		16
17	–	0·9	–	–	11·3	–	4·1	–	–	0·7	–			17
18	–	–	–	–	7·6	–	–	–	0·9	–	5·9			18
19	0·2	–	–	0·1	1·8	–	–	–	1·2	–	2·7			19
20	–	–	–	–	–	–	–	2·7	0·1	–	7·9	2·3		20
21	–	–	–	–	–	–	–	3·2	0·1	–	0·1	15·5		21
22	–	–	–	–	–	2·1	–	–	–	0·1	5·5	5·9		22
23	–	–	–	1·3	–	–	–	–	–	–	–	0·2		23
24	–	–	2·9	0·6	0·2	–	–	–	28·5	–	1·6	–		24
25	2·5	1·9	3·6	1·4	–	–	0·2	–	0·8	0·9	9·4	2·2		25
26	2·1	2·3	3·3	–	–	–	–	0·9	3·2	4·9	–	0·8		26
27	2·7	1·1	–	–	0·4	5·4	4·9	0·6	34·2	6·4	10·6			27
28	4·1	–	–	–	9·2	1·5	–	3·2	1·8	–	0·5	0·1		28
29	14·5	×	–	0·3	6·5	–	–	–	–	–	0·6	5·6		29
30	–	×	–	–	–	–	–	–	1·1	1·0	0·8	0·5		30
31	4·2	×	–	×	3·2	×	–	–	×	4·3	×	12·3		31
99 TOTAL	65·8	11·3	9·8	4·2	49·4	16·6	33·9	40·8	84·9	62·8	48·3	68·1	Year's Total 495·9	✓
* Days with 0.2 mm. or more.	18	7	3	5	11	7	13	12	14	16	13	20	139	✓
* Days with 1.0 mm. or more.	15	5	3	2	9	5	12	9	10	14	8	11	103	✓

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 2·59 ·44 ·39 ·17 1·94 ·65 1·33 (Signed) 1·61 3·34 2·47 1·90 2·68 19·51 [P.T.O.

1·00

19·51

~~10~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 1203

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Cambridge (Botanic Gdns)

in the County of Cambs.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" Ground " Sea Level 41 ft.

400 T. L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
39	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	1·2	—	0·1	4·4	1·6	—	4·1	—	15·9	—	—	—		1
2	0·9	—	—	—	—	—	0·2	7·6	12·4	0·2	0·4	—		2
3	11·5	—	—	2·1	—	—	—	9·5	—	—	5·2	5·2		3
4	2·4	—	2·1	8·3	—	—	0·3	6·7	—	1·7	1·3	0·7		4
5	—	—	—	15·1	—	—	0·1	32·2	—	0·4	2·4	2·4		5
6	8·4	—	—	—	—	—	1·3	—	—	—	—	—		6
7	3·7	1·1	—	—	0·1	—	—	0·3	—	2·8	1·1	2·1		7
8	—	0·4	2·9	—	—	—	0·7	5·3	—	2·5	0·4	10·6		8
9	1·0	1·4	—	—	—	—	—	1·0	—	13·1	0·1	4·8		9
10	4·3	—	—	—	—	8·3	—	5·2	0·4	—	—	—		10
11	—	—	8·6	—	—	0·5	—	—	1·3	0·7	—	0·1		11
12	—	—	—	—	0·2	3·8	—	—	2·5	—	—	—		12
13	—	—	0·4	0·1	—	0·4	1·9	—	1·8	15·3	—	—		13
14	9·1	—	—	—	4·9	—	—	—	2·2	5·0	4·3	—		14
15	4·9	—	1·1	0·1	14·1	5·5	—	—	1·7	16·6	0·9	0·1		15
16	4·5	—	0·9	1·6	1·4	2·1	1·6	—	—	3·9	5·6	—		16
17	1·4	0·2	0·1	6·6	1·1	—	9·1	—	—	1·6	—	—		17
18	3·1	—	1·0	—	—	3·1	2·6	—	2·1	4·1	17·0	—		18
19	5·9	—	0·1	—	—	6·5	1·4	—	—	2·6	—	0·3		19
20	0·8	—	—	—	—	3·8	3·2	2·5	—	—	—	0·2		20
21	3·4	—	10·1	—	—	1·5	0·4	—	2·4	—	—	—		21
22	0·9	1·4	2·1	—	—	0·1	0·1	—	1·6	—	1·9	—		22
23	1·4	—	—	1·7	—	0·5	0·2	—	—	1·2	14·1	—		23
24	1·8	—	3·9	—	—	—	2·3	—	—	—	—	—		24
25	27·1	3·3	4·6	1·7	—	3·2	1·1	—	—	—	6·2	0·2		25
26	6·7	—	0·3	0·3	—	—	—	—	—	5·5	9·2	0·7		26
27	0·1	—	2·9	1·8	—	—	0·9	—	—	6·8	0·4	—		27
28	—	2·9	1·9	—	—	—	—	—	—	9·1	2·3	0·2		28
29	—	X	—	10·4	—	—	1·1	3·1	—	4·3	0·1	—		29
30	—	×	—	17·2	—	10·6	—	—	—	—	0·1	—		30
31	—	×	—	×	—	×	2·4	0·1	×	—	×	—		31
99 TOTAL	104·5	110·7	43·1	71·4	23·4	49·9	35·0	73·5	44·3	97·4	73·0	27·6	Year's Total 653·8	
* Days with 0.2 mm. or more.	21	7	14	12	6	13	18	10	11	19	16	11	158	
* Days with 1.0 mm. or more.	18	5	11	11	5	10	12	9	10	16	12	5	124	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 4·11 ·42 1·70 2·81 ·92 1·96 1·38 (Signed) 2·89 1·74 3·83 2·87 1·09 ~~25·72~~ P.T.O.

102

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 1203 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Cambridge (Botanic Gdns)
in the County of Cambs
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 41 ft.

I.L. 400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
40	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	–	0.7	–	–	–	–	–	–	–	–	1.4	–		1
2	–	0.2	–	3.6	–	–	–	–	–	1.7	18.9	–		2
3	–	6.3	–	3.0	–	–	–	–	–	1.5	26.4	0.9		3
4	–	3.1	–	–	–	–	–	–	–	4.1	11.3	0.8		4
5	–	1.9	–	–	0.2	–	0.4	–	–	0.1	5.9	0.3		5
6	3.2	4.3	–	–	1.6	–	9.4	–	–	2.5	2.6	–		6
7	8.1	2.7	–	–	0.9	–	0.1	–	–	–	–	1.2		7
8	–	0.2	–	–	–	–	–	–	–	1.2	–	4.9		8
9	–	–	1.4	0.4	–	–	–	–	–	0.6	0.8	4.8		9
10	–	–	–	–	–	0.4	16.8	0.6	–	1.2	4.7	2.9		10
11	–	–	–	1.2	–	–	–	–	–	–	18.9	0.1		11
12	–	1.3	0.7	–	–	–	–	–	1.3	–	–	–		12
13	–	0.4	24.9	–	–	–	–	–	1.5	–	28.4	–		13
14	–	–	4.4	2.9	2.3	–	–	0.7	–	–	–	5.2		14
15	0.2	–	1.4	0.6	–	4.0	3.1	–	–	–	1.7	0.1		15
16	1.5	2.8	5.2	–	–	–	11.1	–	1.3	7.6	9.5	–		16
17	–	0.4	11.2	–	–	–	0.2	–	–	–	1.5	–		17
18	0.3	12.6	3.6	7.9	–	–	6.5	1.4	–	0.6	–	2.8		18
19	–	2.8	2.8	3.3	–	–	0.6	–	6.8	–	2.5	0.9		19
20	–	0.5	0.3	0.1	–	–	2.4	0.9	–	–	0.1	–		20
21	1.1	0.3	–	–	–	–	0.4	–	–	1.7	8.8	–	-	21
22	0.2	–	0.6	–	2.7	4.9	–	0.1	9.9	0.1	–	–		22
23	–	6.5	–	1.4	1.5	0.1	–	–	–	–	–	–		23
24	–	–	–	3.6	–	–	3.2	–	–	–	0.1	–		24
25	–	–	7.6	–	–	–	3.3	–	–	–	–	–		25
26	18.0	0.6	7.5	0.2	6.6	–	7.1	–	–	–	0.1	–		26
27	8.0	0.7	0.5	–	6.1	–	2.0	0.7	–	–	–	–		27
28	0.4	2.5	–	0.4	3.9	–	–	–	–	–	–	–		28
29	–	–	2.6	–	14.9	–	–	–	–	–	–	6.0		29
30	0.8	✕	–	2.8	–	–	–	–	–	2.6	–	1.7		30
31	0.9	✕	–	✕	–	✕	–	–	✕	9.7	✕	–		31
49 TOTAL	42.7	50.8	74.7	31.4	40.7	9.4	66.6	4.4	20.8	35.2	143.6	32.6	Year's Total 552.9 ✓	
* Days with 0.2 mm. or more.	12	20	15	13	10	3	14	5	5	12	15	14	138 ✓	
* Days with 1.0 mm. or more.	6	11	11	9	8	2	10	1	5	10	14	8	95 ✓	

(144w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(Signed) ....

~~1.09~~ 1.68 2.00 2.94 1.24 1.60 .37 2.62 .17 .82 1.39 5.65 1.28 21.76 ✓

[P.T.O.